



DAFTAR PUSTAKA

- Abdiansyah, A., Karo, R.M.B, Wildanie, W., & Tanjung, W.F. (2022). Aktifitas Antibakteri Fraksi Etil Asetat Ekstrak Metanol Daun Kerai payung (*Filicium decipiens*) terhadap *Staphylococcus epidermidis*. *Stannum: Jurnal Sains dan terapan Kimia* 4(1): 34-39
- Achmad, Herliyana, N & Permatasari, D.P. (2016). Luas serangan dan Sebaran Kejadian Penyakit Akar Merah di Hutan Pendidikan Gunung Walat, Sukabumi. *Jurnal Silvikultur Tropika*. 7(1): 24-31
- Al-Ani, L.K.T. & Furtado, E.L. (2020). The Effect of Incompatible Pathogens on the Host Plant in *Molecular Aspects of Plant Beneficial Microbes in Agriculture*. DOI: <https://doi.org/10.1016/B978-0-12-818469-1.00004-3>
- Bharudin, I., Wahab, A.F.F., Samad, M.A., Xin Y.N., Zairun, M.A., Bakar, F.D., Murad, A.M. (2022). Review Update on the Life Cycle, Plant–Microbe Interaction, Genomics, Detection and Control Strategies of the Oil Palm Pathogen *Ganoderma boninense*. *Biology*, 11,251.<https://doi.org/10.3390/biology11020251>
- Beck, T., Gaper, J., Sebesta, M., & Gaperova, S. (2018). Host Preference of Wood Decaying Fungi of the Genus Ganoderma in the Urban Areas of Slovakia. *Studia naturae*.3: 22-37
- Bhosle, S., Ranadive, K., Bapat G., Garad, S., Despandge, G., & Vaidya, J. (2010) Taxonomy and diversity of Ganoderma from the Western parts of Maharashtra (India). *Mycosphere* 1, 249–262
- Blanchette, R.A. (1984). Screening wood decayed by white rot fungi for preferential lignin degradation. *Applied and Environmental Microbiology*, 48(3): 647-653
- Castillo, S.Y., Rodríguez, M.C., González, L.F., Zúñiga, L.F., Mestizo, Y.A., Medina, H.C., Montoya, C., Morales, A., Romero, H.M., & Sarria, G.A. (2022). *Ganoderma zonatum* Is the Causal Agent of Basal Stem Rot in Oil Palm in Colombia. *J. Fungi* 8, 230. <https://doi.org/10.3390/jof8030230>
- Coetzee, M.P.A., Marincowitz, S., Muthelo, V.G., & Wingfield, M.J. (2015). Ganoderma Species, Including New Taxa Associated with Root Rot of the Iconic *Jacaranda mimosifolia* in Pretoria, South Africa. *IMA Fungus*, 6, 249–256.
- Cong, V.T. (2010). Ganoderma spp. Biology, Species and Culture in Vietnam and in the Czech Republic. Ph.D. Thesis, Mendel University in Brno, Brno, Czech Republic,
- Cumming, A.B., Daniel, B.T & Nowak D.J. (2008). Urban Forest Health Monitoring: Large Scale Assessment in the United States. *Arboriculture & Urban Forestry*. 34(6):341–346.
- Dai, Y.C., Cui, B.K., Yuan, H.S., & Li, B.D. (2007). Pathogenic Wood Decaying Fungi in China. *For. Pathol.* 37, 105–120
- Ding, S., Hu, H. & Gu, J.D. (2020). Diversity, Abundance and Distribution of Wood Decay Fungi in Major Parks of Hongkong. *Forest* 11: 1030



Din, F & Mukhtar, T. (2019). Morphological Characterization of Ganoderma Species from Murre Hills Pakistan. *Plant Protection* 03 (02): 73-84

Du, Z., Dong, C.H., Wang, K., Yao, Y.J. (2019). Classification, Biological Characteristic Sand Cultivations of Ganoderma. In: *Ganoderma and Health*. Springer, Singapore, pp. 15–58

Edy, N., Anshary, A., Basir-Cyio, M., Mahfudz, I., Kadir, S.R.A., & Mahmud, S. (2021). Incidence and Severity of Ganoderma Rot Disease in Tropical land Use System and Their Virulence to Palm Oil. *Plant Pathology Journal*. 19: 98-105

Edy, N., Anshary, A., Lakani, I., Zulfadli & Waidi (2022). Morphological Diversity of *Ganoderma* Along Different Land Uses in Central and West Sulawesi 2nd International Conference on Environmental Ecology of Food SecurityI OP Conf. Series: Earth and Environmental Science 1107 (doi:10.1088/1755-1315/1107/1/012021

Elshafie A., Al-Bahry, S.N., El-Nagerabi, S.A.F., & Al-Kindi K.K. (2013). New record of *Ganoderma colossum* Associated with *Sclerocarya birrea* Dieback. *Australas. Plant Dis. Notes* 8:85-87.

El-Nagerabi, S.A.F. and Elshafie, A.E., (2015). New Record of *Ganoderma colossum* White Rot on *Ficus bengalensis*. *Journal of New Biological Reports*, 4, pp.228-232.

Endreny, T.A. (2018). Strategically Growing the Urban Forest will Improve Our World. *Nature communications*. 9: 1160.

Farazika, S.Y. (2022). Penyebaran Penyakit Busuk Akar Akibat Jamur *Ganoderma* spp pada Berbagai Jenis Pohon di Kawasan Kampus Universitas Gadjah Mada. *Skripsi*. Fakultas Kehutanan, Universitas Gadjah Mada.

Feltrin, A.C., Boligonn, A.A., Janovik, V. & Athayde, M.L. (2012). Antioxidant Potential, Total Phenols and Flavonoid Contents from the Stem Bark of *Guazuma ulmifolia*. *Asian Journal of Biological Science* 5 (5): 268-272

Fernando, K.M.E.P. (2008). The Host Preference of a *Ganoderma lucidum* Strain for Three Tree Species of Fabaceae Family: *Cassia nodosa*, *Cassia fistula* and *Delonix regia*. *J.Natn.Sc.Foundation Sri Lanka*. 36(4):323-326

Fitriani, Suryantini, R., & Wulandari RS. (2017). Pengendalian Hayati Patogen Busuk Akar (*Ganoderma* sp.) pada *Acacia mangium* dengan *Trichoderma* spp. Isolat Lokal Secara In Vitro. *Jurnal Hutan Lestari* 5 (3): 571-570.

Florence, E.J.M. & Yesodharan K. (2000). Macrofungal Flora of Peechi-Vazhani Wildlife Sanctuary. [KFRI Research Report no. 191.]Kerala: Kerala Forest Research Institute.

Francis, A., Beadle, C. L., Puspitasari, D., Irianto, R., Rimbawanto, A., Gafur, A., Hardyanto, E., Junarto, Tjahjono, B., Mardai, U., & Mohammed, C.L. (2014). Disease Progression in Plantations of *Acacia mangium* Affected by Red Root-rot (*Ganoderma philippii*). *For. Pathol.* 44, 447–459. doi: 10.1111/efp.12141

Ginns, J. (2017). Polypores of British Columbia. Prov. B.C., Victoria, B.C. Tech. Rep. 104.



- Glen, M., Bouger, N. L., Francis, A. A., Nigg, S. Q., Lee, S. S., Irianto, R., Barry, K. M., Beadle, C. L., & Mohammed, C. L. (2009) Ganoderma and Amauroderma Species Associated with Root-rot Disease of *Acacia mangium* Plantation Trees in Indonesia and Malaysia. *Australas. Plant Pathol.* 38, 1–12. doi: 10.1071/AP09008
- Gunarathne, R.M.U.K and Perera, G.A.D. (2009). Is *Manilkara hexandra* (Roxb.) Dubard, a threatened species in Sri Lanka? Conference press
- Hapuarachchi, K.K., Karunaratna, S.C., Phengsintham, P., Yang, H.D., Kakumyan, P., Hyde, K.D., & Wen, T.C. (2019). Ganodermataceae (Polyporales): Diversity in Greater Mekong Subregion Countries (China, Laos, Myanmar, Thailand and Vietnam). *Mycosphere* 10:221–309
- Hassan, A.A & Saadi, M.A. (2023). Isolation, Identification and Cultivation of *Ganoderma* spp. and Evaluation of Their Efficiency in Inhibiting Plant Pathogenic Fungi *Fusarium oxysporum* and *Alternaria tenuissima*. IOP Conf. Series: Earth and Environmental Science 1158 (2023) 072021 IOP Publishing doi:10.1088/1755-1315/1158/7/072021
- He, J., Han, X., Luo, Z.L., Li E.X., Tang, S.M., Luo, H.M., Niu, K.Y., Su, X.J., & Li, S.H. (2022). Species Diversity of Ganoderma (Ganodermataceae, Polyporales) with Three New Species and a Key to Ganoderma in Yunnan Province, China. *Front. Microbiol.* 13:1035434. doi: 10.3389/fmicb.2022.1035434
- Herliyana, E., Putra, I.K., Taniwiryo, D., & Minarsih, H. (2012). Pathogenecity Test of Two Isolates of Ganoderma on Sengon Seedlings. Proceedings of the 7th ACSA Conference. Bogor, West Java, Indonesia, 27-30 September 2011
- Hidayati, N., Glen, M., Nurrohmah, S. H., Rimbawanto, A., & Mohammed, C. L. (2014). *Ganoderma steyaertianum* as a Root-rot Pathogen of Forest Trees. *For. Pathol.* 44, 460–47. doi: 10.1111/efp.12142
- Jahan, M.S., Sabina, R. & Rubaiyat, A. (2008). Alkaline Pulping and Bleaching of *Acacia auriculiformis* Grown in Bangladesh. *Turk J Agric For* 32 :339-347
- Jasni. (2016). Keawetan 57 Jenis Kayu Indonesia Alami dengan Pengujian di Bawah Naungan. *Jurnal Pemuliaan Hasil Hutan Vol. 34 No. 3*, September 2016: 179-188
- Jazuli, N.A., Kamu, A., Chong, K.P., Gabda, D., Hassan, A., Abu, S.I., & Ho C.M. (2022). A Review of Factors Affecting *Ganoderma* Basal Stem Rot Disease Progress in Oil Palm. *Plants (Basel)*. 2022 Sep 21;11(19):2462. doi: 10.3390/plants11192462. PMID: 36235329; PMCID: PMC9571826.
- Jo, W.S., Park, H.N., Cho, D.H., Yoo, Y.B., & Park, S.C. (2011). Detection of Extracellular Enzyme Activities in *Ganoderma neo-japonicum*, *Mycobiology*, 39:2, 118-120, DOI: 10.4489/MYCO.2011.39.2.118
- Keane, P. & Kerr, (2001). A Factors Affecting Disease Development. *Postharvest Dis.* 287, 33–53
- Keypour, S. & Asef, M.R. (2020). New reports on Locality and Host Relationship of *Ganoderma resinaceum* from Iran. *Australasian Plant Pathol.* 49, 175–178 <https://doi.org/10.1007/s13313-020-00688-7>



- Khamble, V. R., Mane, S.K. & Khilare, C.J. (2012). Host Specificity of Some Wood Rotting Fungi in Western Maharashtra India. *Bionano frontier* 5 (2)
- Khatekaye, S. D. & Kale, M.S. (2012). Antioxidant and Free Radical Scavenging Activity of *Pithecellobium dulce* (Roxb.) Benth Wood Bark and Leaves. *Elsevier* 2(3): 45-57
- Kinge, T.J. & Mih, A.M. (2015). Diversity and Distribution of Species of Ganoderma in South Western Cameeroon. *Journal of Yeast and Fungal research* 6 (2)
- Kobza, M., Ostrovský, R., Adamčíková, K. & Pastircáková, K. (2022). Stability of Trees Infected by Wood Decay Fungi Estimated by Acoustic Tomography: a Field Survey. *Trees* 36, 103–112 . <https://doi.org/10.1007/s00468-021-02185-w>
- Lo, M.L., Thanh, T.A.V., Midot, F., Lau. S.Y.L, Wong, W.C., Tung, H.J., Jee, M.S., Chin, M.Y., & Melling, L. (2023). Comparison of *Ganoderma boninense* Isolate's Aggressiveness Using Infected Oil Palm Seedlings. *J Microbiol.* 61(4):449-459. doi: 10.1007/s12275-023-00040-w. Epub 2023 Apr 25. PMID: 37097587; PMCID: PMC10167175.
- Lo'pez, F., Garcí'a, M.M., Ya'nez, R., Tapias, R., Ferna'ndez,M & Di'az, M.J. (2008). Leucaena Species Valoration for Biomass and Paper Production in 1 and 2 year Harvest. *Bioresource Technology* 99 4846-4853
- Lodge, D.J., Ammirati, F.J., O'Dell, T.E., & Mueller, G.M. (2004). Collecting and Describing Macrofungi. In *Biodiversity of Fungi Inventory and Monitoring Methods*; Mueller, G.M., Bills, G.F., Foster, M.S., Eds. Elsevier Academic Press: London, UK, 2004; pp. 128–154.
- Liaghat, S., Ehsan, R., Mansoor, S., Shafria, H. Z. M, Meon, S., Sankaran, S., & Azam, S. H. M. N. (2014). Early Detection of Basal Stem Rot Disease (Ganoderma) in Oil Palms Based on Hyperspectral Reflectance Data Using Pattern Recognition Algorithms. *International Journal of Remote Sensing* Vol.35 (10):3427-3439
- Loyd, A.L., Smith, J.A., Richter, B.S., Blanchette, R.A & Smith, M.E. (2017). The Laccate Ganoderma of the Southeastern United States: A cosmopolitan and Important Genus of Wood Decay Fungi. *EDIS*. Vol 1 (1): 6–6.
- Luangharn, T., Karunarathna, S.C., Mortimer, P.E., Hyde, K.D., & Xu, J. C. (2019) Additions to the Knowledge of Ganoderma in Thailand: *Ganoderma casuarinicola*, a New Record: and *Ganoderma thailandicum* sp. nov. *MycoKey* , 59, 47–65.
- Luangharn, T., Karunarathna, S.C., Dutta, A.K., Paloi,S., Promputtha, I., Hyde, K.D., Xu, J., & Mortimer, P.E. (2021) Ganoderma (Ganodermataceae, Basidiomycota) Species from the Greater Mekong Subregion. *J. Fungi*, 819.<https://doi.org/10.3390/jof7100819>
- Mafia, M.I., Aminuzzaman, F.M., Chowdhury, M.S.M. & Tanni, J.F. (2020). Occurrence, Diversity and Morphology of Poroid Wood Decay by *Ganoderma* spp. from Tropical Moist Deciduous Forest Region of Bangladesh. *Journal of Agriculture and Natural Resources*,3(2),160-174.



- Maghfiroh, K., Widyarti, S., & Sumitro, S. B. (2021). Identification of phenols and Triterpenoids Compounds in *Michelia champaca* for Treating covid 19 Symptom by in Silico. 1stBioinformatics and Biodiversity Conference. NST Proceedings. pages 38-44. doi: 10.11594/nstp.2021.0706
- Mawar, R., Ram, L., Deepesh, N.A., & Mathur, T. (2020) Ganoderma, In: *Amaresan N, Senthil MK, Annapurna K, Kumar K, Sankaranarayanan, A.* (eds). *Beneficial Microbes in Agro-Ecology*. Academic Press, pp. 625–649.
- Minarsih, H, Lingga, D., Darmono, T. and Herliyana, E.N. (2011). Analisis Keragaman Genetik *Ganoderma* spp. yang Berasosiasi dengan Tanaman Kakao dan Tanaman Pelindungnya Menggunakan Random Amplified Polymorphic DNA (RAPD) *Menara Perkebunan* 79 6–14
- Moncalvo, J.M. (2000). Systematic Ganoderma. In *Ganoderma diseases of perennial crops'.* (Eds J Flood, PD Bridge, M Holderness) pp. 23–45. CABI International: Wallingford, UK
- Na’iem, M., Adriyanti, D.T & Musyafa. (2014). Pedoman Pengelolaan Vegetasi di Lingkungan Universitas Gadjah Mada. Direktorat Pengelolaan dan Pemeliharaan Aset Universitas Gadjah Mada. Yogyakarta.
- Náplavová, K., Beck, T., Gáper, J., Pyszko, P., & Gáperová, S. (2021). Synanthropic Process Evaluation (with Factors Affecting Propensity to Parasitism) and Host Range within the Genus *Ganoderma* in Central Europe. *Forests* 121437. <https://doi.org/10.3390/f12111437>
- Nguyen, T. T. T., Nguyen, H. D., Bui, A. T., Pham, K. H. T., Van, K. T. P., Tran, L. T., & Tran, M. H. (2023). Phylogenetic analysis and morphology of *Ganoderma multipileum*, a *Ganoderma* species associated with dieback of the metropolitan woody plant *Delonix regia* (Boj. ex Hook.) Raf. in Vietnam. *Science Progress*, 106(3), 00368504231195503.
- Ningkrum, N.P.K. 2022. Perkembangan Gejala Penyakit Ganoderma pada Berbagai Jenis Pohon di Kawasan Kampus Universitas Gadjah Mada. *Skripsi*. Fakultas Kehutanan. Universitas Gadjah mada
- Omran, M., Shafei, A., & Abdel-Rahman, S. (2019). Chemical Constituents, Antioxidant and aAntimicrobial Activities of *Pterygota alata* (Roxb.) Leaves Extracts Grown in Egypt. *Novel Research in Microbiology Journal*, 3(3), 366-378.
- P3HH. (2008). Petunjuk Praktis Sifat-sifat Dasar Jenis Kayu Indonesia a Handbook of Selected Indonesian Wood Species. Indonesia Sawmill and woodworking association (ISWA)
- Page, D.E, Glenn, M., Puspitasari, D., Prihatini, I., Gofur, A., & Mohmmmed, C.L. (2020). Acacia Plantations in Indonesia Facilitate Clonal Spread of the Root Pathogen *Ganoderma philippii*. *Plant Pathology*.1-13
- Palanna, K.B., Shreenivasa, K.R., Basavaraj, S. And Narendrappa, T. (2020). Review of Genus *Ganoderma* Causing Basal Stem Rot (Coconut) and Foot Rot (Arecanut)



with Respect Etiology and Management. *International Journal of Current Microbiology and Applied Science*. 9(4): 1434-1455

Paterson, R.R.M. (2019). *Ganoderma boninense* Disease Deduced from Simulations Modelling with Large Data Sets of Future Malaysian Oil Palm. *Phytoparasitica*. 47 (4)

Preda, D., Popa, D.G., Constantinescu-Aruxandei, D., & Oancea, F. (2022). Enhancement of Lignolytic Enzyme Activity in *Ganoderma Lucidum* by Co-Cultivation with Bacteria. *Chem. Proc.* 2022, 7, 7035. <https://doi.org/10.3390/chemproc2022007035>

Puspitasari, D., Rimbawanto, A., dan Hidayati, N. (2009). Karakterisasi Morfologi dan Verifikasi DNA *Ganoderma philippii* penyebab busuk akar *Acacia mangium*. *Jurnal Pemuliaan Tanaman Hutan*. 3(2): 83-94.

Ranadive, K.R. & Jagtap, N.V. (2016). Checklist of *Ganoderma* P. Karst (Ganodermataceae) From India. International Conference on Plant Research and Resource Management and 25th APSI Silver Jubilee Scientists Meet. 2016. India.

Rahayu, S., Utomo, D.S., Cahyanto, V.E, Anggara, G., Adriyanti, D.T, Nurjanto, H.H and Kristian A.A. (2021). Monitoring of *Ganoderma* spp on the Trees at Arboretum of Universitas Gadjah Mada, Yogyakarta, Indonesia: Implications for Health Care Recommendation of Old trees. IOP Conf.Series: Earth and Environtment Sciences 918 (2021)012044. DOI: 10.1088/1755-1315/918/1/012044

Ramesha, M.N., Dwivedi, V.K., Sigh, C. & Kumar, V. (2017). Incidence of *Ganoderma lucidum* L.(Reishi) on *Delonix regia* and *Petophorum pterocarpum* in Semi Arid Region. *Indian Forester*. 143 (2): 139-142

Ryvarden, L., Melo, I. (2014). *Poroid fungi of Europe*. Oslo: Fungiflora.

Rojas, A.C.B, Silva, L.Q.O., Gugliotta, A.M., & Boloni, V.L.R. (2018). Diversity of *Ganoderma* spp. and Falls of Urban Trees in Brazil and Colombia. *Biodiversity Int J.* 2(2):178–179. DOI: 10.15406/bij.2018.02.00060

Sankaran, K.V., Bridge, P.D. & Gokulapalan, C. (2005). Ganoderma Diseases of Perennial Crops in India. *Mycopathologia* 159: 143-152.

Schwarze, F.W. & Ferner, D. (2003). Ganoderma on Trees—Differentiation of Species and Studies of Invasiveness. *Arboricultural Journal*. Vol 27 (1): 59–77.

Seo, G.S.,and Kirk, P.M. (2000). Ganodermataceae: Nomenclature and Classification.*In Ganodermadiseases of perennial crops*'. (Eds J Flood, PD Bridge,M Holderness) pp. 3–22. CABI International: Wallingford, UK

Sharma, J.K., Mohanan, C., & Florence, E.J.M.(1985). Disease Survey in Nurseries and Plantations of Forest Tree Species Grown in Kerala. Kerala Forest Research Institute. India

Sharma, M., Sharma, C.L., almasawma, M., Singh, M. K., & Gogoi, B. R. (2014). Wood Anatomy of some *Ficus* species of Mizoram, NE India with reference to their identification. *Int J Bot Res*, 4(2), 19-30.



- Siddiqui, Y., Surendran, A., Paterson, R.R., Ali, A, & Ahmad, K. (2021). Current Strategies and Perspectives in Detection and Control of Basal Stem Rot of Oil Palm. *Saudi Journal of Biological Science.* 28: 2840-2849
- Sinclair, W.A. & Lyon, H.H. (2005). *Diseases of Trees and Shrubs.* Comstock Publishing Associates. New York.
- Singh, S., Harsh, N.S.K., & Gupta, P.K. (2015). Potential Role of Host Tree Species in Determining The Composition of Polysaccharides of *Ganoderma lucidum* (Fr.) Karst. (GPLS). *Current Research in Environmental and Applied Mycology* 5(3): 196-201.
- Smith, B.J., & Sivasithamparam, K. (2003). Morphological studies of Ganoderma (Ganodermataceae) from the Australian and Pacific regions. *Australian Systematic Botany* 16, 487–503.
- Supramani, S., Rejab, N. A., Ilham, Z., Wan-Mohtar, W. A. A. Q. I., & Ghosh, S. (2022). Basal stem rot of oil palm incited by Ganoderma species: A review. *European Journal of Plant Pathology*, 164(1), 1-20.
- Suryantini, R dan Wulandari, R.S. (2018). Diversity of Ganoderma Pathogen in Pontianank, West Kalimantan: Characteristics, Virulence and Ability to Infect *Acacia mangium* seedlings. *Biodiversitas* 19 (2): 465-471. Doi:10.13057/biodiv/d190213
- Susilowati, A., Ahmad, A.G., Siburian, H., Iswanto A.H., Rachmad, H.H., Zaitunah,A., Samsuri, Dwiyanti F.G. & Ginting, I.M. (2021). The Damagen Profile of Kerai payung (*Filicium desipiens* in University of Sumatera Utara Green Space Based on Forest Health Monitoring (FHM) Method. IOP Conf. Series: Earth and Environmental Science **918** (2021) 012019 doi:10.1088/1755-1315/918/1/012019
- Tanni, J.F., Aminuzzaman, F.M., Ahmed, M., & Rahaman, M. (2020). Diversity and Distribution of Macrofungi in Some Selected Parks and Gardens of Dhaka City, Bangladesh. *Asian Journal Biology* 9(1): 23-43.
- Tchoumi, J.M.T., Coetzee, M.P.A., Rajchenberg, M., Wingfield, M.J., & Roux J. (2018). Three Ganoderma species, including *Ganoderma dunense* sp. nov., associated with dying *Acacia cyclops* trees in South Africa. *Australasian Plant Pathology* 47:431–447. <https://doi.org/10.1007/s13313-018-0575-7>
- Thakur, R., Devi, R., Lal, M. K., Tiwari, R. K., Sharma, S., & Kumar, R. (2023). Morphological, Ultrastructural and Molecular Variations in Susceptible and Resistant genotypes of Chickpea Infected with Botrytis grey mould. *PeerJ*, 11, e15134.
- Tsana, R.N., Mafo, M.A.F., Ottou, M.T.A., Sidjui, L.S., & Nnanga, N. (2019). Antimicrobial and Antioxidant Activities of Ethanolic Stem Bark and Root Extracts of *Khaya ivorensis* A Chev. (Meliaceae). *Journal of Pharmacognosy and Phytochemistry* 8(4): 1393-1397



UNIVERSITAS
GADJAH MADA

Status Kerusakan dan Tipe Morfologi Badan Buah Jamur *Ganoderma* Pada Pohon-Pohon di Kawasan Kampus

Universitas Gadjah Mada, Yogyakarta

Siti Husna Nurrohmah, Prof. Dr. Ir. Sri Rahayu, M.P. ;Dr. Ir. Dwi Tyaningsih Adriyanti, M.P

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Utomo, D.S. (2021). Sebaran Jamur *Ganoderma* spp. dan Kerusakan yang Ditimbulkannya pada Pohon di Kawasan Kampus Universitas Gadjah Mada. *Skripsi*. Fakultas Kehutanan, Universitas Gadjah Mada.

Vassallo, A., Armentano, M. F., Miglionico, R., Caddeo, C., Chirollo, C., Gualtieri, M. J. & Milella, L. (2020). *Hura crepitans* L. extract: Phytochemical Characterization, Antioxidant Activity, and nanoformulation. *Pharmaceutics*, 12(6), 553.

Wannasawang, N., Luangharn, T., Thawthong, A., Charoensup, R., Jaidee, W., Tongdeesoontorn, W. & Thongklang, N. (2023). Study of Optimal Conditions to Grow Thai Ganoderma, Fruiting Test, Proximate and Their Alpha Glucosidase Inhibitory Activity. *Life*, 13(9), 1887.

Wong, L.C., Bong,C.F.J & Idris, A.S. (2012). Ganoderma Species Associated with Basal Stem Root Disease. *American Journal of Applied Science* 9(6):879-985

Widyastuti, S.M., Sumardi, Sulthoni, A. & Harjono. (1998). Pengendalian Hayati Penyakit Akar Merah pada Akasia dengan Trichoderma. *Jurnal Perlindungan Tanaman Indonesia* 4(2): 65-72.

Widyastuti, S.M., Harjono., & Riastiwi, I. (2013). Toleransi Tanaman Peneduh *Polyalthia longifolia* dan *Pterocarpus indicus* terhadap *Ganoderma* sp. *Jurnal Hama dan Penyakit Tumbuhan Tropika*. Vol 13 (1): 19–23.

Yuskianti, V. Glen, M., Puspitasari, D., Francis, A., Rimbawanto, A., Gafur, A. Indrayadi, H., & Mohammed, C.L. (2014). Species-species PCR for Rapid Identification of *Ganoderma philippi* and *Ganoderma mastoporum* from *Acacia mangium* and *Eucalyptus pellita* plantation in Indonesia. *Forest Pathology* 44: 477-48.

Zhiyu,L.I., Zengping, Z. & Yu (2023). Identification of a Ganoderma Stem Rot Pathogen Infecting *Dimocarpus longana*[J]. *Acta Phytopathologica Sinica*, 53(2): 330-334.