



## DAFTAR PUSTAKA

- Abas, F., Lajis, N.H., Shaari, K., Israf, D.A., Stanslas, J., Yusuf, U.K., dkk., 2005. A Labdane Diterpene Glucoside from the Rhizomes of *Curcuma m angga*. *Journal of Natural Products*, 68: 1090–1093.
- Abriyani, E., Susanti, E.I., Dinanti, D., dan Warsito, A.M.P., 2022. Review Article: Analisis Kurkumin Pada Famili Zingiberaceae Menggunakan Spektrofotometri UV - VIS.
- Aguayo, E., Escalona, V.H., dan Artés, F., 2006. Effect of cyclic exposure to ozone gas on physicochemical, sensorial and microbial quality of whole and sliced tomatoes. *Postharvest Biology and Technology*, 39: 169–177.
- Ahmad, R.Z., 2018. Medium Tapioka untuk Preservasi Kapang yang Bermanfaat untuk Veteriner. *Jurnal Mikologi Indonesia*, 2: 1.
- Akata, I., Torlak, E., dan Erci, F., 2015. Efficacy of gaseous ozone for reducing microflora and foodborne pathogens on button mushroom. *Postharvest Biology and Technology*, 109: 40–44.
- Ali Asgar, A.T.S., Sumartini, dan Ariani, dan D., 2016. Kajian Ozonisasi (O<sub>3</sub>) Terhadap Karakteristik Kubis Bunga {Brassica Oleracea Var. Botrytis} Segar Selama Penyimpanan Pada Suhu Dingin1 [Evaluation of Ozonization (O<sub>3</sub>) on the Characteristics of Fresh Cauliflower {Brassica oleraceae var. botrytis} during Col. *Correspondencias & Análisis*, 1–23.
- Alothman, M., Kaur, B., Fazilah, A., Bhat, R., dan Karim, A.A., 2010. Ozone-induced changes of antioxidant capacity of fresh-cut tropical fruits. *Innovative Food Science & Emerging Technologies*, 11: 666–671.
- Antos, P., Kurdziel, A., Sadło, S., dan Balawejder, M., 2013. Preliminary study on the use of ozonation for the degradation of dithiocarbamate residues in thefruit drying process: Mancozeb residue in blackcurrant is the example used. *Journal of Plant Protection Research*, 53: 48–52.
- Asokapandian, S., Periasamy, S., dan Swamy, G.J., 2018. *Ozone for Fruit Juice Preservation*, Fruit Juices: Extraction, Composition, Quality and Analysis. Elsevier Inc.
- Botondi, R., De Sanctis, F., Moscatelli, N., Vettraino, A.M., Catelli, C., dan Mencarelli, F., 2015. Ozone fumigation for safety and quality of wine grapes in postharvest dehydration. *Food Chemistry*, 188: 641–647.
- Brodowska, A.J., Krzysztof, Ś., dan Nowak, A., 2015. The Impact of Ozone Treatment in Dynamic Bed Parameters on Changes in Biologically Active Substances of Juniper Berries 1–19.
- Colm O'Donnell, B.K. Tiwari, P.J. Cullen, dan Rip G. Rice, 2012. *Ozone in Food Processing*. Blackwell Publishing Ltd.
- Cullen, P.J., Tiwari, B.K., dan Donnell, C.P.O., 2009. Modelling approaches to ozone processing of liquid foods. *Trends in Food Science & Technology*, 20: 125–136.
- Departemen Kesehatan RI, 2000. Parameter Standar Umum Ekstrak Tanaman Obat. *Departemen Kesehatan RI*, .
- Depkes RI, 2017. *Farmakope Herbal Indonesia Edisi II Tahun 2017*. Departemen Kesehatan Republik Indonesia, Jakarta.
- Dosoky, N.S. dan Setzer, W.N., 2018. Chemical composition and biological



- activities of essential oils of curcuma species. *Nutrients*, 10: 10–17.
- Epelle, E.I., Macfarlane, A., Cusack, M., Burns, A., Okolie, J.A., Mackay, W., dkk., 2023. Ozone application in different industries: A review of recent developments. *Chemical Engineering Journal*, 454: 140188.
- Farajzadeh, D., Qorbanpoor, A., Rafati, H., dan Isfeedvajani, M.S., 2013a. Reduction of date microbial load with ozone. *Journal of Research in Medical Sciences*, 18: 330–334.
- Farajzadeh, D., Qorbanpoor, A., Rafati, H., dan Isfeedvajani, M.S., 2013b. Reduction of date microbial load with ozone. *Journal of Research in Medical Sciences*, 18: 330–334.
- Gad, H.A., Abo Laban, G.F., Metwaly, K.H., Al-Anany, F.S., dan Abdelgaleil, S.A.M., 2021. Efficacy of ozone for Callosobruchus maculatus and Callosobruchus chinensis control in cowpea seeds and its impact on seed quality. *Journal of Stored Products Research*, 92: 101786.
- Gandjar Ibnu Gholib, A.R., 2012. *Kimia Farmasi Analisis*. Pustaka Pelajar, Yogyakarta.
- Ganur, A.N.A., Kurniawanti, K., Sugita, P., Ambarsari, L., Syahbirin, G., dan Rahayu, D.U.C., 2022. Original Research Article Identified Compounds from Ethyl Acetate Phase of Temu Mangga (Curcuma mangga Val.) Using LC-MS/MS and Their Potential as Anticancer Against MCF-7 Cells.
- Garcia-Rubio, R., de Oliveira, H.C., Rivera, J., dan Trevijano-Contador, N., 2020. The Fungal Cell Wall: Candida, Cryptococcus, and Aspergillus Species. *Frontiers in Microbiology*, 10: 2993.
- Geweely, N.S., Afifi, H.A.M., Abdelrahim, S.A., dan Alakilli, S.Y.M., 2014. Novel Comparative Efficiency of Ozone and Gamma Sterilization on Fungal Deterioration of Archeological Painted Coffin, Saqqara Excavation, Egypt. *Geomicrobiology Journal*, 31: 529–539.
- Glowacz, M. dan Rees, D., 2016. The practicality of using ozone with fruit and vegetables. *Journal of the science of food and agriculture*, 96: 4637–4643.
- Gusmaini, Yusron. M, dan M. Januati, 2004. Teknologi Perbanyak Benih Temu Mangga. *Perkembangan Teknologi Tro*, 16: 1–8.
- Hartoyo, B. dan Rachma, Y.A., 2022. Pemanfaatan Teknologi Ozon Sebagai Green Technology pada Penanganan Hasil Pertanian Utilization Of Ozone Technology As Green Technology In Handling Agricultural Products. *Jurnal Agrifoodtech*, 1: 68.
- Jati, S.P., 2023. 'Efektivitas Metode Dekontaminasi Cemaran Mikroba Menggunakan Ozon Dan Pengaruhnya Terhadap Kadar Zat Aktif Dan Aktivitas Penangkapan Radikal Bebas Simplicia Rimpang Kunyit (Curcuma longa L.)', Skripsi. Yogyakarta : Universitas Gadjah Mada
- Karaca, H. dan Velioglu, Y.S., 2014a. Effects of ozone treatments on microbial quality and some chemical properties of lettuce, spinach, and parsley. *Postharvest Biology and Technology*, 88: 46–53.
- Karaca, H. dan Velioglu, Y.S., 2014b. Effects of ozone treatments on microbial quality and some chemical properties of lettuce, spinach, and parsley. *Postharvest Biology and Technology*, 88: 46–53.



- Kazi, M., Chatzopoulou, P.S., dan Christos, L., 2017. Effect of Ozonation on the Essential Oil Composition of Dried Aromatic Plants.
- Khadre, M.A., Yousef, A.E., dan Kim, J.G., 2001. Microbiological aspects of ozone applications in food: A review. *Journal of Food Science*, 66: 1242–1252.
- Kim, J.G., Yousef, A.E., dan Dave, S., 1999. Application of ozone for enhancing the microbiological safety and quality of foods: A review. *Journal of Food Protection*, 62: 1071–1087.
- Lv, Y., Tahir, I.I., dan Olsson, M.E., 2019. Effect of ozone application on bioactive compounds of apple fruit during short-term cold storage. *Scientia Horticulturae*, 253: 49–60.
- Malek, S.N.A., Lee, G.S., Hong, S.L., Yaacob, H., Wahab, N.A., Weber, J.F.F., dkk., 2011. Phytochemical and cytotoxic investigations of curcuma mangga rhizomes. *Molecules*, 16: 4539–4548.
- Minas, I.S., Karaoglanidis, G.S., Manganaris, G.A., dan Vasilakakis, M., 2010. Effect of ozone application during cold storage of kiwifruit on the development of stem-end rot caused by Botrytis cinerea. *Postharvest Biology and Technology*, 58: 203–210.
- Modesti, M., Macaluso, M., Taglieri, I., Bellincontro, A., dan Sanmartin, C., 2021. Ozone and bioactive compounds in grapes and wine. *Foods*, 10: 1–14.
- Muchtaromah, B., Ahmad, M., S, E.K., A, Y.M., dan A, V.L., 2017. Phytochemicals, Antioxidant and Antifungal Properties of Acorus calamus, Curcuma mangga, and Allium sativum. *KNE Life Sciences*, 3: 93.
- Ouf, S.A. dan Ali, E.M., 2021. Does the treatment of dried herbs with ozone as a fungal decontaminating agent affect the active constituents ? \*. *Environmental Pollution*, 277: 116715.
- Ozkan, R., Smilanick, J.L., dan Karabulut, O.A., 2011. Toxicity of ozone gas to conidia of Penicillium digitatum, Penicillium italicum, and Botrytis cinerea and control of gray mold on table grapes. *Postharvest Biology and Technology*, 60: 47–51.
- Pascual, A., Llorca, I., dan Canut, A., 2007. Use of ozone in food industries for reducing the environmental impact of cleaning and disinfection activities. *Trends in Food Science & Technology*, 18: S29–S35.
- Patil, S., Valdramidis, V.P., Karatzas, K.A.G., Cullen, P.J., dan Bourke, P., 2011. Assessing the microbial oxidative stress mechanism of ozone treatment through the responses of Escherichia coli mutants. *Journal of Applied Microbiology*, 111: 136–144.
- Puspandari, N. dan Isnawati, A., 2015. Deskripsi Hasil Uji Angka Lempeng Total (ALT) Pada Beberapa Susu Formula Bayi. *Jurnal Kefarmasian Indonesia*, 5: 106–112.
- Rajkumari, S. dan Sanatombi, K., 2017. Nutritional value, phytochemical composition, and biological activities of edible *Curcuma* species: A review. *International Journal of Food Properties*, 20: S2668–S2687.
- Rismana, E. dan dan Kusumaningrum, S., 2015. Determination of Microbe Contaminant in Centella Asiatica Simplisia and Extract Before and After Gamma-Rays Pasteurization. *Molekul*, 10: 27.



- Ruangsang, P., Tewtrakul, S., dan Reanmongkol, W., 2010. Evaluation of the analgesic and anti-inflammatory activities of curcuma mangga val and zijk rhizomes. *Journal of Natural Medicines*, 64: 36–41.
- Salman, S. dan Indriana, M., 2019. ACTIVITY ETHANOL EXTRACT OF MANGGA (Curcuma mangga Val.) FEET UDEM RAT WHITE. *Journal of Pharmaceutical And Sciences*, 2: 41–46.
- Savi, G.D. dan Scussel, V.M., 2014. Effects of Ozone Gas Exposure on Toxigenic Fungi Species from *Fusarium*, *Aspergillus* , and *Penicillium* Genera. *Ozone: Science & Engineering*, 36: 144–152.
- Schneider, C., Gordon, O.N., Edwards, R.L., dan Luis, P.B., 2015. Degradation of Curcumin: From Mechanism to Biological Implications. *Journal of Agricultural and Food Chemistry*, 63: 7606–7614.
- Shah, N.N.A.K., Rahman, R.A., Chuan, L.T., dan Hashim, D.M., 2011. Application of gaseous ozone to inactivate bacillus cereus in processed rice. *Journal of Food Process Engineering*, 34: 2220–2232.
- Silverstein, R. M, W., F.X., Kiemle, D. J, dan Bryce, D, L, 2005. *Spectrometric Identification of Organic Compounds*,, 7th ed. John Wiley and Sons Inc.,
- Singh, N., Singh, R.K., Bhunia, A.K., dan Stroshine, R.L., 2002. Efficacy of chlorine dioxide, ozone, and thyme essential oil or a sequential washing in killing Escherichia coli O157:H7 on lettuce and baby carrots. *Lwt*, 35: 720–729.
- Sirirugsa, P., Larsen, K., dan Maknoi, C., 2007. The Genus Curcuma L. ( Zingiberaceae ): Distribution and Classification with Reference to Species Diversity in Thailand.
- Torlak, E., 2019. Use of gaseous ozone for reduction of ochratoxin A and fungal populations on sultanas: Gaseous ozone against ochratoxin A on sultanas. *Australian Journal of Grape and Wine Research*, 25: 25–29.
- Wahab, I.R.A., Blagojević, P.D., Radulović, N.S., dan Boylan, F., 2011. Volatiles of curcuma mangga Val. & Zijk (Zingiberaceae) from Malaysia. *Chemistry and Biodiversity*, 8: 2005–2014.
- Wahyuningtyas, S.E.P., 2017. Pengaruh Jenis Pelarut Terhadap Kandungan Senyawa Kurkumin Dan Aktivitas Antioksidan Ekstrak Kunyit (Curcuma domestica Val.) 6: .
- Yuandani, . Yuliasmi, S., . Satria, D., F. Dongoran, R., S. Sinaga, M., dan H. A. Marpaung, N., 2019. Correlation Between The Phytochemical Constituents Of Curcuma Mangga And Its Immunomodulatory Effect. *Rasayan Journal of Chemistry*, 12: 01–06.
- Yuandani, Nugraha, S.E., Laila, L., Satria, D., dan Syahputra, R.A., 2021. Hptlc analysis of curcuma mangga val. Extracts and their immunomodulatory effects on delayed-type hypersensitivity response. *Rasayan Journal of Chemistry*, 14: 2085–2089.
- Yuandani, Yuandani, Nugraha, S.E., Laila, L., Silaban, S.D., Dan Ramadhani, F., 2020. Short Communication: Stimulatory effect of Curcuma mangga on immune response against *Staphylococcus aureus*. *Nusantara Bioscience*, 12: 109–113.
- Yuandani dan Yuliasmi, S., 2018. Curcuminooids analysis in Curcuma Mangga rhizomes. *Asian Journal of Pharmaceutical and Clinical Research*, 11: 129–131.



**EFEKTIVITAS PENGGUNAAN OZON SEBAGAI METODE DEKONTAMINASI CEMARAN MIKROBA DAN  
PENGARUHNYA TERHADAP  
KOMPOSISI KIMIAWI SIMPLISIA TEMU MANGGA**

Arini Nur Yunia Puspitaningrum Rahmawati, Dr.rer.nat. apt. Yosi Bayu Murti, M.Si. ;Dr. Apt. Indah Purwantini, M.Si.  
Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhao, J. dan Cranston, P.M., 1995. Microbial decontamination of black pepper by ozone and the effect of the treatment on volatile oil constituents of the spice. *Journal of the Science of Food and Agriculture*, 68: 11–18.