

DAFTAR PUSTAKA

- Ahsan, M.M., Luna, S.A. and Siddique, Z. (2022) 'Machine-Learning-Based Disease Diagnosis: A Comprehensive Review', *Healthcare (Switzerland)*, 10(3), pp. 1–30. Available at: <https://doi.org/10.3390/healthcare10030541>.
- Aisara, S., Azmi, S. and Yanni, M. (2018) 'Gambaran Klinis Penderita Penyakit Ginjal Kronik yang Menjalani Hemodialisis di RSUP Dr. M. Djamil Padang', *Jurnal Kesehatan Andalas*, 7(1), p. 42. Available at: <https://doi.org/10.25077/jka.v7i1.778>.
- Amiruddin, M.A., Danes, V.R. and Lintong, F. (2015) 'Analisa Hasil Pengukuran Tekanan Darah antara Posisi Duduk dan Posisi Berdiri pada Mahasiswa Semester VII (Tujuh) TA. 2014/2015 Fakultas Kedokteran Universitas Sam Ratulangi', *Jurnal e-Biomedik (eBm)*, 3(April), pp. 125–129.
- Ammirati, A.L. (2020) 'Chronic Kidney Disease', *Revista da Associação Médica Brasileira*, 66(suppl 1), pp. s03–s09. Available at: <https://doi.org/10.1590/1806-9282.66.s1.3>.
- Amrin and Saiyar, H. (2018) 'Aplikasi Diagnosa Penyakit Tuberculosis Menggunakan Algoritma Naive Bayes', *Jurnal Riset Komputer (JJURIKOM)*, 5(5), pp. 498–502. Available at: <http://ejurnal.stmik-budidarma.ac.id/index.php/jurikom>.
- Behera, B.P. (2020) 'Hematological Profile in Patients of Chronic Kidney Disease With Its Severity in a Tertiary Care Hospital, North Odisha', *Asian Journal of Pharmaceutical and Clinical Research*, 13(8), pp. 182–187. Available at: <https://doi.org/10.22159/ajpcr.2020.v13i8.38101>.
- Bharti, R. *et al.* (2021) 'Prediction of Heart Disease Using a Combination of Machine Learning and Deep Learning', *Computational Intelligence and Neuroscience*, 2021. Available at: <https://doi.org/10.1155/2021/8387680>.
- Billett, H.H. (1967) 'Hemoglobin and Hematocrit', in J. Hurst, H. WD, and W. HK (eds) *Clinical Methods: The History, Physical, and Laboratory*. 3d Edition. Boston: Butterworths, pp. 763–763. Available at: <https://doi.org/10.1097/00000542-196707000-00028>.
- Cai, Q., Mukku, V. and Ahmad, M. (2014) 'Coronary Artery Disease in Patients with Chronic Kidney Disease: A Clinical Update', *Current Cardiology Reviews*, 9(4), pp. 331–339. Available at: <https://doi.org/10.2174/1573403X10666140214122234>.
- Carrero, J.J. and González-Ortiz, A. (2022) 'Anorexia and appetite stimulants in chronic kidney disease', in *Nutritional Management of Renal Disease*. Elsevier, pp. 893–906. Available at: <https://doi.org/10.1016/B978-0-12-818540-7.00012-4>.
- Chandrasekhar, N. and Peddakrishna, S. (2023) 'Enhancing Heart Disease Prediction Accuracy through Machine Learning Techniques and Optimization', *Processes*, 11(4). Available at: <https://doi.org/10.3390/pr11041210>.

[illegible]

a-and-the-clinical-value-of-measuring-blood-ans-approved.p.

- Houssein, E.H. and Sayed, A. (2023) 'A modified weighted mean of vectors optimizer for Chronic Kidney disease classification', *Computers in Biology and Medicine*, 155, p. 106691. Available at: <https://doi.org/10.1016/j.compbimed.2023.106691>.
- Humudat, Y.R. and Al-Naseri, S.K. (2021) 'Hematological parameter of the blood count in patients undergoing hemodialysis therapy', *BioChemMed*, 2(1), pp. 32–40.
- Ilyas, H. *et al.* (2021) 'Chronic kidney disease diagnosis using decision tree algorithms', *BMC Nephrology*, 22(1), p. 273. Available at: <https://doi.org/10.1186/s12882-021-02474-z>.
- Indonesia Renal Registry (IRR) (2018) *Report of Indonesian Renal Registry*. Available at: [https://www.indonesianrenalregistry.org/data/IRR 2018.pdf](https://www.indonesianrenalregistry.org/data/IRR%2018.pdf).
- Islam, M.A., Majumder, M.Z.H. and Hussein, M.A. (2023) 'Chronic kidney disease prediction based on machine learning algorithms', *Journal of Pathology Informatics*, 14, p. 100189. Available at: <https://doi.org/10.1016/j.jpi.2023.100189>.
- Jha, V. *et al.* (2013) 'Chronic kidney disease: global dimension and perspectives', *The Lancet*, 382(9888), pp. 260–272. Available at: [https://doi.org/10.1016/S0140-6736\(13\)60687-X](https://doi.org/10.1016/S0140-6736(13)60687-X).
- Kementerian Kesehatan Republik Indonesia (2013) *Laporan Nasional Riset Kesehatan Dasar*. Available at: <https://repository.badankebijakan.kemkes.go.id/id/eprint/4428/>.
- Kementerian Kesehatan Republik Indonesia (2018) *Laporan Nasional Riset Kesehatan Dasar*. Available at: <https://repository.badankebijakan.kemkes.go.id/id/eprint/3514/>.
- Khalid, H. *et al.* (2023) 'Machine Learning Hybrid Model for the Prediction of Chronic Kidney Disease', *Computational Intelligence and Neuroscience*. Edited by F. Ali, 2023, pp. 1–14. Available at: <https://doi.org/10.1155/2023/9266889>.
- Kovesdy, C.P. (2022) 'Epidemiology of chronic kidney disease: an update 2022', *Kidney International Supplements*, 12(1), pp. 7–11. Available at: <https://doi.org/10.1016/j.kisu.2021.11.003>.
- Kumar M, P. (2023) 'Clinico-pathological correlation study in chronic kidney disease patients undergoing hemodialysis', *Indian Journal of Pathology and Oncology*, 10(2), pp. 141–147. Available at: <https://doi.org/10.18231/j.ijpo.2023.030>.
- L, S., Cowart and Stachura, M.E. (1990) 'Glucosuria', in W. HK, H. WD, and H. JW (eds) *Clinical Methods: History, Physical, and Laboratory Examinations*. 3rd edn. Boston: Butterworths, p. 1337. Available at: <https://doi.org/10.1136/bmj.2.4068.1337-c>.
- Lai, Y.H. *et al.* (2015) 'Low-normal serum potassium is associated with an increased risk of cardiovascular and all-cause death in community-based elderly', *Journal of the Formosan Medical Association*, 114(6), pp. 517–525. Available at:

<https://doi.org/10.1016/j.jfma.2015.01.001>.

- Lee, Y. Bin *et al.* (2021) 'Optimal blood pressure for patients with chronic kidney disease: a nationwide population-based cohort study', *Scientific Reports*, 11(1), pp. 1–8. Available at: <https://doi.org/10.1038/s41598-021-81328-y>.
- Loho, I.K.A., Rambert, G.I. and Wowor, M.F. (2016) 'Gambaran kadar ureum pada pasien penyakit ginjal kronik stadium 5 non dialisis', *Jurnal e-Biomedik*, 4(2), pp. 2–7. Available at: <https://doi.org/10.35790/ebm.4.2.2016.12658>.
- Mahest, B. (2018) 'Machine Learning Algorithms - A Review', *International Journal of Science and research (IJSR)*, 9(1), pp. 381–386. Available at: <https://doi.org/http://dx.doi.org/10.21275/ART20203995>.
- Mallappallil, M. *et al.* (2014) 'Chronic kidney disease in the elderly: Evaluation and management', *Clinical Practice*, 11(5), pp. 525–535. Available at: <https://doi.org/10.2217/cpr.14.46>.
- Mohd Safuan, S.N., Md Tomari, M.R. and Wan Zakaria, W.N. (2018) 'White blood cell (WBC) counting analysis in blood smear images using various color segmentation methods', *Measurement: Journal of the International Measurement Confederation*, 116, pp. 543–555. Available at: <https://doi.org/10.1016/j.measurement.2017.11.002>.
- Moreno-Sánchez, P.A. (2023) 'Data-Driven Early Diagnosis of Chronic Kidney Disease: Development and Evaluation of an Explainable AI Model', *IEEE Access*, 11, pp. 38359–38369. Available at: <https://doi.org/10.1109/ACCESS.2023.3264270>.
- Nasir, N. *et al.* (2020) 'Electrical detection of blood cells in urine', *Heliyon*, 6(1), p. e03102. Available at: <https://doi.org/10.1016/j.heliyon.2019.e03102>.
- Nisaa, T.A., Ningrum, S.M. and Haque, B.A. (2021) 'Diagnosis of Diabetes Using Naïve Bayes Classifier Method', *Internasional Journal of Data Science, Engineering, and Analytics*, 1(1), pp. 22–29. Available at: <https://doi.org/10.33005/ijdasea.v1i1.4>.
- Noor Chotimah, S. (2023) 'Klasifikasi Diagnosis Penyakit Ginjal Kronis dengan Menerapkan Konsep Algoritma Naive Bayes', *Jurnal Ilmiah Penelitian Teknologi & Komputer (JIPETIK)*, 4(1), pp. 8–15. Available at: journal.upgris.ac.id/index.php/jipetik.
- Noor Chotimah, S., Warsito, Budi and Surarso, B. (2021) 'Chronic Kidney Disease Diagnosis System using Sequential Backward Feature Selection and Artificial Neural Network', *E3S Web of Conferences*. Edited by T.R. Soeprbowati, B. Warsito, and T. Triadi Putranto, 317, p. 05030. Available at: <https://doi.org/10.1051/e3sconf/202131705030>.
- Novrizal, F., Wahyuddin, M.I. and Komalasari, R.T. (2022) 'Expert System to Diagnose Kidney Failure with Web-Based Naïve Bayes Method', *Jurnal Mantik*, 3(4), pp. 446–473. Available at: <https://iocscience.org/ejournal/index.php/mantik/index>.
- Nursing Critical Care (2020) 'Red blood cell count', *Nursing Critical Care*, 15(1), p. 38.

Available at: <https://doi.org/10.1097/01.CCN.0000612852.86589.d2>.

- Parwati, P.A. and Cahyani, A.A.A.E. (2023) 'Penilaian Hasil Dipstik Urine (Nitrit Dan Leukosit Esterase) Sebagai Prediktor Bakteriuria', *the Journal of Muhammadiyah Medical Laboratory Technologist*, 6(1), p. 108. Available at: <https://doi.org/10.30651/jmlt.v6i1.18153>.
- Persson, F. and Rossing, P. (2018) 'Diagnosis of diabetic kidney disease: state of the art and future perspective', *Kidney International Supplements*, 8(1), pp. 2–7. Available at: <https://doi.org/10.1016/j.kisu.2017.10.003>.
- Pinto, A. *et al.* (2020) 'Data Mining to Predict Early Stage Chronic Kidney Disease', *Procedia Computer Science*, 177, pp. 562–567. Available at: <https://doi.org/10.1016/j.procs.2020.10.079>.
- Pratama, A.B., Mongan, A.E. and Wowor, M.F. (2016) 'Gambaran berat jenis urin pada pasien tuberkulosis paru dewasa', *Jurnal e-Biomedik (eBm)*, 4(2), pp. 1–6.
- Pugh, D., Gallacher, P.J. and Dhaun, N. (2019) 'Management of Hypertension in Chronic Kidney Disease', *Drugs*, 79(4), pp. 365–379. Available at: <https://doi.org/10.1007/s40265-019-1064-1>.
- Rahmatullah, A., Akbar, I.B. and Sumantri, A.F. (2015) 'Hubungan Kadar Gula Darah dengan Glukosuria pada Pasien Diabetes Mellitus di RSUD Al-Ihsan Periode Januari – Desember 2014', *Prosiding Pendidikan Dokter*, 1(2), pp. 720–724.
- Rangkuti, F.R.S. *et al.* (2018) 'Analisis Sentimen Opini Film Menggunakan Metode Naïve Bayes dengan Ensemble Feature dan Seleksi Fitur Pearson Correlation Coefficient', *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, 2(12), pp. 6354–6361.
- Ridwan, A. *et al.* (2021) 'Classification of Heart Failure using the Naïve Bayes Algorithm', in *Developing a Global Pandemic Exit Strategy and Framework for Global Health Security*. Masters Program in Public Health, Universitas Sebelas Maret, pp. 1163–1167. Available at: <https://doi.org/10.26911/ICPHmedicine.FP.08.2021.10>.
- Romagnani, P. *et al.* (2017) 'Chronic kidney disease', *Nature Reviews Disease Primers*, 3(1), p. 17088. Available at: <https://doi.org/10.1038/nrdp.2017.88>.
- Romli, L.Y. (2021) 'The Relationship between Microalbumin Levels and HbA1c in People at Risk for Type 2 Diabetes Mellitus', *Medicra (Journal of Medical Laboratory Science/Technology)*, 4(2), pp. 88–92. Available at: <https://doi.org/10.21070/medicra.v4i2.1612>.
- Rudijanto, A. *et al.* (2011) 'The Indonesian Society of Endocrinology's Summary Article of Diabetes Mellitus National Clinical Practice Guidelines', *Journal of the ASEAN Federation of Endocrine Societies*, 26(1), pp. 17–19. Available at: <https://doi.org/10.15605/jafes.026.01.03>.
- Sammut, C. and Webb, G.I. (2010) *Encyclopedia of Machine Learning*. Edited by C.

- Sammut and G.I. Webb. Boston, MA: Springer US. Available at: <https://doi.org/10.1007/978-0-387-30164-8>.
- Santiko, I. and Honggo, I. (2019) 'Naive Bayes Algorithm Using Selection of Correlation Based Featured Selections Features for Chronic Diagnosis Disease', *IJIIS: International Journal of Informatics and Information Systems*, 2(2), pp. 56–60. Available at: <https://doi.org/10.47738/ijiis.v2i2.14>.
- Sarigul, N., Korkmaz, F. and Kurultak, İ. (2019) 'A New Artificial Urine Protocol to Better Imitate Human Urine', *Scientific Reports*, 9(1), pp. 1–11. Available at: <https://doi.org/10.1038/s41598-019-56693-4>.
- Sawhney, R. *et al.* (2023) 'A comparative assessment of artificial intelligence models used for early prediction and evaluation of chronic kidney disease', *Decision Analytics Journal*, 6, p. 100169. Available at: <https://doi.org/10.1016/j.dajour.2023.100169>.
- Shankar, M., Narasimhappa, S. and N.S., M. (2021) 'Urinary Tract Infection in Chronic Kidney Disease Population: A Clinical Observational Study', *Cureus*, 13(1), pp. 1–9. Available at: <https://doi.org/10.7759/cureus.12486>.
- Sisodia, D. and Sisodia, D.S. (2018) 'Prediction of Diabetes using Classification Algorithms', *Procedia Computer Science*, 132(Iccids), pp. 1578–1585. Available at: <https://doi.org/10.1016/j.procs.2018.05.122>.
- Tambajong, R.Y., Rambert, G.I. and Wowor, M.F. (2016) 'Gambaran kadar natrium dan klorida pada pasien penyakit ginjal kronik stadium 5 non-dialisis', *Jurnal e-Biomedik*, 4(1), pp. 3–8. Available at: <https://doi.org/10.35790/ebm.4.1.2016.12200>.
- USRDS (2022) *CKD in general population*, U.S Departement of Health and Human Service. Available at: <https://usrdp-adr.niddk.nih.gov/2022/chronic-kidney-disease/1-ckd-in-the-general-population>.
- Villegas Sierra, L.E. *et al.* (2022) 'Interaction between the stage of chronic kidney disease and diabetes mellitus as factors associated with mortality in chronic kidney disease patients: An external cohort study', *Nefrologia*, 42(5), pp. 540–548. Available at: <https://doi.org/10.1016/j.nefro.2021.04.011>.
- Vista, C.B. and Sabilla, W.I. (2022) 'Reduksi Fitur untuk Optimasi Prediksi Penyakit Gnjai Kronis menggunakan Radial Basis Function Neural Network', *Jurnal Informatika Universitas Pamulang*, 7(2), pp. 229–235. Available at: [10.32493/informatika.v7i2.12550%0D](https://doi.org/10.32493/informatika.v7i2.12550%0D).
- Weinberger, K. (2018) 'Bayes classifier and Naive Bayes'. Available at: <https://www.cs.cornell.edu/courses/cs4780/2021fa/lectures/lecturenote05.html>.
- Wijaya, C. *et al.* (2023) 'Prevalence of uropathogen producing extended spectrum beta lactamase (ESBL) at urinary tract infection in chronic kidney disease patients', *Journal of Clinical Microbiology and Infectious Diseases*, 3(1), pp. 12–15. Available at: <https://doi.org/10.51559/jcmid.v3i1.29>.



Yanti, A.K.E. *et al.* (2022) 'Karakteristik Penyakit Ginjal Kronis di Rumah Sakit Ibnu Sina Makassar Tahun 2019-2021', *Wal'afiat Hospital Journal*, 03(02), pp. 126–138.
Available at: <https://whj.umi.ac.id/index.php/whj/article/view/whj2201>.