

## DAFTAR PUSTAKA

- [1] S. Prasetyo, U. Hidayat, Y. D. Haryanto, and N. F. Riama, “Variasi dan Trend Suhu Udara Permukaan di Pulau Jawa Tahun 1990-2019,” *J. Geogr. Media Inf. Pengemb. Dan Profesi Kegeografian*, vol. 18, no. 1, pp. 60–68, Jun. 2021, doi: 10.15294/jg.v18i1.27622.
- [2] V. Letschert *et al.*, “Accelerating the Transition to More Energy Efficient Air Conditioners in Indonesia,” Lawrence Berkeley National Laboratory, 2020.
- [3] M. A. McNeil, N. Karali, and V. Letschert, “Forecasting Indonesia’s electricity load through 2030 and peak demand reductions from appliance and lighting efficiency,” *Energy Sustain. Dev.*, vol. 49, pp. 65–77, Apr. 2019, doi: 10.1016/j.esd.2019.01.001.
- [4] Dewan Energi Nasional, *Indonesia Energy Outlook 2022*. 2022.
- [5] I. Sarbu and C. Sebarchievici, “Solar Thermal-Driven Cooling Systems,” in *Solar Heating and Cooling Systems*, Elsevier, 2017, pp. 241–313. doi: 10.1016/B978-0-12-811662-3.00007-4.
- [6] I. Sarbu and C. Sebarchievici, “Review of solar refrigeration and cooling systems,” *Energy Build.*, vol. 67, pp. 286–297, Dec. 2013, doi: 10.1016/j.enbuild.2013.08.022.
- [7] Y. Luo, H. Yang, L. Lu, and R. Qi, “A review of the mathematical models for predicting the heat and mass transfer process in the liquid desiccant dehumidifier,” *Renew. Sustain. Energy Rev.*, vol. 31, pp. 587–599, Mar. 2014, doi: 10.1016/j.rser.2013.12.009.
- [8] A. Giampieri, Z. Ma, J. Ling-Chin, H. Bao, A. J. Smallbone, and A. P. Roskilly, “Liquid desiccant dehumidification and regeneration process: Advancing correlations for moisture and enthalpy effectiveness,” *Appl. Energy*, vol. 314, p. 118962, May 2022, doi: 10.1016/j.apenergy.2022.118962.
- [9] C. Q. Ren, M. Tu, and H. H. Wang, “An analytical model for heat and mass transfer processes in internally cooled or heated liquid desiccant–air contact units,” *Int. J. Heat Mass Transf.*, vol. 50, no. 17–18, pp. 3545–3555, Aug. 2007, doi: 10.1016/j.ijheatmasstransfer.2006.12.034.
- [10] A. Y. Khan, “Cooling and dehumidification performance analysis of internally-cooled liquid desiccant absorbers,” *Appl. Therm. Eng.*, vol. 18, no. 5, pp. 265–281, Jan. 1998, doi: 10.1016/S1359-4311(97)00074-4.
- [11] R. J. Varela, N. Giannetti, K. Saito, X. Wang, and H. Nakayama, “Experimental performance of a three-fluid desiccant contactor using a novel ionic liquid,” *Appl. Therm. Eng.*, vol. 210, p. 118343, Jun. 2022, doi: 10.1016/j.applthermaleng.2022.118343.
- [12] J. Liu, X. Liu, and T. Zhang, “Performance comparison of three typical types of internally-cooled liquid desiccant dehumidifiers,” *Build. Environ.*, vol. 103, pp. 134–145, Jul. 2016, doi: 10.1016/j.buildenv.2016.04.006.
- [13] T. Zhang, X. Liu, J. Jiang, X. Chang, and Y. Jiang, “Experimental analysis of an internally-cooled liquid desiccant dehumidifier,” *Build. Environ.*, vol. 63, pp. 1–10, May 2013, doi: 10.1016/j.buildenv.2013.01.007.



- [14] J. Liu, T. Zhang, X. Liu, and J. Jiang, "Experimental analysis of an internally-cooled/heated liquid desiccant dehumidifier/regenerator made of thermally conductive plastic," *Energy Build.*, vol. 99, pp. 75–86, Jul. 2015, doi: 10.1016/j.enbuild.2015.04.023.
- [15] G. Lychnos and P. A. Davies, "Modelling and experimental verification of a solar-powered liquid desiccant cooling system for greenhouse food production in hot climates," *Energy*, vol. 40, no. 1, pp. 116–130, Apr. 2012, doi: 10.1016/j.energy.2012.02.021.
- [16] S. Paul, S. Chowdhury, T. Saha, and A. Ganguly, "Mathematical Model Development of a Solar Assisted Liquid Desiccant Air Conditioning System with Fin Coil Dehumidifier," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1080, no. 1, p. 012040, Feb. 2021, doi: 10.1088/1757-899X/1080/1/012040.
- [17] T. Izzati, A. A. Munita, R. I. Kusuma, and A. H. Pradana, "ANALISA KUALITAS AIR TANAH WILAYAH PERINDUSTRIAN KAB. BEKASI DAN PEMUKIMAN PENDUDUK KOTA BEKASI, JAWA BARAT, INDONESIA," *J. Infrastruktur*, vol. 4, no. 2, pp. 81–85, Jul. 2019, doi: 10.35814/infrastruktur.v4i2.693.
- [18] K. Daou, R. Z. Wang, and Z. Z. Xia, "Desiccant cooling air conditioning: a review," *Renew. Sustain. Energy Rev.*, vol. 10, no. 2, pp. 55–77, Apr. 2006, doi: 10.1016/j.rser.2004.09.010.
- [19] L. Mei and Y. J. Dai, "A technical review on use of liquid-desiccant dehumidification for air-conditioning application," *Renew. Sustain. Energy Rev.*, vol. 12, no. 3, pp. 662–689, Apr. 2008, doi: 10.1016/j.rser.2006.10.006.
- [20] D. F. Silalahi and D. Gunawan, "Solar Energy Potentials and Opportunity of Floating Solar PV in Indonesia," in *Indonesia Post-Pandemic Outlook: Strategy towards Net-Zero Emissions by 2060 from the Renewables and Carbon-Neutral Energy Perspectives*, H. Ardiansyah and P. Ekadewi, Eds., Penerbit BRIN, 2022. doi: 10.55981/brin.562.c5.
- [21] X. Niu, F. Xiao, and G. Ge, "Performance analysis of liquid desiccant based air-conditioning system under variable fresh air ratios," *Energy Build.*, vol. 42, no. 12, pp. 2457–2464, Dec. 2010, doi: 10.1016/j.enbuild.2010.08.027.
- [22] D.B. Jani, "Application of Liquid Desiccant Cooling Technology in Built Environment: A Review," *Int. J. Mod. Stud. Mech. Eng.*, vol. 6, no. 1, 2020, doi: 10.20431/2454-9711.0601002.
- [23] E. Elsarrag, "Evaporation rate of a novel tilted solar liquid desiccant regeneration system," *Sol. Energy*, vol. 82, no. 7, pp. 663–668, Jul. 2008, doi: 10.1016/j.solener.2008.01.006.
- [24] M. M. Rafique, P. Gandhidasan, and H. M. S. Bahaidarah, "Liquid desiccant materials and dehumidifiers – A review," *Renew. Sustain. Energy Rev.*, vol. 56, pp. 179–195, Apr. 2016, doi: 10.1016/j.rser.2015.11.061.
- [25] H. Fatahian, H. Salarian, and E. Fatahian, "An Overview of Recent Studies on the Development of Desiccant Air-conditioning Systems," *Int. J. Eng. Technol. Sci.*, vol. 7, no. 1, pp. 84–96, Feb. 2021, doi: 10.15282/http://dx.doi.org/10.15282/ijets.7.1.2020.1008.



- [26] V. P. Sethi and S. K. Sharma, "Survey of cooling technologies for worldwide agricultural greenhouse applications," *Sol. Energy*, vol. 81, no. 12, pp. 1447–1459, Dec. 2007, doi: 10.1016/j.solener.2007.03.004.
- [27] H. R. Goshayshi, J. F. Missenden, and R. Tozer, "Cooling tower—an energy conservation resource," *Appl. Therm. Eng.*, vol. 19, no. 11, pp. 1223–1235, Nov. 1999, doi: 10.1016/S1359-4311(98)00119-7.
- [28] G. P. Maheshwari, F. Al-Ragom, and R. K. Suri, "Energy-saving potential of an indirect evaporative cooler," *Appl. Energy*, vol. 69, no. 1, pp. 69–76, May 2001, doi: 10.1016/S0306-2619(00)00066-0.
- [29] G. Heidarinejad, M. Bozorgmehr, S. Delfani, and J. Esmaeliani, "Experimental investigation of two-stage indirect/direct evaporative cooling system in various climatic conditions," *Build. Environ.*, vol. 44, no. 10, pp. 2073–2079, Oct. 2009, doi: 10.1016/j.buildenv.2009.02.017.
- [30] J. M. Wu, X. Huang, and H. Zhang, "Theoretical analysis on heat and mass transfer in a direct evaporative cooler," *Appl. Therm. Eng.*, vol. 29, no. 5–6, pp. 980–984, Apr. 2009, doi: 10.1016/j.applthermaleng.2008.05.016.
- [31] H. El-Dessouky, "Enhancement of the thermal performance of a wet cooling tower," *Can. J. Chem. Eng.*, vol. 74, no. 3, pp. 331–338, Jun. 1996, doi: 10.1002/cjce.5450740303.
- [32] N. J. Stoitchkov and G. I. Dimitrov, "Effectiveness of crossflow plate heat exchanger for indirect evaporative cooling," *Int. J. Refrig.*, vol. 21, no. 6, pp. 463–471, Sep. 1998, doi: 10.1016/S0140-7007(98)00004-8.
- [33] X. H. Liu, X. M. Chang, J. J. Xia, and Y. Jiang, "Performance analysis on the internally cooled dehumidifier using liquid desiccant," *Build. Environ.*, vol. 44, no. 2, pp. 299–308, Feb. 2009, doi: 10.1016/j.buildenv.2008.03.009.
- [34] J. A. Duffie and W. A. Beckman, *Solar Engineering of Thermal Processes*, 4th ed. New Jersey: Wiley, 2013.
- [35] C. S. Psomopoulos, "Solar Energy: Harvesting the Sun's Energy for Sustainable Future," in *Handbook of Sustainable Engineering*, J. Kauffman and K.-M. Lee, Eds., Dordrecht: Springer Netherlands, 2013, pp. 1065–1107. doi: 10.1007/978-1-4020-8939-8\_117.
- [36] Jamadi, Farnaz, Arabpour, Mohamad, and Abdolzadeh, Morteza, "Performance Comparison of Parabolic and Flat Plate Solar Collectors Utilizing in the Heating System of a Room-An Experimental Investigation," *Int. J. Renew. Energy Res.*, no. v7i4, 2017, doi: 10.20508/ijrer.v7i4.6277.g7266.
- [37] A. Alarcón Villamil, J. E. Hortúa, and A. López, "Comparison of thermal solar collector technologies and their applications," *TECCIENCIA*, vol. 8, no. 15, pp. 27–35, Oct. 2013, doi: 10.18180/tecciencia.2013.15.3.
- [38] A. Zendehboudi, A. Tatar, and X. Li, "A comparative study and prediction of the liquid desiccant dehumidifiers using intelligent models," *Renew. Energy*, vol. 114, pp. 1023–1035, Dec. 2017, doi: 10.1016/j.renene.2017.07.078.
- [39] J. Luo and H. Yang, "A state-of-the-art review on the liquid properties regarding energy and environmental performance in liquid desiccant air-conditioning systems," *Appl. Energy*, vol. 325, p. 119853, Nov. 2022, doi: 10.1016/j.apenergy.2022.119853.



- [40] Chemetall foote corporation, “Material Safety Data Sheets (MSDS) for LiBr Solution,” USA, 1998.
- [41] H.-X. Fu and X.-H. Liu, “Review of the impact of liquid desiccant dehumidification on indoor air quality,” *Build. Environ.*, vol. 116, pp. 158–172, May 2017, doi: 10.1016/j.buildenv.2017.02.014.
- [42] Z. Shaozhi, L. Jielin, C. Guangming, and W. Qin, “Thermodynamic analysis of a freeze-dryer utilizing hygroscopic solution,” *Dry. Technol.*, vol. 36, no. 6, pp. 697–708, Apr. 2018, doi: 10.1080/07373937.2017.1308952.
- [43] E. Fabre and S. M. S. Murshed, “A review of the thermophysical properties and potential of ionic liquids for thermal applications,” *J. Mater. Chem. A*, vol. 9, no. 29, pp. 15861–15879, 2021, doi: 10.1039/D1TA03656D.
- [44] J. Almorox and C. Hontoria, “Global solar radiation estimation using sunshine duration in Spain,” *Energy Convers. Manag.*, vol. 45, no. 9–10, pp. 1529–1535, Jun. 2004, doi: 10.1016/j.enconman.2003.08.022.
- [45] H. Li, Y. Lian, X. Wang, W. Ma, and L. Zhao, “Solar constant values for estimating solar radiation,” *Energy*, vol. 36, no. 3, pp. 1785–1789, Mar. 2011, doi: 10.1016/j.energy.2010.12.050.
- [46] T. C. Chineke, “Equations for estimating global solar radiation in data sparse regions,” *Renew. Energy*, vol. 33, no. 4, pp. 827–831, Apr. 2008, doi: 10.1016/j.renene.2007.01.018.
- [47] Amos Madhlopa, *Solar Receivers for Thermal Power Generation*. Elsevier, 2022. doi: 10.1016/C2020-0-02543-0.
- [48] J. Page, “The Role of Solar-Radiation Climatology in the Design of Photovoltaic Systems,” in *Practical Handbook of Photovoltaics*, Elsevier, 2012, pp. 573–643. doi: 10.1016/B978-0-12-385934-1.00017-9.
- [49] B. Y. H. Liu and R. C. Jordan, “The interrelationship and characteristic distribution of direct, diffuse and total solar radiation,” *Sol. Energy*, vol. 4, no. 3, pp. 1–19, Jul. 1960, doi: 10.1016/0038-092X(60)90062-1.
- [50] S. A. Kalogirou and G. A. Florides, “Solar Space Heating and Cooling Systems☆,” in *Reference Module in Earth Systems and Environmental Sciences*, Elsevier, 2016, p. B9780124095489097013. doi: 10.1016/B978-0-12-409548-9.09701-3.
- [51] A. P. Cohen, “Desiccants,” in *Kirk-Othmer Encyclopedia of Chemical Technology*, 1st ed., Kirk-Othmer, Ed., Wiley, 2003. doi: 10.1002/0471238961.0405190903150805.a01.pub2.
- [52] W. Faruque, “Thermodynamic properties of lithium bromide-water solution using python,” p. 445591 Bytes, 2020, doi: 10.6084/M9.FIGSHARE.12612248.
- [53] Y. Kaita, “Thermodynamic properties of lithium bromide–water solutions at high temperatures,” *Int. J. Refrig.*, vol. 24, no. 5, pp. 374–390, Aug. 2001, doi: 10.1016/S0140-7007(00)00039-6.
- [54] American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc., *2017 ASHRAE handbook. Fundamentals*, Inch-Pound edition. Atlanta, GA: ASHRAE, [2017], 2017.
- [55] M. Kum Ja *et al.*, “Direct Contact Heat and Mass Exchanger for Heating, Cooling, Humidification, and Dehumidification,” in *Heat Exchangers*, L.



- Castro Gómez, V. Manuel Velázquez Flores, and M. Navarrete Procopio, Eds., IntechOpen, 2022. doi: 10.5772/intechopen.102353.
- [56] Md. R. Islam, N. E. Wijesundera, and J. C. Ho, “Heat and mass transfer effectiveness and correlations for counter-flow absorbers,” *Int. J. Heat Mass Transf.*, vol. 49, no. 21–22, pp. 4171–4182, Oct. 2006, doi: 10.1016/j.ijheatmasstransfer.2006.04.002.
- [57] Y. Yin, X. Zhang, D. Peng, and X. Li, “Model validation and case study on internally cooled/heated dehumidifier/regenerator of liquid desiccant systems,” *Int. J. Therm. Sci.*, vol. 48, no. 8, pp. 1664–1671, Aug. 2009, doi: 10.1016/j.ijthermalsci.2008.12.017.
- [58] N. Audah, N. Ghaddar, and K. Ghali, “Optimized solar-powered liquid desiccant system to supply building fresh water and cooling needs,” *Appl. Energy*, vol. 88, no. 11, pp. 3726–3736, Nov. 2011, doi: 10.1016/j.apenergy.2011.04.028.
- [59] T. S. Ge and J. C. Xu, “Review of solar-powered desiccant cooling systems,” in *Advances in Solar Heating and Cooling*, Elsevier, 2016, pp. 329–379. doi: 10.1016/B978-0-08-100301-5.00013-8.
- [60] W. Su *et al.*, “Liquid desiccant regeneration for advanced air conditioning: A comprehensive review on desiccant materials, regenerators, systems and improvement technologies,” *Appl. Energy*, vol. 308, p. 118394, Feb. 2022, doi: 10.1016/j.apenergy.2021.118394.
- [61] A. Ahmad, O. Prakash, R. Kausher, G. Kumar, S. Pandey, and S. M. M. Hasnain, “Parabolic trough solar collectors: A sustainable and efficient energy source,” *Mater. Sci. Energy Technol.*, vol. 7, pp. 99–106, 2024, doi: 10.1016/j.mset.2023.08.002.
- [62] E. Z. Moya, “Parabolic-trough concentrating solar power (CSP) systems,” in *Concentrating Solar Power Technology*, Elsevier, 2012, pp. 197–239. doi: 10.1533/9780857096173.2.197.
- [63] C. Balaji, B. Srinivasan, and S. Gedupudi, “Heat exchangers,” in *Heat Transfer Engineering*, Elsevier, 2021, pp. 199–231. doi: 10.1016/B978-0-12-818503-2.00007-1.
- [64] F. P. Incropera, D. P. DeWitt, T. L. Bergman, and A. S. Lavine, Eds., *Fundamental of Heat and Mass Transfer*, 7th ed. Hoboken, NJ: Wiley, 2013.
- [65] D. Reay, C. Ramshaw, and A. Harvey, “Compact and Micro-heat Exchangers,” in *Process Intensification*, Elsevier, 2013, pp. 91–120. doi: 10.1016/B978-0-08-098304-2.00004-3.
- [66] P. Akula, J. Eslick, D. Bhattacharyya, and D. C. Miller, “Modelling and Parameter Estimation of a Plate Heat Exchanger as Part of a Solvent-Based Post-Combustion CO<sub>2</sub> Capture System,” in *Computer Aided Chemical Engineering*, vol. 47, Elsevier, 2019, pp. 47–52. doi: 10.1016/B978-0-12-818597-1.50008-4.
- [67] J. Raccanello, S. Rech, and A. Lazzaretto, “Simplified dynamic modeling of single-tank thermal energy storage systems,” *Energy*, vol. 182, pp. 1154–1172, Sep. 2019, doi: 10.1016/j.energy.2019.06.088.





- [68] A. H. Abdel-Salam, G. Ge, and C. J. Simonson, "Performance analysis of a membrane liquid desiccant air-conditioning system," *Energy Build.*, vol. 62, pp. 559–569, Jul. 2013, doi: 10.1016/j.enbuild.2013.03.028.
- [69] Y. H. Yau and H. L. Pean, "The performance study of a split type air conditioning system in the tropics, as affected by weather," *Energy Build.*, vol. 72, pp. 1–7, Apr. 2014, doi: 10.1016/j.enbuild.2013.12.010.
- [70] Daikin, "Daikin High COP & EER Value." [Online]. Available: <https://www.daikin.co.id/high-cop-eer-value>
- [71] H. Yang, N. Pei, M. Fan, L. Liu, and D. Wang, "Experimental study on an air-cooled air conditioning unit with spray evaporative cooling system," *Int. J. Refrig.*, vol. 131, pp. 645–656, Nov. 2021, doi: 10.1016/j.ijrefrig.2021.06.011.
- [72] S. Suranjan Salins, P. Sreekumaran Nair, S. V. Kota Reddy, and S. Kumar, "Experimental investigations of humidification parameters and transient analysis in a rotating centrifugal humidifier," *J. Build. Eng.*, vol. 41, p. 102770, Sep. 2021, doi: 10.1016/j.job.2021.102770.

