

## DAFTAR PUSTAKA

- Alves, B., Angnuureng, D. B., Morand, P., & Almar, R. (2020). *A review on coastal erosion & flooding risks & best management practices in West Africa: what has been done & should be done*. Journal of Coastal Conservation, 24, 1-22.
- Andriani, S. (2017). *Uji Park Dan Uji Breusch Pagan Godfrey Dalam Pendeteksian Heteroskedastisitas Pada Analisis Regresi*. Al-Jabar: Jurnal Pendidikan Matematika, 8(1), 63-72.
- Asplund, M. E., Dahl, M., Ismail, R. O., Arias-Ortiz, A., Deyanova, D., Franco, J. N., ... & Gullström, M. (2021). Dynamics and fate of blue carbon in a mangrove–seagrass seascape: influence of landscape configuration and land-use change. *Landscape Ecology*, 36, 1489-1509.
- Bengen, Dietrich G. (2002). *Sinopsis: Ekosistem dan Sumberdaya Alam Pesisir dan Laut serta Prinsip Pengelolaannya*. Pusat kajian Sumberdaya Pesisir dan Lautan. Bogor: Institut Pertanian Bogor.
- Bianchini, L., Salvia, R., Quaranta, G., Egidi, G., Salvati, L., Marucci, A., (2022). *Forest Transition & Metropolitan Transformations in Developed Countries: Interpreting Apparent & Latent Dynamics with Local Regression Models*. Land 2022, 11, 12.
- Bitter, C., G. Mullian and S. Dall’erba. 2007. Incorporating Spatial Variation in Housing Attribute Prices. A comparison Of Geographically Weighted Regression and The Spatial Expansion Method. [mpr.ub.unimuechen.de/1379/01/MPRAhal\\_1379.pdf](http://mpr.ub.unimuechen.de/1379/01/MPRAhal_1379.pdf). Diakses pada 18 Maret 2020
- Bonari, G., Acosta, A.T. & Angiolini, C., (2017). *Mediterranean coastal pine forest stands: understory distinctiveness or not?*. Forest ecology & management, 391, pp.19-28.
- BPS, (2020), *Bantul dalam angka, Indonesia*: Bantul Regency Government.
- Breiman, L. (2001). *Random Forests*. In *Machine Learning*, 45, 5-32. Kluwer Academic Publishers. Manufactured in The Netherlands.
- Budjang, A. F., Rasyid, A. R., & Ekawati, S. A. (2021). Kajian Risiko dan Mitigasi Bencana Pada Kawasan Pesisir Kecamatan Mangarabombang. *Jurnal Wilayah & Kota Maritim (Journal of Regional and Maritime City Studies)*, 9(2).
- Cao, Q., Zhang, L., Su, Z., Wang, G., Sun, S. & Guo, F., (2021). *Comparing four regression techniques to explore factors governing the number of forest fires in Southeast, China*. Geomatics, natural hazards & risk, 12(1), pp.499-521.
- Carroll, Z. L., & Oliver, M. A. (2005). *Exploring the spatial relations between soil physical properties & apparent electrical conductivity*. Geoderma, 128(3-4), 354-374.
- Chandarana, H., Suganya, S. & Madhava, A.K., (2022). *Surface functionalized Casuarina equisetifolia pine powder for the removal of hetero-polyaromatic dye: characteristics & adsorption*. International Journal of Environmental Analytical Chemistry, 102(17), pp.5457-5471.
- Chávez, V., Lithgow, D., Losada, M., & Silva-Casarin, R. (2021). *Coastal green infrastructure to mitigate coastal squeeze*. Journal of Infrastructure Preservation & Resilience, 2(1), 1-12.
- Chen, Z., Xie, X., Cai, J., Chen, D., Gao, B., He, B., Cheng, N., Xu, B., (2017). *Understanding meteorological influences on PM2.5 concentrations across China: a temporal & spatial perspective*. Atmos. Chem. Phys. Discuss. 1–30.

- Chen, D., Ye, G., Gao, W., You, L., Nie, S. & Wang, Y.P., (2018). *Ecological response of Casuarina equisetifolia to environmental stress in coastal dunes in China*. Journal of Forest Research, 23(3), pp.173-182.
- Congalton RG, Green K., (2008). *Assessing the accuracy of remotely sensed data: principle & practices*. CRC Press, Boca Ralton.
- Cressie, N.A.C.1993. Statistics for Spatial Data Revised ed. New York: jhon wiley and sons
- Dahuri, R., (1998). The application of carrying capacity concept for sustainable coastal resources development in Indonesia. Jurnal Pengelolaan Sumberdaya Pesisir dan Lautan Indonesia (Indonesia), 1(1).
- Danesh Miah, M., Abubokor Siddik, M., & Yong Shin, M., (2013). *Socio-economic & environmental impacts of casuarina shelterbelt in the Chittagong coast of Bangladesh*. Forest science & technology, 9(3), 156-163.
- Danoedoro, Projo., (1996). *Pengolahan Citra digital Teori dan Aplikasinya dalam Bidang Penginderaan Jauh*. Fakultas Geografi Universitas Gadjah Mada.
- De Melo, L. V., & de Athayde Bohrer, C. B. (2022). The Orchid Reserve in The Massambaba Sandbank, Arraial Do Cabo (Rj): Natural Ecosystems, Environmental Degradation And Colonization By Casuarina Equisetifolia L. In Proceedings-VIII Workshop on Biosystems Engineering/WEB 8.0 1<sup>st</sup> Edition (Vol. 8, p. 189).
- De Zoysa, M. (2008). Casuarina coastal forest shelterbelts in Hambantota City, Sri Lanka: assessment of impacts. Small-scale Forestry, 7, 17-27.
- Digiamberardino, T. (1986). *Changes in a south east Florida coastal ecosystem after elimination of Casuarina equisetifolia*. Unpublished, Nova University.
- Dinas Pariwisata Kabupaten Bantul,(2004). *Development of Basic Data, Tourism Object, Indonesia*: Bantul Regency Government.
- Farma, A., Hikmat, A., & Soekmadi, R. (2019). Struktur dan komposisi vegetasi di habitat cemara laut (*Casuarina equisetifolia* L.) pada tiga kawasan konservasi di Provinsi Bengkulu. Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan (Journal of Natural Resources and Environmental Management), 9(3), 596-607.
- Fakhraee, M., Planavsky, N.J. & Reinhard, C.T. Ocean alkalinity enhancement through restoration of blue carbon ecosystems. Nat Sustain (2023). <https://doi.org/10.1038/s41893-023-01128-2>
- Fedra, K. & Feoli, E., (1998). *GIS technology & spatial analysis in coastal zone management*. EEZ Technology, 3, pp.171-179.
- Forman, R. T., & Godron, M. (1981). Patches and structural components for a landscape ecology. BioScience, 31(10), 733-740.
- Franch-Pardo, I., Napoletano, B. M., Rosete-Verges, F., & Billa, L. (2020). Spatial analysis and GIS in the study of COVID-19. A review. Science of The Total Environment, 739, 140033. <https://doi.org/10.1016/j.scitotenv.2020.140033>
- Fraschetti, S., McOwen, C., Papa, L., Papadopoulou, N., Bilan, M., Boström, C., ... & Guarnieri, G. (2021). Where is more important than how in coastal and marine ecosystems restoration. Frontiers in Marine Science, 8, 626843.
- GESAMP 2001. Reports and Studies. A Sea of Trouble. Coordination Office of the Global Programme of Action for The Protection of The Marine Environment from Land and Based Activities (UNEP). The Hague Division of Environmental Convention (UNEP)
- Ghozali, I. (2016). Aplikasi Analisis Multivariete Dengan Program IBM SPSS 23. Edisi 8. Semarang: Badan Penerbit Universitas Diponegoro.

- Gu, L., Gong, Z. & Bu, Y., (2021). *Forest quality dynamic change & its driving factors accompanied by forest transition in China*. *Forests*, 12(6), p.733.
- Harjadi, B., (2017). *The role of Casuarina equisetifolia on micro climate improvement of sandy beach land at Kebumen*. *Jurnal Penelitian Pengelolaan Daerah Aliran Sungai (Journal of Watershed Management Research)*, 1(2), pp.73-81.
- Hasan, K., Abdullah, S. K., Islam, F., & Neela, N. M., (2020). *An integrated model for examining tourists' revisit intention to beach tourism destinations*. *Journal of Quality Assurance in Hospitality & Tourism*, 21(6), 716-737.
- Hesp, P.A. 2008. Coastal Dune in the Tropics and Temperate Region: Location, Formation, Morphology and Vegetation Process, dalam Martinez, L.M. dan Psuty, P.N. (ed). 2008. *Coastal Dune Ecology and Conservation*. Berlin: Springer.
- Hidayah, Z dan Suharyo, O.S., (2018). *Analisa Perubahan Penggunaan Lahan di Wilayah Pesisir Selat Madura*. *Rekayasa* 11(1):19
- Harper, K. A., Macdonald, S. E., Burton, P. J., Chen, J., Brosofske, K. D., Saunders, S. C., ... & Esseen, P. A. (2005). Edge influence on forest structure and composition in fragmented landscapes. *Conservation biology*, 19(3), 768-782.
- Hu, X., Waller, L.A., Al-Hamdan, M.Z., Crosson, W.L., Estes Jr., M.G., Estes, S.M., Quattrochi, D., Sarnat, J.A., Liu, Y. (2013). *Estimating ground-level PM2.5 concentrations in the southeastern US using geographically weighted regression*. *Environ. Res.* 121, 1–10.
- Immanuel, R. & Ganapathy, M., (2019). *Characterization of degraded lands in coastal agro ecosystem of Northern Tamil Nadu, India*. *Journal of Emerging Technologies & Innovative Research*, 6(2), pp.200-216.
- Isoni, W., Maulida, N., Muhajir, M.I., Lesmana, P.S. & Ismail, D.A., (2022). *Characteristics of turtle laying habitat on vemara beach, Banyuwangi Regency, East Java*. In IOP Conference Series: Earth & Environmental Science (Vol. 1036, No. 1, p. 012087). IOP Publishing.
- Johns, Robert J., Garry A. Shea & Pratito Puradyatmika., (2012). *Chapter 5.6. Coastal Vegetation of Papua* in: Marshall, Andrew J. & Bruce M. Beehler (Eds.). 2012. *The Ecology of Papua*. Part II. Tuttle Publishing. Page: 901-909.
- Juan, Lu., Guo-an, Tang. (2011). *The spatial distribution cause analysis of theft crime rate based on GWR model*. doi: 10.1109/ICMT.2011.6002711
- Kaliraj, S., Chandrasekar, N., Ramachandran, K.K., Srinivas, Y. & Saravanan, S., (2017). *Coastal landuse & land cover change & transformations of Kanyakumari coast, India using remote sensing & GIS*. *The Egyptian Journal of Remote Sensing & Space Science*, 20(2), pp.169-185.
- Kasim, F., (2012). *Pendekatan beberapa metode dalam monitoring perubahan garis pantai menggunakan dataset penginderaan jauh Landsat dan SIG*. *Jurnal Ilmiah Agropolitan*, 5(1), pp.620-635.
- Kaul, R. N. (1985). *Afforestation of dune areas. Sand dune stabilization, shelterbelts & afforestation in dry zones*, 75-85.
- Kennedy, V. S., Twilley, R. R., Kleypas, J. A., Cowan Jr, J. H., & Hare, S. R. (2002). *Coastal and marine ecosystems & Global climate change: Potential Effects on US Resources*.
- Ketchum, 1972 dalam Kay dan Alder, 1999. *Coastal planning and management* by R. Kay and J. Alder, 1999. Spon, xxi+375 pp

- Klemas, V., (2011). *Remote sensing techniques for studying coastal ecosystems: An overview*. Journal of Coastal Research, 27(1), pp.2-17.
- Langeland, K. (1988). *Casuarina equisetifolia*, Exotic Pest Plant Council Draft Summary of Exotic species & Common Control Practices. Exotic Pest Plant Council, Joyce M. Kleen, Chairman. 2 p.
- Ledoux L, Turner RK., (2002). *Valuing Ocean & Coastal Resources: A Review of Practical Examples & Issues for Further Action*. Ocean & Coastal Management. 45(9–10):583–616.doi:10.1016/S0964-5691(02)00088-1.
- Laporan Penelitian Analisis Gumuk Pasir Parangtritis Sebagai Destinasi, 2021. Dinas Pup-ESDM.
- Lee, J. T., Tsai, S. M., & Lee, M. J., (2017). *Uprooting resistance of two tropical tree species for sand dune stabilization*. African Journal of Agricultural Research, 12(45), 3214-3220.
- Lillesand T. M., R. W. Kiefer, (1994). *Remote sensing & image interpretation. Third edition*. John Wiley dan Sons, Inc. New York.
- Lin, C.H, & Wen, T.H., (2011). *Using Geographically Weighted Regression (GWR) to Explore Spatial Varying Relationships of Immature Mosquitoes & Human Densities with the Incidence of Dengue*. International Journal of Environmental Research & Public Health 8: 2798-2815.
- Liu, S., Liao, Q., Xiao, M., Zhao, D., & Huang, C. (2022). Spatial and temporal variations of habitat quality and its response of landscape dynamic in the three gorges reservoir area, China. International Journal of Environmental Research and Public Health, 19(6), 3594.
- Martínez M. L. and Psuty N. P. (Eds.) 2003. Coastal Dunes; Ecology and Conservation. Springer, 386 pp.
- Masduqi, E., Setyaningrum, A., & Haryanti, S. (2022). Pengaman Pantai Alami di Pantai Selatan Bantul. Jurnal Rekayasa Lingkungan, 22(1).
- McGarigal, Kevin; Marks, Barbara J. 1995. FRAGSTATS: spatial pattern analysis program for quantifying landscape structure. Gen. Tech. Rep. PNW-GTR-351. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 122 p.
- Moreno-Casasola, P. & Castillo, S., (1992). *Dune ecology on the eastern coast of Mexico*. In Coastal Plant Communities of Latin America (pp. 309-321). Academic Press.
- Morton, J.F., (1980). *The australian pine or beefwood (Casuarina equisetifolia L.), an invasive "weed" in Florida*. Proc. Florida State Horticultural Soc.
- Mutia, Y. D., & Diyanti, A. R. (2022). *Pengaruh Perendaman Air Dingin terhadap Perkecambah Benih Cemara Laut (Casuarina equisetifolia L.)*. Jurnal Embrio, 14(1), 52-58.
- Ng, B.H. 1987. *The effects of salinity on growth, nodulation & nitrogen fixation of Casuarina equisetifolia*. Plant & Soil 103(1):123-125.
- Nomura, K., & Mitchard, E.T.A. (2018). *More than meets the eye: Using Sentinel-2 to map small plantations in complex forest landscapes*. Remote Sensing, 10(11), 1693, 1-15.
- Nuryani, V., (2016). *Pemanfaatan Cemara Udang (Casuarina equisetifolia Var. Incana) Di Sepanjang Pesisir Pantai Kabupaten Bantul* (Doctoral dissertation, Universitas Gadjah Mada).

- Pérez-Maqueo, Octavio, M. Luisa Martínez, Flor C. Sánchez-Barradas, & Melanie Kolb., (2018). *Assessing Nature-Based Coastal Protection against Disasters Derived from Extreme Hydrometeorological Events in Mexico*. Sustainability 10, no. 5: 1317.
- Prasetyo, Y.B. 2017. Pendekatan Ekologi Lanskap untuk Konservasi Biodiversitas. Fakultas Kehutanan, Institute Pertanian Bogor (Vol. 53, No 9).
- Prin, Y., Duhoux, E., Diem, H.G., Roederer, Y. & Dommergues, Y.R., (1991). *Aerial nodules in Casuarina cunninghamiana*. Applied & environmental microbiology, 57(3), pp.871-874.
- Radiarta, I.N., Sudradjat, A. & Kusnendar, E., (2016). *Analisis Spasial Potensi Kawasan Budidaya Laut di Provinsi Maluku Utara dengan Aplikasi Data Penginderaan Jauh dan Sistem Informasi Geografis*. Jurnal Riset Akuakultur, 5(1), pp.143-153.
- Radwan, T. M., Blackburn, G. A., Whyatt, J. D., & Atkinson, P. M. (2021). *Global land cover trajectories and transitions*. Scientific Reports, 11(1), 12814.
- Rakuasa, H., & Latue, P. C. (2023). Analisis Spasial Daerah Rawan Banjir di Das Wae Heru, Kota Ambon. Jurnal Tanah Dan Sumberdaya Lahan, 10(1), 75–82. <https://doi.org/10.21776/ub.jtsl.2023.010.1.8>
- Rencana Zonasi Wilayah Pesisir dan Pulau-Pulau Kecil (2021).
- Rudel, T.K., Coomes, O.T., Moran, E.; Achard, F., Angelsen, A., Xu, J., Lambin, E., (2005). *Forest transitions: Towards a global understanding of land use change*. Glob. Environ. Chan, 15, 23–31.
- Rutledge, B. T., Cannon, J. B., McIntyre, R. K., Holland, A. M., & Jack, S. B. (2021). Tree, stand, and landscape factors contributing to hurricane damage in a coastal plain forest: Post-hurricane assessment in a longleaf pine landscape. Forest Ecology and Management, 481, 118724.
- Sa'adah, L., (2022). *Spread & conditions of growing places for Casuarina equisetifolia L. in the Lombang Beach Area, Sumenep Regency, Madura*. In IOP Conference Series: Earth & Environmental Science (Vol. 959, No. 1, p. 012032). IOP Publishing.
- Santos F, Graw V, Bonilla S. (2019). *A geographically weighted random forest approach for evaluate forest change drivers in the Northern Ecuadorian Amazon*. PLoS ONE 14(12).
- Sayera, J., Sunderlandb, T., Ghazoulc, J., Pfundd, J. L., Sheilb, D., Meijaardb, E., ... & Buckk, L. E. (2013). *Ten principles for a landscape approach to reconciling agriculture, conservation, and other competing land uses*. PNAS, 110(21), 8349-8356.
- Schabenberger O, Gotway CA., (2005). *Statistical Methods for Spatial Data Analysis*. Chapman & Hall/CRC.
- Schlub, R.L., Ayin, C.M., Alvarez, A.M., Paudel, S., Arif, M., Marx, B.D., Husseneder, C., Schlub, K.A., Quintanilla, M., Klopfenstein, N.B. & Kennaway, L.F., (2019). *Ecology of Guam's Casuarina equisetifolia & research into its decline*. In Sixth International Casuarina Workshop Krabi, Thailand (pp. 21-25).
- See, L., Schepaschenko, D., Lesiv, M., McCallum, I., Fritz, S., Comber, A., Perger, C., Schill, C., Zhao, Y., Maus, V., Siraj, M.A., Albrecht, F., Cipriani, A., Vakolyuk, M., Garcia, A., Rabia, A.H., Singha, K., Marcarini, A.A., Kattenborn, T., Hazarika, R., Schepaschenko, M., van der Velde, M., Kraxner, F., Obersteiner, M., (2015). *Building a hybrid land cover map with crowdsourcing & geographically weighted regression*. ISPRS J. Photogramm. Remote Sens. 103, 48–56.
- Setyaningrum, E. W., Dewi, A. T. K., Prapti, K. P., Erwanto, Z., & Susanti, H. D., (2019). *Area development based on conservation & ecotourism on the Cemara Beach (Pine*



- Trees Beach*), Pakis, Banyuwangi, East Java Province, Indonesia. In IOP Conference Series: Earth & Environmental Science (Vol. 236, No. 1, p. 012132). IOP Publishing.
- Singhvi, A., Luijendijk, A. P., & van Oudenhoven, A. P., (2022). *The grey-green spectrum: A review of coastal protection interventions*. Journal of Environmental Management, 311, 114824.
- Sujarweni, V. W., & Utami, L. R. (2016). *The deciding factor is the timeliness of corporate internet reporting on manufacturing companies registered in Bei*. Jurnal Riset Akuntansi Mercu Buana, 2(1), 119-137.
- Sumardi, I. dan Nugroho, H., (2010). *Struktur dan Perkembangan Tumbuhan*. Penebar Swadaya. Jakarta.
- Sunarto. 2003. Geomorfologi Pantai: Dinamika Pantai. Makalah dalam Kegiatan Susur Pantai Karst Gunungkidul pada Raimuna 2003. Yogyakarta: Laboratorium Geomorfologi Terapan Fakultas Geografi Universitas Gadjah Mada.
- Stephen, W., Provencher., Petr, Stepanek. (1996). Global Analysis of Dynamic Light Scattering Autocorrelation Functions. Particle & Particle Systems Characterization, doi: 10.1002/PPSC.19960130507
- Suprajaka, Aris Poniman, Hartono. (2005). *Konsep dan Model Penyusunan Tipologi Pesisir Indonesia Menggunakan Teknologi Sistem Informasi Geografi*. Geografia. Malaysian Journal of Society & Space 1 (76-84). 2005, ISSN 2180-2491.
- Syhabudin, A., Adriyanti, D.T., Bai, H., Ninomiya, I. & Osozawa, K., (2013). *New social values on the establishment of cemara udang (Casuarina equisetifolia) in the Southern Coast of Yogyakarta*. Procedia Environmental Sciences, 17, pp.79-88.
- Tanaka, N., Y. Sasaki, M.I.M. Mowjood, K. B. S. N. Jinadasa, & S. Homchuen., (2007). *Coastal vegetation structures & their functions in tsunami protection: experience of the recent Indian Ocean tsunami*. Landscape & Ecological Engineering, 3(1), 33-45.
- Talaat, A., Ahmed, A., & Noura, H. (2019). Dataset of allelopathic effects of *Casuarina equisetifolia*-L leaf aquatic extract on seed germination and growth of selected plant crops. Data in Brief, 27, 104770.
- Terefenko, P., Lubczonek, J. & Paprotny, D., (2021). *Editorial on Special Issue "Remote Sensing Applications in Coastal Environment"*. Remote Sensing, 13(23), p.4734.
- Triatmodjo, Bambang. Perencanaan Bangunan Pantai, Beta Offset, Yogyakarta (1999).
- Tuheteru, Faisal Danu dan Mahfudz., (2012). *Ekologi, Manfaat dan Rehabilitasi Hutan Pantai Indonesia*. Balai Penelitian Kehutanan Manado. pp 178
- Vietmeyer, N., (1986). *Casuarina: weed or windfall?* Amer. Forests. 22-25.
- Vijayabhama, M., Jaisankar, R., Varadha Raj, S., & Baranidharan, K. (2018). Spatial-temporal variation of casuarina spread in Cauvery delta and north eastern zone of Tamil Nadu, India: a spatial autoregressive model. Journal of Applied Statistics, 45(1), 1-7.
- Wahyuningsih, D.S., Putra, M.D., Wulan, T., Putra, A.S., Maulana, E. & Ibrahim, F., (2016). *Mitigasi Bencana Erosi Kepesisiran di Pantai Kuwaru dan Samas*. Kabupaten Bantul DIY.
- Walpole, Ronal E. 1995. Pngantar Statistika. Edisi ke-3 Gramedia Pustaka Utama : Jakarta
- Whittaker, Robert J. & Jose Maria Fernandez-Palacios., (2007). *Island Biogeography. Second edition*. Oxford University Press Inc. New York. pp 401
- Wang, C., (2016). *The Impact of car ownership & public transport usage on cancer screening coverage : Empirical evidence using a spatial analysis in England*. Journal of transport geography, 56:15-22.

- Woodall, S.L. & T.F. Geary., (1985). *Identity of Florida Casuarinas*. U.S.D.A. Southeast Forest Experiment Station, Research Note SE-332. 10 p.
- Wu, L., He, D., Ji, Z. et al.,(2017). Protection efficiency assessment and quality of coastal shelterbelt for Dongshan Island at the coastal section scale. *J. For. Res.* 28, 577–584 .  
<https://doi.org/10.1007/s11676-016-0325-z>
- Xue, Y., Yang, Z., Wang, X., Lin, Z., Li, D. & Su, S., (2016). *Tree biomass allocation & its model Additivity for Casuarina equisetifolia in a tropical forest of Hainan Island, China*. *PloS one*, 11(3), p.e0151858.
- Yezzi, A., Nebbia, A., & Zalba, S. (2021). Fragmentation of Coastal Grasslands by Plantations and Spontaneous Spread of Invasive Pines in the Southern Pampa. *Diversity*, 13(12), 637.
- Young, D. R., Brantley, S. T., Zinnert, J. C., & Vick, J. K. (2011). *Landscape position and habitat polygons in a dynamic coastal environment*. *Ecosphere*, 2(6), 1-15.
- Yunia, Cherryta & Asaad, Irawan. (2012). Indonesian Marine Protected Areas (Taman Nasional Laut di Indonesia).
- Yu, D and Wei. 2005. GeographicallyWeightedRegresion [pages.csam.monthcair.edu/-yu/GISDayGWR.ppt](http://pages.csam.monthcair.edu/-yu/GISDayGWR.ppt) di akses pada tanggal 28 februari 2020.
- Zaldívar-Cruz, B., Pérez-Ceballos, R., Zaldívar-Jiménez, A., Canales-Delgadillo, J., Endañu-Huerta, E., Flores, A. B., & Tun-Garrido, J. (2022). Structural and diversity changes in coastal dunes from the Mexican Caribbean: the case of the invasive Australian pine (*Casuarina equisetifolia*). *Management of Biological Invasions*, 13(1).
- Zhou, X., & Wang, Y. C. (2011). Spatial–temporal dynamics of urban green space in response to rapid urbanization and greening policies. *Landscape and urban planning*, 100(3), 268-277.
- Zullo, F., Montaldi, C., Di Pietro, G., & Cattani, C., (2022). *Land Use Changes & Ecosystem Services: The Case Study of the Abruzzo Region Coastal Strip*. *ISPRS International Journal of Geo-Information*, 11(12), 588.