

DARTAR PUSTAKA

- Adebo, O.A. (2020). African Sorghum-Based Fermented Foods: Past, Current and Future Prospects. *Nutrients*, 12(4), p. 1111. Available at: <https://doi.org/10.3390/nu12041111>.
- Afify, A.E.M.M., El-Beltagi, H.S., Abd El-Salam, S.M. and Omran, A.A., 2012. Effect of soaking, cooking, germination and fermentation processing on proximate analysis and mineral content of three white sorghum varieties (*Sorghum bicolor* L. Moench). *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 40(2), pp.92-98.
- Ali, N.M., El Tinay, A.H., Abd Elmoneim, O.E., Salih, O.A. & Yousif, N.E. (2009). Effect of alkaline pretreatment and cooking on protein fractions of a high-tannin sorghum cultivar. *Food Chemistry*, 114(2), pp. 646–648. Available at: <https://doi.org/10.1016/j.foodchem.2008.10.001>.
- Almodares, A. & Hadi, M.R. (2009). Production of bioethanol from sweet sorghum: A review. *African Journal of Agricultural Research*, 4(9), pp. 772-780.
- Andriani, A. & Isnaini, M., (2020). Morfologi dan Fase Pertumbuhan Sorgum. *Inovasi Teknologi dan Pengembangan*, p.47.
- Barth, A., 2007. Infrared spectroscopy of proteins. *Biochimica et Biophysica Acta (BBA)-Bioenergetics*, 1767(9), pp.1073-1101.
- Belton, P.S., Delgadillo, I., Halford, N.G., & Shewry, P.R. (2006) Kafirin structure and functionality, *Journal of Cereal Science*, 44(3), pp. 272–286. Available at: <https://doi.org/10.1016/j.jcs.2006.05.004>.
- Belton, P.S. & Taylor, J.R.N. (2004). Sorghum and millets: protein sources for Africa, *Trends in Food Science & Technology*, 15(2), pp. 94–98. Available at: <https://doi.org/10.1016/j.tifs.2003.09.002>.
- Bibat, M.A.D.R., De Rosario, O.M., Mopera, L.E., Collado, L.S. & Flores, F.P., (2014). Characterization of alkalinecooked quality protein maize as raw material for noodle processing. *Philippine Sci. Lett*, 7, pp.413-419.
- Blanco, Antonio & Blanco, Gustavo. (2022). Chapter 12 – Digestion – Absorption. *Medical Biochemistry (Second Edition)*. pp. 281-306. doi: 10.1016/B978-0-323-91599-1.00021-3
- Cabrera-Ramírez, A.H., Luzardo-Ocampo, I., Ramírez-Jiménez, A.K., Morales-Sánchez, E., Campos-Vega, R. & Gaytán-Martínez, M. (2020). Effect of the nixtamalization process on the protein bioaccessibility of white and red sorghum flours during in vitro gastrointestinal digestion, *Food Research International*, 134, p. 109234. Available at: <https://doi.org/10.1016/j.foodres.2020.109234>.
- Carnovale, E., Lugaro, E. & Lombardi-Boccia, G., (1988). Phytic acid in faba bean and pea: effect on protein availability. *Cereal Chem*, 65(2), pp.114-117.
- Castro-Jácome, T.P., Alcántara-Quintana, L.E. & Tovar-Pérez, E.G. (2020). Optimization of Sorghum Kafirin Extraction Conditions and Identification of Potential Bioactive Peptides, *BioResearch Open Access*, 9(1), pp. 198–208. Available at: <https://doi.org/10.1089/biores.2020.0013>.
- Champagne, E.T., Rao, R.M., Liuzzo, J.A., Robinson, J.W., Gale, R.J. and Miller, F., 1985. The interactions of minerals, proteins and phytic acid in rice bran. *Cereal Chem*, 62(23).
- Chemat, F., Rombaut, N., Sicaire, A.G., Meullemiestre, A., Fabiano-Tixier, A.S. & Abert-Vian, M. (2017). Ultrasound assisted extraction of food and natural products.

- Mechanisms, techniques, combinations, protocols and applications. A review, *Ultrasonics Sonochemistry*, 34, pp. 540–560. Available at: <https://doi.org/10.1016/j.ultsonch.2016.06.035>.
- Chemat, F., Zill-e-Huma & Khan, M.K. (2011). Applications of ultrasound in food technology: Processing, preservation and extraction, *Ultrasonics Sonochemistry*, 18(4), pp. 813–835. Available at: <https://doi.org/10.1016/j.ultsonch.2010.11.023>.
- Choi, S.J., Kim, H.J., Jung, S.H., Hamaker, B.R. & Moon, T.W., (2003). The relationship between sorghum digestibility and their protein-starch Interaction. In *2003 IFT Annual Meeting-Chicago*.
- Cremer, J.E., Bean, S.R., Tilley, M.M., Ioerger, B.P., Ohm, J.B., Kaufman, R.C., Wilson, J.D., Innes, D.J., Gilding, E.K. & Godwin, I.D. (2014). Grain Sorghum Proteomics: Integrated Approach toward Characterization of Endosperm Storage Proteins in Kafirin Allelic Variants, *Journal of Agricultural and Food Chemistry*, 62(40), pp. 9819–9831. Available at: <https://doi.org/10.1021/jf5022847>.
- D’Almeida, C.T.D.S., Mameri, H., dos Santos Menezes, N., de Carvalho, C.W.P., Queiroz, V.A.V., Cameron, L.C., Morel, M.H., Takeiti, C.Y. & Ferreira, M.S.L., (2021) ‘Effect of extrusion and turmeric addition on phenolic compounds and kafirin properties in tannin and tannin-free sorghum’, *Food Research International*, 149, p. 110663. Available at: <https://doi.org/10.1016/j.foodres.2021.110663>.
- Dani, U. (2017). Pertumbuhan dan hasil tanaman sorgum di lahan marginal dengan pemberian pupuk kandang domba, *Jurnal Ilmu Pertanian dan Peternakan*, 5(1).
- Deleu, L.J., Lambrecht, M.A., Van de Vondel, J. & Delcour, J.A. (2019). The impact of alkaline conditions on storage proteins of cereals and pseudo-cereals, *Current Opinion in Food Science*, 25, pp. 98–103. Available at: <https://doi.org/10.1016/j.cofs.2019.02.017>.
- De Mesa-Stonestreet, N.J., Alavi, S. and Bean, S.R., 2010. Sorghum proteins: the concentration, isolation, modification, and food applications of kafirins. *Journal of food science*, 75(5), pp.R90-R104.
- DeRham, O. and T.Jost (1979). Phytate interactions in soybean extracts and low phytate protein products. *J. Food Sci.*, 44: 596
- Deshpande, S.S. & Damodaran, S. (1989). Effect of Phytate on Solubility, Activity and Conformation of Trypsin and Chymotrypsin, *Journal of Food Science*, 54(3), pp. 695–699. Available at: <https://doi.org/10.1111/j.1365-2621.1989.tb04684.x>.
- Díaz-Montes, E. & Castro-Muñoz, R. (2022). Analyzing the phenolic enriched fractions from Nixtamalization wastewater (Nejayote) fractionated in a three-step membrane process, *Current Research in Food Science*, 5, pp. 1–10. Available at: <https://doi.org/10.1016/j.crfs.2021.11.012>.
- Duodu, K.G., Taylor, J.R.N., Belton, P.S. & Hamaker, B.R. (2003). Factors affecting sorghum protein digestibility, *Journal of Cereal Science*, 38(2), pp. 117–131. Available at: [https://doi.org/10.1016/S0733-5210\(03\)00016-X](https://doi.org/10.1016/S0733-5210(03)00016-X).
- Dykes, L., Peterson, G.C., Rooney, W.L. and Rooney, L.W., 2011. Flavonoid composition of lemon-yellow sorghum genotypes. *Food Chemistry*, 128(1), pp.173-179.
- FAO (2023). Cereals. *Food Outlook June 2023*.
- Fernández-Muñoz, J.L., Rodríguez, M.E., Pless, R.C., Martínez-Flores, H.E., Leal, M., Martínez, J.L. & Baños, L. (2002). Changes in Nixtamalized Corn Flour Dependent on Postcooking Steeping Time’, *Cereal Chemistry*, 79(1), pp. 162–166. Available at: <https://doi.org/10.1094/CCHEM.2002.79.1.162>.

- Fernández-Muñoz, J.L., Rojas-Molina, I., González-Dávalos, M.L., Leal, M., Valtierra, M.E., Martín-Martínez, E.S. & Rodríguez, M.E. (2004). Study of Calcium Ion Diffusion in Components of Maize Kernels During Traditional Nixtamalization Process, *Cereal Chemistry*, 81(1), pp. 65–69. Available at: <https://doi.org/10.1094/CCHEM.2004.81.1.65>.
- Gaytán-Martínez, M., Cabrera-Ramírez, Á.H., Morales-Sánchez, E., Ramírez-Jiménez, A.K., Cruz-Ramírez, J., Campos-Vega, R., Velazquez, G., Loarca-Piña, G. & Mendoza, S. (2017). Effect of nixtamalization process on the content and composition of phenolic compounds and antioxidant activity of two sorghums varieties, *Journal of Cereal Science*, 77, pp. 1–8. Available at: <https://doi.org/10.1016/j.jcs.2017.06.014>.
- Gilligan, J. (1974). *The Organic Chemical Industries*. New York: Prentice Hall, Inc.
- Gulati, P., Brahma, S., Graybosch, R.A., Chen, Y. and Rose, D.J., 2020. In vitro digestibility of proteins from historical and modern wheat cultivars. *Journal of the Science of Food and Agriculture*, 100(6), pp.2579-2584.
- Gutiérrez, E., Rojas-Molina, I., Pons-Hernández, J.L., Guzmán, H., Aguas-Angel, B., Arenas, J., Fernández, P., Palacios-Fonseca, A., Herrera, G. & Rodríguez, M.E. (2007). Study of Calcium Ion Diffusion in Nixtamalized Quality Protein Maize as a Function of Cooking Temperature, *Cereal Chemistry*, 84(2), pp. 186–194. Available at: <https://doi.org/10.1094/CCHEM-84-2-0186>.
- Gutiérrez-Cortez, E., Rojas-Molina, I., Zambrano-Zaragoza, M.L., Espinosa-Arbeláez, D.G., Rojas, A., García, J.C., Cornejo-Villegas, M.A. & Rodríguez-García, M.E. (2016). The mass transport phenomenon through pericarp during the nixtamalization process, *Food and Bioprocess Processing*, 100, pp. 477–486. Available at: <https://doi.org/10.1016/j.fbp.2016.09.008>.
- Guzmán, A.Q., Flores, M.E.J., Ferial, J.S., Montealvo, M.G.M. and Wang, Y.J., 2011. Rheological and thermal properties of masa as related to changes in corn protein during nixtamalization. *Journal of Cereal Science*, 53(1), pp.139-147.
- Hassan, S.M., Forsido, S.F., Tola, Y.B., Bikila, A.M. & Ahmed, Z., (2023). Effect of Nixtamalization on the Nutritional, Anti-nutritional, Functional, Physicochemical and Mineral Properties of Maize (*Zea mays*) Tortillas. *J Food Chem Nanotechnol*, 9(3), pp.132-140.
- Haikerwal, M., & Mathieson, A., R. (1971). The protein content and amino acid composition of sorghum grain. *Cereal Chem.* 48:690-699.
- Heda, R., Toro, F. & Tombazzi, C.R., (2023). Physiology, pepsin. NBCI Bookshelf.
- Hernández-Becerra, E., Gutierrez-Oñate, M.P., Martinez-Soto, G., Vega-Rojas, L.J., Acosta-Osorio, A.A., Contreras-Padilla, M. & Rodríguez-García, M.E. (2016). Physicochemical characterization of corn–sorghum nixtamalized flours as a function of the steeping time, *Journal of Food Measurement and Characterization*, 10(3), pp. 434–443. Available at: <https://doi.org/10.1007/s11694-016-9322-3>.
- Hou, F., Ding, W., Qu, W., Oladejo, A.O., Xiong, F., Zhang, W., He, R. & Ma, H. (2017). Alkali solution extraction of rice residue protein isolates: Influence of alkali concentration on protein functional, structural properties and lysinoalanine formation, *Food Chemistry*, 218, pp. 207–215. Available at: <https://doi.org/10.1016/j.foodchem.2016.09.064>.
- Janve, B., Yang, W., Kozman, A., Sims, C., Teixeira, A., Gunderson, M.A. & Rababah, T.M. (2013). Enhancement of Corn Nixtamalization by Power Ultrasound, *Food and*

- Bioprocess Technology*, 6(5), pp. 1269–1280. Available at: <https://doi.org/10.1007/s11947-012-0816-7>.
- Johnson, W.B., Ratnayake, W.S., Jackson, D.S., Lee, K.M., Herrman, T.J., Bean, S.R. & Mason, S.C. (2010). Factors Affecting the Alkaline Cooking Performance of Selected Corn and Sorghum Hybrids, *Cereal Chemistry*, 87(6), pp. 524–531. Available at: <https://doi.org/10.1094/CCHEM-06-10-0087>.
- Kayodé, A.P., Linnemann, A.R., Hounhouigan, J.D., Nout, M.J. & van Boekel, M.A. (2006). Genetic and Environmental Impact on Iron, Zinc, and Phytate in Food Sorghum Grown in Benin, *Journal of Agricultural and Food Chemistry*, 54(1), pp. 256–262. Available at: <https://doi.org/10.1021/jf0521404>.
- Kementerian Koordinator Bidang Perekonomian Republik Indonesia. (2022). Dimulainya Pilot Project Pengembangan Sorgum Menandai Upaya Substitusi dan Diversifikasi dalam Penguatan Ketahanan Pangan.
- Khoddami, A., Messina, V., Vadabali Venkata, K., Farahnaky, A., Blanchard, C.L. & Roberts, T.H. (2023). Sorghum in foods: Functionality and potential in innovative products, *Critical Reviews in Food Science and Nutrition*, 63(9), pp. 1170–1186. Available at: <https://doi.org/10.1080/10408398.2021.1960793>.
- Knuckles, B.E., Kuzmicky, D.D. & Betschart, A.A., (1985). Effect of phytate and partially hydrolyzed phytate on in vitro protein digestibility. *Journal of Food Science*, 50(4), pp.1080-1082.
- Kobue-Lekalake, R.I., Taylor, J.R. and De Kock, H.L., 2007. Effects of phenolics in sorghum grain on its bitterness, astringency and other sensory properties. *Journal of the Science of Food and Agriculture*, 87(10), pp.1940-1948.
- de Mello, H.L., , 2020. Sonodynamic and photodynamics used as a combined therapy in the treatment of malignant neoplasms: facts and open questions. In *Photodynamic Therapy-From Basic Science to Clinical Research*. IntechOpen. Inada, N.M., eds., 2021. *Photodynamic Therapy: From Basic Science to Clinical Research*. BoD–Books on Demand.
- Legowo, A. M dan Nurwantoro. 2004. Analisis Pangan. Semarang: Universitas Diponegoro.
- Liu, K., Zheng, J. and Chen, F., 2019. Effect of domestic cooking on rice protein digestibility. *Food Science & Nutrition*, 7(2), pp.608-616.
- Lopes De Mello, H., Alves, L.A., Dias, E.A., Magalhães, S.D.S.P., Cotta-de-Almeida, V. & da Cunha Bisaggio, R. (2021). Sonodynamic and Photodynamics Used as a Combined Therapy in the Treatment of Malignant Neoplasms: Facts and Open Questions', in N. Mayumi Inada., Buzzá, H.H., Blanco, K.C., Dias, L.D. & Kassab, G. (eds) *Photodynamic Therapy - From Basic Science to Clinical Research*. IntechOpen. Available at: <https://doi.org/10.5772/intechopen.94600>.
- Lopez, M.J. & Mohiuddin, S.S., (2023). Biochemistry, essential amino acids. NCBI Bookshelf
- Luzardo-Ocampo, I., Ramírez-Jiménez, A.K., Cabrera-Ramírez, Á.H., Rodríguez-Castillo, N., Campos-Vega, R., Loarca-Piña, G. & Gaytán-Martínez, M. (2020). Impact of cooking and nixtamalization on the bioaccessibility and antioxidant capacity of phenolic compounds from two sorghum varieties, *Food Chemistry*, 309, p. 125684. Available at: <https://doi.org/10.1016/j.foodchem.2019.125684>.
- Marhamati, M., Kheirati Kakhaki, Z. & Rezaei, M. (2020). Advance in Ultrasound Assisted Extraction of Edible Oils: A Review, *Journal of Nutrition, Fasting and Health*, 8(4

(Special Issue on Food Safety)). Available at:
<https://doi.org/10.22038/jnfh.2020.51138.1288>.

- Mawouma, S., Condurache, N.N., Turturică, M., Constantin, O.E., Croitoru, C. and Rapeanu, G., 2022. Chemical composition and antioxidant profile of sorghum (*sorghum bicolor* (L.) moench) and pearl millet (*Pennisetum glaucum* (L.) R. Br.) grains cultivated in the far-North region of Cameroon. *Foods*, 11(14), p.2026.
- Medina-Torres, N., Ayora-Talavera, T., Espinosa-Andrews, H., Sánchez-Contreras, A. and Pacheco, N., 2017. Ultrasound assisted extraction for the recovery of phenolic compounds from vegetable sources. *Agronomy*, 7(3), p.47.
- Meena, K., Visarada, K. & Meena, D.K. (2022). Sorghum bicolor (L.) Moench a multifarious crop -fodder to therapeutic potential and biotechnological applications: A future food for the millennium, *Future Foods*, 6, p. 100188. Available at: <https://doi.org/10.1016/j.fufo.2022.100188>.
- Ménard, O., Chauvet, L., Henry, G., Dupont, D., Gaudichon, C., Calvez, J. & Deglaire, A. (2023). The use of 15N-labelled protein to account for the endogenous nitrogen contribution to in vitro protein digestibility measurement, *Food Research International*, 173, p. 113242. Available at: <https://doi.org/10.1016/j.foodres.2023.113242>.
- Méndez Lagunas, L.L., Rojas, D.A.G., Grau, A.M.A., Bernal, L.G.B. & Ramírez, J.R. (2022). Content and bioaccessibility of phenolic compounds in blue corn products and tortillas using traditional and ecological nixtamalization, *International Journal of Gastronomy and Food Science*, 27, p. 100443. Available at: <https://doi.org/10.1016/j.ijgfs.2021.100443>.
- Milán-Carrillo, J., Gutiérrez-Dorado, R., Cuevas-Rodríguez, E.O., Garzón-Tiznado, J.A. & Reyes-Moreno, C. (2004). Nixtamalized Flour From Quality Protein Maize (*Zea mays* L). Optimization of Alkaline Processing, *Plant Foods for Human Nutrition*, 59(1), pp. 35–44. Available at: <https://doi.org/10.1007/s11130-004-4306-6>.
- Moreno-Castro, L.E., Quintero-Ramos, A., Ruiz-Gutierrez, M.G., Sanchez-Madrigal, M.A., Melendez-Pizarro, C.O., Perez-Reyes, I., & Lardizabal-Guitierrez, D., (2015). Nixtamalization Assisted With Ultrasound: Effect On Mass Transfer And Physicochemical Properties of Nixtamal, Masa And Tortilla. *Revista Mexicana de Ingenieria Quimica*, 14(2), pp.265-279.
- Muchtadi, D., (2013). Nutrifikasi Protein (Bagian 1). *Nutrifikasi Pangan, (Bagian 1)*, 1â, 41.
- Murtini, E.S., Subagio, A., Yuwono, S.S., Wardhana, I.S. & Fathoni, S. (2018). Karakterisasi Potensi dan Komponen Pembatas pada Biji Sorghum Lokal Varietas Coklat sebagai Tanaman Pangan, *Agritech*, 38(1), p. 112-118. Available at: <https://doi.org/10.22146/agritech.10736>.
- Musita, N., Nurdjanah, S. & Oktiani, D. (2019). Nixtamalization application as a quality improvement of corn flour', *AIP Conference Proceedings*, 2085(1). Available at: <https://doi.org/10.1063/1.5095015>.
- Nandiyanto, A.B.D., Ragadhita, R. and Fiandini, M., 2023. Interpretation of Fourier transform infrared spectra (FTIR): A practical approach in the polymer/plastic thermal decomposition. *Indonesian Journal of Science and Technology*, 8(1), pp.113-126.
- Nurfitriyana, A., & Ui (2012). Signifikansi Kavitas Ultrasonik dan Hidrodinamik Terhadap Karakteristik Produk Oksidasi Penyisihan Limbah Fenol dengan Proses Oksidasi Lanjut Berbasis Ozon. *Skripsi, Program Sarjana Universitas Indonesia, Depok*.

- Pfeiffer, B.K. and Rooney, W.L., 2016. Inheritance of pericarp color, nutritional quality, and grain composition traits in black sorghum. *Crop Science*, 56(1), pp.164-172.
- Quintero-Ramos, A., Bourne, M.C., Barnard, J., Anzaldúa-Morales, A., González-Laredo, R., Pensaben-Esquível, M. & Marquez-Meléndez, R. (2003). Kinetics of absorption of calcium ion into carrot tissue during immersion in calcium chloride solutions. *Journal of Food Processing and Preservation* 27, 75-85.
- Ramadhan, S., Tiwow, V.M. & Said, I., (2016). Analisis Kadar Unsur Nitrogen (N) Dan Posforus (P) Dalam Lamun (*Enhalus acoroides*) Di Wilayah Perairan Pesisir Kabonga Besar Kecamatan Banawa Kabupaten Donggala. *Jurnal Akademika Kimia*, 5(1), pp.37-43.
- Ramírez-Araujo, H., Gaytán-Martínez, M. & Reyes-Vega, M.L. (2019). Alternative technologies to the traditional nixtamalization process: Review, *Trends in Food Science & Technology*, 85, pp. 34–43. Available at: <https://doi.org/10.1016/j.tifs.2018.12.007>.
- Rashwan, A.K., Yones, H.A., Karim, N., Taha, E.M. & Chen, W. (2021). Potential processing technologies for developing sorghum-based food products: An update and comprehensive review, *Trends in Food Science & Technology*, 110, pp. 168–182. Available at: <https://doi.org/10.1016/j.tifs.2021.01.087>.
- Rincón-Aguirre, A., de Dios Figueroa-Cárdenas, J., Ramírez-Wong, B., Arámbula-Villa, G., Jiménez-Sandoval, S.J., Martínez-Flores, H.E. & Pérez-Robles, J.F. (2021). Effect of nixtamalization with Ca(OH)₂, CaCl₂, and CaCO₃ on the protein secondary structure, rheological, and textural properties of soft wheat flour doughs, *Journal of Cereal Science*, 101, p. 103271. Available at: <https://doi.org/10.1016/j.jcs.2021.103271>.
- Rodríguez-España, M., Figueroa-Hernández, C.Y., de Dios Figueroa-Cárdenas, J., Rayas-Duarte, P. & Hernández-Estrada, Z.J. (2022). Effects of germination and lactic acid fermentation on nutritional and rheological properties of sorghum: A graphical review, *Current Research in Food Science*, 5, pp. 807–812. Available at: <https://doi.org/10.1016/j.crfs.2022.04.014>.
- Rooney, L.W. & Serna-Saldivar, S.O., (2003). Sorghum. In *Handbook of Cereal Science and Technology, Revised and Expanded* (pp. 149-175). CRC Press.
- Saio, K., Koyama, E., Watanabe, T. (1968). Protein-calcium-phytic acid relationships in soybean. *Agric. Biol. Chem.* 32:448.
- Santiago-Ramos, D., de Dios Figueroa-Cárdenas, J., Mariscal-Moreno, R.M., Escalante-Aburto, A., Ponce-García, N. & Véles-Medina, J.J. (2018). Physical and chemical changes undergone by pericarp and endosperm during corn nixtamalization-A review, *Journal of Cereal Science*, 81, pp. 108–117. Available at: <https://doi.org/10.1016/j.jcs.2018.04.003>.
- Sediawan, W.B., dan Prasetya, A. 1997. Permodelan Matematis dan Penyelesaian Numeris dalam Teknik Kimia dengan Pemrograman Bahasa Basic dan Fortran, Andi Offset, Yogyakarta.
- Sorour, M. A., Mehanni, A. E., Taha, E. M., & Rashwan, A. K. (2017). Changes of total phenolics, tannins, phytate and antioxidant activity of two sorghum cultivars as affected by processing. *Journal of Food and Dairy Sciences*, 8, 267–274
- Subhedar, P.B. & Gogate, P.R. (2014). Alkaline and ultrasound assisted alkaline pretreatment for intensification of delignification process from sustainable raw-material, *Ultrasonics Sonochemistry*, 21(1), pp. 216–225. Available at: <https://doi.org/10.1016/j.ultsonch.2013.08.001>.

- Sullivan, A.C., Pangloli, P. & Dia, V.P. (2018). Impact of ultrasonication on the physicochemical properties of sorghum kafirin and in vitro pepsin-pancreatin digestibility of sorghum gluten-like flour, *Food Chemistry*, 240, pp. 1121–1130. Available at: <https://doi.org/10.1016/j.foodchem.2017.08.046>.
- Susanti, D.Y. *et al.* (2021) ‘Encapsulation of red sorghum extract rich in proanthocyanidins: Process formulation and mechanistic model of foam-mat drying at various temperature’, *Chemical Engineering and Processing - Process Intensification*, 164. Available at: <https://doi.org/10.1016/j.cep.2021.108375>.
- Stein, H.H., Pahm, A.A. and Pedersen, C., 2005. Methods to determine amino acid digestibility in corn byproducts. In *Proceedings of the 66th Minnesota Nutrition Conference. St. Paul. MN. USA* (pp. 35-49).
- Sunico, D.J.A., Rodriguez, F.M., Tuaño, A.P.P., Mopera, L.E., Atienza, L.M. & Juanico, C.B., (2021). Physicochemical and nutritional properties of nixtamalized quality protein maize flour and its potential as substitute in philippine salt bread. *CMUJ. Nat. Sci*, 20(2), p.e2021035.
- Taylor, J., Bean, S.R., Ioerger, B.P. & Taylor, J.R. (2007). Preferential binding of sorghum tannins with γ -kafirin and the influence of tannin binding on kafirin digestibility and biodegradation, *Journal of Cereal Science*, 46(1), pp. 22–31. Available at: <https://doi.org/10.1016/j.jcs.2006.11.001>.
- Taylor, J.R.N. & Schüssler, L., (1986). The protein compositions of the different anatomical parts of sorghum grain. *Journal of Cereal Science*, 4(4), pp.361-369.
- Taylor, J.R.N. & Duodu, K.G. (eds) (2019) *Sorghum and millets: chemistry, technology, and nutritional attributes*. Second edition. Duxford, United Kingdom: Elsevier/Woodhead Publishing.
- Trevor, P. & Bonner, P.L., (2011). 5 – *Monomeric and oligomeric enzymes*. Woodhead Publishing, pp.76-83. doi : 10.1533/9780857099921.1.76
- Valderrama-Bravo, C., Rojas-Molina, A., Gutiérrez-Cortez, E., Rojas-Molina, I., Oaxaca-Luna, A., De la Rosa-Rincón, E. & Rodríguez-García, M.E. (2010). Mechanism of calcium uptake in corn kernels during the traditional nixtamalization process: Diffusion, accumulation and percolation, *Journal of Food Engineering*, 98(1), pp. 126–132. Available at: <https://doi.org/10.1016/j.jfoodeng.2009.12.018>.
- Vargas-Solórzano, J.W., Carvalho, C.W.P., Takeiti, C.Y., Ascheri, J.L.R. & Queiroz, V.A.V. (2014). Physicochemical properties of expanded extrudates from colored sorghum genotypes, *Food Research International*, 55, pp. 37–44. Available at: <https://doi.org/10.1016/j.foodres.2013.10.023>.
- Villada, J.A., Sanchez-Sinencio, F., Zelaya-Angel, O., Gutierrez-Cortez, E. & Rodríguez-García, M.E. (2017). Study of the morphological, structural, thermal, and pasting corn transformation during the traditional nixtamalization process: From corn to tortilla, *Journal of Food Engineering*, 212, pp. 242–251. Available at: <https://doi.org/10.1016/j.jfoodeng.2017.05.034>.
- Waniska, R.D., (2000). Structure, phenolic compounds, and antifungal proteins of sorghum caryopses. In *Technical and institutional options for sorghum grain mold management: proceedings of an international consultation*, 18, p. 19
- Waniska, R.D., Rooney, L.W., & McDonough, C.M. (2004). Encyclopedia of Grain Science, Sorghum/Utilization. Pp. 126-136. doi:10.1016/B0-12-765490-9/00152-X
- Wu, H., Dai, X., Zhou, S.L., Gan, Y.Y., Xiong, Z.Y., Qin, Y.H., Ma, J., Yang, L., Wu, Z.K., Wang, T.L. & Wang, W.G. (2017). Ultrasound-assisted alkaline pretreatment for

enhancing the enzymatic hydrolysis of rice straw by using the heat energy dissipated from ultrasonication, *Bioresource Technology*, 241, pp. 70–74. Available at: <https://doi.org/10.1016/j.biortech.2017.05.090>.

Xiong, Y., Zhang, P., Warner, R.D. & Fang, Z. (2019). Sorghum Grain: From Genotype, Nutrition, and Phenolic Profile to Its Health Benefits and Food Applications, *Comprehensive Reviews in Food Science and Food Safety*, 18(6), pp. 2025–2046. Available at: <https://doi.org/10.1111/1541-4337.12506>.

Yan, J., Yin, L., Qu, Y., Yan, W., Zhang, M., Su, J. & Jia, X. (2022). Effect of calcium ions concentration on the properties and microstructures of doubly induced sorghum arabinoxylan/soy protein isolate mixed gels, *Food Hydrocolloids*, 133, p. 107997. Available at: <https://doi.org/10.1016/j.foodhyd.2022.107997>.