

DAFTAR PUSTAKA

- [1] F. Zhu, W. Lei, C. Wang, J. Zheng, S. Poria, and T.-S. Chua, “Retrieving and Reading: A Comprehensive Survey on Open-domain Question Answering,” Jan. 2021, [Online]. Available: <http://arxiv.org/abs/2101.00774>
- [2] J. Falconer, “Google: Our new search strategy is to compute answers, not links,” Jun. 01, 2011. Accessed: Oct. 17, 2023. [Online]. Available: <https://thenextweb.com/news/google-our-new-search-strategy-is-to-compute-answers-not-links>
- [3] J. A. Alzubi, R. Jain, A. Singh, P. Parwekar, and M. Gupta, “COBERT: COVID-19 Question Answering System Using BERT,” *Arab J Sci Eng*, vol. 48, no. 8, pp. 11003–11013, Aug. 2023, doi: 10.1007/s13369-021-05810-5.
- [4] Y. W. Chandra and S. Suyanto, “Indonesian chatbot of university admission using a question answering system based on sequence-to-sequence model,” in *Procedia Computer Science*, Elsevier B.V., 2019, pp. 367–374. doi: 10.1016/j.procs.2019.08.179.
- [5] S. Song, C. Wang, H. Chen, and H. Chen, “TCNN: Triple Convolutional Neural Network Models for Retrieval-based Question Answering System in E-commerce,” in *The Web Conference 2020 - Companion of the World Wide Web Conference, WWW 2020*, Association for Computing Machinery, Apr. 2020, pp. 844–845. doi: 10.1145/3366424.3382684.
- [6] S. K. Hamed and M. J. A. Aziz, “A question answering system on Holy Quran translation based on question expansion technique and Neural Network classification,” *Journal of Computer Science*, vol. 12, no. 3, pp. 169–177, 2016, doi: 10.3844/jcssp.2016.169.177.
- [7] M. Schubotz, P. Scharpf, K. Dudhat, Y. Nagar, F. Hamborg, and B. Gipp, “Introducing MathQA -- A Math-Aware Question Answering System,” Jun. 2019, doi: 10.1108/IDD-06-2018-0022.
- [8] E. Dimitrakis, K. Sgontzos, and Y. Tzitzikas, “A survey on question answering systems over linked data and documents,” *J Intell Inf Syst*, vol. 55, no. 2, pp. 233–259, Oct. 2020, doi: 10.1007/s10844-019-00584-7.
- [9] A. Ghafoor *et al.*, “The Impact of Translating Resource-Rich Datasets to Low-Resource Languages through Multi-Lingual Text Processing,” *IEEE Access*, vol. 9, pp. 124478–124490, 2021, doi: 10.1109/ACCESS.2021.3110285.
- [10] A. Vaswani *et al.*, “Attention Is All You Need,” Jun. 2017, [Online]. Available: <http://arxiv.org/abs/1706.03762>
- [11] K. Nassiri and M. Akhloufi, “Transformer models used for text-based question answering systems,” *Applied Intelligence*, vol. 53, no. 9, pp. 10602–10635, May 2023, doi: 10.1007/s10489-022-04052-8.
- [12] O. Cattan, C. Servan, and S. Rosset, “On the Usability of Transformers-based Models for a French Question-Answering Task,” in *Proceedings of*

- the International Conference on Recent Advances in Natural Language Processing (RANLP 2021)*, R. Mitkov and G. Angelova, Eds., Held Online: INCOMA Ltd., Sep. 2021, pp. 244–255. [Online]. Available: <https://aclanthology.org/2021.ranlp-1.29>
- [13] P. Srivastava, T. Ganu, and S. Guha, “Towards Zero-Shot and Few-Shot Table Question Answering using GPT-3,” *arXiv preprint arXiv:2210.17284*, 2022.
- [14] A. Malhar, P. Sawant, Y. Chhadva, and S. Kurhade, “Deep learning based Answering Questions using T5 and Structured Question Generation System’,” in *Proceedings - 2022 6th International Conference on Intelligent Computing and Control Systems, ICICCS 2022*, Institute of Electrical and Electronics Engineers Inc., 2022, pp. 1544–1549. doi: 10.1109/ICICCS53718.2022.9788264.
- [15] M. Luo, K. Hashimoto, S. Yavuz, Z. Liu, C. Baral, and Y. Zhou, “Choose Your QA Model Wisely: A Systematic Study of Generative and Extractive Readers for Question Answering,” Mar. 2022, [Online]. Available: <http://arxiv.org/abs/2203.07522>
- [16] B. Richardson and A. Wicaksana, “Comparison of Indobert-Lite and Roberta in Text Mining for Indonesian Language Question Answering Application,” *International Journal of Innovative Computing, Information and Control*, vol. 18, no. 6, pp. 1719–1734, Dec. 2022, doi: 10.24507/ijicic.18.06.1719.
- [17] W. Suwarningsih, R. A. Pratama, F. Y. Rahadika, and M. H. A. Purnomo, “RoBERTa: language modelling in building Indonesian question-answering systems,” *Telkomnika (Telecommunication Computing Electronics and Control)*, vol. 20, no. 6, pp. 1248–1255, Dec. 2022, doi: 10.12928/TELKOMNIKA.v20i6.24248.
- [18] R. Tang *et al.*, “Rapidly Bootstrapping a Question Answering Dataset for COVID-19,” Apr. 2020, [Online]. Available: <http://arxiv.org/abs/2004.11339>
- [19] A. Nurlaila, I. Ardiyanto, and T. B. Adji, “A Comparative Study of Transformer-Based Models for Indonesian Question Answering,” in *The 9th International Conference on Science and Technology*, Yogyakarta, 2023.
- [20] C. Raffel *et al.*, “Exploring the Limits of Transfer Learning with a Unified Text-to-Text Transformer,” Oct. 2019, [Online]. Available: <http://arxiv.org/abs/1910.10683>
- [21] X. Zhu, J. Li, Y. Liu, C. Ma, and W. Wang, “A survey on model compression for large language models,” *arXiv preprint arXiv:2308.07633*, 2023.
- [22] X. Sun *et al.*, “Ultra-low precision 4-bit training of deep neural networks,” *Adv Neural Inf Process Syst*, vol. 33, pp. 1796–1807, 2020.
- [23] T. Detrmers, A. Pagnoni, A. Holtzman, and L. Zettlemoyer, “Qlora: Efficient finetuning of quantized llms,” *arXiv preprint arXiv:2305.14314*, 2023.
- [24] T. N. Alruqi and S. M. Alzahrani, “Evaluation of an Arabic Chatbot Based

- on Extractive Question-Answering Transfer Learning and Language Transformers,” *AI*, vol. 4, no. 3, pp. 667–691, Aug. 2023, doi: 10.3390/ai4030035.
- [25] N. Kanodia, K. Ahmed, and Y. Miao, “Question Answering Model Based Conversational Chatbot using BERT Model and Google Dialogflow,” in *2021 31st International Telecommunication Networks and Applications Conference, ITNAC 2021*, Institute of Electrical and Electronics Engineers Inc., 2021, pp. 19–22. doi: 10.1109/ITNAC53136.2021.9652153.
- [26] P. Phakmongkol and P. Vateekul, “Enhance text-to-text transfer transformer with generated questions for thai question answering,” *Applied Sciences (Switzerland)*, vol. 11, no. 21, Nov. 2021, doi: 10.3390/app112110267.
- [27] N. T. M. Trang and M. Shcherbakov, “Vietnamese question answering system from multilingual BERT models to monolingual BERT Model,” in *Proceedings of the 2020 9th International Conference on System Modeling and Advancement in Research Trends, SMART 2020*, Institute of Electrical and Electronics Engineers Inc., Dec. 2020, pp. 201–205. doi: 10.1109/SMART50582.2020.9337155.
- [28] Y. Boreshban, S. M. Mirbostani, G. Ghassem-Sani, S. A. Mirroshandel, and S. Amiriparian, “Improving question answering performance using knowledge distillation and active learning,” *Eng Appl Artif Intell*, vol. 123, Aug. 2023, doi: 10.1016/j.engappai.2023.106137.
- [29] G. Berger, T. Rischewski, L. Chiruzzo, and A. Rosa, “Generation of English Question Answer Exercises from Texts using Transformers based Models,” in *Proceedings - 2022 IEEE Latin American Conference on Computational Intelligence, LA-CCI 2022*, Institute of Electrical and Electronics Engineers Inc., 2022. doi: 10.1109/LA-CCI54402.2022.9981171.
- [30] A. Fuad and M. Al-Yahya, “AraConv: Developing an Arabic Task-Oriented Dialogue System Using Multi-Lingual Transformer Model mT5,” *Applied Sciences (Switzerland)*, vol. 12, no. 4, Feb. 2022, doi: 10.3390/app12041881.
- [31] A. Kumar, T. Ranjan, and S. Raghav, “Building conversational Question Answer Machine and comparison of BERT and its different variants,” in *ICSCCC 2023 - 3rd International Conference on Secure Cyber Computing and Communications*, Institute of Electrical and Electronics Engineers Inc., 2023, pp. 240–245. doi: 10.1109/ICSCCC58608.2023.10176907.
- [32] T. Hao, X. Li, Y. He, F. L. Wang, and Y. Qu, “Recent progress in leveraging deep learning methods for question answering,” *Neural Computing and Applications*, vol. 34, no. 4. Springer Science and Business Media Deutschland GmbH, pp. 2765–2783, Feb. 01, 2022. doi: 10.1007/s00521-021-06748-3.
- [33] G. E. Hinton, S. Osindero, and Y.-W. Teh, “A Fast Learning Algorithm for Deep Belief Nets,” *Neural Comput.*, vol. 18, no. 7, pp. 1527–1554, Jul. 2006, doi: 10.1162/neco.2006.18.7.1527.
- [34] Z. Abbasiantaeb and S. Momtazi, “Text-based question answering from information retrieval and deep neural network perspectives: A survey,”

- Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery*, vol. 11, no. 6. John Wiley and Sons Inc, Nov. 01, 2021. doi: 10.1002/widm.1412.
- [35] R. Raina, A. Madhavan, and A. Y. Ng, “Large-scale Deep Unsupervised Learning using Graphics Processors,” 2009.
 - [36] S. S. Birunda and R. K. Devi, “A Review on Word Embedding Techniques for Text Classification,” in *Innovative Data Communication Technologies and Application*, F. Khafa, Ed., Singapore: Springer, 2020, pp. 267–281.
 - [37] B. Wang, A. Wang, F. Chen, Y. Wang, and C.-C. J. Kuo, “Evaluating word embedding models: Methods and experimental results,” *APSIPA Trans Signal Inf Process*, vol. 8, p. e19, 2019.
 - [38] I. Pisařovic, F. Dařena, D. Procházka, and V. Janiš, “Preprocessing of normative documents for interactive question answering,” *Expert Syst Appl*, vol. 191, p. 116314, 2022, doi: <https://doi.org/10.1016/j.eswa.2021.116314>.
 - [39] C. P. Chai, “Comparison of text preprocessing methods,” *Nat Lang Eng*, vol. 29, no. 3, pp. 509–553, May 2023, doi: 10.1017/S1351324922000213.
 - [40] A. K. Uysal and S. Gunal, “The impact of preprocessing on text classification,” *Inf Process Manag*, vol. 50, no. 1, pp. 104–112, 2014, doi: <https://doi.org/10.1016/j.ipm.2013.08.006>.
 - [41] T. Kudo and J. Richardson, “Sentencepiece: A simple and language independent subword tokenizer and detokenizer for neural text processing,” *arXiv preprint arXiv:1808.06226*, 2018.
 - [42] I. Goodfellow, Y. Bengio, and A. Courville, *Deep learning*. MIT press, 2016.
 - [43] L. Yang and A. Shami, “On hyperparameter optimization of machine learning algorithms: Theory and practice,” *Neurocomputing*, vol. 415, pp. 295–316, 2020, doi: <https://doi.org/10.1016/j.neucom.2020.07.061>.
 - [44] Å. R. Atrio and A. Popescu-Belis, “Small batch sizes improve training of low-resource neural mt,” *arXiv preprint arXiv:2203.10579*, 2022.
 - [45] P. K. and C. K. and U. D. Chenna Keshava B. S. and Sumukha, “Role of Activation Functions and Order of Input Sequences in Question Answering,” in *Data Management, Analytics and Innovation*, A. and B. V. E. Sharma Neha and Chakrabarti, Ed., Singapore: Springer Singapore, 2020, pp. 377–390.
 - [46] P. and N. C. R. Hemant P. and Kumar, “Effect of Loss Functions on Language Models in Question Answering-Based Generative Chat-Bots,” in *Machine Learning, Advances in Computing, Renewable Energy and Communication*, H. and K. P. and I. A. Tomar Anuradha and Malik, Ed., Singapore: Springer Singapore, 2022, pp. 271–279.
 - [47] N. Rochmawati, H. B. Hidayati, Y. Yamasari, H. P. A. Tjahyaningtijas, W. Yustanti, and A. Prihanto, “Analisa Learning Rate dan Batch Size pada Klasifikasi Covid Menggunakan Deep Learning dengan Optimizer Adam,” *Journal Information Engineering and Educational Technology*, vol. 5, no. 2, pp. 44–48, 2021.
 - [48] A. Malte and P. Ratadiya, “Evolution of transfer learning in natural language processing,” *arXiv preprint arXiv:1910.07370*, 2019.

- [49] W. Yu *et al.*, “A Technical Question Answering System with Transfer Learning,” in *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing: System Demonstrations*, Q. Liu and D. Schlangen, Eds., Online: Association for Computational Linguistics, Oct. 2020, pp. 92–99. doi: 10.18653/v1/2020.emnlp-demos.13.
- [50] J. Howard and S. Ruder, “Universal Language Model Fine-tuning for Text Classification,” in *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, I. Gurevych and Y. Miyao, Eds., Melbourne, Australia: Association for Computational Linguistics, Jul. 2018, pp. 328–339. doi: 10.18653/v1/P18-1031.
- [51] S. Karita *et al.*, “A Comparative Study on Transformer vs RNN in Speech Applications,” in *2019 IEEE Automatic Speech Recognition and Understanding Workshop (ASRU)*, 2019, pp. 449–456. doi: 10.1109/ASRU46091.2019.9003750.
- [52] P. Rajpurkar, J. Zhang, K. Lopyrev, and P. Liang, “SQuAD: 100,000+ Questions for Machine Comprehension of Text,” in *Proceedings of the 2016 Conference on Empirical Methods in Natural Language Processing*, Austin, Texas: Association for Computational Linguistics, Nov. 2016, pp. 2383–2392. doi: 10.18653/v1/D16-1264.
- [53] K. Alsubhi, A. Jamal, and A. Alhothali, “Pre-trained transformer-based approach for Arabic question answering: A comparative study,” *arXiv preprint arXiv:2111.05671*, 2021.