



## DAFTAR PUSTAKA

- Agarwal, A. and Nath, K.A., 2020. Pathophysiology of Chronic Kidney Disease Progression: Organ and Cellular Considerations. In *Chronic Renal Disease* (pp. 263-278). Academic Press.
- Benjamin, Onecia, and Sarah L Lappin. "End-Stage Renal Disease." *Nih.gov*, StatPearls Publishing, 2019, [www.ncbi.nlm.nih.gov/books/NBK499861/](http://www.ncbi.nlm.nih.gov/books/NBK499861/).
- Boeke, C.E. et al. (2014) "Childhood sleep duration and quality in relation to leptin concentration in two cohort studies," *Sleep*, 37(3), pp. 613–620. Available at: <https://doi.org/10.5665/sleep.3510>.
- Cahyaningrum A., 2015. Leptin Sebagai Indikator Obesitas.Jurnal Kesehatan Prima. Vol. 9 No. I, Februari 2015, p. 1364-1371.
- Cai, Wenli, Miao, Shuzhai., Wang, Peiyu., Xing, Li, 2015. Efficacy and mechanism of hemoperfusion plus hemodialysis for peripheral neuropathy of uremic patients on maintenance hemodialysis. Doi: 10.3760/cma.j.issn.0376-2491.2015.17.009  
JO - Zhonghua yi xue za zhi
- Chen CY, Liao KM. Chronic Obstructive Pulmonary Disease is associated with risk of Chronic Kidney Disease: A Nationwide Case-Cohort Study. *Sci Rep*. 2016;6:25855. Published 2016 May 11. doi:10.1038/srep25855
- Chen, Teresa K., et al. "Chronic Kidney Disease Diagnosis and Management." *JAMA*, vol. 322, no. 13, 1 Oct. 2019, p. 1294, 10.1001/jama.2019.14745.
- Cheng, Wendi, et al. "Survival Outcomes of Hemoperfusion and Hemodialysis versus Hemodialysis in Patients with End-Stage Renal Disease: A Systematic Review and Meta-Analysis." *Blood Purification*, 10 May 2021, pp. 1–13, 10.1159/000514187. Accessed 30 Dec. 2021.
- Coimbra, S., Rocha, S., Valente, M.J., Catarino, C., Bronze-da-Rocha, E., Belo, L. and Santos-Silva, A., 2022. New Insights into Adiponectin and Leptin Roles in Chronic Kidney Disease. *Biomedicines*, 10(10), p.2642.
- Dagogo-Jack, Sam. "Physiological and Hormonal Factors That Influence Leptin Production." *Leptin*, 2014, 45–65. [https://doi.org/10.1007/978-3-319-09915-6\\_5](https://doi.org/10.1007/978-3-319-09915-6_5).
- Dessie, G. et al. (2021) "Effect of leptin on chronic inflammatory disorders: Insights to therapeutic target to prevent further cardiovascular complication," *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, Volume 14, pp. 3307–3322. Available at: <https://doi.org/10.2147/dmso.s321311>.
- Dong, Lihua, et al. *Hemodialysis plus Hemoperfusion on Uremia and Micro-Inflammatory State*. 30 Apr. 2020.
- Drukker, W., Parsons, F. M., & Maher, J. F. (2012). Replacement of renal function by dialysis: a textbook of dialysis. Springer Science & Business Media.
- Gelen, V. et al. (2021) "Leptin and its role in oxidative stress and apoptosis: An overview," *Role of Obesity in Human Health and Disease* [Preprint]. Available at: <https://doi.org/10.5772/intechopen.101237>.
- Gijón-Conde, T. et al. (2015) 'Leptin reference values and cutoffs for identifying cardiometabolic abnormalities in the Spanish population', *Revista Española*



- de *Cardiología (English Edition)*, 68(8), pp. 672–679.  
doi:10.1016/j.rec.2014.08.015.
- Gounden V, Bhatt H, Jialal I. Renal Function Tests. [Updated 2023 Jul 17]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK507821/>
- Gusev, E.; Solomatina, L.; Zhuravleva, Y.; Sarapultsev, A. The Pathogenesis of End-Stage Renal Disease from the Standpoint of the Theory of General Pathological Processes of Inflammation. *Int. J. Mol. Sci.* 2021, 22, 11453. <https://doi.org/10.3390/ijms222111453>
- Harbord, N. (2022). Hemoperfusion. UpToDate. <https://www.uptodate.com/contents/hemoperfusion#topicContent>
- Hashmi MF, Benjamin O, Lappin SL. End-Stage Renal Disease. [Updated 2023 Feb 19]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK499861/>
- Heidari, Behzad. “C-Reactive Protein and Other Markers of Inflammation in Hemodialysis Patients.” *Caspian Journal of Internal Medicine*, vol. 4, no. 1, 2013, pp. 611–616, [www.ncbi.nlm.nih.gov/pmc/articles/PMC3762236/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3762236/). Accessed 1 May 2021.
- Hodge AM, Westerman RA, de Courten MP, Collier GR, Zimmet PZ, Alberti KG. Is leptin sensitivity the link between smoking cessation and weight gain? *Int J Obes Relat Metab Disord.* 1997 Jan;21(1):50-3. doi: 10.1038/sj.ijo.0800362. PMID: 9023601.
- Hustrini NM, Susalit E, Rotmans JI. Prevalence and risk factors for chronic kidney disease in Indonesia: An analysis of the National Basic Health Survey 2018. *J Glob Health.* 2022 Oct 14;12:04074. doi: 10.7189/jogh.12.04074. PMID: 36227632; PMCID: PMC9559178.
- Huu, D. N., Quy, Q. D. B., Thu, H. N. T., The, C. P., Hong, Q. N. T., Duc, L. N., Do, Q., & Le Viet, T. (2021). A Combination of Hemodialysis with Hemoperfusion Helped to Reduce the Cardiovascular-Related Mortality Rate after a 3-Year Follow-Up: A Pilot Study in Vietnam. *Blood Purification*, 50(1), 65–72. <https://doi.org/10.1159/000507912>
- Iikuni N, Lam QL, Lu L, Matarese G, La Cava A. Leptin and Inflammation. *Curr Immunol Rev.* 2008;4(2):70-79. doi:10.2174/157339508784325046
- Jenks, M.Z. et al. (2017) “Sex steroid hormones regulate leptin transcript accumulation and protein secretion in 3T3-L1 cells,” *Scientific Reports*, 7(1). Available at: <https://doi.org/10.1038/s41598-017-07473-5>.
- Kawaguchi, T., Tong, L., Robinson, B.M., Sen, A., Fukuhara, S., Kurokawa, K., Canaud, B., Lameire, N., Port, F.K. and Pisoni, R.L. (2010). C-Reactive Protein and Mortality in Hemodialysis Patients: The Dialysis Outcomes and Practice Patterns Study (DOPPS). *Nephron Clinical Practice*, 117(2), pp.c167–c178. doi:10.1159/000320116.
- Kayalar AO, Basturk T, Koc Y, et al. Comparison of Long-term Complications in Patients on Haemodialysis and Peritoneal Dialysis Longer than 10 Years. *J Clin Diagn Res.* 2016;10(2):OC05-OC8. doi:10.7860/JCDR/2016/15279.7172



- Korczynska, J. et al. (2021) "The causes and potential injurious effects of elevated serum leptin levels in chronic kidney disease patients," *International Journal of Molecular Sciences*, 22(9), p. 4685. Available at: <https://doi.org/10.3390/ijms22094685>.
- Kovesdy CP, Furth SL, Zoccali C; World Kidney Day Steering Committee. Obesity and Kidney Disease: Hidden Consequences of the Epidemic. *Can J Kidney Health Dis.* 2017;4:2054358117698669. Published 2017 Mar 8. doi:10.1177/2054358117698669
- Lee, M.-C. et al. (2014) "Serum leptin levels positively correlate with peripheral arterial stiffness in kidney transplantation patients," *Transplantation Proceedings*, 46(2), pp. 353–358. Available at: <https://doi.org/10.1016/j.transproceed.2013.11.145>.
- Lee S, Kang S, Joo YS, Lee C, Nam KH, Yun HR, Park JT, Chang TI, Yoo TH, Kim SW, Oh KH, Kim YH, Park SK, Kang SW, Choi KH, Ahn C, Han SH. Smoking, Smoking Cessation, and Progression of Chronic Kidney Disease: Results From KNOW-CKD Study. *Nicotine Tob Res.* 2021 Jan 7;23(1):92–98. doi: 10.1093/ntr/ntaa071. PMID: 32364601.
- Li, G., Ma, H., Yin, Y. and Wang, J. (2017). CRP, IL-2 and TNF- $\alpha$  level in patients with uremia receiving hemodialysis. *Molecular Medicine Reports*. doi:10.3892/mmr.2017.8197.
- Liu, S., Liu, H., Wang, Z. et al. Effect of changing treatment to high-flux hemodialysis (HFHD) on mortality in patients with long-term low flux hemodialysis (LFHD): a propensity score matched cohort study. *BMC Nephrol* 21, 485 (2020). <https://doi.org/10.1186/s12882-020-02145-5>
- Lu, J.-W., Chi, P.-J., Lin, Y.-L., Wang, C.-H., & Hsu, B.-G. (2020). Serum leptin levels are positively associated with aortic stiffness in patients with chronic kidney disease stage 3–5. *Adipocyte*, 9(1), 206–211
- Mandolfo, S., S. Borlandelli, and E. Imbasciati. "Leptin and  $\beta$ 2-Microglobulin Kinetics with Three Different Dialysis Modalities." *The International Journal of Artificial Organs* 29, no. 10 (2006): 949–55. <https://doi.org/10.1177/039139880602901005>.
- Murdeswar, Himani N., and Fatima Anjum. "Hemodialysis." *PubMed, StatPearls Publishing*, 2020, [www.ncbi.nlm.nih.gov/books/NBK563296/](http://www.ncbi.nlm.nih.gov/books/NBK563296/).
- Meyer, C., Robson, D., Rackovsky, N., Nadkarni, V., & Gerich, J. (1997). Role of the kidney in human leptin metabolism. *American Journal of Physiology-Endocrinology And Metabolism*, 273(5), E903–E907.
- Nguyen Huu, D., Dao Bui Quy, Q., Nguyen Thi Thu, H., Phan The, C., Nguyen Thi Hong, Q., Nguyen Duc, L., Do, Q. and Le Viet, T. (2020). A Combination of Hemodialysis with Hemoperfusion Helped to Reduce the Cardiovascular-Related Mortality Rate after a 3-Year Follow-Up: A Pilot Study in Vietnam. *Blood Purification*, 50(1), pp.65–72. doi:10.1159/000507912.
- Noor, S., Alam, F., Fatima, S. S., Khan, M., & Rehman, R. (2018). Role of leptin and dyslipidemia in chronic kidney disease. *Pakistan Journal of Pharmaceutical Sciences*, 31(3), 893–897.
- Oshvandi K, Kavyannejad R, Borzuo SR, Gholyaf M. High-flux and low-flux



- membranes: efficacy in hemodialysis. *Nurs Midwifery Stud.* 2014;3(3):e21764. doi:10.17795/nmsjournal21764
- Park, S., Islam, M.I., Jeong, J.H., Cho, N.J., Song, H.Y., Lee, E.Y. and Gil, H.W., 2019. Hemoperfusion leads to impairment in hemostasis and coagulation process in patients with acute pesticide intoxication. *Scientific reports*, 9(1), pp.1-10.
- Perkins KA, Fonte C. Effects of smoking status and smoking cessation on leptin levels. *Nicotine Tob Res.* 2002 Nov;4(4):459-66. doi: 10.1080/1462220021000018434. PMID: 12521405.
- Ronco C, Bellomo R. Hemoperfusion: technical aspects and state of the art. *Critical Care.* 2022 Dec;26(1):1-2.
- Rosner, M.H. et al. (2021) ‘Classification of uremic toxins and their role in kidney failure’, *Clinical Journal of the American Society of Nephrology*, 16(12), pp. 1918–1928. doi:10.2215/cjn.02660221.
- Safari, S., Salimi, A., Zali, A., Jahangirifard, A., Bastanhagh, E., Aminnejad, R., Dabbagh, A., Lotfi, A.H. and Saeidi, M., 2020. Extracorporeal hemoperfusion as a potential therapeutic option for severe COVID-19 patients; a narrative review. *Archives of academic emergency medicine*, 8(1).
- Singer, M. et al. (2016) “The third international consensus definitions for sepsis and septic shock (sepsis-3),” *JAMA*, 315(8), p. 801. Available at: <https://doi.org/10.1001/jama.2016.0287>.
- Shankar, A., Syamala, S., Xiao, J., & Muntner, P. (2012). Relationship between plasma leptin level and chronic kidney disease. *International Journal of Nephrology*, 2012.
- Schiffel, H. (2011c) ‘High-flux dialyzers, backfiltration, and dialysis fluid quality’, *Seminars in Dialysis*, 24(1), pp. 1–4. doi:10.1111/j.1525-139x.2010.00786.x.
- Scholze, A. and Tepel, M. (2007) “Cardiovascular and survival paradoxes in dialysis patients: Role of leptin in reverse epidemiology in chronic kidney disease,” *Seminars in Dialysis*, 20(6), pp. 534–538. Available at: <https://doi.org/10.1111/j.1525-139x.2007.00334.x>.
- Sproston, Nicola R., and Jason J. Ashworth. “Role of C-Reactive Protein at Sites of Inflammation and Infection.” *Frontiers in Immunology*, vol. 9, no. 754, 13 Apr. 2018, www.ncbi.nlm.nih.gov/pmc/articles/PMC5908901/, 10.3389/fimmu.2018.00754.
- Stenvinkel, P., Lindholm, B., Lönnqvist, F., Katzarski, K., & Heimbürger, O. (2000). Increases in serum leptin levels during peritoneal dialysis are associated with inflammation and a decrease in lean body mass. *Journal of the American Society of Nephrology*, 11(7), 1303–1309.
- Taheri, Shahrad, Ling Lin, Diane Austin, Terry Young, and Emmanuel Mignot. “Short Sleep Duration Is Associated with Reduced Leptin, Elevated Ghrelin, and Increased Body Mass Index.” *PLoS Medicine* 1, no. 3 (2004). doi:10.1371/journal.pmed.0010062.
- Teta, D., Maillard, M., Halabi, G., & Burnier, M. (2008). The leptin/adiponectin ratio: Potential implications for peritoneal dialysis. *Kidney International*,



- 73(SUPPL. 108), S112–S118. <https://doi.org/10.1038/sj.ki.5002611>
- Tsai, J.-P. (2017) “The association of serum leptin levels with metabolic diseases,” *Tzu Chi Medical Journal*, 29(4), p. 192. Available at: [https://doi.org/10.4103/tcmj.tcmj\\_123\\_17](https://doi.org/10.4103/tcmj.tcmj_123_17).
- Udden, J. et al. (2003) “Effects of glucocorticoids on leptin levels and eating behaviour in women,” *Journal of Internal Medicine*, 253(2), pp. 225–231. Available at: <https://doi.org/10.1046/j.1365-2796.2003.01099.x>.
- Umeda M, Kanda T, Murkami M. “Effect of Angiotensin II Receptor Antagonists on Insulin Resistance Syndrome and leptin in Sucrose-Fed Spontaneously Hypertensive Rats”, *Hypertensive Res* 2003;26:485-492
- Vaidya, Satyanarayana R, and Narothama R Aeddula. “Chronic Renal Failure.” *Nih.gov*, StatPearls Publishing, 6 June 2019, [www.ncbi.nlm.nih.gov/books/NBK535404/](http://www.ncbi.nlm.nih.gov/books/NBK535404/).
- Van Tellingen, A. et al. (2004) “Enhanced long-term reduction of plasma leptin concentrations by super-flux Polysulfone Dialysers,” *Nephrology Dialysis Transplantation*, 19(5), pp. 1198–1203. Available at: <https://doi.org/10.1093/ndt/gfh122>.
- Varkaneh Kord, H. et al. (2021) “The influence of fasting and energy-restricted diets on leptin and adiponectin levels in humans: A systematic review and meta-analysis,” *Clinical Nutrition*, 40(4), pp. 1811–1821. Available at: <https://doi.org/10.1016/j.clnu.2020.10.034>.
- Wang, Y., Chen, Y., Mao, L., Zhao, G., Hong, G., Li, M., Wu, B., Chen, X., Tan, M., Wang, N. and Lu, Z., 2017. Effects of hemoperfusion and continuous renal replacement therapy on patient survival following paraquat poisoning. *PLoS One*, 12(7), p.e0181207.
- Qin, Z. et al. (2021) “Serum leptin concentration can predict cardiovascular outcomes and all-cause death in maintenance hemodialysis patients,” *Clinica Chimica Acta*, 520, pp. 87–94. Available at: <https://doi.org/10.1016/j.cca.2021.06.003>.
- Xia J, Wang L, Ma Z, Zhong L, Wang Y, Gao Y, He L, Su X. Cigarette smoking and chronic kidney disease in the general population: a systematic review and meta-analysis of prospective cohort studies. *Nephrol Dial Transplant*. 2017 Mar 1;32(3):475-487. doi: 10.1093/ndt/gfw452. PMID: 28339863.
- Zhao, D. et al. (2022) ‘Randomized control study on Hemoperfusion combined with Hemodialysis versus standard hemodialysis: Effects on middle-molecular-weight toxins and uremic pruritus’, *Blood Purification*, 51(10), pp. 812–822. doi:10.1159/000525225.