

DAFTAR PUSTAKA

- Abburi, A., Ali, M., & Moriya, P. V. (2020). Synthesis of mesoporous silica nanoparticles from waste hexafluorosilicic acid of fertilizer industry. *Journal of Materials Research and Technology*, 9(4), 8074–8080. <https://doi.org/10.1016/j.jmrt.2020.05.055>
- Adiatama, A. R., Susanti, R. F., Astuti, W., Petrus, H. T. B. M., & Wanta, K. C. (2022). SYNTHESIS AND CHARACTERISTIC OF NANOSILICA FROM GEOTHERMAL SLUDGE: EFFECT OF SURFACTANT. *Metalurgi*, 37(2), 73. <https://doi.org/10.14203/metalurgi.v37i2.637>
- Alexander, G. B., Heston, W. M., & Iler, R. K. (1954). The Solubility of Amorphous Silica in Water. *The Journal of Physical Chemistry*, 58(6), 453–455. <https://doi.org/10.1021/j150516a002>
- Asadi, A., Pourfattah, F., Miklós Szilágyi, I., Afrand, M., Żyła, G., Seon Ahn, H., Wongwises, S., Minh Nguyen, H., Arabkoohsar, A., & Mahian, O. (2019). Effect of sonication characteristics on stability, thermophysical properties, and heat transfer of nanofluids: A comprehensive review. *Ultrasonics Sonochemistry*, 58, 104701. <https://doi.org/10.1016/j.ultsonch.2019.104701>
- Chong, C. C., Cheng, Y. W., Bahari, M. B., Teh, L. P., Abidin, S. Z., & Setiabudi, H. D. (2021). Development of nanosilica-based catalyst for syngas production via CO2 reforming of CH4: A review. *International Journal of Hydrogen Energy*, 46(48), 24687–24708. <https://doi.org/10.1016/j.ijhydene.2020.01.086>
- Cravotto, G., Gaudino, E. C., & Cintas, P. (2013). On the mechanochemical activation by ultrasound. *Chemical Society Reviews*, 42(18), 7521. <https://doi.org/10.1039/c2cs35456j>
- Crundwell, F. K. (2017). On the Mechanism of the Dissolution of Quartz and Silica in Aqueous Solutions. *ACS Omega*, 2(3), 1116–1127. <https://doi.org/10.1021/acsomega.7b00019>
- Denkbaş, E. B., Çelik, E., Erdal, E., Kavaz, D., Akbal, Ö., Kara, G., & Bayram, C. (2016). Magnetically based nanocarriers in drug delivery. In *Nanobiomaterials in Drug Delivery* (pp. 285–331). Elsevier. <https://doi.org/10.1016/B978-0-323-42866-8.00009-5>
- Dirna, F. C., Rahayu, I., Maddu, A., Darmawan, W., Nandika, D., & Prihatini, E. (2020). Nanosilica Synthesis from Betung Bamboo Sticks and Leaves by Ultrasonication. *Nanotechnology, Science and Applications, Volume 13*, 131–136. <https://doi.org/10.2147/NSA.S282357>
- Eman Abdel Hamid, Ismail, M., Moussa, M., Abdel Aziz, M., Sobhy, M., Mohamed, R., & Mohamed, Y. (2023). Optimization and Characterization of Bio-Silica Extraction from Rice Straw Using RSM. *Egyptian Journal of Chemistry*, 0(0), 0–0. <https://doi.org/10.21608/ejchem.2023.161205.6968>
- Erno Pretsch, Philippe Bühlmann, & Martin Badertscher. (2009). *Structure Determination of Organic Compounds: Tables of Spectral Data*. Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-540-93810-1>
- Favela-Camacho, S. E., Samaniego-Benítez, E. J., Godínez-García, A., Avilés-Arellano, L. Ma., & Pérez-Robles, J. F. (2019). How to decrease the agglomeration of magnetite nanoparticles and increase their stability using surface properties. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 574, 29–35. <https://doi.org/10.1016/j.colsurfa.2019.04.016>
- Ferreira, S. L. C., Bruns, R. E., Ferreira, H. S., Matos, G. D., David, J. M., Brandão, G. C., Da Silva, E. G. P., Portugal, L. A., Dos Reis, P. S., Souza, A. S., & Dos Santos,

- W. N. L. (2007). Box-Behnken design: An alternative for the optimization of analytical methods. *Analytica Chimica Acta*, 597(2), 179–186. <https://doi.org/10.1016/j.aca.2007.07.011>
- Han, Z., Fina, A., & Camino, G. (2014). Organosilicon Compounds as Polymer Fire Retardants. In *Polymer Green Flame Retardants* (pp. 389–418). Elsevier. <https://doi.org/10.1016/B978-0-444-53808-6.00012-3>
- H. S. N, M. I., Panatarani, C., Faizal, F., Mulyana, C., & Joni, I. M. (2023). Synthesis of mesoporous Silica SBA-15 from geothermal sludge. *Materialia*, 27, 101637. <https://doi.org/10.1016/j.mtla.2022.101637>
- Indrasti, N. S., Ismayana, A., Maddu, A., & Utomo, S. S. (2020). Synthesis of Nano-silica from Boiler Ash in the Sugar Cane Industry using the Precipitation Method. *International Journal of Technology*, 11(2), 422. <https://doi.org/10.14716/ijtech.v11i2.1741>
- Indriawati, K., & Hakim, J. A. R. (2012). *Prediksi Daya Listrik Geothermal Power Plant Berdasarkan Metode Weighted Moving Average di PT. GEO DIPA ENERGI Unit Dieng*. 1(1), 6.
- Ishizone, T., Sugiyama, K., & Hirao, A. (2012). Anionic Polymerization of Protected Functional Monomers. In *Polymer Science: A Comprehensive Reference* (pp. 591–621). Elsevier. <https://doi.org/10.1016/B978-0-444-53349-4.00077-7>
- Jafari, V., Allahverdi, A., & Vafaei, M. (2014). Ultrasound-assisted synthesis of colloidal nanosilica from silica fume: Effect of sonication time on the properties of product. *Advanced Powder Technology*, 25(5), 1571–1577. <https://doi.org/10.1016/j.apr.2014.05.011>
- Jenie, A. S. N., Krismastuti, F. S. H., Ningrum, Y. P., Kristiani, A., Yuniati, M. D., Astuti, W., & Petrus, H. T. B. M. (2020). Geothermal silica-based fluorescent nanoparticles for the visualization of latent fingerprints. *Materials Express*, 10(2), 258–266. <https://doi.org/10.1166/mex.2020.1551>
- Joni, I. M., Rukiah, & Panatarani, C. (2020). *Synthesis of silica particles by precipitation method of sodium silicate: Effect of temperature, pH and mixing technique*. 080018. <https://doi.org/10.1063/5.0003074>
- Kumar, A., & Singh, G. (2017). *Effect of Nano Silica on Fresh, Hardened and Durability Properties of Cement Mortar: A Review*. 5(2).
- Kumari, M., & Gupta, S. K. (2019). Response surface methodological (RSM) approach for optimizing the removal of trihalomethanes (THMs) and its precursor's by surfactant modified magnetic nanoadsorbents (sMNP)—An endeavor to diminish probable cancer risk. *Scientific Reports*, 9(1), 18339. <https://doi.org/10.1038/s41598-019-54902-8>
- Liou, T.-H., & Yang, C.-C. (2011). Synthesis and surface characteristics of nanosilica produced from alkali-extracted rice husk ash. *Materials Science and Engineering: B*, 176(7), 521–529. <https://doi.org/10.1016/j.mseb.2011.01.007>
- Ma, X., Zhou, B., Gao, W., Qu, Y., Wang, L., Wang, Z., & Zhu, Y. (2012). A recyclable method for production of pure silica from rice hull ash. *Powder Technology*, 217, 497–501. <https://doi.org/10.1016/j.powtec.2011.11.009>
- Majid, I., Nayik, G. A., & Nanda, V. (2015). Ultrasonication and food technology: A review. *Cogent Food & Agriculture*, 1(1), 1071022. <https://doi.org/10.1080/23311932.2015.1071022>
- Maria Anna, G. (2023). Biomedical Applications of Silica (SiO₂) Nanoparticles. *Biomedical Journal of Scientific & Technical Research*, 51(1). <https://doi.org/10.26717/BJSTR.2023.51.008057>

- Marry, R. T. (2017). Panas Bumi Harta Karun Yang Terpendam Menuju Ketahanan Energi. *Jurnal Ketahanan Nasional*, 23(2), 93. <https://doi.org/10.22146/jkn.26944>
- McDonel, E. M., Hickey, R., & Palmer, A. F. (2020). Sonication Effectively Reduces Nanoparticle Size in Hemoglobin-Based Oxygen Carriers (HBOCs) Produced Through Coprecipitation: Implications for Red Blood Cell Substitutes. *ACS Applied Nano Materials*, 3(12), 11736–11742. <https://doi.org/10.1021/acsanm.0c02176>
- Merget, R., Bauer, T., Küpper, H., Philippou, S., Bauer, H., Breitstadt, R., & Bruening, T. (2002). Health hazards due to the inhalation of amorphous silica. *Archives of Toxicology*, 75(11–12), 625–634. <https://doi.org/10.1007/s002040100266>
- Mirasol, E. S., & Shimomura, M. (2023). Synthesis and characterization of nanostructured silica powders using rice hull ash-based sodium silicate solution by precipitation and calcination. *Materials Letters: X*, 17, 100175. <https://doi.org/10.1016/j.mlblux.2022.100175>
- Montgomery, D. C. (2013). *Design and analysis of experiments* (Eighth edition). John Wiley & Sons, Inc.
- Muljani, S., & Kurniati, E. (2018). Effect of Acidic salts on Characteristics of Precipitated Silica from Geothermal Sludge. *Proceedings of the International Conference on Science and Technology (ICST 2018)*. Proceedings of the International Conference on Science and Technology (ICST 2018), Bali, Indonesia. <https://doi.org/10.2991/icst-18.2018.54>
- Muljani, S., Setyawan, H., Wibawa, G., & Altway, A. (2014). A facile method for the production of high-surface-area mesoporous silica gels from geothermal sludge. *Advanced Powder Technology*, 25(5), 1593–1599. <https://doi.org/10.1016/j.appt.2014.05.012>
- Myers, R. H., Montgomery, Douglas C., & Anderson-Cook, Christine M. (2009). Response Surface Methodology. *John Wiley & Sons, Inc.*
- Nayl, A. A., Abd-Elhamid, A. I., Aly, A. A., & Bräse, S. (2022). Recent progress in the applications of silica-based nanoparticles. *RSC Advances*, 12(22), 13706–13726. <https://doi.org/10.1039/D2RA01587K>
- Ni'mah, Y. L., Suprpto, S., Subandi, A. P. K., Yuningsih, N. E., & Pertiwi, A. C. (2022). The optimization of silica gel synthesis from chemical bottle waste using response surface methodology. *Arabian Journal of Chemistry*, 15(12), 104329. <https://doi.org/10.1016/j.arabjc.2022.104329>
- Pacheco-Torgal, F. (2013). Targeting HPC with the help of nanoparticles: An overview. *Construction and Building Materials*.
- Prabudi, M., Nurtama, B., & Purnomo, E. H. (2018). *Aplikasi Response Surface Methodology (RSM) dengan Historical Data pada Optimasi Proses Produksi Burger*.
- Rahim, H., Prameswara, G., & Gusmadi, M. I. W. (2023). The effect of NaOH concentration on silica leaching process from rice husk ash in South Sulawesi Province, Indonesia. *Jurnal Rekayasa Proses*.
- Rakhmasari, K. D., Perdana, I., & Prasetya, A. (2019). *Nanosilika dari Prekursor Silika Geotermal: Pengaruh Konsentrasi Surfaktan dan Dekomposisi Termal Pasca Sintesis*. 7.
- Schlomach, J., & Kind, M. (2004). Investigations on the semi-batch precipitation of silica. *Journal of Colloid and Interface Science*, 277(2), 316–326. <https://doi.org/10.1016/j.jcis.2004.04.051>

- Shah, T. R., Koten, H., & Ali, H. M. (2020). Performance effecting parameters of hybrid nanofluids. In *Hybrid Nanofluids for Convection Heat Transfer* (pp. 179–213). Elsevier. <https://doi.org/10.1016/B978-0-12-819280-1.00005-7>
- Sholeh, M., Rochmadi, R., Sulisty, H., & Budhijanto, B. (2020). Synthesis of precipitated silica from bagasse ash as reinforcing filler in rubber. *IOP Conference Series: Materials Science and Engineering*, 778(1), 012012. <https://doi.org/10.1088/1757-899X/778/1/012012>
- Sholeh, M., Rochmadi, R., Sulisty, H., & Budhijanto, B. (2021). Nanostructured silica from bagasse ash: The effect of synthesis temperature and pH on its properties. *Journal of Sol-Gel Science and Technology*, 97(1), 126–137. <https://doi.org/10.1007/s10971-020-05416-7>
- Sondakh, G. G. (2018). *DIENG GEOTHERMAL PROJECT: RISK ASSESSMENT FOR A DECISION ON 60 MW EXPANSION*. 29.
- Song, X., Tong, K., Sun, S., Sun, Z., & Yu, J. (2013). Preparation and crystallization kinetics of micron-sized Mg(OH)₂ in a mixed suspension mixed product removal crystallizer. *Frontiers of Chemical Science and Engineering*, 7(2), 130–138. <https://doi.org/10.1007/s11705-013-1332-7>
- Soria, A. C., & Villamiel, M. (2010). Effect of ultrasound on the technological properties and bioactivity of food: A review. *Trends in Food Science & Technology*, 21(7), 323–331. <https://doi.org/10.1016/j.tifs.2010.04.003>
- Spyrogianni, A., Herrmann, I. K., Keevend, K., Pratsinis, S. E., & Wegner, K. (2017). The silanol content and in vitro cytolytic activity of flame-made silica. *Journal of Colloid and Interface Science*, 507, 95–106. <https://doi.org/10.1016/j.jcis.2017.07.096>
- Syabani, M. W., Rochmadi, R., Perdana, I., & Prasetya, A. (2022). *FTIR study on nano-silica synthesized from geothermal sludge*. 030014. <https://doi.org/10.1063/5.0075015>
- Tsuzuki, T. (2009). Commercial scale production of inorganic nanoparticles. *International Journal of Nanotechnology*, 6(5/6), 567. <https://doi.org/10.1504/IJNT.2009.024647>
- Utami, R. B., Sasmito, B., & Bashit, N. (2019). *Jurnal Geodesi Undip Januari 2019*. 8(1), 10.
- Widiyandari, H., Purwanto, P., Putra, O. A., Sartika, J., Pardoyo, P., & Ernawati, L. (2021). Synthesis of Mesoporous Silica Xerogel from Geothermal Sludge using Sulfuric Acid as Gelation Agent. *International Journal of Engineering*, 34(7). <https://doi.org/10.5829/ije.2021.34.07a.02>
- Wilhelm, S., & Kind, M. (2014). On the Relation between Natural and Enforced Syneresis of Acidic Precipitated Silica. *Polymers*, 6(12), 2896–2911. <https://doi.org/10.3390/polym6122896>
- Yadav, V. K., Amari, A., Wanale, S. G., Osman, H., & Fulekar, M. H. (2023). Synthesis of Floral-Shaped Nanosilica from Coal Fly Ash and Its Application for the Remediation of Heavy Metals from Fly Ash Aqueous Solutions. *Sustainability*, 15(3), 2612. <https://doi.org/10.3390/su15032612>
- Zhao, M., Lv, W., Li, Y., Dai, C., Zhou, H., Song, X., & Wu, Y. (2018). A Study on Preparation and Stabilizing Mechanism of Hydrophobic Silica Nanofluids. *Materials*, 11(8), 1385. <https://doi.org/10.3390/ma11081385>