

DAFTAR PUSTAKA

- [1] N. A. Johar, S. N. Kew, Z. Tasir, and E. Koh, “Learning Analytics on Student Engagement to Enhance Students’ Learning Performance: A Systematic Review,” *Sustainability*, vol. 15, no. 10, p. 7849, May 2023, doi: 10.3390/su15107849.
- [2] K. A. Meyer, “Student Engagement in Online Learning: What Works and Why,” *ASHE Higher Education Report*, vol. 40, no. 6, pp. 1–114, Nov. 2014, doi: 10.1002/aehe.20018.
- [3] G. Kurdi, J. Leo, B. Parsia, U. Sattler, and S. Al-Emari, “A Systematic Review of Automatic Question Generation for Educational Purposes,” *Int J Artif Intell Educ*, vol. 30, no. 1, pp. 121–204, Mar. 2020, doi: 10.1007/s40593-019-00186-y.
- [4] M. J. Gierl, H. Lai, and S. R. Turner, “Using automatic item generation to create multiple-choice test items: Automatic generation of test items,” *Medical Education*, vol. 46, no. 8, pp. 757–765, Aug. 2012, doi: 10.1111/j.1365-2923.2012.04289.x.
- [5] M. J. Gierl and T. M. Haladyna, Eds., *Automatic Item Generation*, 0 ed. Routledge, 2012. doi: 10.4324/9780203803912.
- [6] M. J. Gierl and H. Lai, “The Role of Item Models in Automatic Item Generation,” *International Journal of Testing*, vol. 12, no. 3, pp. 273–298, Jul. 2012, doi: 10.1080/15305058.2011.635830.
- [7] S. Jiang and J. Lee, “Distractor Generation for Chinese Fill-in-the-blank Items,” in *Proceedings of the 12th Workshop on Innovative Use of NLP for Building Educational Applications*, Copenhagen, Denmark: Association for Computational Linguistics, 2017, pp. 143–148. doi: 10.18653/v1/W17-5015.
- [8] Y. Susanti, T. Tokunaga, H. Nishikawa, and H. Obari, “Automatic distractor generation for multiple-choice English vocabulary questions,” *RPTEL*, vol. 13, no. 1, p. 15, Dec. 2018, doi: 10.1186/s41039-018-0082-z.
- [9] Y. Hoshino, “Relationship between types of distractor and difficulty of multiple-choice vocabulary tests in sentential context,” *Language Testing in Asia*, vol. 3, no. 1, p. 16, Dec. 2013, doi: 10.1186/2229-0443-3-16.
- [10] Y. Susanti, R. Iida, and T. Tokunaga, “Automatic Generation of English Vocabulary Tests:,” in *Proceedings of the 7th International Conference on Computer Supported Education*, Lisbon, Portugal: SCITEPRESS - Science and Technology Publications, 2015, pp. 77–87. doi: 10.5220/0005437200770087.
- [11] Y. Susanti, H. Nishikawa, T. Tokunaga, and O. Hiroyuki, “Item Difficulty Analysis of English Vocabulary Questions:,” in *Proceedings of the 8th International Conference on Computer Supported Education*, Rome, Italy: SCITEPRESS - Science and Technology Publications, 2016, pp. 267–274. doi:

10.5220/0005775502670274.

- [12] C. Y. Yeung, J. Lee, and B. Tsou, “Difficulty-aware Distractor Generation for Gap-Fill Items”.
- [13] N. Schmitt, “Size and Depth of Vocabulary Knowledge: What the Research Shows,” *Language Learning*, vol. 64, no. 4, pp. 913–951, Dec. 2014, doi: 10.1111/lang.12077.
- [14] K. Hasan and A. A. Shabdin, “Conceptualization of Depth of Vocabulary Knowledge with Academic Reading Comprehension”.
- [15] M. Haspelmath, *Understanding morphology*. in Understanding language series. London : New York: Arnold ; Oxford University Press, 2002.
- [16] M. Schwartz and T. Katzir, “Depth of lexical knowledge among bilingual children: the impact of schooling,” *Read Writ*, vol. 25, no. 8, pp. 1947–1971, Sep. 2012, doi: 10.1007/s11145-011-9308-9.
- [17] D. R. CH and S. K. Saha, “Automatic Multiple Choice Question Generation From Text: A Survey,” *IEEE Transactions on Learning Technologies*, vol. 13, no. 1, pp. 14–25, Jan. 2020, doi: 10.1109/TLT.2018.2889100.
- [18] D. Coniam, “A Preliminary Inquiry Into Using Corpus Word Frequency Data in the Automatic Generation of English Language Cloze Tests,” *CALICO*, vol. 14, no. 2–4, pp. 15–33, Jan. 2013, doi: 10.1558/cj.v14i2-4.15-33.
- [19] J. B. Heaton, *Writing English language tests: a practical guide for teachers of English as a second or foreign language*, 5. impression. in Longman handbooks for language teachers. London: Longman, 1979.
- [20] S. Murugan and B. S. Ramakrishnan, “Automatic Morpheme-based Distractors Generation for Fill-in-the-Blank Questions using Listwise Learning-To-Rank Method for Agglutinative Language,” *Engineering Science and Technology, an International Journal*, vol. 26, p. 100993, 2022, doi: <https://doi.org/10.1016/j.jestch.2021.04.012>.
- [21] S. Panda, F. Palma Gomez, M. Flor, and A. Rozovskaya, “Automatic Generation of Distractors for Fill-in-the-Blank Exercises with Round-Trip Neural Machine Translation,” in *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics: Student Research Workshop*, Dublin, Ireland: Association for Computational Linguistics, 2022, pp. 391–401. doi: 10.18653/v1/2022.acl-srw.31.
- [22] M. J. Gierl, H. Lai, and V. Tanygin, *Advanced Methods in Automatic Item Generation*, 1st ed. Routledge, 2021. doi: 10.4324/9781003025634.
- [23] S. E. Prasetyo, T. B. Adji, and I. Hidayah, “Automated Item Generation: Model and Development Technique,” in *2020 7th International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)*, Semarang, Indonesia: IEEE, Sep. 2020, pp. 64–69. doi:

10.1109/ICITACEE50144.2020.9239243.

- [24] A. Killawala, I. Khokhlov, and L. Reznik, “Computational Intelligence Framework for Automatic Quiz Question Generation,” in *2018 IEEE International Conference on Fuzzy Systems (FUZZ-IEEE)*, Jul. 2018, pp. 1–8. doi: 10.1109/FUZZ-IEEE.2018.8491624.
- [25] A. Srivastava, S. Shinde, N. Patel, S. Despande, A. Dalvi, and S. Tripathi, “Questionator-Automated Question Generation using Deep Learning,” in *2020 International Conference on Emerging Trends in Information Technology and Engineering (ic-ETITE)*, Feb. 2020, pp. 1–5. doi: 10.1109/ic-ETITE47903.2020.212.
- [26] Y. Bachiri and H. Mouncif, “Applicable strategy to choose and deploy a MOOC platform with multilingual AQG feature,” in *2020 21st International Arab Conference on Information Technology (ACIT)*, Nov. 2020, pp. 1–6. doi: 10.1109/ACIT50332.2020.9300051.
- [27] A. C. M. Yang, I. Y. L. Chen, B. Flanagan, and H. Ogata, “Automatic Generation of Cloze Items for Repeated Testing to Improve Reading Comprehension,” *Educational Technology & Society*, vol. 24, no. 3, pp. 147–158, 2021.
- [28] P. R. Rao, T. N. Jhawar, Y. A. Kachave, and V. Hirlekar, “Generating QA from Rule-based Algorithms,” in *2022 International Conference on Electronics and Renewable Systems (ICEARS)*, Mar. 2022, pp. 1697–1703. doi: 10.1109/ICEARS53579.2022.9751723.
- [29] P. Shuai, L. Li, S. Liu, and J. Shen, “QDG: A unified model for automatic question-distractor pairs generation,” *Appl Intell*, vol. 53, no. 7, pp. 8275–8285, Apr. 2023, doi: 10.1007/s10489-022-03894-6.
- [30] Das Bidyut, Majumder Mukta, Phadikar Santanu, and Sekh Arif Ahmed, “Multiple-choice question generation with auto-generated distractors for computer-assisted educational assessment,” *Multimedia Tools and Applications*, vol. 80, no. 21–23, pp. 31907–31925, Sep. 2021, doi: 10.1007/s11042-021-11222-2.
- [31] H. Maslak and R. Mitkov, “Paragraph Similarity Matches for Generating Multiple-choice Test Items,” in *Proceedings of the Student Research Workshop Associated with RANLP 2021*, S. Djabri, D. Gimadi, T. Mihaylova, and I. Nikolova-Koleva, Eds., Online: INCOMA Ltd., Sep. 2021, pp. 99–108. [Online]. Available: <https://aclanthology.org/2021.ranlp-srw.15>
- [32] B. Das, M. Majumder, S. Phadikar, and A. A. Sekh, “Automatic generation of fill-in-the-blank question with corpus-based distractors for e-assessment to enhance learning,” *Comp Applic In Engineering*, vol. 27, no. 6, pp. 1485–1495, Nov. 2019, doi: 10.1002/cae.22163.
- [33] M. Liu, V. Rus, and L. Liu, “Automatic Chinese Multiple Choice Question

- Generation Using Mixed Similarity Strategy,” *IEEE Trans. Learning Technol.*, vol. 11, no. 2, pp. 193–202, Apr. 2018, doi: 10.1109/TLT.2017.2679009.
- [34] J. Xie, N. Peng, Y. Cai, T. Wang, and Q. Huang, “Diverse Distractor Generation for Constructing High-Quality Multiple Choice Questions,” *IEEE/ACM Trans. Audio, Speech and Lang. Proc.*, vol. 30, pp. 280–291, Jan. 2022, doi: 10.1109/TASLP.2021.3138706.
- [35] M. Morón, J. Scocozza, L. Chiruzzo, and A. Rosá, “A Tool for Automatic Question Generation for Teaching English to Beginner Students,” in *2021 40th International Conference of the Chilean Computer Science Society (SCCC)*, Nov. 2021, pp. 1–5. doi: 10.1109/SCCC54552.2021.9650423.
- [36] C.-H. Lee, T.-Y. Chen, L.-P. Chen, P.-C. Yang, and R. T.-H. Tsai, “Automatic Question Generation from Children’s Stories for Companion Chatbot,” in *2018 IEEE International Conference on Information Reuse and Integration (IRI)*, Jul. 2018, pp. 491–494. doi: 10.1109/IRI.2018.00078.
- [37] B. Leite, H. L. Cardoso, L. P. Reis, and C. Soares, “Factual Question Generation for the Portuguese Language,” in *2020 International Conference on INnovations in Intelligent SysTems and Applications (INISTA)*, Aug. 2020, pp. 1–7. doi: 10.1109/INISTA49547.2020.9194631.
- [38] F. J. Muis and A. Purwarianti, “Sequence-to-Sequence Learning for Indonesian Automatic Question Generator,” in *2020 7th International Conference on Advance Informatics: Concepts, Theory and Applications (ICAICTA)*, Tokoname, Japan: IEEE, Sep. 2020, pp. 1–6. doi: 10.1109/ICAICTA49861.2020.9429032.
- [39] S. Gangopadhyay and S. M. Ravikiran, “Focused Questions and Answer Generation by Key Content Selection,” in *2020 IEEE Sixth International Conference on Multimedia Big Data (BigMM)*, Sep. 2020, pp. 45–53. doi: 10.1109/BigMM50055.2020.00017.
- [40] L. Nio and K. Murakami, “Intelligence Is Asking The Right Question: A Study On Japanese Question Generation,” in *2018 IEEE Spoken Language Technology Workshop (SLT)*, Dec. 2018, pp. 771–778. doi: 10.1109/SLT.2018.8639526.
- [41] P. Azevedo, B. Leite, H. L. Cardoso, D. C. Silva, and L. P. Reis, “Exploring NLP and Information Extraction to Jointly Address Question Generation and Answering,” in *Artificial Intelligence Applications and Innovations*, vol. 584, I. Maglogiannis, L. Iliadis, and E. Pimenidis, Eds., in IFIP Advances in Information and Communication Technology, vol. 584. , Cham: Springer International Publishing, 2020, pp. 396–407. doi: 10.1007/978-3-030-49186-4_33.
- [42] M. Wisnu Prabowo, I. Budi, and H. Budi Santoso, “Developing Question Generation System for Bahasa Indonesia Using Indonesian Standard Language Regulation,” in *2021 10th International Conference on Software and Computer Applications*, Kuala Lumpur Malaysia: ACM, Feb. 2021, pp. 258–261. doi: 10.1145/3457784.3457824.

- [43] C. Zhang, Y. Sun, H. Chen, and J. Wang, “Generating Adequate Distractors for Multiple-Choice Questions:,” in *Proceedings of the 12th International Joint Conference on Knowledge Discovery, Knowledge Engineering and Knowledge Management*, Budapest, Hungary: SCITEPRESS - Science and Technology Publications, 2020, pp. 310–315. doi: 10.5220/0010148303100315.
- [44] L. Wang, D. Sheng, and H.-T. Zheng, “Question Generation via Multi-stage Answers Editing Network,” in *2021 International Joint Conference on Neural Networks (IJCNN)*, Jul. 2021, pp. 1–8. doi: 10.1109/IJCNN52387.2021.9534027.
- [45] A. Kilgarriff and D. Tugwell, “ITRI-01-12 WORD SKETCH: Extraction and Display of Significant Collocations for Lexicography”.
- [46] T. Steuer, L. Bongard, J. Uhlig, and G. Zimmer, “On the Linguistic and Pedagogical Quality of Automatic Question Generation via Neural Machine Translation,” in *Technology-Enhanced Learning for a Free, Safe, and Sustainable World*, vol. 12884, T. De Laet, R. Klemke, C. Alario-Hoyos, I. Hilliger, and A. Ortega-Arranz, Eds., in *Lecture Notes in Computer Science*, vol. 12884. , Cham: Springer International Publishing, 2021, pp. 289–294. doi: 10.1007/978-3-030-86436-1_22.
- [47] T. Steuer, A. Filighera, and C. Rensing, “Remember the Facts? Investigating Answer-Aware Neural Question Generation for Text Comprehension,” in *Artificial Intelligence in Education*, vol. 12163, I. I. Bittencourt, M. Cukurova, K. Muldner, R. Luckin, and E. Millán, Eds., in *Lecture Notes in Computer Science*, vol. 12163. , Cham: Springer International Publishing, 2020, pp. 512–523. doi: 10.1007/978-3-030-52237-7_41.
- [48] Z. Cao, S. Tatinati, and A. W. H. Khong, “Controllable Question Generation via Sequence-to-Sequence Neural Model with Auxiliary Information,” in *2020 International Joint Conference on Neural Networks (IJCNN)*, Jul. 2020, pp. 1–7. doi: 10.1109/IJCNN48605.2020.9207643.
- [49] T. H. V. Phan and P. Do, “NER2QUES: combining named entity recognition and sequence to sequence to automatically generating Vietnamese questions,” *Neural Comput & Applic*, vol. 34, no. 2, pp. 1593–1612, Jan. 2022, doi: 10.1007/s00521-021-06477-7.
- [50] A. Deschamps, S. D. Gollapalli, and S.-K. Ng, “On Generating Fact-Infused Question Variations,” in *Proceedings of the International Conference on Recent Advances in Natural Language Processing (RANLP 2021)*, R. Mitkov and G. Angelova, Eds., Held Online: INCOMA Ltd., Sep. 2021, pp. 335–345. [Online]. Available: <https://aclanthology.org/2021.ranlp-1.39>
- [51] W. Tampubolon, F. Sinamo, and E. Saragih, “VOCABULARY ASSESMENT STRATEGY,” *Proj. (Professional J. English Educ.*, vol. 5, no. 2, p. 403, Mar. 2022, doi: 10.22460/project.v5i2.p403-413.
- [52] F. Teng, “Assessing the Depth and Breadth of Vocabulary Knowledge with Listening Comprehension,” *PASAA*, vol. 48, pp. 29–56, Dec. 2014.

- [53] Ismi Narulita Firda, Intan Azkiyah, and Albiansyah, “Testing Breadth and Depth of Vocabulary Knowledge and Their Relationship with Vocabulary Size of EFL Students,” *JET*, vol. 7, no. 1, pp. 89–100, Feb. 2021, doi: 10.33541/jet.v7i1.2434.
- [54] D. H. Leech, “Teaching and Learning Vocabulary by I.S.P. Nation. New York: Newbury House, 1990. 275 pp.,” *Issues in Applied Linguistics*, vol. 2, no. 1, Jun. 1991, doi: 10.5070/L421005136.
- [55] J. Read, *Assessing vocabulary*, 1. publ., 6. printing. in The Cambridge language assessment series. Cambridge: Cambridge University Press, 2006.
- [56] M. J. Kieffer and N. K. Lesaux, “The role of derivational morphology in the reading comprehension of Spanish-speaking English language learners,” *Read Writ*, vol. 21, no. 8, pp. 783–804, Nov. 2008, doi: 10.1007/s11145-007-9092-8.
- [57] “English collocations – linguatools.org.” Accessed: Jan. 08, 2024. [Online]. Available: <https://linguatools.org/data-packages/english-collocations/>
- [58] 13 Banbury Road IT Services, “British National Corpus.” Accessed: Jan. 09, 2024. [Online]. Available: <http://www.natcorp.ox.ac.uk/>
- [59] “Wikipedia monolingual corpora – linguatools.org.” Accessed: Jan. 09, 2024. [Online]. Available: <https://linguatools.org/tools/corpora/wikipedia-monolingual-corpora/>
- [60] “Free eBooks | Project Gutenberg.” Accessed: Jan. 09, 2024. [Online]. Available: <https://www.gutenberg.org/>
- [61] Sowmya V. B, B. Majumder, A. Gupta, and H. Surana, *Practical natural language processing: a comprehensive guide to building real-world NLP systems*, First edition. Sebastopol, CA: O’Reilly Media, 2020.
- [62] S. Ghosh and D. Gunning, *Natural Language Processing Fundamentals: Build Intelligent Applications That Can Interpret the Human Language to Deliver Impactful Results*. Birmingham: Packt Publishing Ltd, 2019.
- [63] “5. Categorizing and Tagging Words.” Accessed: Jan. 08, 2024. [Online]. Available: <https://www.nltk.org/book/ch05.html>
- [64] D. Phillips, *Longman Complete Course For The TOEFL Test*, 2nd ed. New York: Pearson College Div, 2001.
- [65] P. J. Sharpe, *Baron’s Practice Exercises for TOEFL 6th Edition*, 6th ed. New York: Barron’s Educational Series, 2007.
- [66] B. Rogers, *Peterson’s Toefl Practice Tests*. Colorado: Petersons, 2001.
- [67] Pyle, *Cliffs TOEFL Prepratation Guide*, 5th ed. Nebraska: Cliff Notes, 1995.
- [68] B. Rogers, *The Complete Guide to the TOEFL Test: PBT Edition*, 1st ed. Massachusetts: Heinle ELT, 2010.
- [69] “English collocations dictionary online | linguatools.” Accessed: Jan. 08, 2024.

- [Online]. Available: <https://www.linguatools.de/kollokationen-en/>
- [70] “Typical usage patterns for English words | FluentWords.” Accessed: Jan. 08, 2024. [Online]. Available: <https://fluentwords.net/en/collocations>
- [71] “Conjugator for english verbs | Gramomat -.” Accessed: Jan. 08, 2024. [Online]. Available: <https://gramomat.com/en/english/conjugation>
- [72] C.-L. Liu, C.-H. Wang, Z.-M. Gao, and S.-M. Huang, “Applications of lexical information for algorithmically composing multiple-choice cloze items,” in *Proceedings of the second workshop on Building Educational Applications Using NLP - EdAppsNLP 05*, Ann Arbor, Michigan: Association for Computational Linguistics, 2005, pp. 1–8. doi: 10.3115/1609829.1609830.
- [73] C. D. Manning and H. Schütze, *Foundations of statistical natural language processing*. Cambridge, Mass: MIT Press, 1999.
- [74] T. M. Haladyna, *Developing and Validating Multiple-choice Test Items*, 0 ed. Routledge, 2004. doi: 10.4324/9780203825945.