

- Badan Geologi Kementerian ESDM. (2019). *Atlas Zona Kerentanan Likuefaksi Indonesia*.
- Biot, M. A. (1956). Theory of Propagation of Elastic Waves in a Fluid-Saturated Porous Solid. II. Higher Frequency Range. *The Journal of the Acoustical Society of America*, 28(2), 179–191. <https://doi.org/10.1121/1.1908241>
- Bird, P. (2003). An updated digital model of plate boundaries. *Geochemistry, Geophysics, Geosystems*, 4(3). <https://doi.org/10.1029/2001GC000252>
- Boulanger, R. W., & Idriss, I. M. (2014). CPT and SPT based liquefaction triggering procedures, Report UCD/CGM-10/2. *Center for Geotechnical Modeling, April*, 1–138.
- Bour, M., Fouissac, D., Dominique, P., & Martin, C. (1998). On the use of microtremor recordings in seismic microzonation. *Soil Dynamics and Earthquake Engineering*, 17(7–8), 465–474. [https://doi.org/10.1016/S0267-7261\(98\)00014-1](https://doi.org/10.1016/S0267-7261(98)00014-1)
- Broms, B. (1976). *Pile foundations-pile groups*. 2.
- Chen, W. F., & Lui, E. M. (2006). *Earthquake Engineering For Structural Design*. CRC press.
- Das, B. M. (2011). *Principles of foundation engineering* (7th ed). Cengage Learning.
- Day, R. W. (2002). *Geotechnical Earthquake Engineering Handbook*. McGraw-Hill.
- Direktorat Jenderal Bina Marga. (2022). *Pedomana Bidang Jalan dan Jembatan tentang Pembahasan Penyelenggaraan Keamanan Jembatan Khusus* (02/ P/ BM/ 2022).
- European Commission. (2004). *Guidelines for The Implementation of The H/V Spectral Ratio Technique on Ambient Vibrations*.
- Hakam, A. (2020). *Analisa Praktis Potensi Likuefaksi Referensi Untuk Peneliti dan Praktisi* (Nomor September).
- Hardiyatmo, H. C. (2020). *Analisis dan Perancangan Fondasi II*.
- Hartono, H. G. (2010). *Peran Paleovulkanisme dalam Tatahan Produk Batuan Gunung Api Tersier di Gunung Gajahmungkur, Wonogiri, Jawa Tengah*. Universitas Padjadjaran.
- Husnul, N., Rifai, A., & Ismanti, S. (2021). *Analisis Potensi Likuefaksi pada Bangunan Underpass Bandara YIA berdasarkan Simulasi Numeris*.
- Idriss, I. M., & Boulanger, R. W. (2008). *Soil liquefaction during earthquakes*. Earthquake Engineering Research Institute (EERI).
- Ishihara, K., & Yoshimine, M. (1992). Evaluation of settlements in sand deposits following liquefaction during earthquakes. *Soils and Foundations*, 32(1), 178–188. <https://doi.org/10.3208/sandf1972.32.173>
- Iwasaki, T., Tokida, K., & Tatsuoka, F. (1981). Soil Liquefaction Potential Evaluation with Use of the Simplified Procedure. *International Conferences on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, 12, 209–214.
- Japanese geotechnical society (Ed.). (1998). *Remedial Measures Against Soil Liquefaction: From Investigation And Design To Implementation*. Taylor & Francis.
- Johannessen, I. J., & Bjerrum, L. (1965). *Measurement of the compression of a steel pile to rock due to settlement of the surrounding clay*. Soil Mech & Fdn Eng Conf Proc/Canada/.

- Kanai, K. (1966). Improved Empirical Formula for the Characteristic of Strong Earthquake Motions. *Proc. Japan Earthq. Engng. Symp.*
<https://cir.nii.ac.jp/crid/1572824498986998912>
- Kanno, T. (2006). A New Attenuation Relation for Strong Ground Motion in Japan Based on Recorded Data. *Bulletin of the Seismological Society of America*, 96(3), 879–897.
<https://doi.org/10.1785/0120050138>
- Kevin, P., & Muhrozi, M. (2023). The Preliminary Study of Liquefaction Susceptibility Map in the Yogyakarta-Bawen Toll Road Sections I and II, Indonesia. *Civil Engineering Dimension*, 25(1), 29–36. <https://doi.org/10.9744/ced.25.1.29-36>
- Kramer, S. (1996). Geotechnical Earthquake Engineering. Dalam *Current Science*.
<https://doi.org/10.1201/b16200-141>
- Kumar, K. (2008). *Basic Geotechnical Earthquake Engineering*. New Age International (P) Ltd., Publishers.
- Lambe, T. W., & Whitman, R. V. (1969). *Soil mechanics*. Wiley.
- Loehr, J. E., Bowders, J. J., Ge, L., Likos, W. J., Luna, R., Maerz, N., Rosenblad, B. L., & Stephenson, R. W. (2011). *Engineering Policy Guidelines for Design of Drilled Shafts*. Missouri Department of Transportation.
- Madabhushi, G., Knappett, J., & Haigh, S. (2010). *Design Of Pile Foundations In Liquefiable Soils*. Imperial College Press.
- Matlock, H. (1970). Correlation for Design of Laterally Loaded Piles in Soft Clay. *All Days*, OTC-1204-MS. <https://doi.org/10.4043/1204-MS>
- Matlock, H., & Reese, L. C. (1960). Generalized Solutions for Laterally Loaded Piles. *Journal of the Soil Mechanics and Foundations Division*, 86(5), 63–92.
<https://doi.org/10.1061/JSFEAQ.0000303>
- Mitchell, J. K. (2008). Mitigation of Liquefaction Potential of Silty Sands. *From Research to Practice in Geotechnical Engineering*, 433–451. [https://doi.org/10.1061/40962\(325\)15](https://doi.org/10.1061/40962(325)15)
- Nakamura, Y. (1989). A METHOD FOR DYNAMIC CHARACTERISTICS ESTIMATION OF SUBSURFACE USING MICROTREMOR ON THE GROUND SURFACE. *Quarterly Report of Rtri*, 30. <https://api.semanticscholar.org/CorpusID:109220570>
- Natawidjaja, D. H. (2021). *Riset Sesar Aktif Indonesia dan Peranannya dalam Mitigasi Bencana Gempa dan Tsunami*. LIPI Press.
- Peck, R. B., Terzaghi, K., & Mesri, G. (1996). *Soil mechanics in engineering practice* (3rd ed). Wiley.
- PT Jasamarga Jogja Bawen. (2021a). *Laporan Faktual Survey Geolistrik Rencana Teknik Akhir Pembangunan Jalan Tol Yogyakarta—Bawen*.
- PT Jasamarga Jogja Bawen. (2021b). *Laporan Faktual Survey Seismik Refraksi Rencana Teknik Akhir Pembangunan Jalan Tol Yogyakarta—Bawen*.
- Pulunggono, A. d, & Martodjojo, S. (1994). Perubahan tektonik Paleogen-Neogen merupakan peristiwa tektonik terpenting di Jawa. *Proc. Geologi dan Geoteknik Pulau Jawa, Yogyakarta*, h, 37–49.
- Pusat Studi Gempa Nasional. (2017). Peta Sumber dan Bahaya Gempa Indonesia Tahun 2017. Dalam *Pusat Penelitian dan Pengembangan Perumahan dan Permukiman, Badan*

- Pusat Studi Gempa Nasional. (2022). *Peta Deagregasi Bahaya Gempa Indonesia untuk Perencanaan dan Evaluasi Infrastruktur Tahan Gempa*.
- PusGen. (2017). *Peta sumber dan bahaya gempa Indonesia tahun 2017* (Cetakan pertama). Pusat Penelitian dan Pengembangan Perumahan dan Permukiman, Badan Penelitian dan Pengembangan, Kementerian Pekerjaan Umum.
- Rahardjo, W., Sukandarrumidi, & Rosidi, H. M. D. (2012). *Peta Geologi Lembar Yogyakarta*.
- Reese, L. C., Cox, W. R., & Koop, F. D. (1974). Analysis of Laterally Loaded Piles in Sand. *All Days*, OTC-2080-MS. <https://doi.org/10.4043/2080-MS>
- Reese, L. C., Cox, W. R., & Koop, F. D. (1975). Field Testing and Analysis of Laterally Loaded Piles on Stiff Clay. *All Days*, OTC-2312-MS. <https://doi.org/10.4043/2312-MS>
- Reese, L. C., & O'Neill, M. W. (1989). *Criteria for the Design of Axially Loaded Drilled Shafts*.
- Reese, L. C., Touma, F. T., & O'Neill, M. W. (1976). Behavior of Drilled Piers under Axial Loading. *Journal of the Geotechnical Engineering Division*, 102(5), 493–510. <https://doi.org/10.1061/AJGEB6.0000271>
- Reiter, L. (1990). *Earthquake hazard analysis: Issues and insights*. Columbia university press.
- Rocscience. (2022). *RSPile Axially Loaded Piles Theory Manual*.
- Rollins, K. M., Gerber, T. M., Lane, J. D., & Ashford, S. A. (2005). Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. *Journal of Geotechnical and Geoenvironmental Engineering*, 131(1), 115–125. [https://doi.org/10.1061/\(ASCE\)1090-0241\(2005\)131:1\(115\)](https://doi.org/10.1061/(ASCE)1090-0241(2005)131:1(115))
- Seed, H. B., Tokimatsu, K., Harder, L. F., & Chung, R. M. (1985). Influence of SPT Procedures in Soil Liquefaction Resistance Evaluations. *Journal of Geotechnical Engineering*, 111(12), 1425–1445. [https://doi.org/10.1061/\(ASCE\)0733-9410\(1985\)111:12\(1425\)](https://doi.org/10.1061/(ASCE)0733-9410(1985)111:12(1425))
- Septiadi, D. R., Hardiyatmo, H. C., & Faris, F. (2022). *Analisis Potensi Likuefaksi Dan Stabilitas Fondasi Tiang Bor Akibat Likuefaksi*.
- Skempton, A. W. (1986). Standard penetration test procedures and the effects in sands of overburden pressure, relative density, particle size, ageing and overconsolidation. *Géotechnique*, 36(3), 425–447. <https://doi.org/10.1680/geot.1986.36.3.425>
- SNI 1726. (2019). *Tata Cara Perencanaan Ketahanan Gempa untuk Struktur Bangunan Gedung dan Nongedung*.
- SNI 2833. (2016). *Perencanaan Jembatan terhadap Beban Gempa*.
- SNI 4153. (2008). *Cara Uji Penetrasi Lapangan dengan SPT*.
- SNI 8460. (2017). Persyaratan Perancangan Geoteknik SNI 8460:2017. *Badan Standarisasi Nasional*, 8460.
- Sonmez, H. (2003). Modification of the liquefaction potential index and liquefaction susceptibility mapping for a liquefaction-prone area (Inegol,Turkey). *Environmental Geology*, 44(7), 862–871. <https://doi.org/10.1007/s00254-003-0831-0>
- Sonmez, H., & Gokceoglu, C. (2005). A liquefaction severity index suggested for engineering practice. *Environmental Geology*, 48(1), 81–91. <https://doi.org/10.1007/s00254-005-1263-9>
- Terzaghi, K., & Peck, R. B. (1967). *Soil mechanics in engineering practice*. John Wiley.

Thanden, R. E., Sumadirdja, H., & Richards, P. W. (1996). *Peta Geologi Lembar Magelang dan Semarang*.

Towhata, I. (2008). *Geotechnical earthquake engineering*. Springer.

Towhata, I., Wu, W., & Borja, R. I. (2008). Geotechnical Earthquake Engineering. Dalam *Springer Series in Geomechanics and Geoengineering* (Vol. 1). <https://doi.org/10.2113/gsegeosci.iii.1.158>

Tsuchida, H. (1970). *Prediction And Countermeasure Against The Liquefaction in Sand Deposits*. 31–333.

Van Bemmelen, R. W. (1949). General Geology of Indonesia and adjacent Archipelagoes. *The Geology of Indonesia*, 0. <https://cir.nii.ac.jp/crid/1570291224194304512>

Yoshimi, Y., & Kuwabara, F. (1973). Effect of Subsurface Liquefaction on the Strength of Surface Soil. *Soils and Foundations*, 13(2), 67–81. https://doi.org/10.3208/sandf1972.13.2_67

Youd, T. L., Tinsley, J. C., Perkins, D. M., King, E. J., & Preston, R. F. (1979). Liquefaction Potential Map of San Fernando Valley, California. *Geological Survey Circular (United States)*, 807, 37–48.

Yulianisa, Y., Christady Hardyatmo, H., & Faris, F. (2022). *Pengaruh Likuefaksi terhadap Stabilitas Fondasi Tiang Bor pada Pembangunan Jalan Tol Solo—Yogyakarta—NYIA Kulon Progo STA. 16+700 – 22+500*.

Zakariya, A., Rifai, A., & Ismanti, S. (2022). *Pengaruh Potensi Likuefaksi dan Mitigasi Sistem Fondasi Bored Pile Jembatan Kretek 2 Yogyakarta*.

Zhang, G., Robertson, P. K., & Brachman, R. W. I. (2004). Estimating Liquefaction-Induced Lateral Displacements Using the Standard Penetration Test or Cone Penetration Test. *Journal of Geotechnical and Geoenvironmental Engineering*, 130(8), 861–871. [https://doi.org/10.1061/\(asce\)1090-0241\(2004\)130:8\(861\)](https://doi.org/10.1061/(asce)1090-0241(2004)130:8(861))