



## DAFTAR PUSTAKA

- [1] D. Banister, K. Anderton, D. Bonilla, M. Givoni, and T. Schwanen, “Transportation and the environment,” *Annual review of environment and resources*, vol. 36, pp. 247–270, 2011.
- [2] E. Yobo, “State intervention in public transportation in ghana,” *Journal of Transportation and Logistics*, vol. 3, no. 1, pp. 35–51, 2018.
- [3] N. Shiraki, H. Satou, and S. Arai, “A hybrid system for diesel railcar series ki-ha e200,” in *The 2010 International Power Electronics Conference-ECCE ASIA-*. IEEE, 2010, pp. 2853–2858.
- [4] C. G. da Silva Moraes, S. L. Brockveld, M. L. Heldwein, A. S. Franca, A. S. Vaccari, and G. Waltrich, “Power conversion technologies for a hybrid energy storage system in diesel-electric locomotives,” *IEEE transactions on industrial electronics*, vol. 68, no. 10, pp. 9081–9091, 2020.
- [5] K. Ismail, A. Muharam, and M. Pratama, “Design of can bus for research applications purpose hybrid electric vehicle using arm microcontroller,” *Energy Procedia*, vol. 68, pp. 288–296, 2015.
- [6] E. L. González, J. S. Cuesta, F. J. V. Fernandez, F. I. Llerena, M. A. R. Carlini, C. Bordons, E. Hernandez, and A. Elfes, “Experimental evaluation of a passive fuel cell/battery hybrid power system for an unmanned ground vehicle,” *international journal of hydrogen energy*, vol. 44, no. 25, pp. 12 772–12 782, 2019.
- [7] R. Zhang and G. Mi, “Research on train-to-train communication resource allocation for urban rail transport,” in *Journal of Physics: Conference Series*, vol. 2491, no. 1. IOP Publishing, 2023, p. 012009.
- [8] S. Fraissé, “High speed can transceivers application note,” *München, Germany: Infineon Technologies AG*, 2006.
- [9] J. Wu and F. Luo, “A can bus automatic test system,” in *2015 International Industrial Informatics and Computer Engineering Conference*. Atlantis Press, 2015, pp. 1889–1893.
- [10] C. P. Quigley, “Design of in-vehicle networked control system architectures through the use of new design to cost and weight processes: innovation report,” Ph.D. dissertation, University of Warwick, 2011.
- [11] T. Rajasekar and K. Bhaskar, “Vehicle control system using controller area network (can) protocol,” *International Journal of Communication and Networking System*, vol. 05, no. 1, pp. 68–69, 2016.



- [12] L. Wang, F. Li, and C. Liao, “Powertrain communication system design of hybrid electric vehicle,” in *2009 Asia-Pacific Power and Energy Engineering Conference*. IEEE, 2009, pp. 1–4.
- [13] A. Sase, Y. BHATESHVAR, and K. C. Vora, “Electric vehicle control system by using controller area network communication,” *International Journal of Engineering Sciences*, vol. 15, 01 2022.
- [14] S. Vijayalakshmi, “Vehicle control system implementation using can protocol,” *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering*, vol. 2, no. 6, pp. 2532–2538, 2013.
- [15] B.-J. Ahn, B.-r. Park, Y.-H. Ki, G.-M. Jeong, H.-S. Ahn, and D.-H. Kim, “Development of a controller area network interface unit and its application to a fuel cell hybrid electric vehicle,” in *2006 SICE-ICASE International Joint Conference*. IEEE, 2006, pp. 5545–5549.
- [16] V. S. Dherage and S. S. Morade, “Train control system using can protocol,” *International Research Journal of Engineering and Technology (IRJET)*, vol. 3, no. 1, 2016.
- [17] J. Peng, H. Fan, H. He, and D. Pan, “A rule-based energy management strategy for a plug-in hybrid school bus based on a controller area network bus,” *Energies*, vol. 8, no. 6, pp. 5122–5142, 2015.
- [18] W. Choi, H. J. Jo, S. Woo, J. Y. Chun, J. Park, and D. H. Lee, “Identifying ecus using inimitable characteristics of signals in controller area networks,” *IEEE Transactions on Vehicular Technology*, vol. 67, no. 6, pp. 4757–4770, 2018.
- [19] M. S. Wan, Q. W. Qiu, L. Y. Lv, B. L. Li, N. Sun, W. L. Ge, and Y. Zhang, “Design and analysis of can communication network applied in hybrid electric vehicle,” *Advanced Materials Research*, vol. 971, pp. 1135–1140, 2014.
- [20] P. P. M. N. R. INDONESIA, “Peraturan pemerintah republik indonesia,” *Peraturan Pemerintah Republik Indonesia, Peraturan Pemerintah Republik Indonesia*, no. 61, 1990.
- [21] Y. Gao, W. Su, and K. Wang, “Does high-speed rail boost tourism growth? new evidence from china,” *Tourism Management*, vol. 72, pp. 220–231, 2019.
- [22] H. Dwiatmoko, “Peran perkeretaapian dalam menunjang sistem logistik nasional,” *Jurnal Transportasi*, vol. 18, no. 2, pp. 87–96, 2018.
- [23] G. Del Vescovo, M. Paschero, A. Rizzi, and F. M. F. Mascioli, “An open software system for signal routing and processing in hybrid vehicles,” in *2012 IEEE International Symposium on Industrial Electronics*. IEEE, 2012, pp. 1702–1707.



- [24] L. Marques, V. Vasconcelos, P. Pedreiras, and L. Almeida, “A flexible dashboard panel for a small electric vehicle,” in *6th Iberian Conference on Information Systems and Technologies (CISTI 2011)*. IEEE, 2011, pp. 1–4.
- [25] M. R. Vemparala, S. Yerabati, and G. I. Mary, “Performance analysis of controller area network based safety system in an electric vehicle,” in *2016 IEEE International Conference on Recent Trends in Electronics, Information & Communication Technology (RTEICT)*. IEEE, 2016, pp. 461–465.
- [26] I. Christonny, “Desain sistem elektronis komunikasi kendaraan listrik dengan controller area network (can),” Ph.D. dissertation, Universitas Gadjah Mada, 2015.
- [27] N. M. Ben Lakhhal, O. Nasri, L. Adouane, and J. B. Hadj Slama, “Controller area network reliability: overview of design challenges and safety related perspectives of future transportation systems,” *IET Intelligent Transport Systems*, vol. 14, no. 13, pp. 1727–1739, 2020.
- [28] B. V. Kumar and J. Ramesh, “Automotive in vehicle network protocols,” in *2014 International Conference on Computer Communication and Informatics*. IEEE, 2014, pp. 1–5.
- [29] T. Instruments, “Controller area network physical layer requirements,” *SLLA270 datasheet, Steve Corrigan*, 2008.
- [30] J. Cook and J. Freudenberg, “Controller area network (can),” *EECS*, vol. 461, pp. 1–5, 2007.
- [31] C. P. Szydlowski, “Can specification 2.0: Protocol and implementations,” SAE Technical Paper, Tech. Rep., 1992.
- [32] S. C. HPL, “Introduction to the controller area network (can),” *Application Report SLOA101*, pp. 1–17, 2002.
- [33] C. in Automation (CiA), “CiA® 303 Recommendation © CAN in Automation (CiA),” (Nodate) CanopenApplicationLayerandCommunicationProfile-OpenCyphalForum. Available at: <https://forum.opencyphal.org/uploads/short-url/mNWuvY23DYckSFoSbfam0ji3YWn.pdf> (Accessed: 19 November 2023)., [Accessed 19-11-2023].
- [34] K. Dietmayer and K. W. Overberg, “Can bit timing requirements,” SAE Technical Paper, Tech. Rep., 1997.
- [35] S. Robb and E. Kilbride, “Can bit timing requirements,” *Motorola Semiconductor Application Note, AN1798*, 1999.
- [36] M. Taralkar, “Computation of can bit timing parameters simplified,” in *The International CAN Conference (ICC) CAN work In Automation*, 2012.



- [37] H. Azizi and A. Vahedi, “Performance analysis of direct power controlled pwm rectifier under disturbed ac line voltage,” *ICREPQ05, Zaragoza-Spain*, 2005.
- [38] W. Qiang, L. Yong-bao, H. Xing, and L. Qian-chao, “Simulation study of three-phase pwm rectifier with square of the voltage double closed loop control,” in *IOP Conference Series: Materials Science and Engineering*, vol. 199, no. 1. IOP Publishing, 2017, p. 012148.
- [39] www.st.com, “STM32 Nucleo F303RE,” chrome-extension: //efaidnbmnnibpcajpcglclefindmkaj/https://www.st.com/resource/en/datasheet/stm32f303re.pdf, [Accessed 10-11-2023].
- [40] Microchip, “High-Speed CAN Transceiver,” <https://ww1.microchip.com/downloads/en/devicedoc/20001667g.pdf>, [Accessed 10-11-2023].
- [41] R. Pressman, “Rekayasa perangkat lunak: Pendekatan praktisi buku i. yogyakarta,” *Indonesia: Penerbit Andi*, 2015.
- [42] M. Ahmad, E. Firmansyah, Y. F. Sidik, F. D. Wijaya, Mudarris, and S. D. R., “Pwm rectifier impedance modeling for the ugm-inka hybrid train,” in *2023 15th International Conference on Information Technology and Electrical Engineering (ICITEE)*, 2023, pp. 1–6.
- [43] S. Pant and S. Lee, “Design and implementation of a can data analysis test bench based on raspberry pi,” *Journal of Multimedia Information System*, vol. 6, no. 4, p. 239–244, 2019.
- [44] M. Di Natale, H. Zeng, P. Giusto, and A. Ghosal, *Understanding and using the controller area network communication protocol: theory and practice*. Springer Science & Business Media, 2012.
- [45] J. Ferreira and J. Fonseca, “Controller area network,” *Industrial Electronics Handbook, Industrial Communication Systems*, 2011.
- [46] M. Al Hayani, “Modeling bus load on can,” *Disertation*, 2012.
- [47] K. Zdeněk and S. Jiří, “Simulation of can bus physical layer using spice,” in *2013 International Conference on Applied Electronics*, 2013, pp. 1–4.
- [48] D. Hickman, “Speed up your calibration with can fd,” in *International can Conference (iCC)*, 2013.
- [49] F. Ren, Y. R. Zheng, M. Zawodniok, and J. Sarangapani, “Effects of electromagnetic interference on control area network performance,” in *2007 IEEE Region 5 Technical Conference*. IEEE, 2007, pp. 199–204.