

## DAFTAR PUSTAKA

- Abuhelwa, Z., Alsughayer, A., Abuhelwa, A. Y., Beran, A., Sayeh, W., Khokher, W., *et al.* (2023) 'In-Hospital Mortality and Morbidity in Cancer Patients with COVID-19: A Nationwide Analysis from the United States', *Cancers*, 15(1), pp. 1–11. doi: 10.3390/cancers15010222.
- Adegbite, B. R., Edoa, J. R., Ndzebe Ndoumba, W. F., Dimessa Mbadinga, L. B., Mombo-Ngoma, G., Jacob, S. T., *et al.* (2021) 'A comparison of different scores for diagnosis and mortality prediction of adults with sepsis in Low-and-Middle-Income Countries: a systematic review and meta-analysis', *eClinicalMedicine*, 42. doi: 10.1016/j.eclinm.2021.101184.
- Albitar, O., Ballouze, R., Ooi, J. P. and Sheikh Ghadzi, S. M. (2020) 'Risk factors for mortality among COVID-19 patients', *Diabetes Research and Clinical Practice*. Elsevier B.V., 166, p. 108293. doi: 10.1016/j.diabres.2020.108293.
- Alirezai, T., Hooshmand, S., Irlouzadian, R., Hajimoradi, B., Montazeri, S., Shayegh, A., 2022. The role of blood urea nitrogen to serum albumin ratio in the prediction of severity and 30-day mortality in patients with COVID-19. *Health Sci Rep* 5. <https://doi.org/10.1002/hsr2.606>
- Alqahtani, J.S., Oyelade, T., Aldhahir, A.M., Alghamdi, S.M., Almeahmadi, M., Alqahtani, A.S., Quaderi, S., Mandal, S., Hurst, J.R., 2020. Prevalence, severity and mortality associated with COPD and smoking in patients with COVID-19: A rapid systematic review and meta-analysis. *PLoS One*. <https://doi.org/10.1371/journal.pone.0233147>
- Aslanbeigi, F., Rahimi, H., Malekipour, A., Pahlevani, H., Najafizadeh, M., Ehteram, H., *et al.* (2023) 'Association between hypertension and clinical outcomes in COVID-19 patients: a case-controlled study', *Annals of Medicine & Surgery*, 85(7), pp. 3258–3263. doi: 10.1097/ms9.0000000000000391.
- Ata, F., As, A. K., Engin, M., Kat, N. K., Ata, Y. and Turk, T. (2021) 'Can blood urea Nitrogen-to-Albumin ratio predict mortality in patients with moderate-to-severe COVID-19 pneumonia hospitalized in the intensive care unit?', *Revista da Associacao Medica Brasileira*, 67(10), pp. 1421–1426. doi: 10.1590/1806-9282.20210610.
- Aziz, M., Fatima, R., Lee-Smith, W., Assaly, R., 2020. The association of low serum albumin level with severe COVID-19: A systematic review and meta-analysis. *Crit Care*. <https://doi.org/10.1186/s13054-020-02995-3>
- Baum, N., Dichoso, C.C., Eugene Carlton, C., n.d. BLOOD UREA NITROGEN AND SERUM CREATININE; Physiology and Interpretations.

- Bertsimas, D., Lukin, G., Mingardi, L., Nohadani, O., Orfanoudaki, A., Stellato, B., et al. (2020) 'COVID-19 mortality risk assessment: An international multi-center study', *PLoS ONE*, 15(12 December), pp. 1–13. doi: 10.1371/journal.pone.0243262.
- Birhanu, A., Merga, B. T., Ayana, G. M., Alemu, A., Negash, B. and Dessie, Y. (2022) 'Factors associated with prolonged length of hospital stay among COVID-19 cases admitted to the largest treatment center in Eastern Ethiopia', *SAGE Open Medicine*, 10. doi: 10.1177/20503121211070366.
- Boehme, A. K., Doyle, K., Thakur, K. T., Roh, D., Park, S., Agarwal, S., et al. (2022) 'Disorders of Consciousness in Hospitalized Patients with COVID-19: The Role of the Systemic Inflammatory Response Syndrome', *Neurocritical Care*. Springer US, 36(1), pp. 89–96. doi: 10.1007/s12028-021-01256-7.
- Burhan, E., Susanto, A., Nasution, S., Ginanjar, E., Pitoyo, C., 2022. Pedoman Tatalaksana Covid-19 Edisi 4
- Chen, Lan, Chen, Lijun, Zheng, H., Wu, S. and Wang, S. (2021) 'The association of blood urea nitrogen levels upon emergency admission with mortality in acute exacerbation of chronic obstructive pulmonary disease', *Chronic Respiratory Disease*, 18(365), pp. 1–8. doi: 10.1177/14799731211060051.
- Chen, Y., Zhang, K., Zhu, G., Liu, L., Yan, X., Cai, Z., et al. (2020) 'Clinical characteristics and treatment of critically ill patients with COVID-19 in Hebei', *Annals of Cardiothoracic Surgery*, 9(4), pp. 2118–2130. doi: 10.21037/apm-20-1273.
- Cheng, A., Hu, L., Wang, Y., Huang, L., Zhao, L., Zhang, C., Liu, X., Xu, R., Liu, F., Li, J., Ye, D., Wang, T., Lv, Y., Liu, Q., 2020. Diagnostic performance of initial blood urea nitrogen combined with D-dimer levels for predicting in-hospital mortality in COVID-19 patients. *Int J Antimicrob Agents* 56. <https://doi.org/10.1016/j.ijantimicag.2020.106110>
- Christanto, A., Listyoko, A. . and Putra, N. P. . (2022) 'Analysis of Comorbidity and Its Association with Disease Severity and Mortality Rate in Hospitalized COVID-19 Patients', *Jurnal Respirologi Indonesia*, 42(1), pp. 18-25.
- Desai, A., Gupta, R., Advani, S., Ouellette, L., Kuderer, N. M., Lyman, G. H., et al. (2021) 'Mortality in hospitalized patients with cancer and coronavirus disease 2019: A systematic review and meta-analysis of cohort studies', *Cancer*, 127(9), pp. 1459–1468. doi: 10.1002/cncr.33386.

- Dessie, Z.G., Zewotir, T., 2021. Mortality-related risk factors of COVID-19: a systematic review and meta-analysis of 42 studies and 423,117 patients. *BMC Infect Dis* 21. <https://doi.org/10.1186/s12879-021-06536-3>
- Djharuddin, I., Munawwarah, S., Nurulita, A., Ilyas, M., Tabri, N.A., Lihawa, N., 2021a. Comorbidities and mortality in COVID-19 patients. *Gac Sanit* 35, S530–S532. <https://doi.org/10.1016/j.gaceta.2021.10.085>
- Djharuddin, I., Munawwarah, S., Nurulita, A., Ilyas, M., Tabri, N.A., Lihawa, N., 2021b. Comorbidities and mortality in COVID-19 patients. *Gac Sanit* 35, S530–S532. <https://doi.org/10.1016/j.gaceta.2021.10.085>
- Dundar, Z.D., Kucukceran, K., Ayranci, M.K., 2021a. Blood urea nitrogen to albumin ratio is a predictor of in-hospital mortality in older emergency department patients. *American Journal of Emergency Medicine* 46, 349–354. <https://doi.org/10.1016/j.ajem.2020.10.008>
- Fadini, G.P., Morieri, M.L., Longato, E., Avogaro, A., 2020. Prevalence and impact of diabetes among people infected with SARS-CoV-2. *J Endocrinol Invest*. <https://doi.org/10.1007/s40618-020-01236-2>
- Feng, D. Y., Zhou, Y. Q., Zou, X. L., Zhou, M., Yang, H. L., Chen, X. X., et al. (2019) ‘Elevated Blood Urea Nitrogen-to-Serum Albumin Ratio as a Factor That Negatively Affects the Mortality of Patients with Hospital-Acquired Pneumonia’, *Canadian Journal of Infectious Diseases and Medical Microbiology*, 1(1), pp. 1–6. doi: 10.1155/2019/1547405.
- Florez-Perdomo, W. A., Serrato-Vargas, S. A., Bosque-Varela, P., Moscote-Salazar, L. R., Joaquim, A. F., Agrawal, A., et al. (2020) ‘Relationship between the history of cerebrovascular disease and mortality in COVID-19 patients: A systematic review and meta-analysis’, *Clinical Neurology and Neurosurgery*, 197(June), pp. 1–5. doi: 10.1016/j.clineuro.2020.106183.
- Gao, C., Cai, Y., Zhang, K., Zhou, L., Zhang, Y., Zhang, X., et al. (2020) ‘Association of hypertension and antihypertensive treatment with COVID-19 mortality: a retrospective observational study’, *European Heart Journal*, 41(22), pp. 2058–2066. doi: 10.1093/eurheartj/ehaa433.
- García-Suárez, J., De La Cruz, J., Cedillo, Á., Llamas, P., Duarte, R., Jiménez-Yuste, V., et al. (2020) ‘Impact of hematologic malignancy and type of cancer therapy on COVID-19 severity and mortality: Lessons from a large population-based registry study’, *Journal of Hematology and Oncology*, 13(1), pp. 1–12. doi: 10.1186/s13045-020-00970-7.
- Gattinoni, L., Gattarello, S., Steinberg, I., Busana, M., Palermo, P., Lazzari, S., et al. (2021) ‘COVID-19 pneumonia: Pathophysiology and management’, *European Respiratory Review*, 30(162), pp. 1–13. doi: 10.1183/16000617.0138-2021.

- Giri, B., Pandey, S., Shrestha, R., Pokharel, K., Ligler, F. S. and Neupane, B. B. (2021) 'Review of analytical performance of COVID-19 detection methods', *Analytical and Bioanalytical Chemistry*. Analytical and Bioanalytical Chemistry, 413(1), pp. 35–48. doi: 10.1007/s00216-020-02889-x.
- Han, T., Cheng, T., Liao, Y., Tang, S., Liu, B., He, Y., et al. (2022) 'Analysis of the Value of the Blood Urea Nitrogen to Albumin Ratio as a Predictor of Mortality in Patients with Sepsis', *Journal of Inflammation Research*, 15, pp. 1227–1235. doi: 10.2147/JIR.S356893.
- Hansrivijit, P., Qian, C., Boonpheng, B., Thongprayoon, C., Vallabhajosyula, S., Cheungpasitporn, W., et al. (2020) 'Incidence of acute kidney injury and its association with mortality in patients with COVID-19: A meta-analysis', *Journal of Investigative Medicine*, 68(7), pp. 1261–1270. doi: 10.1136/jim-2020-001407.
- Hartantri, Y., Debora, J., Widyatmoko, L., Giwangkancana, G., Suryadinata, H., Susandi, E., et al. (2023) 'Clinical and treatment factors associated with the mortality of COVID-19 patients admitted to a referral hospital in Indonesia', *The Lancet Regional Health - Southeast Asia*. The Author(s), 11(38), p. 100167. doi: 10.1016/j.lansea.2023.100167.
- Helmy, Y.A., Fawzy, M., Elaswad, A., Sobieh, A., Kenney, S.P., Shehata, A.A., 2020. The COVID-19 pandemic: A comprehensive review of taxonomy, genetics, epidemiology, diagnosis, treatment, and control. *J Clin Med* 9. <https://doi.org/10.3390/jcm9041225>
- Hirsch, J.S., Ng, Jia H., Ross, D.W., Sharma, P., Shah, H.H., Barnett, R.L., Hazzan, A.D., Fishbane, S., Jhaveri, K.D., Abate, M., Andrade, H.P., Bellucci, A., Bhaskaran, M.C., Corona, A.G., Chang, B.F., Finger, M., Gitman, M., Halinski, C., Hasan, S., Hong, S., Khanin, Y., Kuan, A., Madireddy, V., Malieckal, D., Muzib, A., Nair, G., Nair, V. V., Parikh, R., Sakhiya, V., Sachdeva, M., Schwarz, R., Singhal, P.C., Uppal, N.N., Wanchoo, R., Bessy Suyin Flores Chang, Ng, Jia Hwei, 2020. Acute kidney injury in patients hospitalized with COVID-19. *Kidney Int* 98, 209–218. <https://doi.org/10.1016/j.kint.2020.05.006>
- Horiuchi, Y., Aoki, J., Tanabe, K., Nakao, K., Ozaki, Y., Kimura, K., et al. (2018) 'A high level of blood urea nitrogen is a significant predictor for in-hospital mortality in patients with acute myocardial infarction', *International Heart Journal*, 59(2), pp. 263–271. doi: 10.1536/ihj.17-009.
- Hou, H., Li, Y., Zhang, P., Wu, J., Shi, L., Xu, J., et al. (2021) 'Smoking Is Independently Associated With an Increased Risk for COVID-19 Mortality: A Systematic Review and Meta-analysis Based on Adjusted Effect Estimates', *Nicotine and Tobacco Research*, 23(11), pp. 1947–1951. doi: 10.1093/ntr/ntab112.
- Hu, B., Huang, S. and Yin, L. (2021) 'The cytokine storm and COVID-19', *Journal of Medical Virology*, 93(1), pp. 250–256. doi: 10.1002/jmv.26232.

- Huang, D., Yang, H., Yu, H., Wang, T., Chen, Z., Liang, Z., *et al.* (2021) 'Blood urea nitrogen to serum albumin ratio (BAR) predicts critical illness in patients with coronavirus disease 2019 (COVID-19)', *International Journal of General Medicine*, 14(June), pp. 4711–4721. doi: 10.2147/IJGM.S326204.
- Iglesias, J., Abernethy, V.E., Wang, Z., Lieberthal, W., Koh, Jason S, Levine, J.S., Iglesias, V.E., Abernethy, Z., Wang, W., Lieberthal, J.S., Koh, Jerrold S, 1999. Albumin is a major serum survival factor for renal tubular cells and macrophages through scavenging of ROS.
- Jayawardena, R., Jeyakumar, D. T., Misra, A., Hills, A. P. and Ranasinghe, P. (2020) 'Obesity: A potential risk factor for infection and mortality in the current COVID-19 epidemic', *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*. Elsevier Ltd, 14(6), pp. 2199–2203. doi: 10.1016/j.dsx.2020.11.001.
- Kaeley, N., Singh, S., Mahala, P., Choudhary, S. and Singh, U. P. (2023) 'Predictive Value of Blood Urea Nitrogen / Albumin Ratio in Mortality in Moderate to Severe COVID- 19 Patients: A Retrospective Observational Analysis Descriptive statistics', 15(11), pp. 11–17. doi: 10.7759/cureus.48416.
- Karanasos, A., Aznaouridis, K., Latsios, G., Synetos, A., Plitaria, S., Tousoulis, D., Toutouzas, K., Toutouzas, K.P., n.d. Impact of smoking status on disease severity and mortality of hospitalized patients with COVID-19 infection: a systematic review and meta-analysis. <https://doi.org/10.1093/ntr/ntaa107/5860451>
- Kementerian Kesehatan RI, 2023. <https://infeksiemerging.kemkes.go.id/dashboard/covid-19> [WWW Document].
- Küçükceran, K., Ayrancı, M.K., Girişgin, A.S., Koçak, S., Dünder, Z.D., 2021. The role of the BUN/albumin ratio in predicting mortality in COVID-19 patients in the emergency department. *American Journal of Emergency Medicine* 48, 33–37. <https://doi.org/10.1016/j.ajem.2021.03.090>
- Küçükceran, K., Kür, M., Sad, A., Koçak, S. and Dünder, Z. D. (2021) 'The role of the BUN/albumin ratio in predicting mortality in COVID-19 patients in the emergency department', *American Journal of Emergency Medicine*, 48(2021), pp. 33–37.
- Lippi, G., Wong, J. and Henry, B. M. (2020) 'Hypertension in patients with coronavirus disease 2019 (COVID-19): A pooled analysis', *Polish Archives of Internal Medicine*, 130(4), pp. 304–309. doi: 10.20452/pamw.15272.
- Liu, Y.M., Xie, J., Chen, M.M., Zhang, Xiao, Cheng, X., Li, Haomiao, Zhou, F., Qin, J.J., Lei, F., Chen, Z., Lin, L., Yang, C., Mao, W., Chen, G., Lu, H., Xia, X., Wang, D., Liao, X., Yang, J., Huang, X., Zhang, B.H., Yuan, Y., Cai, J., Zhang, X.J., Wang, Y., Zhang, Xin, She, Z.G., Li, Hongliang, 2021. Kidney Function Indicators Predict Adverse Outcomes of COVID-19. *Med* 2, 38-48.e2. <https://doi.org/10.1016/j.medj.2020.09.001>

- Mandel, M., Harari, G., Gurevich, M. and Achiron, A. (2020) 'Cytokine prediction of mortality in COVID19 patients', *Cytokine*. Elsevier, 134(July), p. 155190. doi: 10.1016/j.cyto.2020.155190.
- Metersky, M.L., Waterer, G., Nsa, W., Bratzler, D.W., 2012. Predictors of in-hospital vs postdischarge mortality in pneumonia. *Chest* 142, 476–481. <https://doi.org/10.1378/chest.11-2393>
- Meza, D., Khuder, B., Bailey, J. I., Rosenberg, S. R., Kalhan, R. and Reyfman, P. A. (2021) 'Mortality from covid-19 in patients with copd: A us study in the n3c data enclave', *International Journal of COPD*, 16, pp. 2323–2326. doi: 10.2147/COPD.S318000.
- Monaghan, T. F., Rahman, S. N., Agudelo, C. W., Wein, A. J., Lazar, J. M., Everaert, K., *et al.* (2021) 'Foundational statistical principles in medical research: Sensitivity, specificity, positive predictive value, and negative predictive value', *Medicina (Lithuania)*, 57(5), pp. 0–6. doi: 10.3390/medicina57050503.
- Mortazavi, S. M., Jalali, M., Bagheri, R., Fard, F. R., Radfar, A. and Nematollahi, S. (2023) 'Factors Affecting the Length of Hospital Stay in COVID-19 Patients : A Retrospective Study in Bam City , Iran', 12(1), pp. 1–8.
- Naimi, A., Yashmi, I., Jebeleh, R., Imani Mofrad, M., Azimian Abhar, S., Jannesar, Y., *et al.* (2022) 'Comorbidities and mortality rate in COVID-19 patients with hematological malignancies: A systematic review and meta-analysis', *Journal of Clinical Laboratory Analysis*, 36(5), pp. 1–22. doi: 10.1002/jcla.24387.
- Nimkar, A., Naaraayan, A., Hasan, A., Pant, S., Durdevic, M., Suarez, C. N., *et al.* (2020) 'Incidence and Risk Factors for Acute Kidney Injury and Its Effect on Mortality in Patients Hospitalized From COVID-19', *Mayo Clinic Proceedings: Innovations, Quality & Outcomes*. Mayo Foundation for Medical Education and Research, 4(6), pp. 687–695. doi: 10.1016/j.mayocpiqo.2020.07.003.
- Ognibene, A., Lorubbio, M., Magliocca, P., Tripodo, E., Vaggelli, G., Iannelli, G., *et al.* (2020) 'Elevated monocyte distribution width in COVID-19 patients: The contribution of the novel sepsis indicator', *Clinica Chimica Acta*, 509(April), pp. 22–24. doi: 10.1016/j.cca.2020.06.002.
- Okşul, M., Bilge, Taştan, E., Işık, F., İNci, Akin, H., *et al.* (2023) 'Evaluation of the effect of bun/albumin ratio on in-hospital mortality in hypertensive COVID-19 patients', *European Review for Medical and Pharmacological Sciences*, 27(5), pp. 2127–2131. doi: 10.26355/eurrev\_202303\_31584.
- Paek, J. H., Kim, Y., Park, W. Y., Jin, K., Hyun, M., Lee, J. Y., *et al.* (2020) 'Severe acute kidney injury in COVID-19 patients is associated with in-hospital mortality', *PLoS ONE*, 15(12 December), pp. 1–12. doi: 10.1371/journal.pone.0243528.



- Parohan, M., Yaghoubi, S., Seraji, A., Javanbakht, M. H., Sarraf, P. and Djalali, M. (2021) 'Risk factors for mortality in patients with Coronavirus disease 2019 (COVID-19) infection: a systematic review and meta-analysis of observational studies', *Aging Male*. Taylor & Francis, 23(5), pp. 1416–1424. doi: 10.1080/13685538.2020.1774748.
- Poly, T. N., Islam, M. M., Yang, H. C., Lin, M. C., Jian, W. S., Hsu, M. H., et al. (2021) 'Obesity and Mortality Among Patients Diagnosed With COVID-19: A Systematic Review and Meta-Analysis', *Frontiers in Medicine*, 8(February), pp. 1–11. doi: 10.3389/fmed.2021.620044.
- Pranata, R., Huang, I., Lim, M. A., Wahjoepramono, E. J. and July, J. (2020) 'Impact of cerebrovascular and cardiovascular diseases on mortality and severity of COVID-19—systematic review, meta-analysis, and meta-regression', *Journal of Stroke and Cerebrovascular Diseases*. Elsevier Inc., 29(8), p. 104949. doi: 10.1016/j.jstrokecerebrovasdis.2020.104949.
- Rauf, A., Abu-Izneid, T., Olatunde, A., Khalil, A.A., Alhumaydhi, F.A., Tufail, T., Shariati, M.A., Rebezov, M., Almarhoon, Z.M., Mabkhot, Y.N., Alsayari, A., Rengasamy, K.R.R., 2020. COVID-19 pandemic: Epidemiology, etiology, conventional and non-conventional therapies. *Int J Environ Res Public Health*. <https://doi.org/10.3390/ijerph17218155>
- Rodrigues, H. C. N., Silva, M. L., Mantovani, M. dos S., Silva, J. M. da, Domingues, M. F. P., Tanni, S. É., et al. (2023) 'Higher urea-to-albumin ratio is associated with mortality risk in critically ill COVID-19 patients', *Clinical Nutrition ESPEN*, 56, pp. 9–12. doi: 10.1016/j.clnesp.2023.04.017.
- Ryu, S., Oh, S. kwang, Cho, S.U., You, Y., Park, J.S., Min, J.H., Jeong, W., Cho, Y. chul, Ahn, H.J., Kang, C., 2021. Utility of the blood urea nitrogen to serum albumin ratio as a prognostic factor of mortality in aspiration pneumonia patients. *American Journal of Emergency Medicine* 43, 175–179. <https://doi.org/10.1016/j.ajem.2020.02.045>
- Saylik, F., Akbulut, T., Kaya, S., 2021. Can C-Reactive Protein to Albumin Ratio Predict In-Hospital Death Rate Due to COVID-19 in Patients With Hypertension? *Angiology* 72, 947–952. <https://doi.org/10.1177/00033197211012145>
- Scully, E.P., Haverfield, J., Ursin, R.L., Tannenbaum, C., Klein, S.L., 2020. Considering how biological sex impacts immune responses and COVID-19 outcomes. *Nat Rev Immunol* 20, 442–447. <https://doi.org/10.1038/s41577-020-0348-8>
- Singh, R., Rathore, S. S., Khan, H., Karale, S., Chawla, Y., Iqbal, K., et al. (2022) 'Association of Obesity With COVID-19 Severity and Mortality: An Updated Systemic Review, Meta-Analysis, and Meta-Regression', *Frontiers in Endocrinology*, 13(June), pp. 1–18. doi: 10.3389/fendo.2022.780872.

- Singh, S. and Singh, K. (2022) 'Blood Urea Nitrogen/Albumin Ratio and Mortality Risk in Patients with COVID-19', *Indian Journal of Critical Care Medicine*, 26(5), pp. 624–629. doi: 10.5005/jp-journals-10071-24150.
- Smarz-Widelska, I., Grywalska, E., Morawska, I., Forma, A., Michalski, A., Mertowski, S., Hryniewicz, R., Niedźwiedzka-Rystwej, P., Korona-Glowniak, I., Parczewski, M., Załuska, W., 2021. Pathophysiology and clinical manifestations of covid-19-related acute kidney injury—the current state of knowledge and future perspectives. *Int J Mol Sci*. <https://doi.org/10.3390/ijms22137082>
- Soeters, P.B., Wolfe, R.R., Shenkin, A., 2019. Hypoalbuminemia: Pathogenesis and Clinical Significance. *Journal of Parenteral and Enteral Nutrition*. <https://doi.org/10.1002/jpen.1451>
- Soni, M., Gopalakrishnan, R., Vaishya, R. and Prabu, P. (2020) 'D-dimer level is a useful predictor for mortality in patients with COVID-19: Analysis of 483 cases', *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*. Elsevier Ltd, 14(6), pp. 2245–2249. doi: 10.1016/j.dsx.2020.11.007.
- Stokes, E. K., Zambrano, L. D., Anderson, K. N., Marder, E. P., Raz, K. M., El Burai Felix, S., *et al.* (2020) 'Coronavirus Disease 2019 Case Surveillance — United States, January 22–May 30, 2020', *MMWR. Morbidity and Mortality Weekly Report*, 69(24), pp. 759–765. doi: 10.15585/mmwr.mm6924e2.
- Tahamtan, A. and Ardebili, A. (2020) 'Real-time RT-PCR in COVID-19 detection: issues affecting the results', *Expert Review of Molecular Diagnostics*. Taylor & Francis, 20(5), pp. 453–454. doi: 10.1080/14737159.2020.1757437.
- Toppen, W., Yan, P., Markovic, D., Shover, C. M., Buhr, R. G., Fulcher, J. A., *et al.* (2022) 'Chronic Obstructive Pulmonary Disease is Not Associated with In-Hospital Mortality in COVID-19: An Observational Cohort Analysis', *International Journal of COPD*, 17(December), pp. 3111–3121. doi: 10.2147/COPD.S386463.
- Violi, F., Cangemi, R., Romiti, G.F., Ceccarelli, G., Oliva, A., Alessandri, F., Pirro, M., Pignatelli, P., Lichtner, M., Carraro, A., Cipollone, F., D'Ardes, D., Pugliese, F., Mastroianni, C.M., 2021. Is Albumin Predictor of Mortality in COVID-19? *Antioxid Redox Signal* 35, 139–142. <https://doi.org/10.1089/ars.2020.8142>
- Wiedermann, C.J., Wiedermann, W., Joannidis, M., 2010. Hypoalbuminemia and acute kidney injury: A meta-analysis of observational clinical studies. *Intensive Care Med*. <https://doi.org/10.1007/s00134-010-1928-z>
- Wiersinga, W. J., Rhodes, A., Cheng, A. C., Peacock, S. J. and Prescott, H. C. (2020) 'Pathophysiology, Transmission, Diagnosis, and Treatment of Coronavirus Disease 2019 (COVID-19): A Review', *JAMA - Journal of the American Medical Association*, 324(8), pp. 782–793. doi: 10.1001/jama.2020.12839.



- Wu, Y.C., Chen, C.S., Chan, Y.J., 2020. The outbreak of COVID-19: An overview. *Journal of the Chinese Medical Association*. <https://doi.org/10.1097/JCMA.0000000000000270>
- Wu, S., Xue, L., Legido-Quigley, H., Khan, M., Wu, H., Peng, X., *et al.* (2020) 'Understanding factors influencing the length of hospital stay among non-severe COVID-19 patients: A retrospective cohort study in a Fangcang shelter hospital', *PLoS ONE*, 15(10 October), pp. 1–14. doi: 10.1371/journal.pone.0240959.
- Xiong, W., Lu, L., Zhang, B., Luo, J., Li, W., He, L., *et al.* (2021) 'Association of consciousness impairment and mortality in people with COVID-19', *Acta Neurologica Scandinavica*, 144(3), pp. 251–259. doi: 10.1111/ane.13471.
- Yao, Y., Cao, J., Wang, Q., Shi, Q., Liu, K., Luo, Z., *et al.* (2020) 'D-dimer as a biomarker for disease severity and mortality in COVID-19 patients: A case control study', *Journal of Intensive Care*. *Journal of Intensive Care*, 8(1), pp. 1–11. doi: 10.1186/s40560-020-00466-z.
- Ye, L., Shi, H., Wang, X., Duan, Q., Ge, P. and Shao, Y. (2022) 'Elevated Blood Urea Nitrogen to Serum Albumin Ratio Is an Adverse Prognostic Predictor for Patients Undergoing Cardiac Surgery', *Frontiers in Cardiovascular Medicine*, 9(May). doi: 10.3389/fcvm.2022.888736.
- Yu, J. N., Wu, B. B., Yang, J., Lei, X. L. and Shen, W. Q. (2021) 'Cardio-Cerebrovascular Disease is Associated With Severity and Mortality of COVID-19: A Systematic Review and Meta-Analysis', *Biological Research for Nursing*, 23(2), pp. 258–269. doi: 10.1177/1099800420951984.
- Yuki, K., Fujiogi, M. and Koutsogiannaki, S. (2020) 'COVID-19 pathophysiology: A review', *Clinical Immunology*. doi: 10.1016/j.clim.2020.108427.
- Zhang, L., Yan, X., Fan, Q., Liu, H., Liu, X., Liu, Z., *et al.* (2020) 'D-dimer levels on admission to predict in-hospital mortality in patients with Covid-19', *Journal of Thrombosis and Haemostasis*, 18(6), pp. 1324–1329. doi: 10.1111/jth.14859.
- Zhao, L., Bao, J., Shang, Y., Zhang, Y., Yin, L., Yu, Y., *et al.* (2021) 'The prognostic value of serum albumin levels and respiratory rate for community-acquired pneumonia: A prospective, multi-center study', *PLoS ONE*, 16(3 March), pp. 1–12. doi: 10.1371/journal.pone.0248002.
- Zhu, N., Zhang, D., Wang, W., Li, X., Yang, B., Song, J., Zhao, X., Huang, B., Shi, W., Lu, R., Niu, P., Zhan, F., Ma, X., Wang, D., Xu, W., Wu, G., Gao, G.F., Tan, W., 2020. A Novel Coronavirus from Patients with Pneumonia in China, 2019. *New England Journal of Medicine* 382, 727–733. <https://doi.org/10.1056/nejmoa2001017>

Zkan, A., zshivri, K., n, A. and zdemir, S. (2023) 'Can the Blood Urea Nitrogen to Serum Albumin Ratio Predict a Prolonged Hospital Stay in Patients with Acute Cholecystitis?', *Annals of Medical Research*, 30(8), p. 1. doi: 10.5455/annalsmedres.2023.06.132.