

## DAFTAR PUSTAKA

- Ahmed, E. M. (2015). Hydrogel: Preparation, characterization, and applications: A review. *Journal of Advanced Research*, 6(2), 105–121. <https://doi.org/10.1016/j.jare.2013.07.006>
- Altaf, F., Niazi, M. B. K., Jahan, Z., Ahmad, T., Akram, M. A., safdar, A., Butt, M. S., Noor, T., & Sher, F. (2021). Synthesis and Characterization of PVA/Starch Hydrogel Membranes Incorporating Essential Oils Aimed to be Used in Wound Dressing Applications. *Journal of Polymers and the Environment*, 29(1), 156–174. <https://doi.org/10.1007/s10924-020-01866-w>
- Alves, H. R., de Almeida, P. C. C., Grillo, V. A., Smaniotto, P., Santos, D. V., & Ferreira, M. C. (2009). Clinical experiences of using a cellulose dressing on burns and donor site wounds. *Journal of Wound Care*, 18(1), 27–30. <https://doi.org/10.12968/jowc.2009.18.1.32142>
- Aprianita, A., Vasiljevic, T., Bannikova, A., & Kasapis, S. (2014). Physicochemical properties of wheat-canna and wheat-konjac composite flours. *Journal of Food Science and Technology*, 51(9), 1784–1794. <https://doi.org/10.1007/s13197-012-0696-x>
- Arun, S., Kumar, K. A. A., & Sreekala, M. S. (2012). Fully biodegradable potato starch composites: Effect of macro and nano fiber reinforcement on mechanical, thermal and water-sorption characteristics. *International Journal of Plastics Technology*, 16(1), 50–66. <https://doi.org/10.1007/s12588-012-9026-4>
- Athawale, V. D., & Lele, V. (2001). *Recent Trends in Hydrogels Based on Starch-graft-Acrylic Acid : A Review*. 53, 7–13.
- Avérous, L. (2004). Biodegradable multiphase systems based on plasticized starch: A review. *Journal of Macromolecular Science - Polymer Reviews*, 44(3), 231–274. <https://doi.org/10.1081/MC-200029326>
- Awoyale, W., Sanni, L. O., Shittu, T. A., & Adegunwa, M. O. (2015). Effect of varieties on the functional and pasting properties of biofortified cassava root starches. *Journal of Food Measurement and Characterization*, 9(2), 225–232. <https://doi.org/10.1007/s11694-015-9227-6>
- Ayello, E. A., & Cuddigan, J. E. (2004). Conquer chronic wounds with wound bed preparation. *Nurse Practitioner*, 29(3), 8–25. <https://doi.org/10.1097/00006205-200403000-00002>
- Badan Pengawas Obat dan Makanan. (2012). *Farmakope Indonesia Edisi V*.
- Badan Standarisasi Nasional. (2006). *Standar Mutu Tapioka (SNI 01-3451-1994)*.
- Bainbridge, P. (2013). Wound healing and the role of fibroblasts. *J. Wound Care*, 22, 407–408.
- Balai Besar Teknologi Pati (BPPT). (2017). *Laporan Kegiatan Kerekayasaan Tahun 2017*.

Balai Besar Teknologi Pati (BPPT). (2020). *Pre Feasibility Study Pati Pregelatinasi Parsial sebagai Bahan Baku Industri Farmasi Kapasitas 1 ton/hari*.

Balakrishnan, P., Sreekala, M. S., Geethamma, V. G., Kalarikkal, N., Kokol, V., Volova, T., & Thomas, S. (2019). Physicochemical, mechanical, barrier and antibacterial properties of starch nanocomposites crosslinked with pre-oxidised sucrose. *Industrial Crops and Products*, 130, 398–408. <https://doi.org/10.1016/j.indcrop.2019.01.007>

Barleany, D. R., Jayanudin, Nasihin, Widiawati, M., Yulvianti, M., Sari, D. K., & Gunawan, A. (2023). Hydrogel Preparation from Shrimp Shell-Based Chitosan: The Degree of Crosslinking and Swelling Study. *ASEAN Journal of Chemical Engineering*, 23(1), 28–39. <https://doi.org/10.22146/ajche.73716>

Bemiller, J. N. (1997). Starch modification: challenges and prospects. *Starch-Stärke*, 49(4), 127–131. <http://dx.doi.org/10.1016/j.carbpol.2017.02.013><http://dx.doi.org/10.1016/j.carbpol.2015.09.047><https://doi.org/10.1016/j.carres.2018.01.009><http://dx.doi.org/10.1016/j.carbpol.2012.07.041><http://dx.doi.org/10.1016/j.carbpol.2015.11.041><https://doi.org/10.1016/j.carbpol.2017.02.013>

Bertolini, A. C. (2010). *Starches : Characterization, Properties, and Applications* (A. C. B. P. (ed.)). CRC Press Taylor & Francis Group.

Bindzi, J. M., Guiama, V. D., & Ndjouenkeu, R. (2014). Combined Smoking and Drying Kinetics of Retted Cassava Pulp and Effects on the Physicochemical and Pasting Properties of the Extracted Starch. *Food and Bioprocess Technology*, 7(9), 2749–2758. <https://doi.org/10.1007/s11947-014-1354-2>

Boetje, L., Lan, X., van Dijken, J., Woortman, A. J. J., Popken, T., Polhuis, M., & Loos, K. (2023). Starch ester film properties: The role of the casting temperature and starch its molecular weight and amylose content. *Carbohydrate Polymers*, 316(May), 121043. <https://doi.org/10.1016/j.carbpol.2023.121043>

Bolton, L. L., Monte, K., & Pirone, L. A. (2000). Moisture and healing: beyond the jargon. *Ostomy/Wound Management*, 46, 1–6.

Campos, M. G. N., Mei, L. H. I., & Santos, A. R. (2015). Sorbitol-plasticized and neutralized chitosan membranes as skin substitutes. *Materials Research*, 18(4), 781–790. <https://doi.org/10.1590/1516-1439.025015>

Canisag, H. (2015). *Bio-Crosslinking of Starch Films with Oxidized Sucrose*. University of Nebraska.

Carl Hosene, R. (1984). Chemical changes in carbohydrates produced by thermal processing. *Journal of Chemical Education*, 61(4), 308–312. <https://doi.org/10.1021/ed061p308>

Ch'ng, Y. S., Loh, Y. C., Tan, C. S., Ahmad, M., Asmawi, M. Z., Omar, W. M. W., & Yam, M. F. (2017). Vasorelaxant properties of vernonia amygdalina ethanol extract and its possible mechanism. *Pharmaceutical Biology*, 55(1), 2083–2094. <https://doi.org/10.1080/13880209.2017.1357735>

- Chen, B., Dang, L., Zhang, X., Fang, W., Hou, M., Liu, T., & Wang, Z. (2017). Physicochemical properties and micro-structural characteristics in starch from kudzu root as affected by cross-linking. *Food Chemistry*, 219, 93–101. <https://doi.org/10.1016/j.foodchem.2016.09.128>
- Chi, Y. (2019). The Influence of Citric Acid, Glycerol and pH on Crosslinking and Their Effects on the Morphology, Mechanical and Thermal Properties of Tapioca Starch Films. In *Foresight*. [http://rave.ohiolink.edu/etdc/view?acc\\_num=osu1563494987482215](http://rave.ohiolink.edu/etdc/view?acc_num=osu1563494987482215)
- Chowdary, K. P. R., Enturi, V., & Sandhya Rani, A. (2011). Preparation and evaluation of starch phosphate- A new modified starch as a disintegrant in tablet formulations. *International Journal of Chemical Sciences*, 9(2), 889–899.
- Clasen, S. H., Müller, C. M. O., Parize, A. L., & Pires, A. T. N. (2018). Synthesis and characterization of cassava starch with maleic acid derivatives by etherification reaction. *Carbohydrate Polymers*, 180(May 2017), 348–353. <https://doi.org/10.1016/j.carbpol.2017.10.016>
- Coradeghini, R., Gioria, S., García, C. P., Nativo, P., Franchini, F., Gilliland, D., Ponti, J., & Rossi, F. (2013). Size-dependent toxicity and cell interaction mechanisms of gold nanoparticles on mouse fibroblasts. *Toxicology Letters*, 217(3), 205–216. <https://doi.org/10.1016/j.toxlet.2012.11.022>
- Cui, T., Sun, Y., Wu, Y., Wang, J., Ding, Y., Cheng, J., & Guo, M. (2022). Mechanical, microstructural, and rheological characterization of gelatin-dialdehyde starch hydrogels constructed by dual dynamic crosslinking. *Lwt*, 161(March), 113374. <https://doi.org/10.1016/j.lwt.2022.113374>
- Dang, K. M., & Yoksan, R. (2015). Development of thermoplastic starch blown film by incorporating plasticized chitosan. *Carbohydrate Polymers*, 115, 575–581. <https://doi.org/10.1016/j.carbpol.2014.09.005>
- Das, A., Uppaluri, R., & Das, C. (2020). Compositional synergy of poly-vinyl alcohol, starch, glycerol and citric acid concentrations during wound dressing films fabrication. *International Journal of Biological Macromolecules*, 146, 70–79. <https://doi.org/10.1016/j.ijbiomac.2019.12.178>
- Deeyai, P., Suphantharika, M., Wongsagonsup, R., & Dangtip, S. (2013). Characterization of modified tapioca starch in atmospheric argon plasma under diverse humidity by FTIR spectroscopy. *Chinese Physics Letters*, 30(1), 018103. <https://doi.org/10.1088/0256-307X/30/1/018103>
- Delval, F., Crini, G., Bertini, S., Filiatre, C., & Torri, G. (2005). Preparation, characterization and sorption properties of crosslinked starch-based exchangers. *Carbohydrate Polymers*, 60(1), 67–75. <https://doi.org/10.1016/j.carbpol.2004.11.025>
- Dias, R. J., Polytechnic, G., & Ghorpade, V. (2018). Development of Vancomycin-Loaded Polysaccharide-Based Hydrogel Wound Dressings: In Vitro and In Vivo Evaluation. *Asian Journal of Pharmaceutics*, 12(2), 94–105. <https://doi.org/10.22377/ajp.v12i02.2321>

- Dreifke, M. B., Jayasuriya, A. A., & Jayasuriya, A. C. (2015a). Current wound healing procedures and potential care. *Materials Science and Engineering C*, 48, 651–662. <https://doi.org/10.1016/j.msec.2014.12.068>
- Dreifke, M. B., Jayasuriya, A. A., & Jayasuriya, A. C. (2015b). Current wound healing procedures and potential care. *Materials Science and Engineering C*, 48, 651–662. <https://doi.org/10.1016/j.msec.2014.12.068>
- Duquette, D., Nzediegwu, C., Portillo-Perez, G., Dumont, M. J., & Prasher, S. (2020). Eco-Friendly Synthesis of Hydrogels from Starch, Citric Acid, and Itaconic Acid: Swelling Capacity and Metal Chelation Properties. *Starch/Staerke*, 72(3–4), 1–8. <https://doi.org/10.1002/star.201900008>
- Ediman, R. (2018). *Pengaruh Penggunaan Hidrogel Pati Biji Alpukat (Persea americana Miller) Terhadap Karakteristik Sediaan Gel*. UIN Alauddin Makassar.
- El-Hag Ali, A., & AlArifi, A. (2009). Characterization and in vitro evaluation of starch based hydrogels as carriers for colon specific drug delivery systems. *Carbohydrate Polymers*, 78(4), 725–730. <https://doi.org/10.1016/j.carbpol.2009.06.009>
- El-Tahlawy, K., Venditti, R. A., & Pawlak, J. J. (2007). Aspects of the preparation of starch microcellular foam particles crosslinked with glutaraldehyde using a solvent exchange technique. *Carbohydrate Polymers*, 67(3), 319–331. <https://doi.org/10.1016/j.carbpol.2006.05.029>
- Eming, S. A., Martin, P., & Tomic-Canic, M. (2014). Wound repair and regeneration: Mechanisms, signaling, and translation Sabine. *Science Translational Medicine*, 6, 265–266. <https://doi.org/10.1126/scitranslmed.3009337.Wound>
- Enumo, A., Argenta, D. F., Bazzo, G. C., Caon, T., Stulzer, H. K., & Parize, A. L. (2020). Development of curcumin-loaded chitosan/pluronic membranes for wound healing applications. *International Journal of Biological Macromolecules*, 163, 167–179. <https://doi.org/10.1016/j.ijbiomac.2020.06.253>
- Everett, E., & Mathioudakis, N. (2018). Update on management of diabetic foot ulcers. *Annals of the New York Academy of Sciences*, 1411(1), 153–165. <https://doi.org/10.1111/nyas.13569>
- Feng, M., Hu, X., Yin, Y., Liang, Y., Niu, J., & Yao, J. (2022). Structural Analysis of Oxidized Sucrose and Its Application as a Crease-Resistant Crosslinking Agent. *Polymers*, 14(14). <https://doi.org/10.3390/polym14142842>
- Fessenden R.J., & Fessenden J.S. (1982). *Kimia Organik (Terj.: Aloysius Hadyana Pudjaatmaka)* (Erlangga (ed.); 3rd ed.).
- Freshney, R. I. (2005). *Cytotoxicity. In: Culture of Animal Cells: A Manual Basic Technique* (5th ed.). John Wiley & Sons.
- García-González, C. A., Alnaief, M., & Smirnova, I. (2011). Polysaccharide-based aerogels - Promising biodegradable carriers for drug delivery systems. *Carbohydrate Polymers*, 86(4), 1425–1438. <https://doi.org/10.1016/j.carbpol.2011.06.066>

- Gatti, A. M. (1994). Physical characterization of a new biomaterial for wound management. *Journal of Materials Science: Materials in Medicine*, 5, 190–193.
- Gebresas, G. A., Szabó, T., & Marossy, K. (2023). A comparative study of carboxylic acids on the cross-linking potential of corn starch films. *Journal of Molecular Structure*, 1277. <https://doi.org/10.1016/j.molstruc.2022.134886>
- Geethu, M., Chandrashekar, H. R., & Divyashree, M. S. (2021). Statistical optimisation of polyhydroxyalkanoate production in *Bacillus endophyticus* using sucrose as sole source of carbon. *Archives of Microbiology*, 203(10), 5993–6005. <https://doi.org/10.1007/s00203-021-02554-6>
- Ghanbarzadeh, B., Almasi, H., & Entezami, A. A. (2011). Improving the barrier and mechanical properties of corn starch-based edible films: Effect of citric acid and carboxymethyl cellulose. *Industrial Crops and Products*, 33(1), 229–235. <https://doi.org/10.1016/j.indcrop.2010.10.016>
- Giri, T. K., Thakur, A., Alexander, A., Ajazuddin, Badwaik, H., & Tripathi, D. K. (2012). Modified chitosan hydrogels as drug delivery and tissue engineering systems: Present status and applications. *Acta Pharmaceutica Sinica B*, 2(5), 439–449. <https://doi.org/10.1016/j.apsb.2012.07.004>
- Giridhar, G., Manepalli, R. K. N. R., & Apparao, G. (2017). Chapter 8 - Contact Angle Measurement Techniques for Nanomaterials. In *Thermal and Rheological Measurement Techniques for Nanomaterials Characterization*. Elsevier Inc. <https://doi.org/10.1016/B978-0-323-46139-9.00008-6>
- Global Advanced Wound Care Market - Analysis and Forecast. (2016). *Focus on Advanced Wound Care Dressings, NPWT Devices, HBOT Devices, Wound Care Biologics, Ultrasonic Devices, and Electromagnetic Devices*. <https://doi.org/10.1016/j.apsb.2012.07.004>
- Guilbert, S., Gontard, N., & Cuq, B. (1995). Technology and applications of edible protective films. *Packaging Technology and Science*, 8(6), 339–346. <https://doi.org/10.1002/pts.2770080607>
- Han, X., Chen, S., & Hu, X. (2009). Controlled-release fertilizer encapsulated by starch/polyvinyl alcohol coating. *Desalination*, 240(1–3), 21–26. <https://doi.org/10.1016/j.desal.2008.01.047>
- Hassan, A., Niazi, M. B. K., Hussain, A., Farrukh, S., & Ahmad, T. (2018). Development of Anti-bacterial PVA/Starch Based Hydrogel Membrane for Wound Dressing. *Journal of Polymers and the Environment*, 26(1), 235–243. <https://doi.org/10.1007/s10924-017-0944-2>
- Hebeish, A., Aly, A. A., El-Shafei, A., & Zaghloul, S. (2009). Synthesis and characterization of cationized starches for application in flocculation, finishing and sizing. *Egyptian Journal of Chemistry*, 52(1), 73–89.
- Heffen, W. L. (2010). *Induction of Apoptosis by Ziderone Isolated from Curcuma zedoaria (Berg) Roscoe*. University of Malaya.
- Hirashima, M., Takashi, R., & Nishinari, K. (2004). *Effects of Citric Acid on the Viscoelasticity of Cornstarch Pastes*. 2929–2933.



- Hodel, K. V. S., Machado, B. A. S., Sacramento, G. da C., de Oliveira Maciel, C. A., Oliveira-junior, G. S., Matos, B. N., Gelfuso, G. M., Nunes, S. B., Barbosa, J. D. V., & Godoy, A. L. P. C. (2022). Active Potential of Bacterial Cellulose-Based Wound Dressing: Analysis of Its Potential for Dermal Lesion Treatment. *Pharmaceutics*, 14(6). <https://doi.org/10.3390/pharmaceutics14061222>
- Holser, R. A. (2008). Thermal analysis of glycerol citrate/starch blends. *Journal of Applied Polymer Science*, 110, 1498–1501. <https://doi.org/10.1002/app>
- Hoover, R. (2007). *ACID-TREATED STARCHES*. 9129(2000). <https://doi.org/10.1081/FRI-100100292>
- Hosseini, M. S., & Nabid, M. R. (2020). Synthesis of chemically cross-linked hydrogel films based on basil seed (*Ocimum basilicum* L.) mucilage for wound dressing drug delivery applications. *International Journal of Biological Macromolecules*, 163, 336–347. <https://doi.org/10.1016/j.ijbiomac.2020.06.252>
- Ibrahim, M. M., Moustafa, H., El Rahman, E. N. A., Mehanny, S., Hemida, M. H., & El-Kashif, E. (2020). Reinforcement of starch based biodegradable composite using Nile rose residues. *Journal of Materials Research and Technology*, 9(3), 6160–6171. <https://doi.org/10.1016/j.jmrt.2020.04.018>
- Ilyasov, L. O., Shibaev, A. V., Panova, I. G., Kushchev, P. O., Philippova, O. E., & Yaroslavov, A. A. (2023). Relationship between swelling and mechanical properties of cross-linked polymers mixed with sand. *Mendeleev Communications*, 33(1), 80–82. <https://doi.org/10.1016/j.mencom.2023.01.025>
- Isah, S., Oshodi, A. A., & Atasie, V. N. (2017). Physicochemical properties of cross linked acha (*digitaria exilis*) starch with citric acid. *Chemistry International*, 3(2), 150–157.
- Ismail, H., Irani, M., & Ahmad, Z. (2013). *Starch-Based Hydrogels : Present Status and Applications International Journal of Polymeric Materials and Polymeric Biomaterials Starch-Based Hydrogels : Present Status and Applications*. June 2014. <https://doi.org/10.1080/00914037.2012.719141>
- Ismail, H., Irani, M., Ahmad, Z., Ismail, H., Irani, M., & Ahmad, Z. (2013). *Starch-Based Hydrogels : Present Status and Applications Starch-Based Hydrogels : Present Status and Applications*. 4037. <https://doi.org/10.1080/00914037.2012.719141>
- Jalaja, K., & James, N. R. (2015). Electrospun gelatin nanofibers: A facile cross-linking approach using oxidized sucrose. *International Journal of Biological Macromolecules*, 73(1), 270–278. <https://doi.org/10.1016/j.ijbiomac.2014.11.018>
- Jiugao, Y., Ning, W., & Xiaofei, M. (2005). The effects of citric acid on the properties of thermoplastic starch plasticized by glycerol. *Starch/Staerke*, 57(10), 494–504. <https://doi.org/10.1002/star.200500423>
- Kačuráková, M., & Wilson, R. H. (2001). Developments in mid-infrared FT-IR spectroscopy of selected carbohydrates. *Carbohydrate Polymers*, 44(4), 291–303. [https://doi.org/10.1016/S0144-8617\(00\)00245-9](https://doi.org/10.1016/S0144-8617(00)00245-9)

- Kalra, K. L., & Grewal, H. . (1995). Fungal production of citric acid. *Biotechnology Advances*, 13, 209–234.
- Kaltenbach, J. A., Zhang, J., & Finlayson, P. (2005). Tinnitus as a plastic phenomenon and its possible neural underpinnings in the dorsal cochlear nucleus. *Hearing Research*, 206(1–2), 200–226. <https://doi.org/10.1016/j.heares.2005.02.013>
- Kim, J. Y., Lee, Y. K., & Chang, Y. H. (2017). Structure and digestibility properties of resistant rice starch cross-linked with citric acid. *International Journal of Food Properties*, 20(00), 2166–2177. <https://doi.org/10.1080/10942912.2017.1368551>
- Kordestani, S. S. (2014). *Natural Biopolymers: Wound Care Applications*. 1–14. <https://doi.org/10.1081/E-EBPP-120049925>
- Korting, H. C., Schöllmann, C., & White, R. J. (2011). Management of minor acute cutaneous wounds: Importance of wound healing in a moist environment. *Journal of the European Academy of Dermatology and Venereology*, 25(2), 130–137. <https://doi.org/10.1111/j.1468-3083.2010.03775.x>
- Kulkarni, A. R., Soppimath, K. S., Aminabhavi, T. M., Dave, A. M., & Mehta, M. H. (1999). Urea-formaldehyde crosslinked starch and guar gum matrices for encapsulation of natural liquid pesticide [Azadirachta Indica a. Juss. (neem) seed oil]: swelling and release kinetics. *Journal of Applied Polymer Science*, 73(12), 2437–2446. [https://doi.org/10.1002/\(SICI\)1097-4628\(19990919\)73:12<2437::AID-APP12>3.0.CO;2-7](https://doi.org/10.1002/(SICI)1097-4628(19990919)73:12<2437::AID-APP12>3.0.CO;2-7)
- Kumirska, J., Czerwicka, M., Kaczyński, Z., Bychowska, A., Brzozowski, K., Thöming, J., & Stepnowski, P. (2010). Application of spectroscopic methods for structural analysis of chitin and chitosan. *Marine Drugs*, 8(5), 1567–1636. <https://doi.org/10.3390/md8051567>
- Kumoro, A. C., Amalia, R., Budiyati, C. S., Retnowati, D. S., & Ratnawati, R. (2015). Preparation and characterization of physicochemical properties of glacial acetic acid modified Gadung (*Diocorea hispida* Dennst) flours. *Journal of Food Science and Technology*, 52(10), 6615–6622. <https://doi.org/10.1007/s13197-015-1723-5>
- Lee, Y. K., & Chang, Y. H. (2019). Structural and in vitro digestibility properties of esterified maca starch with citric acid and its application as an oil-in-water (O/W) pickering emulsion stabilizer. *International Journal of Biological Macromolecules*, 134, 798–806. <https://doi.org/10.1016/j.ijbiomac.2019.05.081>
- Li, B. zheng, Wang, L. jun, Li, D., Chiu, Y. L., Zhang, Z. jie, Shi, J., Chen, X. D., & Mao, Z. huai. (2009). Physical properties and loading capacity of starch-based microparticles crosslinked with trisodium trimetaphosphate. *Journal of Food Engineering*, 92(3), 255–260. <https://doi.org/10.1016/j.jfoodeng.2008.10.008>
- Li, X., Weng, Y., Kong, X., Zhang, B., Li, M., Diao, K., Zhang, Z., Wang, X., & Chen, H. (2012). A covalently crosslinked polysaccharide hydrogel for potential applications in drug delivery and tissue engineering. *Journal of Materials Science: Materials in Medicine*, 23(12), 2857–2865. <https://doi.org/10.1007/s10856-012-4757-5>

- Li, Z., Yu, C., Kumar, H., He, X., Lu, Q., Bai, H., Kim, K., & Hu, J. (2022). The Effect of Crosslinking Degree of Hydrogels on Hydrogel Adhesion. *Gels*, 8(10). <https://doi.org/10.3390/gels8100682>
- Lidiasari, E., Syafutri, M. I., & Syaiful, F. (2006). Pengaruh Perbedaan Suhu Pengeringan Tepung Tapai Ubi Kayu Terhadap Mutu Fisik dan Kimia Yang Dihasilkan. *Jurnal Ilmu-Ilmu Pertanian Indonesia*, 8(2), 141–146.
- Lin, X., Zhao, X., Xu, C., Wang, L., & Xia, Y. (2022). Progress in the mechanical enhancement of hydrogels: Fabrication strategies and underlying mechanisms. *Journal of Polymer Science*, 60(17), 2525–2542. <https://doi.org/10.1002/pol.20220154>
- Lipatova, I. M., & Yusova, A. A. (2021). Effect of mechanical activation on starch crosslinking with citric acid. *International Journal of Biological Macromolecules*, 185(May), 688–695. <https://doi.org/10.1016/j.ijbiomac.2021.06.139>
- M.E. Villanueva, A.M.R. Diez, J.A. González, C.J. Pérez, M. Orrego, L.L. Piehl, S.A. Teves, G. J. C. (2016). Antimicrobial activity of starch hydrogel incorporated with copper nanoparticles. *ACS Appl. Mater. Interfaces*, 8(25), 16280–16288.
- Ma, T. H., & Harris, M. M. (1988). Review of the genotoxicity of formaldehyde. *Mutation Research/Reviews in Genetic Toxicology*, 196(1), 37–59. [https://doi.org/10.1016/0165-1110\(88\)90027-9](https://doi.org/10.1016/0165-1110(88)90027-9)
- Ma, X., Chang, P. R., Yu, J., & Stumborg, M. (2009). Properties of biodegradable citric acid-modified granular starch/thermoplastic pea starch composites. *Carbohydrate Polymers*, 75(1), 1–8. <https://doi.org/10.1016/j.carbpol.2008.05.020>
- Ma, X., Jian, R., Chang, P. R., & Yu, J. (2008). Fabrication and characterization of citric acid-modified starch nanoparticles/plasticized-starch composites. *Biomacromolecules*, 9(11), 3314–3320. <https://doi.org/10.1021/bm800987c>
- Maitra, J., & Shukla, V. K. (2014). Cross-linking in Hydrogels - A Review. *American Journal of Polymer Science*, 4(2), 25–31. <https://doi.org/10.5923/j.ajps.20140402.01>
- Marie Arockianathan, P., Sekar, S., Kumaran, B., & Sastry, T. P. (2012). Preparation, characterization and evaluation of biocomposite films containing chitosan and sago starch impregnated with silver nanoparticles. *International Journal of Biological Macromolecules*, 50(4), 939–946. <https://doi.org/10.1016/j.ijbiomac.2012.02.022>
- Marston, K., Khouryieh, H., & Aramouni, F. (2016). Effect of heat treatment of sorghum flour on the functional properties of gluten-free bread and cake LWT. *Food Science and Technology*, 65(2016), 637–644. <https://doi.org/10.1016/j.lwt.2015.08.063>
- Masood, N., Ahmed, R., Tariq, M., Ahmed, Z., Masoud, M. S., Ali, I., Asghar, R., Andleeb, A., & Hasan, A. (2019). Silver nanoparticle impregnated chitosan-PEG hydrogel enhances wound healing in diabetes induced rabbits. *International Journal of Pharmaceutics*, 559, 23–36. <https://doi.org/10.1016/j.ijpharm.2019.01.019>
- Menczel, J.D., Judovits, L., Prime, R.B., Bair, H.E., Reading, M. & Swier, S. (2008).



- Differential Scanning Calorimetry (DSC). In *Thermal Analysis of Polymers* (pp. 7–239). John Wiley & Sons, Ltd. <https://doi.org/10.3139/9781569906446.007>
- Mendoza, A. J. (2015). Tartaric Acid Cross-Linking of Starch: Effect of Reaction Conditions on the Maximum Tensile Strength of Cast Plastic Films. *Journal of Student Science and Technology*, 8(3), 41–47. <https://doi.org/10.13034/jsst.v8i3.67>
- Menzel, C., Olsson, E., Plivelic, T. S., Andersson, R., Johansson, C., Kuktaite, R., Järnström, L., & Koch, K. (2013). Molecular structure of citric acid cross-linked starch films. *Carbohydrate Polymers*, 96(1), 270–276. <https://doi.org/10.1016/j.carbpol.2013.03.044>
- Meriç, G., Dahl, J. E., & Ruyter, I. E. (2008). Cytotoxicity of silica-glass fiber reinforced composites. *Dental Materials*, 24(9), 1201–1206. <https://doi.org/10.1016/j.dental.2008.01.010>
- Meyer, B. N., Ferrigni, N. R., Putnam, J. E., Jacobsen, L. B., Nichols, D. E., & McLaughlin, J. L. (1982). Brine shrimp: A convenient general bioassay for active plant constituents. *Planta Medica*, 45(1), 31–34. <https://doi.org/10.1055/s-2007-971236>
- Mi, F. L., Shyu, S. S., Wu, Y. B., Lee, S. T., Shyong, J. Y., & Huang, R. N. (2001). Fabrication and characterization of a sponge-like asymmetric chitosan membrane as a wound dressing. *Biomaterials*, 22(2), 165–173. [https://doi.org/10.1016/S0142-9612\(00\)00167-8](https://doi.org/10.1016/S0142-9612(00)00167-8)
- Milne, S. D., & Connolly, P. (2014). The influence of different dressings on the pH of the wound environment. *Journal of Wound Care*, 23(2), 53–57.
- Montgomery, D. C. (2013). *Design and Analysis of Experiments* (Eighth ed.). John Wiley & Sons, Inc.
- Morgado, P. I., Aguiar-Ricardo, A., & Correia, I. J. (2015). Asymmetric membranes as ideal wound dressings: An overview on production methods, structure, properties and performance relationship. *Journal of Membrane Science*, 490, 139–151. <https://doi.org/10.1016/j.memsci.2015.04.064>
- Ngoenkam, J., Faikruea, A., Yasothornsrikul, S., & Viyoch, J. (2010). Potential of an injectable chitosan/starch/ $\beta$ -glycerol phosphate hydrogel for sustaining normal chondrocyte function. *International Journal of Pharmaceutics*, 391(1–2), 115–124. <https://doi.org/10.1016/j.ijpharm.2010.02.028>
- Nikolić, L., Stojanović, T., Nikolić, V., Urošević, M., Ilić-Stojanović, S., Tačić, A., Gajić, I., Savić, V., & Zdravković, A. (2020). Synthesis and characterisation of hydrogels based on starch and citric acid. *Advanced Technologies*, 9(1), 50–57. <https://doi.org/10.5937/savteh2001050N>
- Niladri Roy, Nabanita Saha, Takeshi Kitano, P. S. (2010). Novel Hydrogels of PVP–CMC and Their Swelling Effect on Viscoelastic Properties Niladri. *Journal of Applied Polymer Science*, 117, 1703–1710. <https://doi.org/10.1002/app>
- Nurdjanah, S., Susilawati, S., Hasanudin, U., & Ayu Anitasari. (2020). Karakteristik

morfologi dan kimiawi beberapa varietas ubi kayu manis asal kecamatan palas, kabupaten lampung selatan berdasarkan umur panen yang berbeda. *Jurnal Agroteknologi*, 14(02).

- Odiongenyi AO, Essien NB, U. (2016). Corn starch as a substitute for commercial food starch; FTIR and Rheological Characterisation. *Journal of Scientific and Engineering Research*, 3(6)(May), 494–501.
- Olsson, E. (2013). University Studies | 2013:25 Chemical Engineering Faculty of Health. In *Science and Technology*.
- Pagliaro, M., & Michele, R. (2008). *The Future of glycerol: New uses of a versatile raw material. RSC Green Chemistry Book Series*. Chambridge: Royal Society of Chemistry.
- Pal, K., Banthia, A. K., & Majumdar, D. K. (2006a). *Starch Based Hydrogel with Potential Biomedical Application as Artificial Skin*. 9, 23–29.
- Pal, K., Banthia, A., & Majumdar, D. K. (2006b). *Preparation of transparent starch based hydrogel membrane with potential application as wound dressing Preparation of Transparent Starch Based Hydrogel Membrane with Potential*. July.
- Perez, F. M., Gatti, M. N., Santori, G. F., & Pompeo, F. (2023). *Transformations of Glycerol into High-Value-Added Chemical Products: Ketalization and Esterification Reactions*. 569–634.
- Polnaya, F. J., Breemer, R., Augustyn, G. H., & Tuhumury, H. C. D. (2015). Karakteristik sifat-sifat fisiko-kimia pati ubi jalar, ubi kayu, keladi, dan sagu. *Jurnal Ilmu Ternak Dan Tanaman*, 5(1), 1–42.
- Pomeranz, Y. (1991). *Functional properties of food components*. Academic press. Inc. <https://doi.org/10.1016/b978-0-12-561281-4.50002-5>
- Poudel, R., Dutta, N., & Karak, N. (2023). A mechanically robust biodegradable bioplastic of citric acid modified plasticized yam starch with anthocyanin as a fish spoilage auto-detecting smart film. *International Journal of Biological Macromolecules*, 242(P2), 125020. <https://doi.org/10.1016/j.ijbiomac.2023.125020>
- Prachayawarakorn, J., & Tamseekhram, J. (2019). *Chemical modification of biodegradable cassava starch films by natural mono -, di - and tri - carboxylic acids*. 41, 355–362.
- Putaux, J. L., Molina-Boisseau, S., Momaur, T., & Dufresne, A. (2003). Platelet nanocrystals resulting from the disruption of waxy maize starch granules by acid hydrolysis. *Biomacromolecules*, 4(5), 1198–1202. <https://doi.org/10.1021/bm0340422>
- R. Förch, H. Schönherr, A. T. A. J. (2009). Surface Design: Applications in Bioscience and Nanotechnology. In *Materials Today* (Vol. 12, Issues 7–8, p. 471). Wiley-VCH. [https://doi.org/10.1016/s1369-7021\(09\)70210-x](https://doi.org/10.1016/s1369-7021(09)70210-x)
- Rasheed Khan, A., Johnson, J. A., & Robinson, R. J. (1979). Degradation of starch

- polymers by microwave energy. In *Cereal Chemistry* (Vol. 56, Issue 4, pp. 303–304).
- Ravenelle, F., Marchessault, R. H., Légaré, A., & Buschmann, M. D. (2002). Mechanical properties and structure of swollen crosslinked high amylose starch tablets. *Carbohydrate Polymers*, 47(3), 259–266. [https://doi.org/10.1016/S0144-8617\(01\)00169-2](https://doi.org/10.1016/S0144-8617(01)00169-2)
- Reddy, N., & Yang, Y. (2010). Citric acid cross-linking of starch films. *Food Chemistry*, 118(3), 702–711. <https://doi.org/10.1016/j.foodchem.2009.05.050>
- Rhim, J. W., Gennadios, A., Weller, C. L., Carole Cezeirat, & Hanna, M. A. (1998). Soy protein isolate-dialdehyde starch films. *Industrial Crops and Products*, 8(3), 195–203. [https://doi.org/10.1016/S0926-6690\(98\)00003-X](https://doi.org/10.1016/S0926-6690(98)00003-X)
- Rico, M., Rodríguez-Llamazares, S., Barral, L., Bouza, R., & Montero, B. (2016). Processing and characterization of polyols plasticized-starch reinforced with microcrystalline cellulose. *Carbohydrate Polymers*, 149, 83–93. <https://doi.org/10.1016/j.carbpol.2016.04.087>
- Robin, J. P., Mercier, C., Charbonniere, R., & Guilbot, a. (1974). Lintnerized Starches. Gel Filtration and Enzymatic Studies of Insoluble Residues from Prolonged Acid Treatment of Potato Starch. In *Cereal Chem.* (Vol. 51, pp. 389–405). <http://www.aaccnet.org/publications/cc/backissues/1974/Documents/CC1974a47.html>
- Rodríguez, M., Osés, J., Ziani, K., & Maté, J. I. (2006). Combined effect of plasticizers and surfactants on the physical properties of starch based edible films. *Food Research International*, 39(8), 840–846. <https://doi.org/10.1016/j.foodres.2006.04.002>
- Roy, N., Saha, N., Kitano, T., & Saha, P. (2012). Biodegradation of PVP-CMC hydrogel film: A useful food packaging material. *Carbohydrate Polymers*, 89(2), 346–353. <https://doi.org/10.1016/j.carbpol.2012.03.008>
- Salehi, H., Mehrasa, M., Nasri-nasrabadi, B., Doostmohammadi, M., Seyedebrahimi, R., Davari, N., Rafienia, M., Hosseinabadi, M. E., Agheb, M., & Siavash, M. (2017). *Effects of nanozeolite / starch thermoplastic hydrogels on wound healing*. <https://doi.org/10.4103/jrms.JRMS>
- Sarikaya, M., & Güllü, A. (2014). Taguchi design and response surface methodology based analysis of machining parameters in CNC turning under MQL. *Journal of Cleaner Production*, 65, 604–616. <https://doi.org/10.1016/j.jclepro.2013.08.040>
- Seidel, C., Kulicke, W. M., Heß, C., Hartmann, B., Lechner, M. D., & Lazik, W. (2001). Influence of the cross-linking agent on the gel structure of starch derivatives. *Starch/Stärke*, 53(7), 305–310. [https://doi.org/10.1002/1521-379X\(200107\)53:7<305::AID-STAR305>3.0.CO;2-Z](https://doi.org/10.1002/1521-379X(200107)53:7<305::AID-STAR305>3.0.CO;2-Z)
- Seker, M., & Hanna, M. A. (2006). Sodium hydroxide and trimetaphosphate levels affect properties of starch extrudates. *Industrial Crops and Products*, 23(3), 249–255. <https://doi.org/10.1016/j.indcrop.2005.08.002>
- Seligra, P. G., Medina Jaramillo, C., Famá, L., & Goyanes, S. (2016). Biodegradable and

non-retrogradable eco-films based on starch-glycerol with citric acid as crosslinking agent. *Carbohydrate Polymers*, 138, 66–74.  
<https://doi.org/10.1016/j.carbpol.2015.11.041>

- Setiarto, R. H. B., Nunuk, W., & Saskiawan, I. (2017). Karakteristik amilografi tepung sorgum fermentasi dan aplikasinya pada produk cake. *Jurnal Dinamika Penelitian Industri*, 28(1), 10–19.
- Shang, Y., Ding, F., Xiao, L., Deng, H., Du, Y., & Shi, X. (2014). Chitin-based fast responsive pH sensitive microspheres for controlled drug release. *Carbohydrate Polymers*, 102(1), 413–418. <https://doi.org/10.1016/j.carbpol.2013.11.039>
- Shen, L., Xu, H., Kong, L., & Yang, Y. (2015). Non-Toxic Crosslinking of Starch Using Polycarboxylic Acids : Kinetic Study and Quantitative Correlation of Mechanical Properties and Crosslinking Degrees. *Journal of Polymers and the Environment*. <https://doi.org/10.1007/s10924-015-0738-3>
- Shi, R., Bi, J., Zhang, Z., Zhu, A., Chen, D., Zhou, X., Zhang, L., & Tian, W. (2008). The effect of citric acid on the structural properties and cytotoxicity of the polyvinyl alcohol/starch films when molding at high temperature. *Carbohydrate Polymers*, 74(4), 763–770. <https://doi.org/10.1016/j.carbpol.2008.04.045>
- Shi, R., Zhang, Z., Liu, Q., Han, Y., Zhang, L., Chen, D., & Tian, W. (2007). Characterization of citric acid/glycerol co-plasticized thermoplastic starch prepared by melt blending. *Carbohydrate Polymers*, 69(4), 748–755. <https://doi.org/10.1016/j.carbpol.2007.02.010>
- Shimojo, A. A. M., Pires, A. M. B., Lichy, R., Rodrigues, A. A., & Santana, M. H. A. (2015). The crosslinking degree controls the mechanical, rheological, and swelling properties of hyaluronic acid microparticles. *Journal of Biomedical Materials Research - Part A*, 103(2), 730–737. <https://doi.org/10.1002/jbm.a.35225>
- Simi, C. K., & Emilia Abraham, T. (2007). Hydrophobic grafted and cross-linked starch nanoparticles for drug delivery. *Bioprocess and Biosystems Engineering*, 30(3), 173–180. <https://doi.org/10.1007/s00449-007-0112-5>
- Soccol, C. R., Vandenberghe, L. P. S., Rodrigues, C., & Pandey, A. (2006). New perspectives for citric acid production and application. *Food Technology and Biotechnology*, 44, 141–149.
- Sothornvit, R., & Krochta, J. M. (2005). Plasticizers in edible films and coatings. In J.H. Han (Ed.), *Innovations in food packaging, food science and technology* (pp. 403–433). Academic Press. <https://doi.org/10.1016/B978-012311632-1/50055-3>
- Steiger, F. H. (1996). Surgical dressing. In *US Patent 3241553*. <https://doi.org/10.1145/178951.178972>
- Sudalai, A., Khenkin, A., & Neumann, R. (2014). Biomolecular Chemistry. *Organic & Biomolecular Chemistry*, 26, 1–52. <https://doi.org/10.1515/ci.2004.26.6.31>
- Susilawati, Nurdjanah, S., & Putri, S. (2008). Karakteristik sifat fisik dan kimia ubi kayu ( manihot esculenta ) berdasarkan lokasi penanaman dan umur panen berbeda. *Teknologi Industri Dan Hasil Pertanian*, 13(2), 59–72.

- Swinkels, J. (1985). Sources of starch, its chemistry and physics. In *van Beynum, GMA dan Roels (eds). Starch Conversion Technology*. Chapman and Hall.
- Tester, R. F., & Karkalas, J. (1996). Swelling and gelatinization of oat starches. *Cereal Chemistry*, 73(2), 271–277.
- Topman, G., Lin, F. H., & Gefen, A. (2012). The influence of ischemic factors on the migration rates of cell types involved in cutaneous and subcutaneous pressure ulcers. *Annals of Biomedical Engineering*, 40(9), 1929–1939. <https://doi.org/10.1007/s10439-012-0545-0>
- Torres, F. G., Commeaux, S., & Troncoso, O. P. (2013). Starch-based biomaterials for wound-dressing applications. *Starch/Staerke*, 65(7–8), 543–551. <https://doi.org/10.1002/star.201200259>
- Uliniuc, A., Claude, U., Lyon, B., Polymères, M., & Villeurbanne, U. M. R. (2013). Modified Starch-Based Hydrogels Cross-Linked with Citric Acid and their use as Drug Delivery Systems for Modified Starch-Based Hydrogels Cross-Linked with Citric Acid and their use as Drug Delivery Systems for Levofloxacin. *Soft Materials*, 11, 483–493. <https://doi.org/10.1080/1539445X.2012.710698>
- Ulyarti. (2013). Pengaruh amilosa dan amilopektin terhadap sifat pasta pati jagung. *Jurnal Sainmatika*, 7(1).
- Utomo, P., Nizado, N. M., & Saepudin, E. (2020). Crosslink modification of tapioca starch with citric acid as a functional food. *AIP Conference Proceedings*, 2242(June). <https://doi.org/10.1063/5.0010364>
- Valodkar, M., & Thakore, S. (2010). Isocyanate crosslinked reactive starch nanoparticles for thermo-responsive conducting applications. *Carbohydrate Research*, 345(16), 2354–2360. <https://doi.org/10.1016/j.carres.2010.08.008>
- Van Soest, J. J. G., & Vliegenthart, J. F. G. (1997). Crystallinity in starch plastics: Consequences for material properties. *Trends in Biotechnology*, 15(6), 208–213. [https://doi.org/10.1016/S0167-7799\(97\)01021-4](https://doi.org/10.1016/S0167-7799(97)01021-4)
- Wang, P., Sheng, F., Tang, S. W., Chen, L., Nawaz, A., Hu, C., & Xiong, H. (2018). Synthesis and Characterization of Corn Starch Crosslinked with Oxidized Sucrose. *Starch - Stärke*, 1800152, 1–8. <https://doi.org/10.1002/star.201800152>
- Wang, S., Xu, J., Wang, Q., Fan, X., Yu, Y., Wang, P., Zhang, Y., Yuan, J., & Cavaco-Paulo, A. (2017). Preparation and rheological properties of starch-g-poly(butyl acrylate) catalyzed by horseradish peroxidase. *Process Biochemistry*, 59, 104–110. <https://doi.org/10.1016/j.procbio.2017.01.014>
- White, R. J., Budarin, V. L., & Clark, J. H. (2008). Tuneable mesoporous materials from alpha-D-polysaccharides. *ChemSusChem*, 1(5), 408–411. <https://doi.org/10.1002/cssc.200800012>
- Wilson, R. H. (1959). Utilization and Toxicity of Dialdehyde- and Dicarboxyl-Starches. *Proceedings of the Society for Experimental Biology and Medicine*, 102(3), 735–737. <https://doi.org/10.3181/00379727-102-25380>
- Winger, M., Khouryieh, H., Aramouni, F., and Herald, T. J. (2014). Sorghum flour



Characterization and evaluation in gluten-free flour tortilla. *Journal of Food Quality*, 37, 95–106.

- Winkler, H., Vorwerg, W., & Rihm, R. (2014). Thermal and mechanical properties of fatty acid starch esters. *Carbohydrate Polymers*, 102(1), 941–949. <https://doi.org/10.1016/j.carbpol.2013.10.040>
- Wittaya-Areekul, S., & Prahsarn, C. (2006). Development and in vitro evaluation of chitosan-polysaccharides composite wound dressings. *International Journal of Pharmaceutics*, 313(1–2), 123–128. <https://doi.org/10.1016/j.ijpharm.2006.01.027>
- Wu, W. C., Hsiao, P. Y., & Huang, Y. C. (2019). Effects of amylose content on starch-chitosan composite film and its application as a wound dressing. *Journal of Polymer Research*, 26(6). <https://doi.org/10.1007/s10965-019-1770-0>
- Xie, X., & Liu, Q. (2004). Development and physicochemical characterization of new resistant citrate starch from different corn starches. *Starch/Staerke*, 56(8), 364–370. <https://doi.org/10.1002/star.200300261>
- Xie, X., Liu, Q., & Cui, S. W. (2006). Studies on the granular structure of resistant starches (type 4) from normal, high amylose and waxy corn starch citrates. *Food Research International*, 39(3), 332–341. <https://doi.org/10.1016/j.foodres.2005.08.004>
- Xu, H., Canisag, H., Mu, B., & Yang, Y. (2015). Robust and Flexible Films from 100% Starch Cross-Linked by Biobased Disaccharide Derivative. *ACS Sustainable Chem. Eng*, 3, 2631–2639.
- Xu, H., Liu, P., Mi, X., Xu, L., & Yang, Y. (2015). Potent and regularizable crosslinking of ultrafine fibrous protein scaffolds for tissue engineering using a cytocompatible disaccharide derivative. *Journal of Materials Chemistry B*, 3(17), 3609–3616. <https://doi.org/10.1039/c4tb02100b>
- Xu, R., Xia, H., He, W., Li, Z., Zhao, J., Liu, B., Wang, Y., Lei, Q., Kong, Y., Bai, Y., Yao, Z., Yan, R., Li, H., Zhan, R., Yang, S., Luo, G., & Wu, J. (2016). Controlled water vapor transmission rate promotes wound-healing via wound re-epithelialization and contraction enhancement. *Scientific Reports*, 6, 1–12. <https://doi.org/10.1038/srep24596>
- Xu, T., Zhong, Y., Chen, Q., Wu, L., Ji, S., Yang, B., Zhang, Y., Shen, J., & Lu, B. (2022). Modulating the digestibility of cassava starch by esterification with phenolic acids. *Food Hydrocolloids*, 127(December 2021), 107432. <https://doi.org/10.1016/j.foodhyd.2021.107432>
- Y. Yuan and T. R. Lee. (2013). Contact Angle and Wetting Properties in Surface Science Techniques. In *Springer Series in Surface Sciences* (Vol. 51, pp. 3–34). Springer. [https://doi.org/10.1007/978-3-642-34243-1\\_11](https://doi.org/10.1007/978-3-642-34243-1_11)
- Yao, S., Wang, B. J., & Weng, Y. M. (2022). Preparation and characterization of mung bean starch edible films using citric acid as cross-linking agent. *Food Packaging and Shelf Life*, 32(September 2021), 100845. <https://doi.org/10.1016/j.fpsl.2022.100845>

- Yin, Y., Li, J., Liu, Y., & Li, Z. (2005). Starch crosslinked with poly(vinyl alcohol) by boric acid. *Journal of Applied Polymer Science*, 96(4), 1394–1397. <https://doi.org/10.1002/app.21569>
- Zawani, M., & Fauzi, M. B. (2021). Injectable hydrogels for chronic skin wound management: A concise review. *Biomedicines*, 9(5). <https://doi.org/10.3390/biomedicines9050527>
- Zeberska, K., Buksa, K., Szumny, A., & Zie, T. (2016). *LWT - Food Science and Technology Analysis of molecular structure of starch citrate obtained by a.* 69, 334–341. <https://doi.org/10.1016/j.lwt.2016.01.066>
- Zeng, Q., & Zhu, J. (2022). Analysis of Adhesion at the Interface of Steamed Bread and Eggshell. *Molecules*, 27(23). <https://doi.org/10.3390/molecules27238179>
- Zhang, X.; Yang, Y.; Yao, J.; Shao, Z.; Chen, X. (2014). Strong Collagen Hydrogels by Oxidized Dextran Modification. *ACS Sustainable Chem. Eng*, 2(5), 1318–1324. [https://books.google.com.vn/books?hl=vi&lr=&id=HSnRp1m3DI4C&oi=fnd&pg=PA1&dq=xiphasia+setifer+morphology&ots=FzV5sKOfPQ&sig=SjTHQyHdWbkVwc-F5tmqPBdRoac&redir\\_esc=y#v=onepage&q=xiphasia+setifer&f=false](https://books.google.com.vn/books?hl=vi&lr=&id=HSnRp1m3DI4C&oi=fnd&pg=PA1&dq=xiphasia+setifer+morphology&ots=FzV5sKOfPQ&sig=SjTHQyHdWbkVwc-F5tmqPBdRoac&redir_esc=y#v=onepage&q=xiphasia+setifer&f=false)
- Zhang, S. D., Zhang, Y. R., Huang, H. X., Yan, B. Y., Zhang, X., & Tang, Y. (2010). Preparation and properties of starch oxalate half-ester with different degrees of substitution. *Journal of Polymer Research*, 17(1), 43–51. <https://doi.org/10.1007/s10965-009-9288-5>
- Zohuriaan-mehr, M. J., & Kabiri, K. (2008). Superabsorbent polymer materials: A Review. *Iranian Polymer Journal*, 17(6), 451–477. [www.SID.ir](http://www.SID.ir)