

DAFTAR PUSTAKA

- ACOG (2015). Levels of maternal care. American College of Obstetricians and Gynecologists. Obstetric Care Consensus No. 2. Obstet Gynecol, 125, 502-515.
- Adams, J.M. & Cory, S. (2007). The Bcl-2 apoptotic switch in cancer development and therapy. *Oncogene* 26: 1324-1337. *Oncogene*. 26. 1324-37. [10.1038/sj.onc.1210220](https://doi.org/10.1038/sj.onc.1210220).
- Adam et, al. (2013). Plasenta previa and pre- eclampsia: analyses of 1645 cases at Medani Maternity Hospital in Sudan. *Frontiersin*, 4(32), 1–4.
- Antonsson B 2001. Bax and other pro-apoptotic Bcl-2 family “killer-proteins” and their victim, the mitochondria, *Cell Tissue Res*, 306:347-361
- Abu Hashim, H., Shalaby, E.M., Hussien, M.H. and El Rakhawy, M. (2022), Diagnostic accuracy of the placenta accreta index for placenta accreta spectrum: A prospective study. *Int. J. Gynecol. Obstet.*, 156: 71-76. <https://doi.org/10.1002/ijgo.13610>
- Agarwal, S., Agarwal, A. and Chandak, S., 2021. Role of placenta accreta index in prediction of morbidly adherent placenta: A reliability study. *Ultrasound*, pp.1742271X2095974. doi: 10.1177/1742271x20959742
- Ariyana, M. et al. 2021. Bax expression of throphoblast cells did not differ between early and late onset Preeclampsia. *Indonesian Journal of Obstetrics and Gynecology* 9(3), pp. 126–129. doi: 10.32771/inajog. v9i3.1430
- Ashraf, U.M., Hall, D.L., Rawls, A.Z. dan Alexander, B.T. 2021. Epigenetic processes during preeclampsia and effects on fetal development and chronic health. *Clinical Science* 135(19), hal. 2307–2327.
- Baumfeld Y, Herskovitz R, Niv ZB, Mastrolia SA, Weintraub AY. Placenta associated pregnancy complications in pregnancies complicated with placenta previa. *Taiwan J Obstet Gynecol*. 2017 Jun;56(3):331-335. doi: 10.1016/j.tjog.2017.04.012. PMID: 28600043.

- Basu A and Haldar S 1998. The relationship between Bcl-2, Bax and p53: consequences for cell cycle progression and cell death, *Molecular Human Reproduction*, Vol. 4. No. 12 pp.1099-1109
- Bonnefoy-Berard N, Aouacheria A, Verschelde C, Quemeneur L, Marçais A, Marvel J. Control of proliferation by Bcl-2 family members. *Biochim Biophys Acta*. 2004 Mar 1;1644(2-3):159-68. doi: 10.1016/j.bbamcr.2003.10.014. PMID: 14996500.
- Burlacu A 2003. Regulation of Apoptosis by Bcl-2 family proteins (Review), *J.Cell.Mol.Med.*, Vol. 7, No.3, p 249- 257
- Belfort, M. A. (2010). Placenta accreta. *American Journal of Obstetrics and Gynecology*, 203(5), 430-439.
- Butler, E., Dashe, J. and Ramus, R., 2001. Association Between Maternal Serum Alpha-Fetoprotein and Adverse Outcomes in Pregnancies with Placenta Previa. *Obstetrics & Gynecology*, 97(1), pp.35-38.
- Cahill, A. G., Beigi, R., Heine, R. P., Silver, R. M., & Wax, J. R. (2018). Placenta accreta spectrum. *American Journal of Obstetrics and Gynecology*, 219(6), B2-B16.
- Chou, M., 2004. Prenatal Diagnosis and Perinatal Management of Placenta Previa Accreta: Past, Present and Future. *Taiwanese Journal of Obstetrics and Gynecology*, 43(2), pp.64-71.doi: 10.1016/s1028-4559(09)60058-9
- Chang NS 2001. A Potential Role of p53 and WOX1 in mitochondrial apoptosis (Review), *International Journal of Molecular Medicine*, 9:19-24
- Chen S, Pang D, Li Y, Zhou J, Liu Y, Yang S, Liang K, Yu B. Serum miRNA biomarker discovery for placenta accreta spectrum. *Placenta*. 2020 Nov; 101:215-220. doi: 10.1016/j.placenta.2020.09.068. Epub 2020 Sep 29. PMID: 33017714.
- Clark, S. L., Romero, R., Dildy, G. A., Callaghan, W. M., Smiley, R. M., Bracey, A. W., & Givens, M. (2018). Proposed diagnostic criteria for the case definition of amniotic fluid embolism in research studies. *American Journal of Obstetrics and Gynecology*, 217(4), 356-360.

- Cohen M, Wullemmin C, Irion O, Bischof P. Role of decidua in trophoblastic invasion. *Neuro Endocrinol Lett.* 2010;31(2):193-7. PMID: 20424580.
- Cory, S., & Adams, J. M. (2002). The Bcl2 family: regulators of the cellular life-or-death switch. *Nature Reviews Cancer*, 2(9), 647-656.
- C. Irving and A. T. Hertig, "A study of placenta accreta," *Surgery, Gynecology & Obstetrics*, vol. 38, no. 6, pp. 1088–1200, 1937.
- Colombel M, Symmans F, Gil S, O'Toole KM, Chopin D, Benson M, Olsson CA, Korsmeyer S, Buttyan R. Detection of the apoptosis-suppressing oncoprotein bcl-2 in hormone-refractory human prostate cancers. *Am J Pathol.* 1993 Aug;143(2):390-400. PMID: 7688182; PMCID: PMC1887010
- Dahlan, M.S. 2010. *Buku Besar sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*, Edisi 3. Jakarta: Penerbit Salemba Medika
- Dai Haiming, Wei X. Meng, Scott Kaufmann, 2016, BCL2 Family, Mitochondrial Apoptosis, and Beyond, *Cancer Transl Med CTM* doi: 10.4103/2395-3977.177558
- Dawood A, Hanif S, K. M. (2017). Association between plasenta previa and preeklampsia. *Journal of Rawalpindi Medical Collage*, 21(3), 219–221.
- D. Hanahan and R. A. Weinberg, "Hallmarks of cancer: the next generation," *Cell*, vol. 144, no. 5, pp. 646–674, 2011.
- De Falco, M., De Luca, L., Acanfora, F., Cavallotti, I., Cottone, G., Laforgia, V., dkk. 2001. Alteration of the Bcl-2: Bax ratio in the placenta as pregnancy proceeds. *Histochemical Journal* 33(7), hal. 421–425.
- Donovan M, Cotter TG. Control of mitochondrial integrity by Bcl-2 family members and caspase-independent cell death. *Biochim Biophys Acta.* 2004 Mar 1;1644(2-3):133-47. doi: 10.1016/j.bbamcr.2003.08.011. PMID: 14996498.
- El Gelany, S., Mosbeh, M., Ibrahim, E., Mohammed, M., Khalifa, E., Abdelhakium, A., Yousef, A., Hassan, H., Goma, K., Alghany, A., Mohammed, H., Azmy, A., Ali, W. and Abdelraheim, A., 2019. *Placenta Accreta Spectrum (PAS)*

disorders: incidence, risk factors and outcomes of different management strategies in a tertiary referral hospital in Minia, Egypt: a prospective study.

BMC Pregnancy and Childbirth, 19(1).

Elmore S, 2007, Apoptosis: a review of programmed cell death. Toxicol Pathol. 35(4):495-516.

Garmi, G. and Salim, R., 2012. Epidemiology, Etiology, Diagnosis, and Management of Placenta Accreta. Obstetrics and Gynecology International, 2012, pp.1-7.

Goh, W. and Zalud, I., 2015. Placenta accreta: diagnosis, management, and the molecular biology of the morbidly adherent placenta. The Journal of Maternal-Fetal & Neonatal Medicine, pp.1-6.

Gokalp-Ozkorkmaz, E.; Asir, F.; Basaran, S.O.; Agacayak, E.; Sahin, F.; Kaya, S.; Erdogan, G.; Deveci, E. Examination of Bcl-2 and Bax Protein Levels for Determining the Apoptotic Changes in Placentas with Gestational Diabetes and Preeclampsia. Proceedings 2018, 2, 1548. <https://doi.org/10.3390/proceedings2251548>

Gu Y, Meng J, Zuo C, Wang S, Li H, Zhao S, Huang T, Wang X, Yan J. Downregulation of MicroRNA-125a in Placenta Accreta Spectrum Disorders Contributes Antiapoptosis of Implantation Site Intermediate Trophoblasts by Targeting MCL1. Reprod Sci. 2019 Dec;26(12):1582-1589. doi: 10.1177/1933719119828040. Epub 2019 Feb 19. PMID: 30782086.

Hadiati, D.R. 2017. Perbedaan Ekspresi Protein Bcl-2 Family sebagai Regulator Aktivitas Caspase Trofoblas pada Kehamilan dengan Preeklamsia dibandingkan dengan Kehamilan Normotensi. Disertasi. Universitas Gadjah Mada. Yogyakarta.

Hadiati, D.R., Palupi, A., Hakimi, M. dan Haryana, S.M. 2018. Comparison of Bcl-xL protein expression in placental trophoblast cells between pregnancy complicated by severe preeclampsia and normotensive pregnancy. Journal of the Medical Sciences (Berkala Ilmu Kedokteran) 50(01), hal. 33–41.

Happe, Sarah & Yule, Casey & Spong, Catherine & Wells, Chet & Dashe, Jodi & Moschos, Elysia & Rac, Martha & McIntire, Donald & Twickler, Diane.

- (2020). Predicting Placenta Accreta Spectrum: Validation of the Placenta Accreta Index. *Journal of Ultrasound in Medicine*. 40. 10.1002/jum.15530.
- Helena C. Bartels, James D. Postle, Paul Downey, Donal J. Brennan, "Placenta Accreta Spectrum: A Review of Pathology, Molecular Biology, and Biomarkers", *Disease Markers*, vol. 2018, Article ID 1507674, 11 pages, 2018.
- Hemani, S., Mathur, A., Rajoria, L., Bansal, A. and Vyas, J., 2019. Role of Placenta Accreta Index in Patients with Placenta Previa with Previous Cesarean: A Prospective Study. *Journal of South Asian Federation of Obstetrics and Gynaecology*, 11(6), pp.363-367.
- Hemani, S., Tannous, R., & Osman, M. (2019). Placenta Accreta Spectrum: A Review of Pathology, Diagnosis, and Management. *Journal of Pregnancy*, 2019, 4105276.
- Hooker, D.J., Mobarok, M., Anderson, J.L., Rajasuriar, R., Gray, L.R., Ellett, A.M., 2012. A new way of measuring apoptosis by absolute quantitation of inter-nucleosomally fragmented genomic DNA. *Nucleic Acids Research* 40(15)
- Hu, R. et al. 2006. Altered Bcl-2 and Bax expression are associated with cultured first-trimester human cytotrophoblasts apoptosis induced by hypoxia. *Life Sciences* 79(4), pp. 351–355. DOI: 10.1016/j.lfs.2006.01.011.
- Huijun Liu, Xietong Wang, 2022. Effects of Abnormal Placental Location and Placenta Accreta Spectrum Disorder on the Risk of Hypertensive Disorders of Pregnancy *Clin. Exp. Obstet. Gynecol.* 2022; 49(7): 156 <https://doi.org/10.31083/j.ceog4907156>
- Jauniaux E, Alfirevic Z, Bhide AG, Belfort MA, Burton GJ, Collins SL, Dornan S, Jurkovic D, Kayem G, Kingdom J, Silver R, Sentilhes L on behalf of the Royal College of Obstetricians and Gynaecologists. Placenta Praevia and Placenta Accreta: Diagnosis and Management. Green-top Guideline No. 27a. *BJOG* 2018.

- Jauniaux, E., Collins, S., & Burton, G. J. (2018). Placenta accreta spectrum: pathophysiology and evidence-based anatomy for prenatal ultrasound imaging. *American Journal of Obstetrics and Gynecology*, 218(1), 75-87.
- Jung Jin Lim, ., Jin Il Lee, , Dong Hwan Kim, , Seung-Hun Song, Hyung Joon Kim, Woo Sik Lee, and Dong Ryul Lee, ; DNA fragmentation of human sperm can be detected by ligation-mediated real-time polymerase chain reaction; *Fertil Steril* 2013;100:1564–71. 2013 by American Society for Reproductive Medicine.
- Kasture, V., Kale, A., Randhir, K., Sundrani, D. dan Joshi, S. 2019. Effect of maternal omega-3 fatty acids and vitamin E supplementation on placental apoptotic markers in rat model of early and late onset preeclampsia. *Life Sciences* 239 (November), hal. 117038.
- Kasture, V., Sundrani, D., Randhir, K., Wagh, G. dan Joshi, S. 2021. Placental apoptotic markers are associated with placental morphometry. *Placenta* 115(March), hal. 1–11.
- Kasture, V. V., Sundrani, D.P. dan Joshi, S.R. 2018. Maternal one carbon metabolism through increased oxidative stress and disturbed angiogenesis can influence placental apoptosis in preeclampsia. *Life Sciences* 206(May), hal. 61–69.
- KILIÇCI, Ç. EKEN, M. K., İLHAN, G., ÇÖĞENDEZ, E., ŞANVERDİ, İ., KESKİN, M., ABİDE, Ç. Y., & KARATEKE, A. (2017). Evaluation of Risk Factors, Incidence, Perinatal and Maternal Outcome of Placenta Previa Cases with and without Placenta Accreta Spectrum, *Düzce Tıp Fakültesi Dergisi*. 19(3), 75–80.
- Kirsteen J. Campbell and Stephen W. G. Tait Targeting BCL-2 regulated apoptosis in cancer, Cancer Research UK Beatson Institute, and Institute of Cancer Sciences, University of Glasgow, Garscube Estate, Switchback Road, Glasgow, G61 1BD, UK, Open Biology.

- L. M. Ernst, R. L. Linn, L. Minturn, and E. S. Miller, "Placental pathologic associations with morbidly adherent placenta potential insights into pathogenesis," *Paediatric pathology society*, vol. 20, p. 5, 2017.
- L. Millar, N. Streiner, L. Webster et al., "Early placental insulin-like protein (INSL4 or EPIL) in placental and fetal membrane growth," *Biology of Reproduction*, vol. 73, no. 4, pp. 695–702, 2005.
- Li, R. et al. (2021) "Mir-21a inhibits decidual cell apoptosis by targeting Pcd4," *Genes & Diseases*, 8(2), pp. 171–180. Available at: <https://doi.org/10.1016/j.gendis.2019.09.013>.
- Lim, J.J., Lee, J. Il, Kim, D.H., dkk. 2013. DNA fragmentation of human sperm can be detected by ligation-mediated real-time polymerase chain reaction. *Fertility and Sterility* 100(6), hal. 1564-1571.e5. Tersedia pada: <http://dx.doi.org/10.1016/j.fertnstert.2013.08.017>.
- Liu X, Wang Y, Wu Y, Zeng J, Yuan X, Tong C, Qi H. What we know about placenta accreta spectrum (PAS). *Eur J Obstet Gynecol Reprod Biol*. 2021 Apr; 259:81-89. doi: 10.1016/j.ejogrb.2021.02.001. Epub 2021 Feb 6. PMID: 33601317.
- Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2^{-ΔΔCT} method. *Methods*, 25(4), 402-408.
- Long Y, Chen Y, Fu XQ, Yang F, Chen ZW, Mo GL, Lao DY, Li MJ. Research on the expression of MRNA-518b in the pathogenesis of placenta accreta. *Eur Rev Med Pharmacol Sci*. 2019 Jan;23(1):23-28. doi: 10.26355/eurrev_201901_16743. PMID: 30657542.
- Lopes, E., Feitosa, F., Brazil, A., de Castro, J., da Costa, J., Araujo Júnior, E., Peixoto, A. and Carvalho, F., 2018. Assessment of Sensitivity and Specificity of Ultrasound and Magnetic Resonance Imaging in the Diagnosis of Placenta Accreta. *Revista Brasileira de Ginecologia e Obstetrícia / RBGO Gynecology and Obstetrics*, 41(01), pp.017-023.

- Levy R, Steven D. Smith, Kala Chandler, Yoel Sadovsky, and D. Michael Nelson
Apoptosis in human cultured trophoblasts is enhanced by hypoxia and
diminished by epidermal growth factor 2000
<https://doi.org/10.1152/ajpcell.2000.278.5.C982>
- Meutia Sari, Liza.,2018. APOPTOSIS: Mekanisme Molekuler Kematian Sel.
Cakradonya Dental Journal. 10. 65-70. 10.24815/cdj. v10i2.11701.
- Mohammadpour-Gharehbagh, A., jahantigh, D., Eskandari, M., Sadegh, M.H.,
Nematollahi, M.H., Rezaei, M., dkk. 2019. Genetic and epigenetic analysis
of the BAX and BCL2 in the placenta of pregnant women complicated by
preeclampsia. Apoptosis 24(3–4), hal. 301–311.
- Ming Y, Zeng X, Zheng T, Luo Q, Zhang J, Zhang L. Epidemiology of placenta
accreta spectrum disorders in Chinese pregnant women: A multicenter
hospital-based study. Placenta. 2022 Aug; 126:133-139. doi:
10.1016/j.placenta.2022.06.009. Epub 2022 Jun 23. PMID: 35803127.
- Nolan, T., Hands, R. E., & Bustin, S. A. (2006). Quantification of mRNA using
real-time RT-PCR. Nature protocols, 1(3), 1559-1582.
- Vieira, MC, Rijken, MJ, Braun, T, et al. The relation between maternal obesity and
placenta accreta spectrum: A multinational database study. Acta Obstet
GynecolScand. 2021; 100(Suppl.1): 50–
57. <https://doi.org/10.1111/aogs.14075>
- Oltvai, Z. N., Milliman, C. L., & Korsmeyer, S. J. (1993). Bcl-2 heterodimerizes in
vivo with a conserved homolog, Bax, that accelerates programmed cell death.
Cell, 74(4), 609-619.
- Oztas, E., Ozler, S., Caglar, A. and Yucel, A., 2016. Analysis of first and second
1trimester maternal serum analytes for the prediction of morbidly adherent
placenta requiring hysterectomy. The Kaohsiung Journal of Medical
Sciences, 32(11), pp.579-585.
- Öztürk, H., Erkaya, S., Altınbaş, S., Karadağ, B., Tonyalı, N. and Özkan, D., 2014.
The role of unexplained high serum alpha-fetoprotein (AFP) and human
chorionic gonadotropin (hCG) levels in the second trimester to determine

- poor obstetric outcomes. *Journal of Turkish Society of Obstetrics and Gynecology*, 11(3), pp.142-147.
- Rumiyati, 2006, BCL-2- family proteins as target of anticancer drug, <https://academicjournal.yarsi.ac.id>.
- Salakou, S., Kardamakis, D., Tsamandas, A.C., Zolota, V., Apostolakis, E., Tzelepi, V., dkk. 2007. Increased bax/bcl-2 ratio up-regulates caspase-3 and increases apoptosis in the thymus of patients with Myasthenia gravis. *In Vivo* 21(1), hal. 123–132.
- Samosir SM, Irianti S, Tjahyadi D. Diagnostic tests of placenta accreta index score (PAIS) as supporting prenatal diagnosis and outcomes of neonatal in abnormally invasive placenta management at general hospital of Hasan Sadikin Bandung. *Int J Reprod Contracept Obstet Gynecol* 2017; 6:3765-9.
- Shazly, S. A., Hortu, I., Shih, J.-C., Melekoglu, R., Fan, S., Ahmed, F. U. A., Karaman, E., Fatkullin, I., Pinto, P. V., Irianti, S., Tochie, J. N., Abdelbadie, A. S., Ergenoglu, A. M., Yeniel, A. O., Sagol, S., Itil, I. M., Kang, J., Huang, K.-Y., Yilmaz, E., Liang, Y., Aziz, H., Akhter, T., Ambreen, A., Ateş, Ç., Karaman, Y., Khasanov, A., Larisa, F., Akhmadeev, N., Vatanina, A., Machado, A. P., Montenegro, N., Effendi, J. S., Suardi, D., Pramatiirta, A. Y., Aziz, M. A., Siddiq, A., Ofakem, I., Dohbit, J. S., Fahmy, M. S. & Anan, M. A. 2022. Prediction of clinical outcomes in women with placenta accreta spectrum using machine learning models: an international multicenter study. *The Journal of Maternal-Fetal & Neonatal Medicine*, 35, 6644-6653.
- Shrestha, K. S., Salmanian, B., Einerson, B. D., Carusi, D. A., Shainker, S. A., Nieto-Calvache, A. J., Shrivastava, V., Grace, M. R., Lyell, D. J., Khandelwal, M., Fitzgerald, G., Crosland, A., Hessami, K., Jessel, R. H., Fox, K. A., Silver, R. M., Shamshirsaz, A. & Subramaniam, A. 2023. The association of increasing maternal body mass index on placenta accreta spectrum disorders. *American Journal of Obstetrics & Gynecology*, 228, S674-S675.
- Silva, J. F., and R. Serakides. 2016. 'Intrauterine trophoblast migration: A comparative view of humans and rodents', *Cell Adh Migr*, 10: 88-110.

- Silver, R. M. (2015). Abnormal Placentation: Placenta Previa, Vasa Previa, and Placenta Accreta. *Obstetrics and Gynecology*, 126(3), 654-668.
- Silver, R. M., Fox, K. A., Barton, J. R., Abuhamad, A. Z., Simhan, H., Huls, C. K., ... & Grobman, W. A. (2015). Center of excellence for placenta accreta. *American journal of obstetrics and gynecology*, 212(5), 561-568.
- Sharma, Hanuman Prasad & Jain, Paras & Amit, Patnaik & Sinha, Anita. (2014). APOPTOSIS (PROGRAMMED CELL DEATH) -A REVIEW. *World Journal of Pharmaceutical Research*. 3. 1854-1872.
- Smith, S.C., Baker, P.N., Symonds, E.M. Placental apoptosis in normal human pregnancy. *AmJ.Obstet Gynecol*. 1997;177,57-65.
- Sorenson CM. Bcl-2 family members and disease. *Biochim Biophys Acta*. 2004 Mar 1;1644(2-3):169-77. doi: 10.1016/j.bbamcr.2003.08.010. PMID: 14996501.
- Sprick MR, Walczak H. The interplay between the Bcl-2 family and death receptor-mediated apoptosis. *Biochim Biophys Acta*. 2004 Mar 1;1644(2- 3):125-32. doi: 10.1016/j.bbamcr.2003.11.002. PMID: 14996497.
- Suardi, D., H. Toriq, R. R. Tuasikal, J. C. Mose, H. Susiarno, M. R. A. Sukarsa, A. Yantisetiasti, K. I. Mantilidewi, J. Kireina, B. S. Hernowo, and Y. M. Hidayat. 2023. 'Comparison of Extravillous Intermediate Trophoblast Invasion Depth and Distribution Pattern Between Placenta Accreta and Non-Accreta', *Med Sci Monit*, 29: e939125.
- Tanaka, K. and Mahomed, K., 2017. The Ten-Group Robson Classification: A Single Centre Approach Identifying Strategies to Optimise Seksio sesariaean Section Rates. *Obstetrics and Gynecology International*, 2017, pp.1-5.
- P. Tantbirojn, C.P. Crum, M.M. Parast, *Pathophysiology of Placenta Creta: The Role of Decidua and Extravillous Trophoblast, Placenta*, Volume 29, Issue 7, 2008, Pages 639-645, ISSN 0143-4004,
- Ray J, Jurisicova A, Caniggia I. IFPA Trophoblast Research Award Lecture: the dynamic role of Bcl-2 family members in trophoblast cell fate. *Placenta*. 2009 Mar;30 Suppl A: S96-100. doi: 10.1016/j.placenta.2008.11.008. Epub 2008 Dec 17. PMID: 19095301.

Vieira, Matias & Rijken, Marcus & Braun, Thorsten & Chantraine, Frederic & Morel, Olivier & Paping, Alexander & Stefanovic, Vedran & van beekhuizen, Heleen & Collins, Sally & (IS-PAS), the. (2021). The relation between maternal obesity and placenta accreta spectrum: A multinational database study. *Acta Obstetricia et Gynecologica Scandinavica*. 100. 50-57. 10.1111/aogs.14075.

Valentin N.V Roxana G B, Maternal and fetal outcome in placenta accreta spectrum (PAS) associated with placenta previa: a retrospective analysis from a tertiary center Romania., *Journal of Medicine and Life*. Vol: 14 Issue: 2021 DOI: 10.25122/jml-2021-0134

Wang, R., W. Liu, J. Zhao, L. Liu, S. Li, Y. Duan, and Y. Huo. 2023. 'Overexpressed LAMC2 promotes trophoblast over-invasion through the PI3K/Akt/MMP2/9 pathway in placenta accreta spectrum', *J Obstet Gynaecol Res*, 49: 548-59.

Wang, R., Zhao, J., Liu, C., Li, S., Liu, W. & Cao, Q. 2023. Decreased AGGF1 facilitates the progression of placenta accreta spectrum via mediating the P53 signaling pathway under the regulation of miR-1296-5p.

Wang, Z., Gerstein, M., & Snyder, M. (2009). RNA-Seq: a revolutionary tool for transcriptomics. *Nature Reviews Genetics*, 10(1), 57-63.

Warshak CR, Ramos GA, Eskander R, Benirschke K, Saenz CC, Kelly TF, Moore TR, Resnik R. Effect of predelivery diagnosis in 99 consecutive cases of placenta accreta. *Obstet Gynecol*. 2010 Jan;115

Wehrum, M. J., Buhimschi, I. A., Salafia, C., Thung, S., Bahtiyar, M. O., Werner, E. F., ... & Buhimschi, C. S. (2011). Accreta complicating complete placenta previa is characterized by reduced systemic levels of vascular endothelial growth factor and by epithelial-to-mesenchymal transition of the invasive trophoblast. *American Journal of Obstetrics and Gynecology*, 204(5), 411.e1-411.e11 (1):65-69. doi: 10.1097/AOG.0b013e3181c4f12a.

PMID: 20027036.

- Wright, J. D., Pri-Paz, S., Herzog, T. J., Shah, M., Bonanno, C., Lewin, S. N., ... & Gaddipati, S. (2011). Predictors of massive blood loss in women with placenta accreta. *American journal of obstetrics and gynecology*, 205(1), 38.e1-38. e6.
- Yan, X. J., Yu, H. J., Wang, X. L., Li, M., Zhang, Y., & Yang, X. (2010). A study on the expression of apoptotic molecules related to Fas/FasL and Bcl-2/Bax pathways in placentae from pregnancies complicated by HELLP syndrome. *Placenta*, 31(8), 705-711.
- Ying H, Lu Y, Dong Y-N, Wang D-F, 2016 Effect of Placenta Previa on Preeclampsia. *PLoS ONE* 11(1): e0146126. doi:10.1371/journal.pone.0146126.
- Yu, H.Y., Gumusoglu, S.B., Cantonwine, D.E. et al. Circulating microparticle proteins predict pregnancies complicated by placenta accreta spectrum. *Sci Rep* 12, 21922 (2022). <https://doi.org/10.1038/s41598-022-24869-0>
- Zhou J, Li J, Yan P, Ye YH, Peng W, Wang S, Wang XT. Maternal plasma levels of cell-free β -HCG mRNA as a prenatal diagnostic indicator of placenta accrete. *Placenta*. 2014 Sep;35(9):691-5. doi: 10.1016/j.placenta.2014.07.007. Epub 2014 Jul 17. PMID: 25063251.
- Zhang T, Wang S. Potential Serum Biomarkers in Prenatal Diagnosis of Placenta Accreta Spectrum. *Front Med (Lausanne)*. 2022 May 30; 9:860186. doi: 10.3389/fmed.2022.860186. PMID: 35712096; PMCID: PMC9196238.
- Zong WX, Lindsten T, Ross AJ, MacGregor GR, Thompson CB. BH3-only proteins that bind pro-survival Bcl-2 family members fail to induce apoptosis in the absence of Bax and Bak. *Genes Dev*. 2001 Jun 15;15(12):1481-6. doi: 10.1101/gad.897601. PMID: 11410528; PMCID: PMC312722.