

DAFTAR PUSTAKA

- Agustina, S. (2016) 'Potensi Likuefaksi dan Prediksi Penurunan Tanah Setelah Gempa di Kota Yogyakarta dan Kabupaten Bantul'.
- Arango-Serna, S. *et al.* (2023) 'New seismic monitoring center in South America to assess the liquefaction risk posed by subduction earthquakes', *Journal of Seismology*, 27(3), pp. 385–407. Available at: <https://doi.org/10.1007/s10950-023-10142-y>.
- Arintalofa, V., Yulianto, G. and Harmoko, U. (2020) 'Analisa Mikrotremor Menggunakan Metode HVSR untuk Mengetahui Karakteristik Bawah Permukaan Manifestasi Panas Bumi Diwak dan Derekan Berdasarkan Nilai Vp', *Jurnal Energi Baru dan Terbarukan*, 1(2), pp. 54–61. Available at: <https://doi.org/10.14710/jebt.2020.9276>.
- Azizi, F. (2000) *Applied-Analyses-in-Geotechnics-F-Azizi-pdf*. London: E&FN Spon.
- Badan Geologi (2019) 'ATLAS ZONA KERENTANAN LIKUEFAKSI INDONESIA EDISI PERTAMA 2019.pdf'. Bandung.
- Badan Pusat Statistik Jawa Tengah (2021) 'Pertumbuhan Ekonomi', *Economic Journal*, 10(32), pp. 114–122.
- Badan Standardisasi Nasional Indonesia (2016) 'Perencanaan Jembatan Terhadap Beban Gempa SNI 2833', pp. 1–70.
- Badan Standardisasi Nasional (2016) 'Pembebanan untuk Jembatan', *Badan Standardisasi Nasional*, pp. 1–63.
- Barianto, D.H., Aboud, E. and Setijadji, L.D. (2009) 'Structural analysis using landsat TM, gravity data, and paleontological data from tertiary rocks in yogyakarta, Indonesia', *Memoirs of the Faculty of Engineering, Kyushu University*, 69(2), pp. 65–77.
- Van Bemmelen, R.W. (1949) 'The Geology of Indonesia. General Geology of Indonesia and Adjacent Archipelagoes', *Government Printing Office, The Hague*, pp. 1–766.
- Boore, D.M., Atkinson, G.M. and NGA (2014) 'NGA-West2 Equations for Predicting Response Spectral Accelerations for Shallow Crustal Earthquakes', *Peer Report 2014-05*, (May), pp. 1057–1085.
- Boulanger, R.W. and Idriss, I.M. (2006) 'Liquefaction Susceptibility Criteria for Silts and Clays', *Journal of Geotechnical and Geoenvironmental Engineering*, 132(11), pp. 1413–1426. Available at: [https://doi.org/10.1061/\(asce\)1090-0241\(2006\)132:11\(1413\)](https://doi.org/10.1061/(asce)1090-0241(2006)132:11(1413)).
- Boulanger, R.W. and Idriss, I.M. (2014) 'CPT and SPT based liquefaction triggering procedures, Report UCD/CGM-10/2', *Center for Geotechnical Modeling*, (April), pp. 1–138.
- Brandenberg, S.J., Bellana, N. and Shantz, T. (2010) 'Shear wave velocity as function of standard penetration test resistance and vertical effective stress at California bridge sites', *Soil Dynamics and Earthquake Engineering*, 30(10), pp. 1026–1035. Available at: <https://doi.org/10.1016/j.soildyn.2010.04.014>.
- Bray, J.D. and Sancio, R.B. (2006) 'Assessment of the Liquefaction Susceptibility of Fine-Grained Soils', *Journal of Geotechnical and Geoenvironmental Engineering*, 132(9), pp. 1165–1177. Available at: [https://doi.org/10.1061/\(asce\)1090-0241\(2006\)132:9\(1165\)](https://doi.org/10.1061/(asce)1090-0241(2006)132:9(1165)).



- Campbell, K.W., Bozorgnia, Y. and NGA (2014) 'NGA-West2 Ground Motion Model for the Average Horizontal Components of NGA-West2 Ground Motion Model for the Average Horizontal Components of PGA , PGV , and 5 % Damped Linear Acceleration Response Spectra', (January 2015). Available at: <https://doi.org/10.1193/062913EQS175M>.
- Chatterjee, K., Choudhury, D. and Kumar, M. (2022) 'Influence of depth of liquefiable soil layer on dynamic response of pile group subjected to vertical load', *Bulletin of Earthquake Engineering*, 20(1), pp. 113–142. Available at: <https://doi.org/10.1007/s10518-021-01253-3>.
- Childs, C. (2004) 'Interpolating Surfaces in ArcGIS Spatial Analysts', *ESRI Education Services*, (July-September), pp. 32–35.
- Chiou, B.S.J., Youngs, R.R. and NGA (2014) 'Update of the Chiou and Youngs NGA model for the average horizontal component of peak ground motion and response spectra', *Earthquake Spectra*, 30(3), pp. 1117–1153. Available at: <https://doi.org/10.1193/072813EQS219M>.
- Choudhury, D. *et al.* (2014) 'Pile Foundations during Earthquakes in Liquefiable Soils – Theory to Practice', *15See*, pp. 327–342.
- Darendeli, M.B. (2001) *Development of A New Family of Normalized Modulus Reduction and Material Damping Curves*, Bell & Howell Information and Learning Company. The University of Texas at Austin.
- Day, R.W. (2010) *Foundation engineering handbook: design and construction with the 2009 international building code*.
- Direktorat jenderal Bina Marga (2021) *Panduan Praktis Perencanaan Teknik Jembatan No. 02/M/BM/2021*. Jakarta.
- Direktorat Jenderal Bina Marga (2022) 'Pedoman Bidang jalan dan Jembatan - Pembahasan Penyelenggaraan Keamanan Jembatan Khusus', (02).
- Djarwanti, N., I, R.H.D.H. and Arganata, O.F. (2015) 'Korelasi Daya Dukung Pondasi Tiang Bor dengan Metode Reese and O'Neill terhadap Metode Terzaghi and Peck Berdasarkan Hasil Uji SPT', *e-Jurnal MATRIKS TEKNIK SIPIL*, (September), pp. 775–781.
- Fansuri, M.H. *et al.* (2022) 'Effects of various factors on behaviors of piles and foundation soils due to seismic shaking', *Solid Earth Sciences*, 7(4), pp. 252–267. Available at: <https://doi.org/10.1016/j.sesci.2022.09.001>.
- Finn, W.D.L. and Fujita, N. (2004) 'Behavior of Piles in Liquefiable Soils During Earthquakes : Analysis and Design Issues', *Fifth International Conference on Case History in Geotechnical Engineering*, pp. 1–16.
- Gercek, H.Ã. (2007) 'Poisson ' s ratio values for rocks', *International Journal of Rock Mechanics and Mining Sciences* 44 (2007) 1 - 13, 44, pp. 1–13. Available at: <https://doi.org/10.1016/j.ijrmms.2006.04.011>.
- Ghani, S. and Kumari, S. (2021) 'Insight into the Effect of Fine Content on Liquefaction Behavior of Soil', *Geotechnical and Geological Engineering*, 39(1), pp. 1–12. Available at: <https://doi.org/10.1007/s10706-020-01491-3>.
- Gingery, J.R., Elgamal, A. and Bray, J.D. (2015) 'Response Spectra at Liquefaction Sites during

- Shallow Crustal Earthquakes', *Earthquake Spectra* (2015) 31 (4): 2325–2349. [Preprint], (<https://doi.org/10.1193/101813EQS272M>).
- Green, R.A. and Bommer, J.J. (2019) 'Discussion of What is the Smallest Earthquake Magnitude that Needs to be Considered in Assessing Liquefaction Hazard? by Roger M.W. Musson', *Earthquake Spectra*, 5. Available at: <https://doi.org/10.1193/071019EQS162A>.
- Groholski, D.R. *et al.* (2016) 'Simplified Model for Small-Strain Nonlinearity and Strength in 1D Seismic Site Response Analysis', *Journal of Geotechnical and Geoenvironmental Engineering*, 142(9). Available at: [https://doi.org/10.1061/\(asce\)gt.1943-5606.0001496](https://doi.org/10.1061/(asce)gt.1943-5606.0001496).
- Haerudin, N., Alami, F. and Rustadi (2019) *Mikroseismik, Mikrotremor dan Microearthquake dalam Ilmu Kebumihan*.
- Hardiyatmo, H.C. (2019) 'Mekanika Tanah 1'.
- Hardiyatmo, H.C. (2020) *Analisis dan Perancangan Fondasi II*. Edisi 5. Yogyakarta: Gadjah Mada University Press.
- Hardiyatmo, H.C. (2022) *Rekayasa Gempa untuk Analisis Struktur dan geoteknik*. Cetakan Pe. Yogyakarta: Gadjah Mada University Press.
- Hashash, Y.M.A. *et al.* (2020) *Deepsoil 7.0, User Manual*. Urbana, IL, Board of Trustees of University of Illinois at Urbana - Champaign.
- Hendrayana, H. (2011) *Peta Cekungan Airtanah Yogyakarta-Sleman*. Yogyakarta.
- Hendrayana, H. *et al.* (2021) 'Kajian Perubahan Muka Airtanah di Cekungan Airtanah Yogyakarta-Sleman', *Majalah Geografi Indonesia*, 35(1), pp. 30–44. Available at: <https://doi.org/10.22146/mgi.62396>.
- Husein, S. and Srijono (2010) 'Peta Geomorfologi Daerah Istimewa Yogyakarta', *Simposium Geologi Yogyakarta*, 2(March 2010), pp. 1–6. Available at: <https://doi.org/10.13140/RG.2.2.10627.50726>.
- Hutchings, S.J. and Mooney, W.D. (2021) 'The Seismicity of Indonesia and Tectonic Implications', *Geochemistry, Geophysics, Geosystems*, 22(9), pp. 1–42. Available at: <https://doi.org/10.1029/2021GC009812>.
- Idriss, I.M. and Boulanger, R.W. (2008) *Soil Liquefaction During Earthquakes, IEEE Industry Applications Magazine*. Edited by D. Becker. California: Engineering Research Institute (EERI). Available at: <https://doi.org/10.1109/MIA.2007.322261>.
- Ishihara, K. and Yoshimine, M. (1992) 'Evaluation of settlements in sand deposits following liquefaction during earthquakes', *Soils and Foundations*, 32(1), pp. 178–188. Available at: <https://doi.org/10.3208/sandf1972.32.173>.
- Islam, T. *et al.* (2012) 'Modeling of electrical resistivity and maximum dry density in soil compaction measurement'. Available at: <https://doi.org/10.1007/s12665-012-1573-7>.
- Iwasaki, T., Arakawa, T. and Tokida, K.I. (1984) 'Simplified procedures for assessing soil liquefaction during earthquakes', *International Journal of Soil Dynamics and Earthquake Engineering*, 3(1), pp. 49–58. Available at: [https://doi.org/10.1016/0261-7277\(84\)90027-5](https://doi.org/10.1016/0261-7277(84)90027-5).



- Jahri, A. *et al.* (2021) 'Nonlinear site response analysis approach to investigate the effect of pore water pressure on liquefaction in Palu', *IOP Conference Series: Earth and Environmental Science*, 871(1). Available at: <https://doi.org/10.1088/1755-1315/871/1/012053>.
- Jiaer, W.U. *et al.* (2004) 'Laboratory study of liquefaction triggering criteria. In 13th world conference on earthquake engineering', *In 13th World Conference on Earthquake Engineering*, (2580), p. 2580.
- Kahandawa, K.A.R.V.D. *et al.* (2018) 'Earthquake damage estimation systems: Literature review', *Procedia Engineering*, 212, pp. 622–628. Available at: <https://doi.org/10.1016/j.proeng.2018.01.080>.
- Kantor Perwakilan Bank Indoensia Daeran Istimewa Yogyakarta (2022) *Laporan Perekonomian Daerah Istimewa Yogyakarta Agustus 2022*. Yogyakarta.
- Kevin, P. and Muhrozi, M. (2023) 'The Preliminary Study of Liquefaction Susceptibility Map in the Yogyakarta-Bawen Toll Road Sections I and II, Indonesia', *Civil Engineering Dimension*, 25(1), pp. 29–36. Available at: <https://doi.org/10.9744/ced.25.1.29-36>.
- Kramer, S.L. (2008) *Evaluation of liquefaction potential*. Seattle Washington.
- Kramer, S.L. *et al.* (2015) 'Effects of liquefaction on ground surface motions', *Geotechnical, Geological and Earthquake Engineering*, 37, pp. 285–309. Available at: https://doi.org/10.1007/978-3-319-10786-8_11.
- Kumar, D.R., Samui, P. and Burman, A. (2022) 'Determination of Best Criteria for Evaluation of Liquefaction Potential of Soil', *Transportation Infrastructure Geotechnology*, pp. 1345–1364. Available at: <https://doi.org/10.1007/s40515-022-00268-w>.
- Kumar, R., Bhargava, K. and Choudhury, D. (2016) 'Estimation of Engineering Properties of Soils from Field SPT Using Random Number Generation', *INAE Letters*, 1(3–4), pp. 77–84. Available at: <https://doi.org/10.1007/s41403-016-0012-6>.
- Lambe, W.T. and Whitman, R. V. (1969) *Soil Mechanics, Soil Mechanics*. New York: John Wiley and Sons. Available at: <https://doi.org/10.1201/9781315137322-4>.
- Lukiantchuki, J.A., Bernardes, G.P. and Esquivel, E.R. (2017) 'Energy ratio (ER) for the standard penetration test based on measured field tests', *Soils and Rocks*, 40(2), pp. 77–91. Available at: <https://doi.org/10.28927/SR.402077>.
- Mallick, M., Mandal, K.K. and Sahu, R.B. (2022) 'Effects of axial loading on dynamic response of laterally loaded single piles in liquefiable layered soil of Kolkata city considering nonlinearity of soil', *SN Applied Sciences*, 4(11). Available at: <https://doi.org/10.1007/s42452-022-05184-9>.
- Mei, X. (2018) *Pore Pressure Generation and Liquefaction Nalysis Using Nonlinear, Effective Stress-Based Site Response Analysis*. Univeristy of Illinois at Urbana-Champaign.
- Mei, X., Olson, S.M. and Hashash, Y.M.A. (2017) 'Evaluation of a simplified soil constitutive model considering implied strength and pore-water pressure generation for one-dimensional (1d) seismic site response', *Canadian Geotechnical Journal*, 57(7), pp. 974–991. Available at: <https://doi.org/10.1139/cgj-2018-0893>.
- Mei, X., Olson, S.M. and Hashash, Y.M.A. (2018) 'Empirical porewater pressure generation model parameters in 1-D seismic site response analysis', *Soil Dynamics and Earthquake Engineering*, 114(March 2017), pp. 563–567. Available at:

- <https://doi.org/10.1016/j.soildyn.2018.07.011>.
- Meyerhoff, G.. (1956) 'Penetration Test and Bearing Capacity of Cohesionless Soil', *Journal of the Soil Mechanics and Foundations Division, American Society of Civil Engineers*, 82 No. SM-, pp. 1–19.
- Midas GTS NX (2023a) *Section 1, Manual Mida GTS NX*. Available at: <https://doi.org/10.4324/9781315010335-12>.
- Midas GTS NX (2023b) 'User Manual: Anaysis Method'. Available at: <https://doi.org/10.2307/j.ctt20q23fc.5>.
- MidasIT (2022) *FEA NX On-line Manual - Advanced Nonlinear and Detail Analysis System* -. Available at: https://manual.midasuser.com/en_common/feanx/340/FEA_NX/Mesh/Property,Coordinate,Function/Property/Section_Property.htm.
- Mulyawan, I.R. (2023) *Analisis Dinamik Tiang Bor Pada Tanah Terlikuefaksi Menggunakan Non-Linear Finite Element Method*. Universitas Gadjah Mada.
- Murjaya, J. *et al.* (2021) 'Earthquake risk assessment of the Opak and Merapi-Merbabu active faults to support mitigation program in Yogyakarta province and its vicinity', *IOP Conference Series: Earth and Environmental Science*, 851(1). Available at: <https://doi.org/10.1088/1755-1315/851/1/012001>.
- Nakamura, Y. (2008) 'ON THE H / V SPECTRUM'.
- Newhall, C.. *et al.* (2010) '10,000 Years of explosive eruptions of Merapi Volcano , Central Java: archaeological and modern implications Related papers', *Journal of Volcanology and Geothermal Research* 100 (2000) 9-50 PII: S0377-0273(00)00132-3 [Preprint], (2000 Elsevier Science B.V. All rights reserved).
- Newmark, N. and Hall, W. (1984) *Earthquake Spectra And Desing, Earthquake Spectra*.
- O'Neill, M.W. and Reese, L.C. (1989) 'New Design Method for Drilled Shaft From Common Soil and Rock Test', *Foundation Eng. Current Principles and Practices*, pp. 1026–1039.
- Palacky, G.J. (1987) 'Resistivity Characteristics of Geologic Targets', in *Electromagnetic Methods in Applied Geophysics, Vol 1, Theory, 1351* [Preprint].
- Partono, W. *et al.* (2021) 'Site soil classification interpretation based on standard penetration test and shear wave velocity data', *Journal of Engineering and Technological Sciences*, 53(2). Available at: <https://doi.org/10.5614/j.eng.technol.sci.2021.53.2.6>.
- Pawirodikromo, W. *et al.* (2020) 'Development of synthetic ground motion at a specific site in Yogyakarta town, Indonesia utilizing the PSHA Method', *E3S Web of Conferences*, 156. Available at: <https://doi.org/10.1051/e3sconf/202015602011>.
- Petalas, A. and Galavi, vahid (2013) 'UBC3D-PLM-REPORT.June2013 (1).pdf'.
- PT Cipta Strada kso (2021a) *Laporan Faktual Penyelidikan Tanah Tol Yogyakarta - Bawen*. Yogyakarta.
- PT Cipta Strada kso (2021b) *Laporan Faktual Survey Seismik Refraksi RTA Pembangunan Jalan Tol Yogyakarta - Bawen Vol. 2*.
- PT Cipta Strada kso (2021c) 'LAPORAN PERENCANAAN STRUKTUR ELEVATED SEKSI 1'.



- PT Geocipta Bangun Optima (2021) ‘Laporan Faktual Survey Geolistrik RTA Pembangunan Jalan Tol Yogyakarta - Bawen Vol 3’, 3.
- PT Jasamarga Jogja - Bawen (2021a) *Drillhole Record Tol Yogyakarta - Bawen Seksi 1 dan Seksi 6*.
- PT Jasamarga Jogja - Bawen (2021b) *Kajian Geologi Regional Pembangunan Jalan Tol Yogyakarta - Bawen KM 0+000 - 76+078*.
- PT Jasamarga Jogja - Bawen (2023) *Review ROW Plan Jalan Tol Yogyakarta - Bawen Seksi 1 Banyurejo - Yogyakarta STA 67+500 - STA 76+300.213*.
- PT Jasamarga Jogja - Bawen and PT Cipta Strada (2021) *Rencana Teknik Akhir (RTA) Jalan Tol Yogyakarta - Bawen Seksi 1 Banyurejo - Yogyakarta STA 67+500 - STA 76+300.213*.
- Pusat Studi Gempa Nasional (2017) *Peta Sumber dan Bahaya Gempa Indonesia Tahun 2017 (Map of Indonesia Earthquake Sources and Hazards in 2017)*, Pusat Penelitian dan Pengembangan Perumahan Pemukiman, Badan Penelitian dan Pengembangan Kementerian Pekerjaan Umum dan Perumahan Rakyat.
- Pusat Studi Gempa Nasional (2022) *Peta Deagregasi Bahaya Gempa Indonesia Untuk Perencanaan dan Evaluasi Infrastruktural Tahan Gempa*. Jakarta: Ministry of Public Works and Housing.
- Puspasari, R. (2022) ‘Pertumbuhan Ekonomi Triwulan II 2022 menguat signifikan di tengah ketidakpastian dan tren perlambatan global’, *Kementerian Keuangan*, pp. 1–3.
- Rahardjo, W., Sukandarrumidi and Rosidi, H.M.. (2012) ‘Geological Map of the Yogyakarta Sheet, Jawa’. Geological Survey of Indonesia, Ministry of Mines.
- Rahman, M.A. *et al.* (2020) ‘KAWASAN UNDERPASS YOGYAKARTA INTERNATIONAL AIRPORT’, *Jurnal Rekayasa Sipil (JRS-UNAND) Vol. 16 No.2, Juli 2020 Jurusan Teknik Sipil, Fakultas Teknik, Unand ISSN (Print) : 1858-2133 ISSN (online) : 2477-3484 <http://jrs.ft.unand.ac.id>*, 16(2), pp. 91–104.
- Redpath, B.B. (1973) *Seismic Refraction Exploration for Engineering Site Investigations*. Livermore, California.
- Reese, L.C., Cox, W.R. and Koop, F.D. (1974) ‘Field testing and analysis of laterally loaded piles in sand’, *Proceedings of the VI Annual Offshore Technology Conference, OTC-2080-M*, pp. 473–485. Available at: <https://doi.org/https://doi.org/10.4043/2080-MS>.
- Reese, L.C. and Wright, S.J. (1997) *Drilled Shaft Design and Construction Guidelines Manual Vol. One Construction of Drilled Shafts and Design for Axial Loading*. Washington, D.C.
- Reiter, L. (1991) ‘Earthquake Hazard Analysis: Issues and Insights’, *Columbia University Press* [Preprint], (September).
- Rocscience (2022) ‘Laterally Loaded Piles’.
- Rolia, E. and Sutjningsih, D. (2018) ‘Application of Geoelectric Method for Groundwater’, *Human-Dedicated Sustainable Product and Process Design: Materials, Resources, and Energy*, AIP Conf.
- Rollins, K.M. *et al.* (2005) ‘Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand’,

- Journal of Geotechnical and Geoenvironmental Engineering*, 131(January), pp. 115–125. Available at: [https://doi.org/10.1061/\(ASCE\)1090-0241\(2005\)131:1\(115\)CE](https://doi.org/10.1061/(ASCE)1090-0241(2005)131:1(115)CE).
- Rusydy, I. *et al.* (2020) ‘Shallow crustal earthquake models, damage, and loss predictions in Banda Aceh, Indonesia’, *Geoenvironmental Disasters*, 7(1). Available at: <https://doi.org/10.1186/s40677-020-0145-5>.
- Sarah, D. and Soebowo, E. (2013) ‘Liquefaction due to the 2006 Yogyakarta Earthquake: Field Occurrence and Geotechnical Analysis’, *Procedia Earth and Planetary Science*, 6, pp. 383–389. Available at: <https://doi.org/10.1016/j.proeps.2013.01.050>.
- Seed, R.. *et al.* (2003) *Recent Advances in Soil Liquefaction Engineering: a Unified and Consistent Framework*. California.
- Setiadi, W.P., Faris, F. and Setiawan, H. (2023) ‘Liquefaction Potential Hazard Assessment and its Effect on Toll Road Construction in Seyegan Subdistrict , Yogyakarta’, *International Conference of Disaster Management and Climate Change [Preprint]*, (June 2023).
- Sonmez, H. and Gokceoglu, C. (2005) ‘A liquefaction severity index suggested for engineering practice’, *Environmental Geology*, 48(1), pp. 81–91. Available at: <https://doi.org/10.1007/s00254-005-1263-9>.
- Sunardi, B. and Sulastri, S. (2015) ‘Deagregasi Bahaya Gempabumi untuk Daerah Istimewa Yogyakarta’, *Simposium Nasional Sains Geoinformasi IV 2015*, (November), pp. 187–195.
- Tengah, P.P.J. (2009) ‘Rencana Tata Ruang Wilayah (RTRW) Provinsi Jawa Tengah Tahun 2009 - 2029’.
- Towhata, I. (2008) *Geotechnical earthquake engineering, Springer Series in Geomechanics and Geoengineering*. Edited by W. Wu and R.I. Borja. Berlin Heidelberg: Springer. Available at: <https://doi.org/10.1680/geot.2015.65.5.327>.
- UU No. 22 Tahun 2022 (no date) ‘Undang -Undang Republik Indonesia Nomor 22 Tahun 2022’, (134229).
- Wilopo, W., Putra, D.P.E. and Hendrayana, H. (2021) ‘Impacts of precipitation, land use change and urban wastewater on groundwater level fluctuation in the Yogyakarta-Sleman Groundwater Basin, Indonesia’, *Environmental Monitoring and Assessment*, 193(2). Available at: <https://doi.org/10.1007/s10661-021-08863-z>.
- Yamamoto, H. and Togtokhbuyan, M. (2018) ‘Engineering characteristics and earthquake response analysis of ground’, *Proceedings of International Structural Engineering and Construction*, 5(2). Available at: <https://doi.org/10.14455/isec.res.2018.95>.
- Yogyakarta, D.I. (2019) ‘Peraturan Daerah Istimewa Yogyakarta Nomor 5 Tahun 2019’.
- Youd, D. (2001) ‘Liquefaction Resistance of Soils: Summary Report From The 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils’, 127(10), pp. 817–833.
- Youd, T.L. *et al.* (1979) ‘Liquefaction Potential Map of San Fernando Valley, California’, *Geological Survey Circular (United States)*, 807(807), pp. 37–48.
- Youd, T.L. and Perkins, D.M. (1978) ‘Mapping Liquefaction-Induced Ground Failure Potential’, *ASCE J Geotech Eng Div*, 104(4), pp. 433–446. Available at:



Analisis Potensi Likuefaksi dan Stabilitas Tiang Bor (Studi Kasus: Pembangunan Jalan Tol Yogyakarta-Bawen Seksi 1)

Wida Purindiva Setiadi, Dr. Eng. Fikri Faris, S.T., M. Eng.; Ir. Hendy Setiawan, S.T., M.Eng., Ph.D.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS
GADJAH MADA

<https://doi.org/10.1061/ajgeb6.0000612>.

Zakariya, A., Rifa'i, A. and Ismati, S. (2023) 'Behaviour of Axial Bearing Pile under Liquefaction Condition Based on Empirical and 3D Numerical Simulation', *Jurnal Teknik Sipil & Perencanaan* 25 (1) (2023) p-ISSN : 1411-1772 e-ISSN : 2503-1899, Volume 25, p. p 34-51.