

## DAFTAR PUSTAKA

- Ashaari, F. (2016). Perbandingan Akurasi Estimasi Kerapatan Kanopi Pohon Menggunakan Saluran Tunggal, Indeks Vegetasi dan Model Forest Canopy Density Berbasis Citra Landsat-8 (Lokasi Sebagian Hutan Rawa Gambut Provinsi Riau). *Skripsi*. Fakultas Geografi, Universitas Gadjah Mada, Yogyakarta.
- Astuty, I. S., & Wicaksono, P. (2019). Seagrass species composition and above-ground carbon stock mapping in Parang Island using Planetscope image. *Sixth Geoinformation Science Symposium, 1131103, 1131103*(November 2019), 42. <https://doi.org/10.1117/12.2549137>
- Awad, M., & Khanna, R. (2015). Efficient Learning Machines: Theories, Concepts, and Applications for Engineers and System Designers. In *Apress* (1st ed., Issue 1). Apress. <https://doi.org/10.1007/978-1-4302-5990-9>
- Bertelli, C., Bennet, W., Bull, J., Karunarathna, H., Reeve, D., & Unsworth, R. (2022). *Habitat Suitability modelling for informing Zostera marina restoration in Wales A report for WWF*.
- Campbell, J. B., & Wynne, R. H. (2011). Introduction to Remote Sensing (5th ed.). New York: The Guilford Press.
- Carpenter, S., Byfield, V., Felgate, S. L., Price, D. M., Andrade, V., Cobb, E., Strong, J., Lichtschlag, A., Brittain, H., Barry, C., Fitch, A., Young, A., Sanders, R., & Evans, C. (2022). Using Unoccupied Aerial Vehicles (UAVs) to Map Seagrass Cover from Sentinel-2 Imagery. *Remote Sensing, 14*(3), 477. <https://doi.org/10.3390/rs14030477>
- Chang, N.-B., & Bai, K. (2018). *Multisensor Data Fusion and Machine Learning for Environmental Remote Sensing*. CRC Press.
- Cullen-Unsworth, L. C., & Unsworth, R. K. F. (2016). Cullen-Unsworth 2016 Strategies.pdf. *Journal of Applied Ecology, 53*, 967–972. <https://doi.org/10.1111/1365-2664.12637>
- Darvishzadeh, R., Skidmore, A., Abdullah, H., Cherenet, E., Ali, A., Wang, T., Nieuwenhuis, W., Heurich, M., Vrieling, A., O'Connor, B., & Paganini, M. (2019). Mapping leaf chlorophyll content from Sentinel-2 and RapidEye data in spruce stands using the invertible forest reflectance model. *International*

- Journal of Applied Earth Observation and Geoinformation*, 79(February), 58–70. <https://doi.org/10.1016/j.jag.2019.03.003>
- de Almeida, L. R., Ávila-Mosqueda, S. V., Silva, R., Mendoza, E., & van Tussenbroek, B. I. (2022). Mapping the structure of mixed seagrass meadows in the Mexican Caribbean. *Frontiers in Marine Science*, 9(December), 1–15. <https://doi.org/10.3389/fmars.2022.1063007>
- De los Santos, C. B., Onoda, Y., Vergara, J. J., Pérez-Lloréns, J. L., Bouma, T. J., La Nafie, Y. A., Cambridge, M. L., & Brun, F. G. (2016). A comprehensive analysis of mechanical and morphological traits in temperate and tropical seagrass species. *Marine Ecology Progress Series*, 551, 81–94. <https://doi.org/10.3354/meps11717>
- Eugenio, F., Marcello, J., & Martin, J. (2015). High-Resolution Maps of Bathymetry and Benthic Habitats in Shallow-Water Environments Using Multispectral Remote Sensing Imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 53(7), 3539–3549. <https://doi.org/10.1109/TGRS.2014.2377300>
- Fauzan, M. A., Kumara, I. S. W., Yogyantoro, R., Suwardana, S., Fadhillah, N., Nurmalasari, I., Apriyani, S., & Wicaksono, P. (2017). Assessing the capability of sentinel-2A data for mapping seagrass percent cover in Jerowaru, East Lombok. *Indonesian Journal of Geography*, 49(2), 195–203. <https://doi.org/10.22146/ijg.28407>
- Flood, N. (2013). Seasonal composite landsat TM/ETM+ Images using the medoid (a multi-dimensional median). *Remote Sensing*, 5(12), 6481–6500. <https://doi.org/10.3390/rs5126481>
- Fonseca, M. S., Fourqurean, J. W., & Koehl, M. A. R. (2019). Effect of seagrass on current speed: Importance of flexibility vs. shoot density. *Frontiers in Marine Science*, 6(JUL), 1–13. <https://doi.org/10.3389/fmars.2019.00376>
- Fortes, M. D., Ooi, J. L. S., Tan, Y. M., Prathep, A., Bujang, J. S., & Yaakub, S. M. (2018). Seagrass in Southeast Asia: A review of status and knowledge gaps, and a road map for conservation. *Botanica Marina*, 61(3), 269–288. <https://doi.org/10.1515/bot-2018-0008>

- Fourqurean, J. W., Johnson, B., Kauffman, J. B., Kennedy, H., Lovelock, C., Magonigal, J. P., Rahman, A., Saintilan, N., & Simard, M. (2014). *Coastal Blue Carbon: Methods for assessing carbon stocks and emissions factors in mangroves, tidal salt marshes, and seagrasses* (J. Howard, S. Hoyt, K. Isensee, E. Pidgeon, & M. Telszewski (eds.)). Conservation International, Intergovernmental Oceanographic Commission of UNESCO, International Union for Conservation of Nature. <http://www.unesco.org/new/en/natural-sciences/ioc-oceans/sections-and-programmes/ocean-sciences/ocean-carbon/coastal-blue-carbon/>
- Frazier, A. E., & Hemingway, B. L. (2021). A technical review of planet smallsat data: Practical considerations for processing and using planetscope imagery. *Remote Sensing*, 13(19). <https://doi.org/10.3390/rs13193930>
- Ganguly, D., Singh, G., Ramachandran, P., Selvam, A. P., Banerjee, K., & Ramachandran, R. (2017). Seagrass metabolism and carbon dynamics in a tropical coastal embayment. *Ambio*, 46(6), 667–679. <https://doi.org/10.1007/s13280-017-0916-8>
- Gillanders, B. M. (2006). Seagrasses, Fish, and Fisheries. In A. D. W. Larkum, R. J. Orth, & C. M. Duarte (Eds.), *Seagrasses: Biology, Ecology and Conservation* (p. 503-536). Springer.
- Ginting Br, N., Wicaksono, P., & Farda, N. M. (2023). Mapping Benthic Habitat from Worldview-3 Image using Random Forest Case Study: Nusa Lembongan, Bali, Indonesia. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLVIII(November 2022), 123–129.
- Gobert, S., Cambridge, M.L., Velimirov, B., Pergent, G., Lepoint, G., Bouquegneau, J., Dauby, P., Pergent-Martini, C., & Walker, D. I. (2006). Biology of Posidonia. In A. D. W. Larkum, R. J. Orth, & C. M. Duarte (Eds.), *Seagrasses: Biology, Ecology and Conservation* (p. 387-408). Springer.
- Gonçalves, F., Treuhaft, R., Law, B., Almeida, A., Walker, W., Baccini, A., dos Santos, J. R., & Graça, P. (2017). Estimating aboveground biomass in tropical forests: Field methods and error analysis for the calibration of remote sensing observations. *Remote Sensing*, 9(1). <https://doi.org/10.3390/rs9010047>

- Gouldsmith, V., & Cooper, A. (2022). Consideration of the carbon sequestration potential of seagrass to inform recovery and restoration projects within the Essex Estuaries Special Area of Conservation (SAC), United Kingdom. *Journal of Coastal Conservation*, 26(4), 1–21. <https://doi.org/10.1007/s11852-022-00882-3>
- Green, E. P., Mumby, P. J., Edwards, A. J., Clark, C.D. (2000). In A. J. Edwards (Ed) *Remote Sensing Handbook for Tropical Coastal Management*. UNESCO. Paris.
- Gullström, M., Dahl, M., Lindén, O., Vorhies, F., Forsberg, S., Ismail, R. O., & Björk, M. (2021). *Coastal blue carbon stocks in Tanzania and Mozambique Support for climate adaptation and mitigation actions*. IUCN.
- Harahap, Z. A., Khairunnisa, Susetya, I. E., & Rahayu, Y. P. (2021). Estimation of carbon stock in seagrass communities in Central Tapanuli. *IOP Conference Series: Earth and Environmental Science*, 944(1). <https://doi.org/10.1088/1755-1315/944/1/012064>
- Hedley, J., Russell, B., Randolph, K., & Dierssen, H. (2016). A physics-based method for the remote sensing of seagrasses. *Remote Sensing of Environment*, 174, 134–147. <https://doi.org/10.1016/j.rse.2015.12.001>
- Hedley, J. D., Russell, B. J., Randolph, K., Pérez-Castro, M., Vásquez-Elizondo, R. M., Enríquez, S., & Dierssen, H. M. (2017). Remote sensing of seagrass leaf area index and species: The capability of a model inversion method assessed by sensitivity analysis and hyperspectral data of Florida Bay. *Frontiers in Marine Science*, 4(NOV), 1–20. <https://doi.org/10.3389/fmars.2017.00362>
- Hemminga, M. A., & Duarte, C. M. (2009). Seagrasses in the human environment. *Seagrass Ecology*, 248–291. <https://doi.org/10.1017/cbo9780511525551.008>
- Hilmi, N., Chami, R., Sutherland, M. D., Hall-Spencer, J. M., Lebleu, L., Benitez, M. B., & Levin, L. A. (2021). The Role of Blue Carbon in Climate Change Mitigation and Carbon Stock Conservation. *Frontiers in Climate*, 3(September). <https://doi.org/10.3389/fclim.2021.710546>
- Hossain, M. S., Bujang, J. S., Zakaria, M. H., & Hashim, M. (2015). The application of remote sensing to seagrass ecosystems: an overview and future research

- prospects. *International Journal of Remote Sensing*, 36(1), 61–114.  
<https://doi.org/10.1080/01431161.2014.990649>
- Ilhami, B. T. K., Kawaroe, M., Effendi, H., & Zamani, N. P. (2020). THE EFFECT OF ACIDIFICATION ON GROWTH AND PHOTOSYNTHESIS RATE OF SEAGRASS *Thalassia hemprichii* (Ehrenberg.) Ascherson. *Jurnal Ilmu Dan Teknologi Kelautan Tropis*, 12(3), 687–696.  
<https://doi.org/10.29244/jitkt.v12i3.24353>
- IPCC. (2022). *Climate Change 2022: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* [H.-O. Pörtner, D.C. Roberts, M. Tignor, E.S. Poloczanska, K. Mintenbeck, A. Alegría, M. Craig, S. Langsdorf, S. Lösschke, V. Möller, A. Okem, B. Rama (eds.)]. *Cambridge University Press*. Cambridge University Press, Cambridge, UK and New York, NY, USA, 3056 pp., doi:10.1017/9781009325844.
- Isnaen, Z., Pratama, A. P., Utami, A. A., Prananda, A. R. A., Purnama, A. D., Zhafarina, Z., & Wicaksono, P. (2019). Carbon stock estimation of seagrass species *thalassia hemprichii* using planet imagery with band ratio transformation in nirwana beach, padang city. *IOP Conference Series: Earth and Environmental Science*, 280(1). <https://doi.org/10.1088/1755-1315/280/1/012039>
- Japitana, M. V., & Cubillas, J. E. D. (2015). Benthic habitat classification and mapping using support vector machine algorithm in Hinatuan, Surigao del sur, Philippines. *ACRS 2015 - 36th Asian Conference on Remote Sensing: Fostering Resilient Growth in Asia, Proceedings*.
- Jensen, J. R. (2014). *Remote sensing of the environment: an earth resource perspective second edition*. In *Pearson Education Limited, Harlow, England* (Vol. 1).
- Juma, G. A., Magana, A. M., Michael, G. N., & Kairo, J. G. (2020). Variation in Seagrass Carbon Stocks Between Tropical Estuarine and Marine Mangrove-Fringed Creeks. *Frontiers in Marine Science*, 7(August), 1–11.  
<https://doi.org/10.3389/fmars.2020.00696>

- Kauffman, J. B., Heider, C., Norfolk, J., & Payton, F. (2014). Carbon stocks of intact mangroves and carbon emissions arising from their conversion in the Dominican Republic. *Ecological Applications*, 24(3), 518–527. <https://doi.org/10.1890/13-0640.1>
- Koedsin, W., Intararuang, W., Ritchie, R. J., & Huete, A. (2016). An integrated field and remote sensing method for mapping seagrass species, cover, and biomass in Southern Thailand. *Remote Sensing*, 8(4). <https://doi.org/10.3390/rs8040292>
- Kohler, K.E. & Gill, S.M. (2006) Coral Point Count with Excel Extensions (CPCe): A Visual Basic Program for the Determination of Coral and Substrate Coverage Using Random Point Count Methodology. *Computers and Geosciences*, 32, 1259-1269. <https://doi.org/10.1016/j.cageo.2005.11.009>
- Kuo, J., & den Hartog, C. (2001). Seagrass Identification. *Global Seagrass Research Methods*, 31–58.
- Kuo, J. & den Hartog, C. (2006). Seagrass Morphology, Anatomy, and Ultrastructure. In A. D. W. Larkum, R. J. Orth, & C. M. Duarte (Eds.), *Seagrasses: Biology, Ecology and Conservation* (p. 51-87). Springer.
- Larkum, A. W. D., Kendrick, G. A., & Ralph, P. J. (2018). Seagrasses of Australia: Structure, ecology and conservation. In *Seagrasses of Australia: Structure, Ecology and Conservation*. <https://doi.org/10.1007/978-3-319-71354-0>
- Lebrasse, M. C., Schaeffer, B. A., Coffey, M. M., Whitman, P. J., Zimmerman, R. C., Hill, V. J., Islam, K. A., Li, J., & Osburn, C. L. (2022). Temporal Stability of Seagrass Extent, Leaf Area, and Carbon Storage in St. Joseph Bay, Florida: a Semi-automated Remote Sensing Analysis. *Estuaries and Coasts*, 45(7), 2082–2101. <https://doi.org/10.1007/s12237-022-01050-4>
- Ließ, M., Schmidt, J., & Glaser, B. (2016). Improving the spatial prediction of soil organic carbon stocks in a complex tropical mountain landscape by methodological specifications in machine learning approaches. *PLoS ONE*, 11(4), 1–15. <https://doi.org/10.1371/journal.pone.0153673>
- Lyons, M., Roelfsema, C., Kovacs, E., Samper-Villarreal, J., Saunders, M., Maxwell, P., & Phinn, S. (2015). Rapid monitoring of seagrass biomass using

- a simple linear modelling approach, in the field and from space. *Marine Ecology Progress Series*, 530, 1–14. <https://doi.org/10.3354/meps11321>
- Macreadie, P. I., Baird, M. E., Trevathan-Tackett, S. M., Larkum, A. W. D., & Ralph, P. J. (2014). Quantifying and modelling the carbon sequestration capacity of seagrass meadows - A critical assessment. *Marine Pollution Bulletin*, 83(2), 430–439. <https://doi.org/10.1016/j.marpolbul.2013.07.038>
- Major, J. E., Mosseler, A., & Malcolm, J. W. (2023). Chlorophyll Pigment and Leaf Macronutrient Trait Variation of Four Salix Species in Elevated CO<sub>2</sub>, under Soil Moisture Stress and Fertilization Treatments. *Forests*, 14(1). <https://doi.org/10.3390/f14010042>
- Mariño, M., Breckwoldt, A., Teichberg, M., Kase, A., & Reuter, H. (2019). Livelihood aspects of seaweed farming in Rote Island, Indonesia. *Marine Policy*, 107(June), 103600. <https://doi.org/10.1016/j.marpol.2019.103600>
- Mashoreng, S., Nafie, Y. A. L., Selamat, B., Isyrini, R., & Amri, K. (2021). Changes in seagrass carbon stock: Implications of decreasing area and percentage cover of seagrass beds in Barranglompo Island, Spermonde archipelago, South Sulawesi, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 763(1). <https://doi.org/10.1088/1755-1315/763/1/012014>
- Mazarrasa, I., Samper-Villarreal, J., Serrano, O., Lavery, P. S., Lovelock, C. E., Marbà, N., Duarte, C. M., & Cortés, J. (2018). Habitat characteristics provide insights of carbon storage in seagrass meadows. *Marine Pollution Bulletin*, 134(April 2017), 106–117. <https://doi.org/10.1016/j.marpolbul.2018.01.059>
- McKenzie, L. J., Yaakub, S. M., Tan, R., Seymour, J., & Yoshida, R. L. (2016). Seagrass habitats of Singapore: Environmental drivers and key processes. *Raffles Bulletin of Zoology*, 2016(Part I), 60–77.
- McKenzie, L. J., Langlois, L. A., & Roelfsema, C. M. (2022). Improving Approaches to Mapping Seagrass within the Great Barrier Reef: From Field to Spaceborne Earth Observation. *Remote Sensing*, 14(11). <https://doi.org/10.3390/rs14112604>

- Misbari, S., & Hashim, M. (2016). Change detection of submerged seagrass biomass in shallow coastalwater. *Remote Sensing*, 8(3). <https://doi.org/10.3390/rs8030200>
- Moreno, D. H., Reuter, H., Kase, A., & Teichberg, M. (2021). Seaweed farming and land-use impacts on seagrass meadows in the region of Rote Island, Indonesia. *Estuarine, Coastal and Shelf Science*, 263(October), 107635. <https://doi.org/10.1016/j.ecss.2021.107635>
- Mountrakis, G., Im, J., & Ogole, C. (2011). Support vector machines in remote sensing: A review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 66(3), 247–259. <https://doi.org/10.1016/j.isprsjprs.2010.11.001>
- Nababan, B., Mastu, L. O. K., Idris, N. H., & Panjaitan, J. P. (2021). Shallow-water benthic habitat mapping using drone with object based image analyses. *Remote Sensing*, 13(21). <https://doi.org/10.3390/rs13214452>
- Nabil Akbar, M., Faizal, A., Anugrah La Nafie, Y., Werorilangi, S., & Mashoreng, S. (2021). Seagrass carbon stock estimation in Panrangluhu coastal waters using remote sensing technology. *IOP Conference Series: Earth and Environmental Science*, 860(1). <https://doi.org/10.1088/1755-1315/860/1/012085>
- Nurdin, N., Amri, K., Mashoreng, S., & Komatsu, T. (2022). Estimation of Seagrass Biomass by In Situ Measurement and Remote Sensing Technology on Small Islands, Indonesia. *Ocean Science Journal*, 57(1), 118–129. <https://doi.org/10.1007/s12601-022-00054-2>
- Pham, T. D., Yokoya, N., Nguyen, T. T. T., Le, N. N., Ha, N. T., Xia, J., Takeuchi, W., & Pham, T. D. (2021). Improvement of Mangrove Soil Carbon Stocks Estimation in North Vietnam Using Sentinel-2 Data and Machine Learning Approach. *GIScience and Remote Sensing*, 58(1), 68–87. <https://doi.org/10.1080/15481603.2020.1857623>
- Phinn, S., Roelfsema, C., Kovacs, E., Canto, R., Lyons, M., Saunders, M., & Maxwell, P. (2018). Mapping, monitoring and modelling seagrass using remote sensing techniques. In *Seagrasses of Australia: Structure, Ecology and Conservation*. [https://doi.org/10.1007/978-3-319-71354-0\\_15](https://doi.org/10.1007/978-3-319-71354-0_15)

- Pizana, J., Hernandez, J., & Romero, N. (2016). Remote Sensing-Based Biomass Estimation. In *Environmental Application of Remote Sensing* (pp. 3–38). IntechOpen. <https://doi.org/10.5772/61813>
- Planet. (2020). Planet Imagery Product Specifications. *Planet Labs Inc, May*, 1–100. [https://www.planet.com/products/satellite-imagery/files/Planet\\_Imagery\\_Product\\_Specs.pdf](https://www.planet.com/products/satellite-imagery/files/Planet_Imagery_Product_Specs.pdf)
- Rahmawati, S., Hernawan, U. E., McMahan, K., Prayudha, B., Prayitno, H. B., Wahyudi, A. J., & Vanderklift M. (2019). *Blue Carbon in Seagrass Ecosystem*. Yogyakarta: UGM Press.
- Reichstetter, M., Fearn, P., Weeks, S., McKinna, L., Roelfsema, C., & Furnas, M. (2015). Bottom Reflectance in Ocean Color Satellite Remote Sensing for Coral Reef Environments. *Remote Sensing*, 7(12), 16756–16777. <https://doi.org/10.3390/rs71215852>
- Roelfsema, C. M., Lyons, M., Kovacs, E. M., Maxwell, P., Saunders, M. I., Samper-Villarreal, J., & Phinn, S. R. (2014). Multi-temporal mapping of seagrass cover, species and biomass: A semi-automated object based image analysis approach. *Remote Sensing of Environment*, 150, 172–187. <https://doi.org/10.1016/j.rse.2014.05.001>
- Rui, J., Zhang, H., Zhang, D., Han, F., & Guo, Q. (2019). Total organic carbon content prediction based on support-vector-regression machine with particle swarm optimization. *Journal of Petroleum Science and Engineering*, 180(April), 699–706. <https://doi.org/10.1016/j.petrol.2019.06.014>
- Sani, D. A., & Hashim, M. (2019). Satellite-Based Mapping Of Above-Ground Blue Carbon Storage In Seagrass Habitat Within The Shallow Coastal Water. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(4/W16), 587–593. <https://doi.org/10.5194/isprs-archives-XLII-4-W16-587-2019>
- Serrano, O., Gómez-López, D. I., Sánchez-Valencia, L., Acosta-Chaparro, A., Navas-Camacho, R., González-Corredor, J., Salinas, C., Masque, P., Bernal, C. A., & Marbà, N. (2021). Seagrass blue carbon stocks and sequestration rates in the Colombian Caribbean. *Scientific Reports*, 11(1), 1–12. <https://doi.org/10.1038/s41598-021-90544-5>

- Short, F. T., Coles, R. G., & Short, C. M. (2015). *SeagrassNet Manual for Scientific Monitoring of Seagrass Habitat* (Issue July).
- Short, F. T., Short, C. A., & Novak, A. B. (2016). The Wetland Book. *The Wetland Book, February 2018*. <https://doi.org/10.1007/978-94-007-6173-5>
- Simpson, J., Bruce, E., Davies, K. P., & Barber, P. (2022). A Blueprint for the Estimation of Seagrass Carbon Stock Using Remote Sensing-Enabled Proxies. *Remote Sensing, 14*(15), 1–18. <https://doi.org/10.3390/rs14153572>
- Sjafrie, N. D. M., Hernawan, U. E., Prayudha, B., Rahmat, Supriyadi, I. H., Iswari, M. Y., Suyarso, Anggraini, K., & Rahmawati, S. (2018). Status padang lamun Indonesia 2018. In *Pusat Penelitian Oseanografi-LIPI* (Vol. 53, Issue 9).
- Tamondong, A. M., Cruz, C. A., Guihawan, J., Garcia, M., Quides, R. R., Cruz, J. A., & Blanco, A. C. (2018). Remote sensing-based estimation of seagrass percent cover and LAI for above ground carbon sequestration mapping. *Remote Sensing of the Open and Coastal Ocean and Inland Waters, October*, 10. <https://doi.org/10.1117/12.2324695>
- Tan, Y. M., Dalby, O., Kendrick, G. A., Statton, J., Sinclair, E. A., Fraser, M. W., Macreadie, P. I., Gillies, C. L., Coleman, R. A., Waycott, M., van Dijk, K. J., Vergés, A., Ross, J. D., Campbell, M. L., Matheson, F. E., Jackson, E. L., Irving, A. D., Govers, L. L., Connolly, R. M., ... Sherman, C. D. H. (2020). Seagrass Restoration Is Possible: Insights and Lessons From Australia and New Zealand. *Frontiers in Marine Science, 7*(August). <https://doi.org/10.3389/fmars.2020.00617>
- Touchette, B. W. (2007). Seagrass-salinity interactions: Physiological mechanisms used by submersed marine angiosperms for a life at sea. *Journal of Experimental Marine Biology and Ecology, 350*(1–2), 194–215. <https://doi.org/10.1016/j.jembe.2007.05.037>
- Traganos, D., Aggarwal, B., Poursanidis, D., Topouzelis, K., Chrysoulakis, N., & Reinartz, P. (2018). Towards global-scale seagrass mapping and monitoring using Sentinel-2 on Google Earth Engine: The case study of the Aegean and Ionian Seas. *Remote Sensing, 10*(8), 1–14. <https://doi.org/10.3390/rs10081227>
- Tu, Y. H., Johansen, K., Aragon, B., El Hajj, M. M., & McCabe, M. F. (2022). The radiometric accuracy of the 8-band multi-spectral surface reflectance from the

- planet SuperDove constellation. *International Journal of Applied Earth Observation and Geoinformation*, 114(July), 103035. <https://doi.org/10.1016/j.jag.2022.103035>
- Ueyama, M., Ichii, K., Iwata, H., Euskirchen, E. S., Zona, D., Rocha, A. V., Harazono, Y., Iwama, C., Nakai, T., & Oechel, W. C. (2013). Upscaling terrestrial carbon dioxide fluxes in Alaska with satellite remote sensing and support vector regression. *Journal of Geophysical Research: Biogeosciences*, 118(3), 1266–1281. <https://doi.org/10.1002/jgrg.20095>
- UNEP. (2020). *Out of the blue: The value of seagrasses to the environment and to people*. United Nations Environment Programme.
- Unsworth, R. K. F., McKenzie, L. J., Collier, C. J., Cullen-Unsworth, L. C., Duarte, C. M., Eklöf, J. S., Jarvis, J. C., Jones, B. L., & Nordlund, L. M. (2019). Global challenges for seagrass conservation. *Ambio*, 48(8), 801–815. <https://doi.org/10.1007/s13280-018-1115-y>
- Unsworth, R., Butterworth, E., Freeman, Fox, E., & Priscott. (2021). *The ecosystem service role of UK Seagrass meadows* (Issue May).
- Vanhellemont, Q. (2023). Evaluation of eight band SuperDove imagery for aquatic applications. *Optics Express*, 31(9), 13851. <https://doi.org/10.1364/oe.483418>
- Van Tussenbroek, B. I., Vonk, J.A., Stapel, J., Erftemeijer, P., Middelburg, J. J. & Zieman, J. C. (2006). The Biology of Thalassia: Paradigms and Recent Advances in Research. In A. D. W. Larkum, R. J. Orth, & C. M. Duarte (Eds.), *Seagrasses: Biology, Ecology and Conservation* (p. 409-439). Springer.
- Veettil, B. K., Ward, R. D., Lima, M. D. A. C., Stankovic, M., Hoai, P. N., & Quang, N. X. (2020). Opportunities for seagrass research derived from remote sensing: A review of current methods. *Ecological Indicators*, 117(May), 106560. <https://doi.org/10.1016/j.ecolind.2020.106560>
- Vieira, V. M. N. C. S., Lopes, I. E., & Creed, J. C. (2018). The biomass-density relationship in seagrasses and its use as an ecological indicator. *BMC Ecology*, 18(1), 1–16. <https://doi.org/10.1186/s12898-018-0200-1>
- Wahyudi, A. J., Rahmawati, S., Irawan, A., Hadiyanto, H., Prayudha, B., Hafizt, M., Afdal, A., Adi, N. S., Rustam, A., Hernawan, U. E., Rahayu, Y. P., Iswari, M. Y., Supriyadi, I. H., Solihudin, T., Ati, R. N. A., Kepel, T. L.,

- Kusumaningtyas, M. A., Daulat, A., Salim, H. L., ... Kiswara, W. (2020). Assessing Carbon Stock and Sequestration of the Tropical Seagrass Meadows in Indonesia. *Ocean Science Journal*, 55(1), 85–97. <https://doi.org/10.1007/s12601-020-0003-0>
- Were, K., Bui, D. T., Dick, Ø. B., & Singh, B. R. (2015). A comparative assessment of support vector regression, artificial neural networks, and random forests for predicting and mapping soil organic carbon stocks across an Afromontane landscape. *Ecological Indicators*, 52, 394–403. <https://doi.org/10.1016/j.ecolind.2014.12.028>
- Wicaksono, P., & Hafizt, M. (2013). Mapping seagrass from space: Addressing the complexity of seagrass LAI mapping. *European Journal of Remote Sensing*, 46(1), 18–39. <https://doi.org/10.5721/EuJRS20134602>
- Wicaksono, P. (2015). Mapping Seagrass Leaf Area Index, Standing Crop, and Above Ground Carbon Stock Using Compressed Remote Sensing Image. *The 1st International Conference of Indonesian Society for Remote Sensing 2015, October*, 257–264. <https://doi.org/10.13140/RG.2.1.1943.3205>
- Wicaksono, P. (2016). Improving the accuracy of multispectral-based benthic habitats mapping using image rotations: The application of principle component analysis and independent component analysis. *European Journal of Remote Sensing*, 49, 433–463. <https://doi.org/10.5721/EuJRS20164924>
- Wicaksono, P., & Lazuardi, W. (2018). Assessment of PlanetScope images for benthic habitat and seagrass species mapping in a complex optically shallow water environment. *International Journal of Remote Sensing*, 39(17), 5739–5765. <https://doi.org/10.1080/01431161.2018.1506951>
- Wicaksono, P., Fauzan, M. A., Kumara, I. S. W., Yogyantoro, R. N., Lazuardi, W., & Zhafarina, Z. (2019a). Analysis of reflectance spectra of tropical seagrass species and their value for mapping using multispectral satellite images. *International Journal of Remote Sensing*, 40(23), 8955–8978. <https://doi.org/10.1080/01431161.2019.1624866>
- Wicaksono, P., Aryaguna, P. A., & Lazuardi, W. (2019b). Benthic habitat mapping model and cross validation using machine-learning classification algorithms. *Remote Sensing*, 11(11), 1–24. <https://doi.org/10.3390/rs11111279>

- Wicaksono, P., & Lazuardi, W. (2019c). Random Forest Classification Scenarios for Benthic Habitat Mapping using Planetscope Image. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 346, 8245–8248. <https://doi.org/10.1109/IGARSS.2019.8899825>
- Wicaksono, P., Danoedoro, P., Nehren, U., Maishella, A., Hafizt, M., Arjasakusuma, S., & Harahap, S. D. (2021a). Analysis of Field Seagrass Percent Cover and Aboveground Carbon Stock Data for Non-Destructive Aboveground Seagrass Carbon Stock Mapping Using Worldview-2 Image. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLVI-4/W6-(November), 321–327. <https://doi.org/10.5194/isprs-archives-xlvi-4-w6-2021-321-2021>
- Wicaksono, P., Wulandari, S. A., Lazuardi, W., & Munir, M. (2021b). Sentinel-2 images deliver possibilities for accurate and consistent multi-temporal benthic habitat maps in optically shallow water. *Remote Sensing Applications: Society and Environment*, 23(June). <https://doi.org/10.1016/j.rsase.2021.100572>
- Wicaksono, P., Maishella, A., Arjasakusuma, S., Lazuardi, W., & Harahap, S. D. (2022a). Assessment of WorldView-2 images for aboveground seagrass carbon stock mapping in patchy and continuous seagrass meadows. *International Journal of Remote Sensing*, 43(8), 2915–2941. <https://doi.org/10.1080/01431161.2022.2074809>
- Wicaksono, P., Maishella, A., Wahyudi, A. J., & Hafizt, M. (2022b). Multitemporal seagrass carbon assimilation and aboveground carbon stock mapping using Sentinel-2 in Labuan Bajo 2019–2020. *Remote Sensing Applications: Society and Environment*, 27(June). <https://doi.org/10.1016/j.rsase.2022.100803>
- Wicaksono, P., Harahap, S. D., Hafizt, M., Maishella, A., & Yuwono, D. M. (2023). Seagrass ecosystem biodiversity mapping in part of Rote Island using multi-generation PlanetScope imagery. *Carbon Footprints*, 2(4). <https://doi.org/10.20517/cf.2023.9>
- Yoshida, G., Hori, M., Shimabukuro, H., Hamaoka, H., Onitsuka, T., Hasegawa, N., Muraoka, D., Yatsuya, K., Watanabe, K., & Nakaoka, M. (2019). Carbon Sequestration by Seagrass and Macroalgae in Japan: Estimates and Future

Needs. *Blue Carbon in Shallow Coastal Ecosystems*, 101–127.  
[https://doi.org/10.1007/978-981-13-1295-3\\_4](https://doi.org/10.1007/978-981-13-1295-3_4)

Zhao, P., Lu, D., Wang, G., Wu, C., Huang, Y., & Yu, S. (2016). Examining spectral reflectance saturation in landsat imagery and corresponding solutions to improve forest aboveground biomass estimation. *Remote Sensing*, 8(6).  
<https://doi.org/10.3390/rs8060469>

Zoffoli, M. L., Gernez, P., Rosa, P., Le Bris, A., Brando, V. E., Barillé, A. L., Harin, N., Peters, S., Poser, K., Spaias, L., Peralta, G., & Barillé, L. (2020). Sentinel-2 remote sensing of *Zostera noltei*-dominated intertidal seagrass meadows. *Remote Sensing of Environment*, 251(July), 112020.  
<https://doi.org/10.1016/j.rse.2020.112020>