



DAFTAR PUSTAKA

- Aktaş, A., Aktaş, M., & Turan, F. (2013). The effect of stacking sequence on the impact and post-impact behavior of woven/knit fabric glass/epoxy hybrid composites. *Composite Structures*, *103*, 119–135. <https://doi.org/10.1016/j.compstruct.2013.02.004>
- ASTM D 4255. (t.t.). *Standard Test Method for In-Plane Shear Properties of Polymer Matrix Composite Materials by the Rail Shear Method 1*. www.astm.org,
- ASTM D 5379. (1998). *Standard Test Method for Shear Properties of Composite Materials by the V-Notched Beam Method 1*.
- ASTM D 7078. (2005). *Standard Test Method for Shear Properties of Composite Materials by V-Notched Rail Shear Method 1*. www.astm.org,
- Atzori Bruno. (2001). NOTCH SENSITIVITY AND DEFECT SENSITIVITY UNDER FATIGUE LOADING: TWO SIDES OF THE SAME MEDAL. *International Journal of Fracture*.
- Bandaru, A. K., Patel, S., Sachan, Y., Alagirusamy, R., Bhatnagar, N., & Ahmad, S. (2016). Low velocity impact response of 3D angle-interlock Kevlar/basalt reinforced polypropylene composites. *Materials and Design*, *105*, 323–332. <https://doi.org/10.1016/j.matdes.2016.05.075>
- Bhadane, G. S., & Patil, S. B. (2022). Mathematical modeling of multilayered composite material to obtain in plane elastic constants. *Materials Today: Proceedings*. <https://doi.org/10.1016/j.matpr.2022.09.035>
- Bharath, D., Sandhya Rani, B., Saritha, V., Irshad Khan, P., & Kumar Chokka, S. (2021). Tensile and erosion behaviour of medium calcined alumina microparticles on GFRP composites fabricated with vacuum bagging process. *Materials Today: Proceedings*, *46*, 307–310. <https://doi.org/10.1016/j.matpr.2020.08.166>
- Carolan, D., Alveen, P., Ivanković, A., & Murphy, N. (2011). Effect of notch root radius on fracture toughness of polycrystalline cubic boron nitride. *Engineering Fracture Mechanics*, *78*(17), 2885–2895. <https://doi.org/10.1016/j.engfracmech.2011.08.003>
- Chandra Shekar, K., Anjaneya Prasad, B., & Eswara Prasad, N. (2016). Effect of Notch Root Radius on the Fracture Toughness of Epoxy and 0.5 wt% Amino MWCNTs-Reinforced Nanocomposite. *Transactions of the Indian Institute of Metals*, *69*(5), 1069–1075. <https://doi.org/10.1007/s12666-015-0623-8>
- Choupani, N. (2008). Experimental and numerical investigation of the mixed-mode delamination in Arcan laminated specimens. *Materials Science and*



Engineering A, 478(1–2), 229–242.
<https://doi.org/10.1016/j.msea.2007.05.103>

Din, I. U., Tu, S., Hao, P., Panier, S., Khan, K. A., Umer, R., Shah, S. Z. H., Franz, G., & Aamir, M. (2020). Sequential damage study induced in fiber reinforced composites by shear and tensile stress using a newly developed Arcan fixture. *Journal of Materials Research and Technology*, 9(6), 13352–13364. <https://doi.org/10.1016/j.jmrt.2020.09.067>

Dutta, A., Hagnell, M. K., & Åkermo, M. (2023). Interply friction between unidirectional carbon/epoxy prepreg plies: Influence of fibre orientation. *Composites Part A: Applied Science and Manufacturing*, 166. <https://doi.org/10.1016/j.compositesa.2022.107375>

Fadlurrahman, Z., Alandro, D., Santos, G. N. C., & Muflikhun, M. A. (2023). Mechanical and chemical properties of matrix composite: Curing agent ratio, degassing process, and filler effect perspectives. *Journal of Engineering Research*, 100120. <https://doi.org/10.1016/j.jer.2023.100120>

F.C. Campbell. (2004). Introduction to Composite Materials and Processes: Unique Materials that Require Unique Processes. Dalam *Manufacturing Processes For Advanced Composites*. <https://doi.org/10.1016/B978-1-85617-415-2.50002-2>

Gan, K. W., Laux, T., Taher, S. T., Dulieu-Barton, J. M., & Thomsen, O. T. (2018). A novel fixture for determining the tension/compression-shear failure envelope of multidirectional composite laminates. *Composite Structures*, 184, 662–673. <https://doi.org/10.1016/j.compstruct.2017.10.030>

Granum, H., Morin, D., Børvik, T., & Hopperstad, O. S. (2021). Calibration of the modified Mohr-Coulomb fracture model by use of localization analyses for three tempers of an AA6016 aluminium alloy. *International Journal of Mechanical Sciences*, 192. <https://doi.org/10.1016/j.ijmecsci.2020.106122>

Guo, Y., Chen, Z., Li, F., Xu, X., Chen, J., Ren, Y., & Wang, Y. (2022). Study on formability and failure modes of steel/CFRP based FMLs consisting of carbon fiber reinforced polymer prepreg and steel sheet. *Composite Structures*, 281. <https://doi.org/10.1016/j.compstruct.2021.114980>

Hao, P., Din, I. U., & Panier, S. (2019). Development of Modified Arcan Fixture for biaxial loading response of fiber-reinforced composites. *Polymer Testing*, 80. <https://doi.org/10.1016/j.polymertesting.2019.106148>

Hibbeler R.C. (2014). *Fundamental Equations of Mechanics of Materials Axial Load*.

Kübler, J., Anglada, M., Damani, R., De Portu, G., Gogotsi Acad Sciences, G., Hoffman Univ New South Wales, U. M., Keller, A. K., Labanti, M., Nagano JFCC, Y., Y Pastor Univ Politèc Madrid, J. J., Quinn, S. G., Rauchs, G., Reece, M., Richter, H., Rudolph, E., Sakaguchi NIRIN, S., & Steen, J. M. (t.t.).



Fracture Toughness of Ceramics using the SEVNB Method; Round Robin Experimental procedure.

- Leconte, N., Bourel, B., Lauro, F., Badulescu, C., & Markiwecz, E. (2020). Strength and failure of an aluminum/PA66 self-piercing riveted assembly at low and moderate loading rates: Experiments and modeling. *International Journal of Impact Engineering*, 142. <https://doi.org/10.1016/j.ijimpeng.2020.103587>
- Li, L., Wang, Y. Q., Gao, H., Qi, J., & Zhou, T. (2022). Automatic recognition method for the three-elementary woven structures and defects of carbon fabric prepregs. *Composite Structures*, 291. <https://doi.org/10.1016/j.compstruct.2022.115527>
- Logan, D. L. (2014). *A First Course in the Finite Element Method* (sixth edition).
- Mariam, M., Afendi, M., Abdul Majid, M. S., Ridzuan, M. J. M., & Gibson, A. G. (2018). Tensile and fatigue properties of single lap joints of aluminium alloy/glass fibre reinforced composites fabricated with different joining methods. *Composite Structures*, 200, 647–658. <https://doi.org/10.1016/j.compstruct.2018.06.003>
- Muflikhun, M. A. (2020). The Progressive Development Of Multifunctional Composite Materials In Different Applications. *Angkasa: Jurnal Ilmiah Bidang Teknologi*, 12(2). <https://doi.org/10.28989/angkasa.v12i2.673>
- Muflikhun, M. A., & Fiedler, B. (2022). Failure Prediction and Surface Characterization of GFRP Laminates: A Study of Stepwise Loading. *Polymers*, 14(20). <https://doi.org/10.3390/polym14204322>
- Muflikhun, M. A., Higuchi, R., Yokozeki, T., & Aoki, T. (2019). Failure mode analysis of CFRP-SPCC hybrid thin laminates under axial loading for structural applications: Experimental research on strain performance. *Composites Part B: Engineering*, 172, 262–270. <https://doi.org/10.1016/j.compositesb.2019.05.049>
- Muflikhun, M. A., Higuchi, R., Yokozeki, T., & Aoki, T. (2020). Delamination behavior and energy release rate evaluation of CFRP/SPCC hybrid laminates under ENF test: Corrected with residual thermal stresses. *Composite Structures*, 236. <https://doi.org/10.1016/j.compstruct.2020.111890>
- Muflikhun, M. A., Yokozeki, T., & Aoki, T. (2019). The strain performance of thin CFRP-SPCC hybrid laminates for automobile structures. *Composite Structures*, 220, 11–18. <https://doi.org/10.1016/j.compstruct.2019.03.094>
- Nagatsuka, K., Yoshida, S., Tsuchiya, A., & Nakata, K. (2015). Direct joining of carbon-fiber-reinforced plastic to an aluminum alloy using friction lap joining. *Composites Part B: Engineering*, 73, 82–88. <https://doi.org/10.1016/j.compositesb.2014.12.029>
- Nugraha, A. D., Alandro, D., Kusumawanto, A., Junianto, E., Perwara, B., Kumar, V. V., Santos, G. N. C., Sentanuhady, J., Norcahyo, R., & Muflikhun, M. A.



- (2023). Experimental Investigation of Effect of L-Profile Hybrid Aluminium/GFRP to the Axial and Lateral Characteristic. *Polymers*, 15(5). <https://doi.org/10.3390/polym15051137>
- Nugraha, A. D., Syahril, M., & Muflikhun, M. A. (2023). Excellent performance of hybrid model manufactured via additive manufacturing process reinforced with GFRP for sport climbing equipment. *Heliyon*, 9(3). <https://doi.org/10.1016/j.heliyon.2023.e14706>
- Nur Azrie Bt Safri, S., Sultan, M. T. H., & Jawaid, M. (2018). Damage analysis of glass fiber reinforced composites. Dalam *Durability and Life Prediction in Biocomposites, Fibre-Reinforced Composites and Hybrid Composites* (hlm. 133–147). Elsevier. <https://doi.org/10.1016/B978-0-08-102290-0.00007-6>
- Qiao, K., Xu, X., Bui, T. Q., & Zhang, C. (2023). A hierarchical coupled multiscale analysis for the tensile damage behavior of notched 3D woven composites. *Composite Structures*, 306. <https://doi.org/10.1016/j.compstruct.2022.116611>
- Quaresimin, M. (2017). Multiaxial fatigue of composites: Experimental evidences and life prediction methodology. Dalam *Comprehensive Composite Materials II* (hlm. 249–274). Elsevier. <https://doi.org/10.1016/B978-0-12-803581-8.09915-X>
- Sabik, A. (2018). Direct shear stress vs strain relation for fiber reinforced composites. *Composites Part B: Engineering*, 139, 24–30. <https://doi.org/10.1016/j.compositesb.2017.11.057>
- Shah, S. Z. H., Megat-Yusoff, P. S. M., Sharif, T., Hussain, S. Z., & Choudhry, R. S. (2022). Off-axis tensile performance of notched resin-infused thermoplastic 3D fibre-reinforced composites. *Mechanics of Materials*, 175. <https://doi.org/10.1016/j.mechmat.2022.104478>
- Shibanuma, K., Tu, S., Suzuki, S., Yu, Z., Kato, R., & Hatamoto, A. (2022). Ductile crack propagation path depending on material properties: Experimental results and discussions based on numerical simulations. *Materials and Design*, 223. <https://doi.org/10.1016/j.matdes.2022.111158>
- Sommer, D. E., Kravchenko, S. G., Avery, W. B., & Pipes, R. B. (2022). Mechanisms of notch insensitivity in long-fiber discontinuous, prepreg platelet compression molded composites. *Composites Part A: Applied Science and Manufacturing*, 162. <https://doi.org/10.1016/j.compositesa.2022.107133>
- Stamoulis, G., Carrere, N., Cognard, J. Y., Davies, P., & Badulescu, C. (2016). Investigating the fracture behavior of adhesively bonded metallic joints using the Arcan fixture. *International Journal of Adhesion and Adhesives*, 66, 147–159. <https://doi.org/10.1016/j.ijadhadh.2016.01.001>
- Ud Din, I., Hao, P., Panier, S., Khan, K. A., Aamir, M., Franz, G., & Akhtar, K. (2020). Design of a New Arcan Fixture for In-plane Pure Shear and Combined Normal/Shear Stress Characterization of Fiber Reinforced Polymer



Composites. *Experimental Techniques*, 44(2), 231–240.
<https://doi.org/10.1007/s40799-019-00353-9>

Ueda, M., Tasaki, Y., Kawamura, C., Nishida, K., Honda, M., Hattori, K., Miyanaga, T., & Sugiyama, T. (2021). Estimation of axial compressive strength of unidirectional carbon fiber reinforced plastic considering local fiber kinking. *Composites Part C: Open Access*, 6. <https://doi.org/10.1016/j.jcomc.2021.100180>

Vieille, B., Manuel Casado, V., Bouvet, C., Manuel, V., Vieille, B., Casado, V., & Bouvet, C. (2013). About the impact behavior of woven-ply carbon fiber-reinforced thermoplastic-and thermosetting-composites: A comparative study Open Archive Toulouse Archive Ouverte (ATAO) About the impact behavior of woven-ply carbon fiber-reinforced thermoplastic-and thermosetting-composites: A comparative study. *Composite Structures*, 101, 9–21. <https://doi.org/10.1016/j.compstruct.2013.01.025>

Wu, C., Zhang, Z., He, L., & Tam, L. ho. (2023). Experimental study on the static and fatigue performances of GFRP-timber bolted connections. *Composite Structures*, 304. <https://doi.org/10.1016/j.compstruct.2022.116435>

Wu, R., Jones, M. P., Jiang, Q., Hodgkinson, J. M., Menner, A., & Bismarck, A. (2022). Assessing shear, tensile and fracture properties of macroporous nanocomposites using the Arcan test. *Polymer Testing*, 107. <https://doi.org/10.1016/j.polymertesting.2022.107490>

Yen, S.-C., Craddock, J. N., & Ileh, K. T. '. (1988). *EVALUATION OF A MODIFIED ARCAN FIXTURE FOR THE IN-PLANE SHEAR THE MODIFIED ARCAN FIXTURE.*