

DAFTAR PUSTAKA

- Acker, D., 1963. *Meat Science and Industry*. Prentice-Hall, Englewood Cliffs, New Jersey.
- AOAC, 1980. *Official Method of Analysis*. 13 th Ed. Assosiation of Official Analitical Chemistry. Washington, DC.
- Aristoy, M-C., and F.Toldra, 1998. Concentration of free amino acids and dipeptides in porcine skeletal muscles with different oxidative patterns. *Meat Sci.*, 50:327-332
- Armero, E., M. Flores, J.A Barbosa, F. Toldra, and M. Pla, 1998. Effect of terminal pig sire types and sex : on carcass traits, meat quality and sensory analysis of dry-cured ham. *Proc. 44th Inter. Congg. on Meat Sci. and Technol*, Barcelona 2 : 904-905
- Bacus, J., 1984. *Utilization of microorganism in meat processing*. Research Studies Press Ltd. England.
- Bailey , A.J., and Light, N.D., 1989. *Connective tissue in meat and meat product*. Elsevier Applied Science, London
- Bendall, J.R. 1971. *Mucles, Molecules and Movement*. Elsevier Publishing Company Inc. New York.
- Bennion, M., 1986. *Encyclopedia of Food Science and Technology*. John Wiley and Sons, Inc. New York.
- Bertram H.C., A.H. Karlsson, M. Rasmussen, S. Donstrup, O.D. Petersen, and H.J. Andersen, 2001. Origin of multi exponential T2 relaxtionin muscle myowater. *J. Agric. Food Chem.*, 49: 3092-3100.
- Bosco, A.D., C. Castellini and M. Bernardini. 2001. Nutritional quality of rabbit meat as affected by cooking procedure and dietary Vitamin E. *J.Food Sci.* 66:1047-1051.
- Bouton, P.E., and P.V. Harris, 1972. The effect of cooking temperature and time on some mechanical properties of meat. *J. Food. Sci.* 37: 140.
- Bouton, P.E., P.V. Harris, and W.R. Shorthose, 1971. Effect of ultimate pH upon the water-holding capacity and tenderness of mutton. *J. Food. Sci.* 36: 435

- Bouton, P.E., P.V., Harris, and W.R. Shorthose, 1976. Factor influencing cooking losses from meat. *J. Food. Sci.* 41: 1092
- BPS. 2000. Data Produksi Hasil Ternak Tahun 1999. Badan Pusat Statistik. Jakarta.
- Brewer, S.M., and J. Novakofski, 1999. Cooking rate, pH and final endpoint temperature effect on color and cooking loss of a lean ground beef model system, *Meat Sci.*, 52:443-451
- Buckle, K.A., R.A. Edwards, G.H. Fleet and M. Wootton, 1987. *Ilmu Pangan*. Terjemahan Hari Purnomo dan Adiono. UI Press. Jakarta.
- Candek-Potokar, M., B. Zlender, L. Lefaucheur and M. Bonneau, 1998. Effect of age and/or weight at slaughter on *Longissimus dorsi* muscle: biochemical traits and sensory quality in pigs. *Meat Sci.*, 48:287-300
- Carnegie, P.R., K. Mills and P.A. O'Brien, 1997. Novel DNA technologies for identification of individual animals and species used in processed meat products. *Proc. of The Indonesia Biotechnology Conference*, Vol II. The Indonesian Biotechnology Consorsium IUC. Boitechnology. IPB. P 249-258
- Cheng, C.S., and F.C. Parrish Jr, 1976. Scanning electron microscopy of bovine muscle: effect of heating on ultrastructure. *J. Food Sci.*, 41, 1449-1454.
- Cheng, C.S., and F.C. Parrish Jr, 1979. Heat-induced changes in myofibrillar proteins of bovine longissimus dorsi. *J. Food Sci.*, 44: 22-24
- Ciobanu, D., J. Bastiaansen, M. Malek, J. Helm, J. Woolard, G. Plastow, and M. Rothchild, 2001. Evidencer new alleles in the protein kinase AMP-Activated, sub unit gen associated with low glycogen content in pig skeletal muscle and improved meat quality , *Science. 12*
- Cisneros, F., M. Ellis, F.K. McKeith, J.McCaw, and R.L. Fernando, 1996. Influence of slaughter weight on growth and carcass characteristics, commercial cutting and curing yield, and meat quality of barrows and gilts from two genotypes. *J. Anim. Sci.*, 74: 925-933.
- D'Souza, D.N., C.R. Hagan, J.A. Hooper, R.R. Nicholls, and B.P. Mullan, 1999. Influence of genotype and sex on pork eating quality: a consumer taste panel. In. P.D. Cranwell, *Manipulating pig production VII* (pp. 177). Werribee: Australasian Pig Science Association



- Daines G.J., and R.H. Locker. 1974. Cooking loss in beef. The effect of cold shortening, searing and rate of heating, time course and histology of changes during cooking. *J. Sci. Food. Agric.* 25:1411
- Darmadja, D, 1992. Pengantar Peternakan di Daerah Tropis, UGM Press, Yogyakarta
- deVries, A.G., L. Faucitano, A. Sosnicki, and G.S. Plastow, 2000. The use of gene technology for optimal development of pork meat quality, *J. Food Chem.*, 69:397-405
- deMann, J.M., and A.M. Beers, 1997. Fat crystal network: structure and rheological properties, *J. Texture Stud.*, 18:301-318
- Demirbas, A., 1999. Proximate and heavy metal composition in chicken meat and tissues, *J. Food Chem.*, 67:27-31.
- Deng, Y., K. Rosenfold, A.H. Karlsson, P. Horn, J. Hagedard, C.L. Steffensen, and H.J. Andersen, 2002, Relationship between thermal denaturation of porcine muscle proteins and water-holding capacity. *J. Food Sci.*, Vol 67, May: 1642-1647
- Dhuljaman, M., N. Sugana, A. Natasasmita dan A.R. Lubis, 1984. *Studi Kualitas Karkas Domba Lokal Priangan Berdasarkan Jenis Kelamin dan Pengelompokan Bobot Potong Domba dan Kambing Indonesia*. Pusat Penelitian dan Pengembangan Peternakan. Bogor.
- Dutson, T.R., G.C. Smith, J.W. Savell and Z.L. Carpenter, 1980. Possible mechanisms by which electrical stimulation improves meat tenderness. 26th European Meet. *Meat Res. Workers*. J-6 (Abstr.)
- Edward, P., M.L. Greaser, M. Beata, W. Chiang, and K. Miroslawa, 2002, Thermal properties of titin from porcine and bovine muscles. *Meat Sci.*, 62:187-192
- Edwards, H.M., 1981, Carcass composition studies. *J. Poultry Sci.*, 60:2506-2512
- Ellis, M., and T.M. Bertol, 2001. Effect of weight on pork and fat quality. Second *International conference on pork quality*, 5 Nov – 6 Des, Brazil.
- Enfalt A.C., K. Lundstrom, A. Karlsson, and I. Hansson, 1997. Estimated frequency of the RN allele in Swedish Hampshire pigs and comparison of glycolytic potential, carcass composition and technological meat quality among Swedish Hampshire, Landrace and Yorksire pigs, *J. Anim. Sci.*, 75: 2924 -2935



- Enser, M., 1991. Animal carcass fats and fish oils. in: *Analysis of Oilseeds, Fats and Fatty Food*. Ed. J.B. Rossell and J.L.R. Pritchard, Elsevier Applied Science, London and New York.
- Falandysz, J., 1991. Mangan, copper, zinc, iron, cadmium, mercury and lead in muscle meat, liver and kidneys of poultry, rabbit and sheep in the part of Poland 1987. *Food Additive and Contaminans*, 8: 71-83
- Faridah I., 2001. Aplikasi teknik PCR untuk mendeteksi pencemaran daging babi pada bakso di pasaran Bogor. *Skripsi*. Fapet IPB, Bogor.
- Fernandez, X., and E. Tornberg, 1991. A Review of the causes of variation in muscle glycogen content and ultimate pH in pigs. *J. Muscle Foods*, 2: 209-235
- Fiedler, I., K. Nurnberg, T. Hardge, G. Nurnberg, and K. Ender, 2003. Phenotype variations of muscle fibre and intramuscular fat traits in *Longissimus dorsi* of F₂ population Duroc x Berlin Miniature pig and relationships to meat quality, *Meat Sci.* 63, 131 – 139
- Forrest, J.C., E.D. Aberle, A.B. Hedrick, M.D. Judge and R.A. Merkel, 1975. *Principles of Meat Science*. W.H. Freeman and Company. San Fransisco.
- Fritz, J.D., L.J. Dietrich, and M.L Greaser, 1992. Cooking effects on titin in fresh and processed beef produtcs. *J. Muscle Foods*, 3: 133-140
- Fuji, J., K. Otsu, F. Zorzato, S. De Leon, V.K. Khanna, J.F. Weiler, P.J. O'Brien, and D.H. Mac Lennan, 1991. Identification of a mutation in porcine ryanodine receptorassociated with malignant hyperthermia. *Science* 253, 448-451
- Gerbens, F., A. Jansen, A.J.M. Van Erp, F. Harders, T.H.E. Meuwissen, G. Retterberger, J.H. Veerkamp, and M.F.W. Te Pas, 1998. The adipocyte fatty acid binding protein locus: characterization and association with intramuscular fat content in pig. *Mamm Genome* 9:1022-1026
- Gerbens, F., F.J. Verburg, H.T.B. Van Moerkerk, B. Engel, W. Buist, J.H. Veerkamp, and M.F.W. Te Pas, 2001. Assosiation of the heart and adipocyte fatty acid-binding protein gene expression with intramuscular fat content in pigs. *J. Anim. Sci.*, 79, 347 – 354.
- Greaser, M.L., 1997, Postmortem changes in the cytoskeletal proteins in muscles. *Proceeding XIII European Symposium "The quality of poultry meat"*, Poznan, 1: 282-291



- Grobet, L., L.J.R. Martin, D. Poncelet, D. Pirottin, B. Brouwers, J. Riquet, A. Hoerberlein, S. Dunner, F. Mennisier, J. Massabanda, R. Fires, R. Hanset, and M. Georges, 1997. A deletion in a bovine myostatin genes causes the double-muscled phenotype in cattle. *Nature Genetics*, 17:71-74
- Gunstone, F.D., and F.A. Norris, 1983. Lipids in foods. Chemistry, Biochemistry and Technology. Pergamon Press. Oxford-New York.
- Hamm, R. 1963. The water-holding capacity in meat. in: Carcass Composition and Appraisal of Meat Animals. CSIRO., Melbourne. Victoria
- Hamm, R. and P.E. Deatherage, 1960. Changes in hydration, solubility and changes of muscle proteins during heating in meat. *Food Res.*, 25: 587
- Handayani, S., 1999, Perubahan karakteristik fisik akibat perbedaan umur, macam otot, kombinasi waktu dan temperatur perebusan pada daging ayam kampung, *Tesis Master*, UGM
- Hecht, H., and J. Kumpulainen, 1995. Essential and toxic element in meat and eggs. *Mitteilungsblatt der Bundesanstalt für Fleischforschung, Kulmbach*, 34, 46-52
- Henckel, P., N. Oksbjerg, E. Erlandsen, P. Barton-Gade, and C. Bejerholm, 1997. Histo and biochemical characteristic of the *Longissimus dorsi* in pigs and their relationship and performance and meat quality. *Meat Sci.*, 47:311-321
- Hill, F., and F.M. O'Carroll. 1962. The chemical composition of pig carcasses at pork, bacon and manufacturing weights. *Irish J. Agric. Res.*, 1: 115-130
- Holland, B., A.A. Welch, I.D. Unwin, D.H. Buss, A.A. Paul, and D.A.T. Southgate, 1991. *McCance and Widdowson's the composition of foods* (5th ed). Richard Clay Ltd. Bungay, Suffolk: The Royal Society of Chemistry and Ministry Agriculture, Fisheries and Food.
- James, C., and L.D. Rhoda, 1989. Functional roles of heat induced protein gelation in processed meat, In : *Food Proteins* edited by John Kinsella and William G. Sooucie. The American Oil Chemists Society, Champaign. IL
- Jeremiah, L.E., and G.M. Weiss, 1984. The effect of slaughter weight and sex on the cooking losses from and palatability attributes of pork loin chops. *Can. J. Anim. Sci.*, 64:39-43



- Jones, S.B., R.J. Carrol, and J.R. Cavanaugh, 1977. Structural changes in heated bovine muscles: a scanning electron microscope study. *J. Food Sci.*, 42: 125 – 131
- Joo, S.T., R.G. Kauffman, and B.C. Kim, 1999. The relationship of sarcoplasmic and myofibrillar protein solubility to colour and water-holding capacity in porcine *Longissimus dorsi* muscle, *Meat Sci.*, 59: 291-297
- Joo, S.T., R.G. Kauffman, C.J. Kim, and B.C. Kim, 1995. The relationship between colour and water-holding capacity in postrigor porcine *Longissimus muscle*. *J. Muscle Foods*, 6. 211-156
- Judge, M.D., J.C. Forrest, E.D. Aberle, H.B. Hendrick and R.A. Merkel, 1989. *Principles of Meat Science*. 2nd. Kendall/Hunt Publishing Co. Dubuque, Iowa.
- Kambadur, R., M. Sharma, T.P.L. Smith, and J.J. Bass, 1997. Mutations in myostatin GDF8 in double-muscled Belgian Blue and Piedmontese cattle, *Genome Res.*, 7: 910-917
- Kauffman, R.G., R.G. Cassens, A. Scherer, and D.L. Meeker, 1992. Variation in Pork Quality. Des Moines. National Pork Producers Council Publication. IA. USA.
- Knudson, B.K., M.G. Hogberg, R.A. Merkel, R.E. Allen, and W.T. Magee, 1985. Developmental comparisons of boars and barrows: I. Growth rate, carcass and muscle characteristics. *J. Anim. Sci.*, 61:789-795.
- Koch, R.M., M.F. Dikeman and J.D. Crouse. 1982. Characterization of biological types of cattle (cycle III). III. Carcass composition quality and palatability. *J. Anim. Sci.*, 52:35-45
- Koohmaraie, M., P.K. Matthew, D.S. Steven, and V. Eva, 2002. Meat tenderness and muscle growth, is there any relationship?, *Meat Sci.*, 62: 345-352
- Laakkonen, E., 1973. Factors affecting tenderness during heating of meat. In: Chischester, C.O., E.M. Mark, and G.F. Stewart (Eds), *Adv. Food Res.*, Vol 20, pp 257 – 323, Academic Press, New York.
- Lawrie, R.A., 1979. *Meat Science*, 3rd edition. Pergamon Press. Oxford
- Lawrie, R.,A., 1995. *Ilmu Daging*. Terjemahan oleh: Aminuddin Parakkasi, UI Press. Jakarta.



- Locker, R.H., 1984. The role of gap filaments in muscle and in meat. *Food Microstructure* 3, 17-32
- Lundstrom K., A.C. Enfalt, E. Tornberg, and H. Agerhem, 1998. Sensory and technological meat quality in carriers and non carriers of the RN allele in Hampshire crosses and in purebred Yorkshire pigs. *Meat Sci.*, 48: 115-124.
- Maltin, C.A., C.C. Warkup, K.R. Mathews, C.M. Grant, A.D. Porter, and M.I. Delday, 1997, Pig muscle fibre characteristic as a source of variation eating quality. *Meat Sci.*, 47:237 – 248
- Marangoni, A., and R.W. Hartel, 1998. Visualization and structural analysis of fat crystal network. *Food Technol.* Vol 9 No 9: 46-51
- Marangoni, A.G., and D. Rousseu, 1998. The influence of chemical interesterification on the physicochemical properties of complex fat systems 1. Melting and crystalization, *J. Ame. Oil Chem. Assoc.*, 75
- Marsh, B.B., 1962. *Meat Industry*, Res. Conf. Hamilton, Meat Industry Res. Institute. N.Z. Inc.Pbl. No 55 p.33
- Martin, A.H., A.P. Sather, H.T. Freden, and R.W. Jolly, 1980. Alternative market weights for swine. II Carcas composition and meat quality. *J. Anim. Sci.*, 50:699-705
- Maryatmi, D., 2000. Upaya mendeteksi adanya daging babi di dalam makanan jadi. *Skripsi*. Fapet IPB.
- Maskova, E., J. Rysova, V. Fiedlerova, and M. Holasova, 1994. Vitamin and mineral retention in meat cooked by various methods. *Potravinarske Vedy*, 12:407-416
- McPherron, A.C and S.J. Lee, 1997. Double muscling in cattle due to mutations in the myostatin gene, *Proc. National Academy of Science USA*, 94, 12457-12461
- Milan, D., J.T. Jeon, C. Looft, V. Amarger, and A. Robic, 2000. A mutation in PRKAG3 associated with excess glycogen content in pig skeletal muscle. *Science*, 288: 1248-1251.
- MLC, 1989. *Stotfold Pig Development* Unit: First Trial Results. Meat and Livestock Commission, Milton Keynes, UK.
- MLC, 1992. *Stotfold Pig Development* Unit: Second Trial Results. Meat and Livestock Commission, Milton Keynes, UK.

- Monin, G., and D. Laborde, 1985. Water-holding capacity of pig muscle protein: Interaction between the myofibrillar proteins and sarcoplasmic compounds. *Science Aligments*, 5: 341-345
- Monin, G., P. Sellier, and M.Bonneau, 1998. Trente ans d'evolution de la notion de qualite de la carcasse et de la viande de porc. *Journees de la Recherche Porcine en France*, 30: 13-27
- Muladno, 2001. Dasar-dasar tehnik DNA dan beberapa aplikasinya, *Pelatihan Pendeteksian Unsur Babi dalam Makanan jadi melalui uji DNA*. Cibinong, 16-18 April.
- Muladno, R. Prijanto, dan S. Sulandari, 1999. Identification of single base mutation in the *ryanodine receptor* (RyrI) gene associated with carcass quality of commercial pigs in Indonesia, IPB. Bogor
- Mullan, B.P., and D.N. D'Souza, 2000. *Management strategies to optimise the production of quality pork from male pig* (Final report). Pig research and Development Corporation, Canberra , Australia
- Oshima, K., R. Koishi, M. Matsuo, and N. Okada. 1993. Several short interspersed repetitive elements (SINEs) in distant species may have originated from a common ancestral retrovirus: Characterization of a squid SINE and a possible mechanism for generation of tRNA-derived retrospons. *Proc. Natl. Acad. Sci. USA*. 90:6260-6264
- Offer G., 1991. Modelling of the formation of pale, soft and exudative meat : effect of chilling regime and rate and extent of glycolysis. *Meat Sci.*, 30:157-184
- Offer, G and J. Trinick. 1983. *Meat Science*. London.
- Ono, K., B.W. Berry, and E. Paroczay, 1985. Contents and retention of nutrients in extra lean, lean and regular ground beef, *J. Food Sci.*, 50:701-706
- Palka, K., and H. Daun, 1999. Change in texture, cooking losses and myofibrillar structure of bovine *M. Semitendinosus* during heating, *Meat Sci.*, 51, 237-243.
- Palupi, W.D.E., 1986. *Tinjauan literatur Pengolahan Daging*. PDII. LIPI. Jakarta
- Parsons, S.E., and R.L.S. Patterson, 1986. Assessment of the previous heat treatment given to meat products in the temperature range 40-90 °C. Part 2: Differential scanning calorimetry, a preliminary study. *J. Food. Technol.* 21:123-131

- Ponsuksili, S., K. Wirmmers, F. Schmoll, Robic., and K. Schellander, 2000. Porcine ESTs detected by differential display representing possible candidates for the trait eye muscle area. *J. Anim. Breeding and Genetics*, 117, 25 – 36
- Purnomo, H., 1995. *Aktivitas air dan Peranannya dalam pengawetan pangan*. UI Press. Jakarta.
- Rahayu, I.P., 2000, Potensi lokus *Porcine Repetitive Element (PRE-1)* sebagai penentu spesifik daging babi, *Skripsi*, Fapet IPB, Bogor.
- Rifai, M., dan Y. Dachlan, 1998. Identifikasi lemak hewan secara mikroskopik, *Jurnal Natura*: 4. Unibraw
- Rousseu, D., A.G. Marangoni, and K.R., Jeffrey, 1998, The influence of chemical interesterification on the psychochemical properties of complex fat systems 2: Morphology and polymorphism, *J. Ame. Oil Chem. Assoc.*, 75
- Saeed, T., D. Faisal Abu, and A. Hani, 1986. Detection pork and lard adulterant in beef and mutton mixtures. *J. Assoc. Anal. Chem*: 69: 6
- Sales, J., and J.P. Hayes, 1996. Proximate, amino acid and mineral composition of ostrich meat. *J. Food Chem.*, 56: 167-170
- Sambrook J., E.F. Fritsch and T. Maniatis, 1989. *Molecular cloning*, A laboratory Manual (2^{ed}). Cold Spring Harbour Laboratory Press. London.
- Schmitt, Von F., A. Klingelholder, K.H. Schepers, A. Festerling, and H. Jungst. 1986. Einfluss des Mastendgewichtes auf die Fleischbeschaffenheit beim Schwein. *Zuchtungskunde*, 58: 282-290
- Sihombing, D.T.H., 1997. Ilmu Ternak Babi. UGM Press. Yogyakarta
- Singer, D.S., 1982. SINEs and LINEs : Highly repeated short and long interspersed sequences in mammalia genomes. *Cell*, 28: 433-434
- Singer D.S., L.J. Parent, and R. Ehrlich, 1987. Identification and DNA sequence of an interspersed repetitive DNA element in the genome of the miniature swine. *Nucleid Acid Res.* 15:2780
- Singhal, R.S., P.R. Kulkarni, and D.V. Rege, 1997. *Handbook of Indices of Food Quality and Authenticity*, Woodhead Publishing Limited, Cambrige, England.

- Smith, T.P.L., N.L. Lopez-Caroles, S.M. Kappes, and T.S. Sontegard, 1997. Myostatin maps to the interval containing the bovine mh locus, *Mamm. Genome*, 8: 742-744.
- Soeparno, 1989. Kimia dan Nutrisi Daging. Fapet UGM. Yogyakarta.
- Soeparno, 1990. *Kadar protein kolagen dan hubungannya dengan kualitas fisik daging*. Fapet UGM. Yogyakarta
- Soeparno, 1991. Pengaruh lama pemasakan dan macam otot terhadap pH, WHC, cooking loss dan keempukan daging. *Lap. Penelitian* No: UGM/PT/2895/01/39. Fapet UGM. Yogyakarta.
- Soeparno, 1992. *Ilmu dan Teknologi Daging*, UGM Press. Yogyakarta
- Soeparno, 1992b. Perubahan komposisi kimia dan kualitas daging sapi: pengaruh temperatur perebusan. *Buletin Peternakan* Fapet UGM, Edisi Khusus, Desember.
- Srigandono, B., 1993. Ilmu Peternakan, UGM Press. Yogyakarta
- Steel, R.G.D., and J.H. Torrie, 1991. *Prinsip dan Prosedur Statistika Suatu Pendekatan Biometrik*. Terjemahan Bambang Sumantri. Gramedia Pustaka Utama. Jakarta.
- Sulandari, S., Muladno, T. Harumi, S. Yanai, Y. Wada, and H. Yasue, 1997., Localization of swine PRE-1 homologues in 13 loci of *Phacochoerus aethiopicus* and *Tayasu tajacu* genomes and their sequence divergence. *Anim. Genetics*, 28:210-215.
- Swatland, H.J., 1984. *Structure and Development of Meat Animals*. Prentice-Hall. Inc. Englewood Cliffs, New Jersey.
- Tranggono, 1980. *Petunjuk Analisa Bahan Pangan*. PAU Pangan dan Gizi. Universitas Gadjah Mada. Yogyakarta.
- Tyskiewicz, S., 1979, Factor determining meat tenderness in Polish. *Przemysf Spozywczy* 23: 218-221.
- USDA, 1979. Composition of Foods: poultry products. *Agriculture Handbook* No 8-5. Washington, DC. United States Department of Agriculture



- Warner, R.D., R.G. Kauffman, dan M.L. Greaser, 1997. Muscles changes post mortem in relation to pork quality traits. *Meat Sci.* 45: 339-352
- Warris P.D., S.C. Kestin, S.N. Brown, and G.R. Nute, 1996. The quality of pork from traditional breeds. *Meat Focus International*, 5/6, 179-183
- Warris, P.D., 2000, *Meat Science*. Cabi Publishing, New York
- Winarno, F.G., 1989. *Kimia Pangan dan Gizi*. Gramedia. Jakarta.
- Witte, D.P., 1999. Effect of lysine-deficient diets on intramuscular fat deposition in finishing pigs. *MS Thesis*. University of Illinois.
- Wright, D.J., and P. Wilding, 1984. Differential scanning calorimetric study of muscle and its constituent proteins: myosin and its subfragments. *J. Food. Sci. Technol.* 20:357-362
- Wright, D.J., I.B. Leach, and P. Wilding, 1977. Differential scanning calorimetric studies of muscle of its constituent proteins. *J. Sci. Food and Agric.*, 28: 557-564
- Yiyin. 2001. Pemanfaatan PRE-1 sebagai detektor adanya daging babi di dalam sosis. *Skripsi*. Fapet IPB. Bogor.