

## DAFTAR PUSTAKA

- Abdelmoula, M., Ben Hlima, H., Michalet, F., Bourduche, G., Chavant, J. Y., Gravier, A., ... & de Baynast, H. (2021). Chitosan-based adhesive: Optimization of tensile shear strength in dry and wet conditions. *Polysaccharides*, 2(1), 110-120.
- Affes, S., Nasri, R., Li, S., Thami, T., van Der Lee, A., Nasri, M., & Maalej, H. (2021). Effect of glucose-induced Maillard reaction on physical, structural and antioxidant properties of chitosan derivatives-based films. *Carbohydrate Polymers*, 255, 117341.
- Alamsyah, R. dan Supritana, D., 2018. Analisis teknik dan tekno ekonomi pengolahan biomassa limbah tandan kosong kelapa sawit (TKKS) menjadi pelet sebagai bahan bakar terbarukan skala produksi. *Journal of Agro-based Industry* Vol. 35, No. 1. Balai Besar Industri Agro (BBIA). Bogor.
- Amiri, H., Aghbashlo, M., Sharma, M., Gaffey, J., Manning, L., Moosavi Basri, S. M., ... & Tabatabaei, M. (2022). Chitin and chitosan derived from crustacean waste valorization streams can support food systems and the UN Sustainable Development Goals. *Nature food*, 3(10), 822-828.
- Antov, P., Savov, V., & Neykov, N. (2020). Sustainable bio-based adhesives for eco-friendly wood composites. A review. *Wood Res*, 65(1), 51-62.
- Asafu-Adjaye, O. A., Street, J., Bansode, A., Auad, M. L., Peresin, M. S., Adhikari, S., ... & Via, B. K. (2022). Fast Pyrolysis Bio-Oil-Based Epoxy as an Adhesive in Oriented Strand Board Production. *Polymers*, 14(6), 1244.
- Asif, M. (2009). Sustainability of timber, wood and bamboo in construction. In *Sustainability of construction materials* (pp. 31-54). Woodhead Publishing.
- Badan Pusat Statistik (BPS). (2018). Data Ekspor-Impor 2012-2017. Jakarta: Badan Pusat Statistik.
- Badan Pusat Statistik (BPS). (2020). Data Ekspor-Impor 2015-2020. Jakarta: Badan Pusat Statistik.
- Badan Pusat Statistik (BPS). (2021). Statistik Produksi Kehutanan 2021. Badan Pusat Statistik.
- Bowyer, J.L., R. Shmulsky, dan J.G. Haygreen. 2003. Forest Products and Wood Science : an Introduction. Iowa State Press. USA
- Brunner, P. H., & Rechberger, H. (2015). Waste to energy—key element for sustainable waste management. *Waste management*, 37, 3-12.

- Cai, Z., Muehl, J. H., & Winandy, J. E. (2006). Effects of panel density and mat moisture content on processing medium density fiberboard. *Forest products journal*, 56(10), 20.
- Callister, W. D., & Rethwisch, D. G. (2000). *Fundamentals of materials science and engineering* (Vol. 471660817). London: Wiley.
- Campbell, L., Edwards, K., Lemaster, R., & Velarde, G. (2018). The use of acoustic emission to detect fines for wood-based composites, Part one: Experimental setup for use on particleboard. *BioResources*, 13(4), 8738-8750.
- Carrera, Cecilio, Carlos Bengoechea, Francisco Carrillo, and Nuria Calero. "Effect of deacetylation degree and molecular weight on surface properties of chitosan obtained from biowastes." *Food Hydrocolloids* 137 (2023): 108383.
- Champagne, L. M. (2008). *The synthesis of water soluble N-acyl chitosan derivatives for characterization as antibacterial agents*. Louisiana State University and Agricultural & Mechanical College.
- Charii, H., Boussetta, A., Benhamou, A. A., Mennani, M., Essifi, K., Ablouh, E. H., ... & Moubarik, A. (2023). Exploring the potential of chitin and chitosan extracted from shrimp shell waste in enhancing urea-formaldehyde wood adhesives. *International Journal of Adhesion and Adhesives*, 103599.
- Cheng, X., He, X., Xie, J., Quan, P., Xu, K., Li, X., & Cai, Z. (2016). Effect of the particle geometry and adhesive mass percentage on the physical and mechanical properties of particleboard made from peanut hull. *BioResources*, 11(3), 7271-7281.
- Das, O., Babu, K., Shanmugam, V., Sykam, K., Tebyetekerwa, M., Neisiany, R. E., ... & Ramakrishna, S. (2022). Natural and industrial wastes for sustainable and renewable polymer composites. *Renewable and Sustainable Energy Reviews*, 158, 112054.
- Direktorat Jenderal Industri Agro, Kementerian Perindustrian, 2021. Laporan Pengendalian dan Evaluasi Pelaksanaan Rencana Pembangunan Triwulan IV Tahun 2021. Jakarta: Kementerian Perindustrian.
- Domszy, J. G., & Roberts, G. A. (1985). Evaluation of infrared spectroscopic techniques for analysing chitosan. *Die Makromolekulare Chemie: Macromolecular Chemistry and Physics*, 186(8), 1671-1677.
- EPA, U. (2017). Formaldehyde Emission Standards for Composite Wood Products.
- Etale, A., Onyianta, A. J., Turner, S. R., & Eichhorn, S. J. (2023). Cellulose: a review of water interactions, applications in composites, and water treatment. *Chemical Reviews*, 123(5), 2016-2048.

- Farooq, M. S., & Salam, M. (2021). Cleaner production practices at company level enhance the desire of employees to have a significant positive impact on society through work. *Journal of cleaner production*, 283, 124605.
- Fatriasari, W., Syafii, W., Wistara, N., Syamsu, K., & Prasetya, B. (2016). Lignin and cellulose changes of betung bamboo (*Dendrocalamus asper*) pretreated microwave heating. *International Journal on Advanced Science Engineering Information Technology*, 6(2), 186-195.
- Fuller, S. K., & Stephen, R. P. (1980). Life Cycle Costing Manual for the Federal Energy Management Program. *NIST handbook*, 135. National Institute of Standards and Technology, Technology Administration, USA: U.S. Department Of Commerce.
- Gavrilescu, M. (2004). Cleaner production as a tool for sustainable development. *Environmental Engineering & Management Journal (EEMJ)*, 3(1).
- Giannetti, B. F., Agostinho, F., Eras, J. C., Yang, Z., & Almeida, C. M. V. B. (2020). Cleaner production for achieving the sustainable development goals. *Journal of Cleaner Production*, 271, 122127.
- Giatman. (2011). *Ekonomi Teknik*. Jakarta: Rajawali Pers.
- Gupta, A., & Kumar, A. (2008). Potential of bamboo in sustainable development. *Asia Pacific Business Review*, 4(3), 100-107.
- Hauptmann, M., Gindl-Altmutter, W., Hansmann, C., Bacher, M., Rosenau, T., Liebner, F., ... & Schwanninger, M. (2015). Wood modification with tricaine. *Holzforschung*, 69(8), 985-991.
- Haygreen, J. G., & Bowyer, J. L. (1996). *Forest products and wood science: an introduction* (No. Ed. 3). Iowa state university press.
- Huang, E., Cao, Y., Duan, X., Yan, Y., Wang, Z., & Jin, C. (2021). Cross-linked chitosan as an eco-friendly binder for high-performance wood-based fiberboard. *International Journal of Polymer Science*, 2021.
- Hustiany, R. (2016). Reaksi maillard pembentuk citarasa dan warna pada produk pangan.
- Hodge, J. E. (1953). Dehydrated foods, chemistry of browning reactions in model systems. *Journal of agricultural and food chemistry*, 1(15), 928-943.
- Ihsan, M., Fikrani, A., & Sriwarno, A. B. (2019). Pemanfaatan limbah produksi kerajinan bambu melalui desain produk berbahan dasar arang. *Jurnal Sositelknologi*, 18(1), 43-55.

- Ji, X., Li, B., Yuan, B., & Guo, M. (2017). Preparation and characterizations of a chitosan-based medium-density fiberboard adhesive with high bonding strength and water resistance. *Carbohydrate Polymers*, 176, 273-280.
- Ji, X., & Guo, M. (2018). Preparation and properties of a chitosan-lignin wood adhesive. *International Journal of Adhesion and Adhesives*, 82, 8-13.
- Jin, Y., Cheng, X., & Zheng, Z. (2010). Preparation and characterization of phenol-formaldehyde adhesives modified with enzymatic hydrolysis lignin. *Bioresource Technology*, 101(6), 2046-2048.
- Joshi, S. V., Drzal, L. T., Mohanty, A. K., & Arora, S. (2004). Are natural fiber composites environmentally superior to glass fiber reinforced composites?. *Composites Part A: Applied science and manufacturing*, 35(3), 371-376.
- Kariuki, S. W., Wachira, J., Kawira, M., & Murithi, G. (2020). Crop residues used as lignocellulose materials for particleboards formulation. *Heliyon*, 6(9).
- Karlinasari, L., Sejati, P. S., Adzkia, U., Arinana, A., & Hiziroglu, S. (2021). Some of the physical and mechanical properties of particleboard made from betung bamboo (*Dendrocalamus asper*). *Applied Sciences*, 11(8), 3682.
- Kaur, N., Saxena, S., Gaur, H., & Goyal, P. (2017). A review on bamboo fiber composites and its applications. In *2017 International Conference on Infocom Technologies and Unmanned Systems (Trends and Future Directions)(ICTUS)*(pp. 843-849). IEEE.
- Kelly, M. W. (1977). Critical literature review of relationships between processing parameters and physical properties of particleboard. *USDA General technical report FPL-10*, 36-44.
- Kementerian Kelautan dan Perikanan. 2021. Rilis Data Kelautan dan Perikanan Triwulan I Tahun 2022. Jakarta : Kementerian Kelautan dan Perikanan.
- Keoleian, G. A., & Kar, K. (2003). Elucidating complex design and management tradeoffs through life cycle design: air intake manifold demonstration project. *Journal of Cleaner Production*, 11(1), 61-77.
- Khalil, H. A., Bhat, I. U. H., Jawaid, M., Zaidon, A., Hermawan, D., & Hadi, Y. S. (2012). Bamboo fibre reinforced biocomposites: A review. *Materials & Design*, 42, 353-368.
- Kollmann, F.F.P., E.W. Kuenzi, dan A.J. Stamm. 1975. Principles of Wood Science and Technology II: Wood Based Materials. Springer-Verlag, Berlin/Heidelberg.
- Koschek, K. (2015). Design of natural fiber composites utilizing interfacial crystallinity and affinity. *Composites Part A: Applied Science and Manufacturing*, 69, 21-29.

- Kusumah, S. S., Umemura, K., Guswenrivo, I., Yoshimura, T., & Kanayama, K. (2017). Utilization of sweet sorghum bagasse and citric acid for manufacturing of particleboard II: influences of pressing temperature and time on particleboard properties. *Journal of Wood Science*, 63, 161-172.
- Kusumanto, I., & Sundari, N. P. (2016). Analisis Kelayakan Usaha Particle Board Sebagai Pemanfaatan Limbah Kayu (Studi Kasus: CV. Riau Pallet). *Jurnal Teknik Industri*, 2(1).
- Lindungan, L., Putranto, B., Suhasman, A., & Agussalim, A. (2019). Kondisi Optimum Proses Kempa Panas Dalam Pembuatan Papan Partikel Dengan Perekat Kitosan. *Jurnal Perennial*, 15(2), 67-73.
- Louppe, D., Oteng-Amoako, A. A., & Brink, M. (2008). Plant Resources of Tropical Africa 7 (1). *Timbers 1*. PROTA foundation.
- Mahmud, R., Moni, S. M., High, K., & Carbajales-Dale, M. (2021). Integration of techno-economic analysis and life cycle assessment for sustainable process design—A review. *Journal of Cleaner Production*, 317, 128247.
- Maloney, T.M. (1977). Modern particle board and dry process fiberboard manufacturing. USA: Miller Freeman Publication. Inc.
- Martins, S. I., Jongen, W. M., & Van Boekel, M. A. (2000). A review of Maillard reaction in food and implications to kinetic modelling. *Trends in food science & technology*, 11(9-10), 364-373.
- Mati-Baouche, N., Elchinger, P. H., de Baynast, H., Pierre, G., Delattre, C., & Michaud, P. (2014). Chitosan as an adhesive. *European Polymer Journal*, 60, 198-212.
- Maulana, M. I., Marwanto, M., Nawawi, D. S., Nikmatin, S., Febrianto, F., & Kim, N. H. (2020, September). Chemical components content of seven Indonesian bamboo species. In *IOP Conference Series: Materials Science and Engineering* (Vol. 935, No. 1, p. 012028). IOP Publishing.
- Melo, R. R. D., Stangerlin, D. M., Santana, R. R. C., & Pedrosa, T. D. (2014). Physical and mechanical properties of particleboard manufactured from wood, bamboo and rice husk. *Materials Research*, 17, 682-686.
- Mima, S., Miya, M., Iwamoto, R., & Yoshikawa, S. (1983). Highly deacetylated chitosan and its properties. *Journal of Applied Polymer Science*, 28(6), 1909-1917.
- Mou, Q., Hao, X., Xu, K., Li, X., & Li, X. (2022). Hygroexpansion behaviors of bamboo in response to moisture absorption and desorption. *Construction and Building Materials*, 341, 127895.

- Mudjanarko, S. W., Limantara, A. D., Mayestino, M., Sutrisno, A. E. A., Ibrahim, M. H. W., & Wiwoho, F. P. (2020, July). The Utilization of Bamboo Innovation as Aggregate Substitute for Paving Block. In *Journal of Physics: Conference Series* (Vol. 1573, No. 1, p. 012014). IOP Publishing.
- Mohammed, M. O., Hussain, K. S., & Haj, N. Q. (2017). Preparation and bioactivity assessment of chitosan-1-acetic acid-5-fluorouracil conjugates as cancer prodrugs. *Molecules*, 22(11), 1629.
- Mulder, K., Ferrer, D. and Van Lente, H. (2017). What is sustainable technology?: Perceptions, paradoxes and possibilities. Routledge.
- Muñoz, I., Rodríguez, C., Gillet, D., & M Moerschbacher, B. (2018). Life cycle assessment of chitosan production in India and Europe. *The International Journal of Life Cycle Assessment*, 23, 1151-1160.
- Nigam, A. (2007). *Lab manual in biochemistry, immunology and biotechnology*. Tata McGraw-Hill Education.
- Ningsi, D. W., & Saad, S. (2019). Characteristic of Chitosan Adhesive from Shell Shrimp *Litopenaeus vannamei* and Their Application For Producing Particleboard. In *IOP Conference Series: Materials Science and Engineering* (Vol. 593, No. 1, p. 012015). IOP Publishing.
- Owodunni, A. A., Lamaming, J., Hashim, R., Taiwo, O. F. A., Hussin, M. H., Mohamad Kassim, M. H., ... & Hiziroglu, S. (2020). Adhesive application on particleboard from natural fibers: A review. *Polymer Composites*, 41(11), 4448-4460.
- Pratiwi, R. (2014). Manfaat kitin dan kitosan bagi kehidupan manusia. *Oseana*, 39(1), 35-43.
- Patel, A. K. (2015). Chitosan: Emergence as potent candidate for green adhesive market. *Biochemical Engineering Journal*, 102, 74-81.
- Peeters, K., Larnøy, E., Kutnar, A., & Hill, C. A. S. (2018). An examination of the potential for the use of the Maillard reaction to modify wood. *International Wood Products Journal*, 9(3), 108-114.
- Qi, G., N. Li., D. Wang, dan X.S. Sun. 2016. Development of High-Strength Soy Protein Adhesives Modified with Sodium Montmorillonite Clay. *Journal of The American Oil Chemists Society* 93(11):1509-1517.
- Ramesh, M., Palanikumar, K., & Reddy, K. H. (2017). Plant fibre based bio-composites: Sustainable and renewable green materials. *Renewable and Sustainable Energy Reviews*, 79, 558-584.
- Rawat, K., Nirmala, C., & Bisht, M. S. (2018, August). Quantitative assessment of silicon in fresh and processed bamboo shoots and its potential as functional



- element in food, nutraceuticals and cosmeceuticals. In *Proceedings of 11 th World Bamboo Congress, theme: Food and Pharmaceuticals*(pp. 14-18).
- Refiadi, G., Bayu, N., Judawisastra, H., & Mardiyati, M. (2018). Serat Bambu Petung (*Dendrocalamus asper*) Teralkalisasi sebagai Penguat Komposit Polimer. *Jurnal Selulosa*, 8(01), 1-8.
- Rodríguez, L. J., Orrego, C. E., Ribeiro, I., & Peças, P. (2018). Life-cycle assessment and life-cycle cost study of banana (*Musa sapientum*) fiber biocomposite materials. *Procedia CIRP*, 69, 585-590.
- Ruhendi, S., F. Febrianto, dan N. Sahriawati. 2000. Likuida kayu untuk perekat kayu lapis eksterior. *Jurnal Ilmu Pertanian Indonesia* 9(1):1-11.
- Ryłko-Polak, I., Komala, W., & Białowiec, A. (2022). The Reuse of Biomass and Industrial Waste in Biocomposite Construction Materials for Decreasing Natural Resource Use and Mitigating the Environmental Impact of the Construction Industry: A Review. *Materials*, 15(12), 4078.
- Sadliwala, M. S., & Gogate, N. G. (2022, October). Life Cycle Costing Methodology for Sustainable Construction. In *IOP Conference Series: Earth and Environmental Science* (Vol. 1084, No. 1, p. 012023). IOP Publishing.
- Santoso, A., & Pari, G. (2015). Sifat papan partikel daur ulang rendah emisi formaldehida. *Jurnal Penelitian Hasil Hutan*, 33(1), 1-10.
- Saraswati, N. W. S., & Sari, N. L. P. W. (2019). Rancang Bangun Website E-Commerce Produk Kerajinan Bambu Untuk Pasar Ekspor. *Jurnal Teknologi Informasi dan Komputer*, 5(2).
- Saud, A. S., Maniam, G. P., & Rahim, M. H. A. (2021). Introduction of Eco-Friendly Adhesives: Source, Types, Chemistry and Characterization. In *Eco-Friendly Adhesives for Wood and Natural Fiber Composites* (pp. 1-28). Springer, Singapore.
- Scheikl, M., dan M. Dunky. 1998. Measurement of dynamic contact angles on wood for the determination of its surface tension and the penetration of liquids into the wood surface. *Holzforschung* 52:89– 94.
- Setyaaji, P.H. 2021. Pengembangan Produk Papan Partikel Ramah Lingkungan Berbahan Tandan Kosong Kelapa Sawit Dengan Perekat Sukrosa-Ammonium Dihydrogen Phosphate (SADP). *Thesis*. Universitas Gadjah Mada, Yogyakarta.
- Shah, K. N. A. K. A., Yusop, M. Z. M., Rohani, J. M., Fadil, N. A., Manaf, N. A., Hartono, B., ... & Ramli, A. (2021). Feasibility study on biomass bamboo renewable energy in Malaysia, Indonesia, Vietnam and Japan. *Chemical Engineering Transactions*, 89, 127-132.

- Shendurse, A. M., & Khedkar, C. D. (2016). Glucose: properties and analysis. *Encyclopedia of Food and Health*, 3, 239-247.
- Shmulsky, R., & Jones, P. D. (2011). Wood and water. *Forest Products and Wood Science: An Introduction, 6th Edition, John Wiley & Sons, Hoboken*, 141-174.
- Silva, D. A. L., Lahr, F. A. R., Garcia, R. P., Freire, F. M. C. S., & Ometto, A. R. (2013). Life cycle assessment of medium density particleboard (MDP) produced in Brazil. *The International Journal of Life Cycle Assessment*, 18, 1404-1411.
- Sjostrom, E (terjemahan). (1995). Kimia kayu: dasar-dasar dan penggunaan. Gadjah Mada University Press. Yogyakarta.
- Solt, P., Konnerth, J., Gindl-Altmutter, W., Kantner, W., Moser, J., Mitter, R., & van Herwijnen, H. W. (2019). Technological performance of formaldehyde-free adhesive alternatives for particleboard industry. *International Journal of Adhesion and Adhesives*, 94, 99-131.
- Srebrencoska, V., Fidancevska, E., Jovanov, V., & Angusheva, B. (2013). Sustainable technology and natural environment. In *Proceedings of XXI international Scientific and Professional Meeting" Ecological Truth" ECO-IST'13* (pp. 238-242). University of Belgrade, Technical Faculty, Bor.
- Srijanto, B. (2003). Kajian pengembangan teknologi proses produksi kitin dan kitosan secara kimiawi. In *Prosiding seminar Nasional Teknik Kimia Indonesia* (Vol. 1, No. 1, pp. 1-5).
- Stark, N. M., Cai, Z., dan Carll, C. (2010). Panel products, glue laminated timber, structural composite material. *Wood Handbook - Wood as an Engineering Material: Chapter 11*. Forest Product Laboratory United States Department of Agriculture Forest Service. Madison.
- Sutigno, P., 1994. *Teknologi papan partikel datar*. Pusat Penelitian dan Pengembangan Hasil Hutan dan Sosial Ekonomi Kehutanan. Bogor.
- Swolfs, Y., Verpoest, I., & Gorbatiikh, L. (2019). Recent advances in fibre-hybrid composites: materials selection, opportunities and applications. *International Materials Reviews*, 64(4), 181-215.
- Thadathil, N., & Velappan, S. P. (2014). Recent developments in chitosanase research and its biotechnological applications: A review. *Food chemistry*, 150, 392-399.
- Topić Popović, N., Lorencin, V., Strunjak-Perović, I., & Čož-Rakovac, R. (2023). Shell waste management and utilization: Mitigating organic pollution and enhancing sustainability. *Applied Sciences*, 13(1), 623.
- Umemura, K., & Kawai, S. (2007). Modification of chitosan by the Maillard reaction using cellulose model compounds. *Carbohydrate Polymers*, 68(2), 242-248.



- Umemura, K., & Kawai, S. (2008). Preparation and characterization of Maillard reacted chitosan films with hemicellulose model compounds. *Journal of Applied Polymer Science*, 108(4), 2481-2487.
- Umemura, K., Kaiho, K., & Kawai, S. (2009). Characterization of bagasse-rind particleboard bonded with chitosan. *Journal of applied polymer science*, 113(4), 2103-2108.
- Umemura, K., Mihara, A., & Kawai, S. (2010). Development of new natural polymer-based wood adhesives III: effects of glucose addition on properties of chitosan. *Journal of wood science*, 56(5), 387-394.
- Valyova, M., Ivanova, Y., & Koynov, D. (2017). Investigation of free formaldehyde quantity in production of plywood with modified urea-formaldehyde resin. *Int. J. Wood Des. Technol*, 6, 72-76.
- Vidal, J. L., Jin, T., Lam, E., Kerton, F., & Moores, A. (2022). Blue is the new green: Valorization of crustacean waste. *Current Research in Green and Sustainable Chemistry*, 100330.
- Verma, V., Singh, Z., & Yadav, N. (2019). Maillard reaction and effect of various factor on the formation of Maillard products: and its impact on processed food products. *Research trends in food technology and nutrition*, 7(5), 63-90.
- Vidal, J. L., Jin, T., Lam, E., Kerton, F., & Moores, A. (2022). Blue is the new green: Valorization of crustacean waste. *Current Research in Green and Sustainable Chemistry*, 100330.
- Viel, Q. (2013). Interface properties of bio-based composites of polylactic acid and bamboo fibers.
- Wang, W., & Xu, D. (1994). Viscosity and flow properties of concentrated solutions of chitosan with different degrees of deacetylation. *International journal of biological macromolecules*, 16(3), 149-152.
- Wardani, M. A. (2015). Karakteristik tanaman bambu petung (*Dendrocalamus asper* Back.) di dataran rendah di daerah Subang, Jawa Barat. In *Seminar Nasional VIII Pendidikan Biologi FKIP UNS 2011*. Sebelas Maret University.
- Widjaja, E. A., & Kartikasari, S. N. (2001). Identikit jenis-jenis bambu di Jawa. *Puslitbang Biologi-LIPI, Bogor*.
- Widyorini, R. (2020). Evaluation of physical and mechanical properties of particleboard made from petung bamboo using sucrose-based adhesive. *BioResources*, 15(3), 5072-5086.
- Widyorini, R., Xu, J., Umemura, K., & Kawai, S. (2005). Manufacture and properties of binderless particleboard from bagasse I: effects of raw material type, storage methods, and manufacturing process. *Journal of wood science*, 51(6), 648-654.

- Widyorini, R., Yudha, A. P., & Prayitno, T. A. (2011). Some of the properties of binderless particleboard manufactured from bamboo. *Wood Research Journal*, 2(2), 89-93.
- Widyorini, R., Umemura, K., Isnain, R., Putra, D. R., Awaludin, A., & Prayitno, T. A. (2016). Manufacture and properties of citric acid-bonded particleboard made from bamboo materials. *European Journal of Wood and Wood Products*, 74, 57-65.
- Widyorini, R., Umemura, K., Kusumaningtyas, A. R., & Prayitno, T. A. (2017). Effect of starch addition on properties of citric acid-bonded particleboard made from bamboo. *BioResources*, 12(4), 8068-8077.
- Widyorini, R., Syahri, I., & Dewi, G. K. (2020). Sifat Papan Partikel Bambu Petung (*Dendrocalamus Asper*) Dan Bambu Wulung (*Gigantochloa Atroviolacea*) Dengan Perlakuan Ekstraksi. *Jurnal Ilmu Kehutanan*, 14(1), 84-93.
- Widyorini, R., Sari, N. H., Setiyo, M., & Refiadi, G. (2021). The role of composites for sustainable society and industry. *Mechanical Engineering for Society and Industry*, 1(2), 48-53.
- Wulandari, F. T. (2019). Karakteristik dan Sifat Fisik Bambu Petung (*Dendrocalamus asper*. Backer) di Kawasan Hutan Kemasyarakatan (HKM) Desa Aik Bual, Provinsi Nusa Tenggara Barat. *Buletin Loupe*, 15(01), 300800.
- Xu, J., Sugawara, R., Widyorini, R., Han, G., & Kawai, S. (2004). Manufacture and properties of low-density binderless particleboard from kenaf core. *Journal of Wood Science*, 50(1), 62-67.
- Yosky, D. (2018). *Determinan Lokasi Sentra Industri Kerajinan Bambu Di Kabupaten Sleman* (Doctoral dissertation, Universitas Gadjah Mada).
- Zakikhani, P., Zahari, R., Sultan, M. T. H., & Majid, D. L. (2014). Extraction and preparation of bamboo fibre-reinforced composites. *Materials & Design*, 63, 820-828.
- Zimmermann, A., Müller, L., Wang, Y., Langhorst, T., Wunderlich, J., Marxen, A., ... & Sick, V. (2020). *Techno-Economic Assessment & Life Cycle Assessment Guidelines for CO2 Utilization (Version 1.1)*.
- Zhao, Z., Sun, S., Wu, D., Zhang, M., Huang, C., Umemura, K., & Yong, Q. (2019). Synthesis and characterization of sucrose and ammonium dihydrogen phosphate (SADP) adhesive for plywood. *Polymers*, 11(12), 1909.