

DAFTAR PUSTAKA

- Abdollahnejad, A., Panagiotidis, D., & Surový, P. (2017). Forest canopy density assessment using different approaches - Review. *Journal of Forest Science*, 63(3), 107–116. <https://doi.org/10.17221/110/2016-JFS>
- Apriyanto, D. P., Jaya, I. N. S., & Puspaningsih, N. (2019). Examining the object-based and pixel-based image analyses for developing stand volume estimator model. *Indonesian Journal of Electrical Engineering and Computer Science*, 15(3), 1586–1596. <https://doi.org/10.11591/ijeecs.v15.i3.pp1586-1596>
- Arjasakusuma, S., Kusuma, S. S., & Phinn, S. (2020). Evaluating variable selection and machine learning algorithms for estimating forest heights by combining lidar and hyperspectral data. *ISPRS International Journal of Geo-Information*, 9(9). <https://doi.org/10.3390/ijgi9090507>
- Arjasakusuma, S., Kusuma, S. S., Saringatin, S., Wicaksono, P., Mutaqin, B. W., & Rafif, R. (2021). Shoreline dynamics in East Java Province, Indonesia, from 2000 to 2019 using multi-sensor remote sensing data. *Land*, 10(2), 1–17. <https://doi.org/10.3390/land10020100>
- Astola, H., Häme, T., Sirro, L., Molinier, M., & Kilpi, J. (2019). Comparison of Sentinel-2 and Landsat 8 imagery for forest variable prediction in boreal region. *Remote Sensing of Environment*, 223(October 2017), 257–273. <https://doi.org/10.1016/j.rse.2019.01.019>
- Ataee, M. S., Maghsoudi, Y., Latifi, H., & Fadaie, F. (2019). Improving estimation accuracy of growing stock by multi-frequency SAR and multi-spectral data over Iran's heterogeneously-structured broadleaf Hyrcanian forests. *Forests*, 10(8), 1–18. <https://doi.org/10.3390/fl10080641>
- Baynes, J. S. (2005). Using Fcd Mapper Software and Landsat Images To Detect Breaks in Forest Canopies in Landscapes in Australia and the Philippines 1. *Screen, February*, 151–158.
- Berninger, A., Lohberger, S., Stängel, M., & Siegert, F. (2018). SAR-based estimation of above-ground biomass and its changes in tropical forests of Kalimantan using L- and C-band. *Remote Sensing*, 10(6). <https://doi.org/10.3390/rs10060831>
- Brede, B., Bartholomeus, H. M., Barbier, N., Pimont, F., Vincent, G., & Herold, M. (2022). Peering through the thicket: Effects of UAV LiDAR scanner settings and flight planning on canopy volume discovery. *International Journal of Applied Earth Observation and Geoinformation*, 114(April), 103056. <https://doi.org/10.1016/j.jag.2022.103056>
- Budiharto, W. (2016). *Machine Learning & Computational Intelligence* (T. A. Prabawati (ed.)). ANDI.
- Burkov, A. (2019). *The hundred-page machine learning book*.
- Candra, D. S., Phinn, S., & Scarth, P. (2020). Cloud and cloud shadow masking for Sentinel-2 using multitemporal images in global area. *International Journal of Remote Sensing*, 41(8), 2877–2904. <https://doi.org/10.1080/01431161.2019.1697006>
- Chai, T., & Draxler, R. R. (2014). Root mean square error (RMSE) or mean

- absolute error (MAE)? -Arguments against avoiding RMSE in the literature. *Geoscientific Model Development*, 7(3), 1247–1250. <https://doi.org/10.5194/gmd-7-1247-2014>
- Charbonneau, F., Trudel, M., & Fernandes, R. (2005). Use of Dual Polarization and Multi-Incidence SAR for soil permeability mapping. *In Proceedings of the 2005 Advanced Synthetic Aperture Radar (ASAR) Workshop*.
- Chen, L., Ren, C., Zhang, B., & Wang, Z. (2020). Multi-sensor prediction of stand volume by a hybrid model of support vector machine for regression kriging. *Forests*, 11(3). <https://doi.org/10.3390/fl1030296>
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Penerbit Andi.
- Danoedoro, P., & Gupita, D. D. (2022). Combining Pan-Sharpener and Forest Cover Density Transformation Methods for Vegetation Mapping using Landsat-8 Satellite Imagery. *International Journal on Advanced Science, Engineering and Information Technology*, 12(3), 881–891. <https://doi.org/10.18517/ijaseit.12.3.12514>
- Díaz, G. M. (2023). Optimizing forest canopy structure retrieval from smartphone-based hemispherical photography. *Methods in Ecology and Evolution*, 40(23), 875–884. <https://doi.org/10.1111/2041-210X.14059>
- Esteban, J., McRoberts, R. E., Fernández-Landa, A., Tomé, J. L., & Næsset, E. (2019). Estimating forest volume and biomass and their changes using random forests and remotely sensed data. *Remote Sensing*, 11(16). <https://doi.org/10.3390/rs11161944>
- Forrester, D. I., Ammer, C., Annighöfer, P. J., Barbeito, I., Bielak, K., Bravo-Oviedo, A., Coll, L., del Río, M., Drössler, L., Heym, M., Hurt, V., Löf, M., den Ouden, J., Pach, M., Pereira, M. G., Plaga, B. N. E., Ponette, Q., Skrzyszewski, J., Sterba, H., ... Pretzsch, H. (2018). Effects of crown architecture and stand structure on light absorption in mixed and monospecific *Fagus sylvatica* and *Pinus sylvestris* forests along a productivity and climate gradient through Europe. *Journal of Ecology*, 106(2), 746–760. <https://doi.org/10.1111/1365-2745.12803>
- Frazer, G.W., Canham, C.D., Lertzman, K. . (1999). *Gap Light Analyzer (GLA): Imaging software to extract canopy structure and gap light transmission indices from true-colour fisheye photographs, users manual and program documentation*. Simon Fraser University, Burnaby, British Columbia, and the Institute of Ecosystem Studies.
- Frison, P. L., Fruneau, B., Kmiha, S., Soudani, K., Dufrêne, E., Le Toan, T., Koleček, T., Villard, L., Mougin, E., & Rudant, J. P. (2018). Potential of Sentinel-1 data for monitoring temperate mixed forest phenology. *Remote Sensing*, 10(12). <https://doi.org/10.3390/rs10122049>
- Gesta, J. L. E., Fernandez, J. M., Lina, R. S., Santillan, J. R., City, B., & City, B. (2023). ABOVEGROUND BIOMASS AND CARBON STOCK ESTIMATION OF FALCATA THROUGH THE SYNERGISTIC USE OF SENTINEL-1 AND SENTINEL-2 IMAGES. *XLVIII*(November 2022), 14–17.
- Giertych, M. J., Karolewski, P., & Oleksyn, J. (2015). Carbon allocation in seedlings of deciduous tree species depends on their shade tolerance. *Acta Physiologiae Plantarum*, 37(10), 1–15. <https://doi.org/10.1007/s11738-015->

1965-x

- Giri Ananto, W. H., Hadi, H. A., Sandhini Putri, A. F., Hanum, D. N., Puji Wiryanan, B. K., Prabaswara, R. R., & Arjasakusuma, S. (2019). *Assessment of dual polarization in Sentinel-1 data for estimating forest aboveground biomass: case study of Barru Regency, South Sulawesi*. December 2019, 47. <https://doi.org/10.1117/12.2540845>
- Hartoyo, A. P. P., Prasetyo, L. B., Siregar, I. Z., Supriyanto, Theilade, I., & Siregar, U. J. (2019). Carbon stock assessment using forest canopy density mapper in agroforestry land in Berau, East Kalimantan, Indonesia. *Biodiversitas*, 20(9), 2661–2676. <https://doi.org/10.13057/biodiv/d200931>
- Heriansyah, I., Hamid, H. A., Nurudin, A. A., Ibrahim, S., Abdu, A., & Alias, M. A. (2022). Assessment of reduced impact logging technique at different logging intensity. *IOP Conference Series: Earth and Environmental Science*, 959(1). <https://doi.org/10.1088/1755-1315/959/1/012067>
- Himayah, S., Hartono, & Danoedoro, P. (2016). The Utilization of Landsat 8 Multitemporal Imagery and Forest Canopy Density (FCD) Model for Forest Reclamation Priority of Natural Disaster Areas at Kelud Mountain, East Java. *IOP Conference Series: Earth and Environmental Science*, 47(1), 0–10. <https://doi.org/10.1088/1755-1315/47/1/012043>
- Huete, A. R. (1988). A Soil-Adjusted Vegetation Index (SAVI). *Remote Sensing of Environment*, 25(1), 295–309. [https://dx.doi.org/10.1016/0034-4257\(88\)90106-X](https://dx.doi.org/10.1016/0034-4257(88)90106-X)
- Iizuka, K., Hayakawa, Y. S., Ogura, T., Nakata, Y., Kosugi, Y., & Yonehara, T. (2020). Integration of multi-sensor data to estimate plot-level stem volume using machine learning algorithms-case study of evergreen conifer planted forests in Japan. *Remote Sensing*, 12(10). <https://doi.org/10.3390/rs12101649>
- Ismail, M., Hartono, & Danoedoro, P. (2017). The Application of Forest Cover Density (FCD) Model for Structural Composition of Vegetation Changes in Part of Lore Lindu National Park, Central Sulawesi Province. *IOP Conference Series: Earth and Environmental Science*, 98(1). <https://doi.org/10.1088/1755-1315/98/1/012056>
- ITTO/JOFCA. (2003). *FCD-Mapper Ver.2 Guide* (Vol. 27, Issue 14). International Tropical Timber Organization / Japan Overseas Forestry Consultants Association.
- Jensen, J. R. (2009). *Remote Sensing of the Environment, An Earth Resource Perspective*. Pearson Education.
- Kalkhan, M. A. (2011). *Spatial Statistics. GeoSpatial Information Modelling and Thematic Mapping*. CRC Press, Taylor & Francis Group.
- Kim, Y., & Van Zyl, J. J. (2009). A time-series approach to estimate soil moisture using polarimetric radar data. *IEEE Transactions on Geoscience and Remote Sensing*, 47(8), 2519–2527. <https://doi.org/10.1109/TGRS.2009.2014944>
- Krisnawati, H., & Agency, D. (2015). *VOLIIE { IETIS- { ' BrIS E (IrIN Oleh DaLam penlrusunan reneana pengiusahaan hutan yang ber- potensi masga tegakan . Kete4jaminan kelestarian hutan dan gakan- Pada umurmya dugaan potensi masEa tegakan dihitung melalui penJumlahan dugaan volume pohon-poho. March 1996*. <https://doi.org/10.13140/RG.2.1.5030.8641>

- Kumar, D., Rao, S., & Sharma, J. R. (2013). Radar Vegetation Index as an Alternative to NDVI for Monitoring of Soyabean and Cotton. *Proceedings of the XXXIII INCA International Congress (Indian Cartographer), 19-21 September, 2013, Jodhpur, India, September 2013*, 91–96.
- Latifi, H., & Koch, B. (2012). Evaluation of most similar neighbour and random forest methods for imputing forest inventory variables using data from target and auxiliary stands. *International Journal of Remote Sensing*, 33(21), 6668–6694. <https://doi.org/10.1080/01431161.2012.693969>
- Lillesand, Thomas M. Kiefer, Ralph W. Chipman, J. W. (2015). Remote Sensing and Image Interpretation. 7th Edition. In *Photogrammetric Engineering & Remote Sensing* (Vol. 81, Issue 8). <https://doi.org/10.14358/pers.81.8.615>
- Mair, P., & Wilcox, R. (2020). Robust statistical methods in R using the WRS2 package. *Behavior Research Methods*, 52(2), 464–488. <https://doi.org/10.3758/s13428-019-01246-w>
- Makinano-Santillan, M., Bolastig, C., & Handayan, J. (2020). Aboveground biomass estimation of mangroves using sentinel-1 Image and IFSAR Data: A comparison. *IEEE Region 10 Annual International Conference, Proceedings/TENCON, 2020-Novem*, 257–262. <https://doi.org/10.1109/TENCON50793.2020.9293801>
- Manan, F. A., Saleh, M. B., Jaya, I. N. S., & Mukarom, U. S. (2019). Algorithm for assessing forest stand productivity index using leaf area index. *Indonesian Journal of Electrical Engineering and Computer Science*, 16(3), 1311–1319. <https://doi.org/10.11591/ijeecs.v16.i3.pp1311-1319>
- Nasiri, V., Sadeghi, S. M. M., Moradi, F., Afshari, S., Deljouei, A., Griess, V. C., Maftai, C., & Borz, S. A. (2022). The Influence of Data Density and Integration on Forest Canopy Cover Mapping Using Sentinel-1 and Sentinel-2 Time Series in Mediterranean Oak Forests. *ISPRS International Journal of Geo-Information*, 11(8). <https://doi.org/10.3390/ijgi11080423>
- Nasirzadehdizaji, R., Sanli, F. B., Abdikan, S., Cakir, Z., Sekertekin, A., & Ustuner, M. (2019). Sensitivity analysis of multi-temporal Sentinel-1 SAR parameters to crop height and canopy coverage. *Applied Sciences (Switzerland)*, 9(4). <https://doi.org/10.3390/app9040655>
- Nichol, J., & Hang, L. K. (2008). The influence of DEM accuracy on topographic correction of Ikonos satellite images (Photogrammetric Engineering and Remote Sensing (2008)). *Photogrammetric Engineering and Remote Sensing*, 74(2), 151.
- Nugraha, A. S. A., & Citra, I. P. A. (2020). Modifikasi Model Forest Canopy Density (Fcd) Pada Citra Landsat 8 Multitemporal Untuk Monitoring Perubahan Tutupan Vegetasi Di Kecamatan Sukasada-Bali (Modification of Forest Canopy Density Model on Multitemporal Landsat 8 Imagery for Monitoring of Veg. *Jurnal Penginderaan Jauh*, 17(2), 149–159. <https://doi.org/http://dx.doi.org/10.30536/j.jpjpcd.2020.v17.a3380>
- Pham, L. H., Pham, L. T. H., Dang, T. D., Tran, D. D., & Dinh, T. Q. (2022). Application of Sentinel-1 data in mapping land-use and land cover in a complex seasonal landscape: a case study in coastal area of Vietnamese Mekong Delta. *Geocarto International*, 37(13), 3743–3760.

- <https://doi.org/10.1080/10106049.2020.1869329>
- Pinty, B., & Verstraete, M. M. (1992). GEMI: a non-linear index to monitor global vegetation from satellites. *Vegetatio*, 101(1), 15–20. <https://doi.org/10.1007/BF00031911>
- Pramudya, F. S., Pan, J., & Devlin, A. T. (2019). Estimation of Significant Wave Height of Near-Range Traveling Ocean Waves Using Sentinel-1 SAR Images. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 12(4), 1067–1075. <https://doi.org/10.1109/JSTARS.2019.2902566>
- Rao, K. V. R. (2023). *Removal of Speckle Noise From Sar Images Using Various Filters*. 12(05), 135–141.
- Raphael, M. B., Chong, K. Y., Yap, V. B., & Tan, H. T. W. (2015). Comparing germination success and seedling traits between exotic and native pioneers: *Cecropia pachystachya* versus *Macaranga gigantea*. *Plant Ecology*, 216(7), 1019–1027. <https://doi.org/10.1007/s11258-015-0486-4>
- Rikimaru, A., Roy, P. S., & Miyatake, S. (2002). Tropical forest cover density mapping. *Tropical Ecology*, 43(1), 39–47.
- Rondeaux, G., Steven, M., & Baret, F. (1996). Optimization of soil-adjusted vegetation indices. *Remote Sensing of Environment*, 55(2), 95–107. [https://doi.org/10.1016/0034-4257\(95\)00186-7](https://doi.org/10.1016/0034-4257(95)00186-7)
- Roy, P. S., Miyatake, S., & Rikimaru, A. (1997). *Biophysical Spectral Response Modeling Approach for Forest Density Stratification. March 1984*, 1–5.
- S. Medasani and G. U. Reddy. (2018). Analysis and Evaluation of Speckle Filters by Using Polarimetric Synthetic Aperture Radar Data Through Local Statistics. *2018 Second International Conference on Electronics, Communication and Aerospace Technology (ICECA)*, 169–174. <https://doi.org/10.1109/ICECA.2018.8474567>.
- Sahadevan, D. K., Sharma, J. R., & Sitiraju, S. R. (2013). *Radar Vegetation Index as an Alternative to NDVI for Monitoring of Soyabean and Cotton Radar Vegetation Index as an Alternative to NDVI for Monitoring of Soyabean and Cotton. December 2014*.
- Salsabila, H. N., & Danoedoro, P. (2021). COMPARING TWO DIFFERENT RADIOMETRIC CORRECTIONS in A VEGETATION MAPPING of MOUNTAINOUS AREA USING FOREST COVER DENSITY TRANSFORMATION. *42nd Asian Conference on Remote Sensing, ACRS 2021*, 22–24.
- Santoro, M., Wegmüller, U., & Askne, J. (2018). Forest stem volume estimation using C-band interferometric SAR coherence data of the ERS-1 mission 3-days repeat-interval phase. *Remote Sensing of Environment*, 216(April), 684–696. <https://doi.org/10.1016/j.rse.2018.07.032>
- Sayler, K. (2022). Landsat 9 Data Users Handbook Version 1.0. *Nasa, February*, 107. https://d9-wret.s3.us-west-2.amazonaws.com/assets/palladium/production/s3fs-public/media/files/LSDS-2082_L9-Data-Users-Handbook_v1.pdf
- Schalkoff, R. J. (1989). *Digital Image Processing and Computer Vision*. John Wiley & Sons, Inc.
- Schratz, P., Muenchow, J., Iturritxa, E., Richter, J., & Brenning, A. (2019).

- Hyperparameter tuning and performance assessment of statistical and machine-learning algorithms using spatial data. *Ecological Modelling*, 406(April), 109–120. <https://doi.org/10.1016/j.ecolmodel.2019.06.002>
- Shehzad, K., Anwar, A., Samia, A., Areeba, B. I., & Naveed, A. (2022). Mapping and Monitoring Forest Landscape Restoration Using Landsat-8 Images. *Bulletin of the Transilvania University of Brasov, Series II: Forestry, Wood Industry, Agricultural Food Engineering*, 15–64(2), 43–64. <https://doi.org/10.31926/but.fwiafe.2022.15.64.2.4>
- Simatupang, A. U., Murti, S. H., & Purwanto, T. H. (2022). the Capability of Sentinel 1 (Sar) for Flood Mapping: a Case Study in Serang Watershed, Kulonprogo Regency. *Jurnal Geografi*, 14(2), 157. <https://doi.org/10.24114/jg.v14i2.32213>
- Sprintsin, M., Karnieli, A., Sprintsin, S., Cohen, S., & Berliner, P. (2009). Relationships between stand density and canopy structure in a dryland forest as estimated by ground-based measurements and multi-spectral spaceborne images. *Journal of Arid Environments*, 73(10), 955–962. <https://doi.org/10.1016/j.jaridenv.2009.04.011>
- Sutedjo, Matius, P., Diana, R., & Rohman. (2021). DINAMIKA JENIS Macaranga gigantea: DAMPAK DARI TEBANG PILIH (Dynamics of Macaranga gigantea: Couple impact of selective logging and forest fire in East. *Jurnal Silva Tropika*, 5(1), 328–338.
- Szigarski, C., Jagdhuber, T., Baur, M., Thiel, C., Parrens, M., Wigneron, J. P., Piles, M., & Entekhabi, D. (2018). Analysis of the Radar Vegetation Index and potential improvements. *Remote Sensing*, 10(11), 1–15. <https://doi.org/10.3390/rs10111776>
- Umarhadi, D. A., & Danoedoro, P. (2020). The effect of topographic correction on canopy density mapping using satellite imagery in mountainous area. *International Journal on Advanced Science, Engineering and Information Technology*, 10(3), 1317–1325. <https://doi.org/10.18517/ijaseit.10.3.7739>
- Villarroya-Carpio, A., Lopez-Sanchez, J. M., & Engdahl, M. E. (2022). Sentinel-1 interferometric coherence as a vegetation index for agriculture. *Remote Sensing of Environment*, 280(July). <https://doi.org/10.1016/j.rse.2022.113208>
- Vollrath, A., Mullissa, A., & Reiche, J. (2020). Angular-based radiometric slope correction for Sentinel-1 on google earth engine. *Remote Sensing*, 12(11), 1–14. <https://doi.org/10.3390/rs12111867>
- Wijaya, A., Liesenberg, V., & Gloaguen, R. (2010). Retrieval of forest attributes in complex successional forests of Central Indonesia: Modeling and estimation of bitemporal data. *Forest Ecology and Management*, 259(12), 2315–2326. <https://doi.org/10.1016/j.foreco.2010.03.004>
- Wittke, S., Yu, X., Karjalainen, M., Hyypä, J., & Puttonen, E. (2019). Comparison of two-dimensional multitemporal Sentinel-2 data with three-dimensional remote sensing data sources for forest inventory parameter estimation over a boreal forest. *International Journal of Applied Earth Observation and Geoinformation*, 76(December 2018), 167–178. <https://doi.org/10.1016/j.jag.2018.11.009>
- Yang, L., Huang, Y., Lima, L. V., Sun, Z., Liu, M., Wang, J., Liu, N., & Ren, H.

- (2021). Rethinking the Ecosystem Functions of Dicranopteris, a Widespread Genus of Ferns. *Frontiers in Plant Science*, 11(January). <https://doi.org/10.3389/fpls.2020.581513>
- Yang, S., Feng, Q., Yang, W., & Gao, X. (2023). Simple, Low-Cost Estimation of Potato Above-Ground Biomass Using Improved Canopy Leaf Detection Method. *American Journal of Potato Research*, 0123456789. <https://doi.org/10.1007/s12230-022-09897-w>
- You, H., Tang, X., Deng, W., Song, H., Wang, Y., & Chen, J. (2022). A Study on the Difference of LULC Classification Results Based on Landsat 8 and Landsat 9 Data. *Sustainability (Switzerland)*, 14(21). <https://doi.org/10.3390/su142113730>
- Yu, Z., Wang, W., Li, C., Liu, W., & Yang, J. (2018). Speckle noise suppression in SAR images using a three-step algorithm. *Sensors (Switzerland)*, 18(11). <https://doi.org/10.3390/s18113643>
- Zulkarnain, Z., & Saleh, M. B. (2023). Tinjauan Pemanfaatan Citra Sentinel dan Machine Learning Dalam Pendugaan Volume Tegakan Hutan. *BioWallacea : Jurnal Penelitian Biologi (Journal of Biological Research)*, 9(2), 124. <https://doi.org/10.33772/biowallacea.v9i2.26227>