

DAFTAR PUSTAKA

- Balzer, F., Menk, M., Ziegler, J., Pille, C., Wernecke, K. D. (2016). Predictors of survival in critically ill patients with acuter respiratory distress syndrome (ARDS): an observational study, *BMC anesthesiol*, 16(1):1-8
- Bates, J., Smith, B. J. (2018). Ventilator-induced lung injury and lung mechanics. *Annals of translational medicine*, 6(19), pp. 378.
- Brower, R. G., Matthay, M. A., Morris, A., Schoenfeld, D., Thompson, B. T., Wheeler, A. (2000) 'Ventilation with lower tidal volumes as compared with traditional tidal volumes for acute lung injury and the acute respiratory distress syndrome', *The New England Journal of Medicine*, 342(18), pp. 1301–1308.
- Brown, S.M. *et al.* (2016) 'Nonlinear imputation of pa O₂ /f io₂ from SP o₂ /F io₂ among patients with acute respiratory distress syndrome', *Chest*, 150(2), pp. 307–313. doi:10.1016/j.chest.2016.01.003.
- Brown, S.M. *et al.* (2017) 'Nonlinear imputation of Pao₂/fio₂ from SPO₂/Fio₂ among mechanically ventilated patients in the ICU: A prospective, observational study', *Critical Care Medicine*, 45(8), pp. 1317–1324. doi:10.1097/ccm.0000000000002514.
- Castro-Camus, E. *et al.* (2020) 'Simple ventilators for emergency use based on bag-valve pressing systems: Lessons learned and future steps', *Applied Sciences*, 10(20), p. 7229. doi:10.3390/app10207229.
- Chavez, K.V. *et al.* (2021) 'Risk Factors Associated with Barotrauma in Patients with COVID-19', *Revista de Medicina Clinica*, 05(03), pp. 1–8. doi:10.5281/zenodo.5367836.
- Chen, W.-L. *et al.* (2018) 'The value of Oxygenation Saturation Index in predicting the outcomes of patients with acute respiratory distress syndrome', *Journal of Clinical Medicine*, 7(8), p. 205. doi:10.3390/jcm7080205.
- Castro-Camus, E. *et al.* (2020) 'Simple ventilators for emergency use based on bag-valve pressing systems: Lessons learned and future steps', *Applied Sciences*, 10(20), p. 7229. doi:10.3390/app10207229.

Chung, K.K. and Wolf, S.E. (2012) 'Critical care in the severely burned: organ support and management of complications', *Total Burn Care*, 3, pp. 377–395. doi:10.1016/b978-1-4377-2786-9.00033-3.

Cobilinschi, C. *et al.* (2023) 'Ventilation in critically ill obese patients—why it should be done differently?', *Signa Vitae*, 19(5), pp. 23–28. doi:10.22514/sv.2022.076.

Curley, G. F., Hayes, M., Ansari, B., Shaw, G., Ryan, A., Barry, F., O'Brien, T., O'Toole, D., Laffey, J. G. (2012) 'Mesenchymal stem cells enhance recovery and repair following ventilator-induced lung injury in the rat', *Thorax*, 67(6), pp. 496–501.

Dalbak, L.G., Straand, J. and Melbye, H. (2015) 'Should pulse oximetry be included in GPS' assessment of patients with obstructive lung disease?', *Scandinavian Journal of Primary Health Care*, 33(4), pp. 305–310. doi:10.3109/02813432.2015.1117283.

DesPrez, K. *et al.* (2017) 'Oxygenation saturation index predicts clinical outcomes in ards', *Chest*, 152(6), pp. 1151–1158. doi:10.1016/j.chest.2017.08.002.

Douglas, M.E. *et al.* (1976) 'Change in pulmonary venous admixture with varying inspired oxygen', *Anesthesia & Analgesia*, 55(5). doi:10.1213/00000539-197609000-00016.

Dyer, C. (2012) 'The interaction of ageing and lung disease', *Chronic Respiratory Disease*, 9(1), pp. 63–67. doi:10.1177/1479972311433766.

El-Khatib, M. F., Jamaledine, G. W. (2004). A New Oxygenation Index for Reflecting Intrapulmonary Shunting in Patients Undergoing Open-heart Surgery. *Chest Am College Chest Physici*, 125(2):592-6.

Emeriaud, G. *et al.* (2023) 'Executive summary of the Second international guidelines for the diagnosis and management of pediatric acute respiratory distress syndrome (PALICC-2)', *Pediatric Critical Care Medicine*, 24(2), pp. 143–168. doi:10.1097/pcc.00000000000003147.

Esteve, F. *et al.* (2014) 'Evaluation of the PAO₂/fio₂ ratio after cardiac surgery as a predictor of outcome during hospital stay', *BMC Anesthesiology*, 14(1). doi:10.1186/1471-2253-14-83.

Fan, E., Brodie, D., Slutsky, A. S. (2018) 'Acute Respiratory Distress Syndrome: Advances in Diagnosis and Treatment', *JAMA*, 319(7), pp. 698–710.

Felmet, K. (2011) 'Critical care medicine', *Smith's Anesthesia for Infants and Children*, pp. 1250–1272. doi:10.1016/b978-0-323-06612-9.00039-0.

Ferguson, N. D., Cook, D. J., Guyatt, G. H., Mehta, S., Hand, L., Austin, P., Zhou, Q., Matte, A., Walter, S. D., Lamontagne, F., Granton, J. T., Arabi, Y. M., Arroliga, A. C., Stewart, T. E., Slutsky, A. S., Meade, M. O., OSCILLATE Trial Investigators, Canadian Critical Care Trials Group (2013) 'High-frequency oscillation in early acute respiratory distress syndrome', *The New England Journal of Medicine*, 368(9), pp. 795–805.

Fisher, D. F., Kacmarek, R.M., 2019. Chapter 8: MECHANICAL VENTILATION, in: Parsons, P.E., Wiener-Kronish, J.P., Stapleton, R.D., Berra, L., (Eds), *CRITICAL CARE SECRETS*. Elsevier, Philadelphia, USA, pp. 52-57.

Gajic, O. *et al.* (2004) 'Ventilator-associated lung injury in patients without acute lung injury at the onset of mechanical ventilation*', *Critical Care Medicine*, 32(9), pp. 1817–1824. doi:10.1097/01.ccm.0000133019.52531.30.

Gainnier, M., Roch, A., Forel, J. M., Thirion, X., Arnal, J. M., Donati, S., Papazian, L. (2004) 'Effect of neuromuscular blocking agents on gas exchange in patients presenting with acute respiratory distress syndrome', *Critical Care Medicine*, 32(1), pp. 113–119.

Gattinoni, L. (2011) 'Counterpoint: Is low tidal volume mechanical ventilation preferred for all patients on ventilation? no', *Chest*, 140(1), pp. 11–13. doi:10.1378/chest.11-0827.

Gattinoni, L., Vassalli, F., Romitti, F. (2018) 'Benefits and risks of the P/F approach', *Intensive care medicine*, 44(12), pp. 2245–2247.

Gaver, D. P., 3rd, Nieman, G. F., Gatto, L. A., Cereda, M., Habashi, N. M., Bates, J. (2020) 'The POOR Get POORer: A Hypothesis for the Pathogenesis of Ventilator-induced Lung Injury', *American Journal of Respiratory and Critical Care Medicine*, 202(8), pp. 1081–1087.

- Gong, M.N. *et al.* (2009) 'Body mass index is associated with the development of acute respiratory distress syndrome', *Thorax*, 65(1), pp. 44–50. doi:10.1136/thx.2009.117572.
- Gowri, M. and Babu, S. (2021) 'Association between Spo₂/Fio₂ Ratio and PAO₂/fio₂ ratio in different modes of oxygen supplementation', *Indian Journal of Critical Care Medicine*, 25(9), pp. 1001–1005. doi:10.5005/jp-journals-10071-23977.
- Gu, W.-J. *et al.* (2014) 'Risk of acute lung injury/acute respiratory distress syndrome in critically ill adult patients with pre-existing diabetes: A meta-analysis', *PLoS ONE*, 9(2). doi:10.1371/journal.pone.0090426.
- Guérin, C., Reignier, J., Richard, J. C., Beuret, P., Gacouin, A., Boulain, T., Mercier, E., Badet, M., Mercat, A., Baudin, O., Clavel, M., Chatellier, D., Jaber, S., Rosselli, S., Mancebo, J., Sirodot, M., Hilbert, G., Bengler, C., Richecoeur, J., Gainnier, M., ... PROSEVA Study Group (2013) 'Prone positioning in severe acute respiratory distress syndrome', *The New England Journal of Medicine*, 368(23), pp. 2159–2168.
- Gunnarsson, L. *et al.* (1991) 'Influence of age on atelectasis formation and gas exchange impairment during general anaesthesia', *British Journal of Anaesthesia*, 66(4), pp. 423–432. doi:10.1093/bja/66.4.423.
- Guo, Y. X., Wang, Z. N., Li, Y. T., Pan, L., Yang, L. F., Hu, Y., Sun, Y. Y., Cai, L. M., Chen, Z. G. (2016) 'High-frequency oscillatory ventilation is an effective treatment for severe pediatric acute respiratory distress syndrome with refractory hypoxemia', *Therapeutics and Clinical Risk Management*, 12, pp. 1563–1571.
- Gupta, S. (2018) 'Ventilator induced lung injury and infection', in J. Sankar (ed.) *IAP textbook of Pediatric Critical Care*. New Delhi, India: Jaypee.
- Gupta, V. K., Alkandari, B. M., Mohammed, W., Tobar, A. M., Abdelmohsen, M. A. (2020) 'Ventilator associated lung injury in severe COVID-19 pneumonia patients - Case Reports: Ventilator associated lung injury in COVID-19', *European Journal of Radiology Open*, 8, pp. 100310.
- Hachenberg, T. *et al.* (1997) 'The ventilation-perfusion relation and gas exchange in mitral valve disease and coronary artery disease implications for anesthesia, extracorporeal circulation, and Cardiac Surgery', *Anesthesiology*, 86(4), pp. 809–817. doi:10.1097/00000542-199704000-00011.

Hammond, B. G., Garcia-Filion, P., Kang, P., Rao, M. Y., Willis, B. C., Dalton, H. J. (2017) 'Identifying an Oxygenation Index Threshold for Increased Mortality in Acute Respiratory Failure', *Respiratory care*, 62(10), pp. 1249–1254.

Halter, J. M., Steinberg, J. M., Gatto, L. A., DiRocco, J. D., Pavone, L. A., Schiller, H. J., Albert, S., Lee, H. M., Carney, D., Nieman, G. F. (2007) 'Effect of positive end-expiratory pressure and tidal volume on lung injury induced by alveolar instability', *Critical Care (London, England)*, 11(1), pp. R20.

Hong, S. B., Huang, Y., Moreno-Vinasco, L., Sammani, S., Moitra, J., Barnard, J. W., Ma, S. F., Mirzapoiazova, T., Evenoski, C., Reeves, R. R., Chiang, E. T., Lang, G. D., Husain, A.N., Dudek, S. M., Jacobson, J. R., Ye, S. Q., Lussier, Y. A., Garcia, J. G. (2008) 'Essential role of pre-B-cell colony enhancing factor in ventilator-induced lung injury', *American Journal of Respiratory and Critical Care Medicine*, 178(6), 605–617.

Hooley, J. (2015) 'Decoding the Oxyhemoglobin Dissociation Curve', *American Nurse Today*, 10(1), pp. 18–23.

Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Cao, B., Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet*. 2020;395(10223):497–506.

Hughes, K. T., Beasley, M. B. (2017) 'Pulmonary Manifestations of Acute Lung Injury: More Than Just Diffuse Alveolar Damage', *Archives of Pathology & Laboratory Medicine*, 141(7), pp. 916–922.

Imber, D.A. *et al.* (2016) 'Respiratory management of perioperative obese patients', *Respiratory Care*, 61(12), pp. 1681–1692. doi:10.4187/respcare.04732.

Jakka, S. *et al.* (2020) 'Oxygen saturation index as a surrogate to oxygenation index in predicting outcomes in ards', *Acute critical care* [Preprint]. doi:10.1183/13993003.congress-2020.3437.

Jeng, M. J., Lee, Y. S., Tsao, P. C., Soong, W. J. (2012) 'Neonatal air leak syndrome and the role of high-frequency ventilation in its prevention', *Journal of the Chinese Medical Association : JCMS*, 75(11), pp. 551–559.

Kao, H.-C. *et al.* (2013) 'Sequential oxygenation index and organ dysfunction assessment within the first 3 days of mechanical ventilation predict the outcome of adult patients

Katira, B. H. (2019) 'Ventilator-Induced Lung Injury: Classic and Novel Concepts', *Respiratory Care*, 64(6), pp. 629–637.

Killien, E.Y. *et al.* (2019) 'Association between age and acute respiratory distress syndrome development and mortality following trauma', *Journal of Trauma and Acute Care Surgery*, 86(5), pp. 844–852. doi:10.1097/ta.0000000000002202.

Kim, J. *et al.* (2017) 'Aging effects on airflow dynamics and lung function in human bronchioles', *PLOS ONE*, 12(8). doi:10.1371/journal.pone.0183654.

Kumar, A. K., Anjum, F. (2022). Ventilator-Induced Lung Injury (VILI). In *StatPearls*. StatPearls Publishing.

López-Alonso, I. *et al.* (2019) 'Sex susceptibility to ventilator-induced lung injury', *Intensive Care Medicine Experimental*, 7(1). doi:10.1186/s40635-019-0222-9.

Lundquist, H. *et al.* (1995) 'CT-assessment of dependent lung densities in man during general anaesthesia', *Acta Radiol*, 36(6), pp. 26–32.

McConnell, A. (2013) 'Anatomy and physiology of the respiratory system', *Respiratory Muscle Training*, pp. 3–36. doi:10.1016/b978-0-7020-5020-6.00001-7.

Monchi, M. *et al.* (1998) 'Early predictive factors of survival in the acute respiratory distress syndrome', *American Journal of Respiratory and Critical Care Medicine*, 158(4), pp. 1076–1081. doi:10.1164/ajrccm.158.4.9802009.

Neto, A. S., Cardoso, S. O., Manetta, J. A., Pereira, V. G., Espósito, D. C., Pasqualucci, M., Damasceno, M. C., Schultz, M. J. (2012) 'Association between use of lung-protective ventilation with lower tidal volumes and clinical outcomes among patients without acute respiratory distress syndrome: a meta-analysis', *JAMA*, 308(16), pp. 1651–1659.

Palanidurai, S. *et al.* (2021) 'Is it time to revisit the PAO₂/fio₂ ratio to define the severity of oxygenation in Ards?', *Annals of Intensive Care*, 11(1). doi:10.1186/s13613-021-00927-0.

Pan, X. *et al.* (2018) 'Independent factors related to preoperative acute lung injury in 130 adults

undergoing Stanford type-a acute aortic dissection surgery: A single-center cross-sectional clinical study', *Journal of Thoracic Disease*, 10(7), pp. 4413–4423. doi:10.21037/jtd.2018.06.140.

Papazian, L., Forel, J. M., Gacouin, A., Penot-Ragon, C., Perrin, G., Loundou, A., Jaber, S., Arnal, J. M., Perez, D., Seghboyan, J. M., Constantin, J. M., Courant, P., Lefrant, J. Y., Guérin, C., Prat, G., Morange, S., Roch, A., ACURASYS Study Investigators (2010) 'Neuromuscular blockers in early acute respiratory distress syndrome', *The New England Journal of Medicine*, 363(12), pp. 1107–1116.

Ranieri, V. M., Rubenfeld, G. D., Thompson, B. T., Ferguson, N. D., Caldwell, E., Fan, E., Camporota, L., Slutsky, A. S. (2012) 'Acute respiratory distress syndrome: the Berlin Definition', *JAMA*, 307(23), pp. 2526–2533.

Raschke, R. A., Stoffer, B., Assar, S., Fountain, S., Olsen, K., Heise, C. W., Gallo, T., Padilla-Jones, A., Gerkin, R., Parthasarathy, S., Curry, S. C. (2021) 'The relationship of tidal volume and driving pressure with mortality in hypoxic patients receiving mechanical ventilation', *PloS one*, 16(8), e0255812.

Ren, L.L., Wang, Y.M., Wu, Z.Q., Xiang, Z.C., Guo, L., Wang, J.W., Identification of a novel coronavirus causing severe pneumonia in human: a descriptive study'. *Chinese Med J*. 2020;133(9):1015–24.

Rohrs, E. *et al.* (2023) 'Risk factors for ventilator-induced-lung injury develop three to five times faster after a single episode of Lung Injury', *Canadian Journal of Respiratory Therapy*, 59, pp. 103–110. doi:10.29390/cjrt-2022-075.

Rory, S. H., Utariani, A., Semedi, B. P. (2021) 'Analisis Faktor Risiko Oxygenation Index, Oxygen Saturation Index, dan Rasio PaO₂/FiO₂ sebagai Prediktor Mortalitas Pasien Pneumonia COVID-19 dengan ARDS di Ruang Perawatan Intensif Isolasi Khusus RSUD Dr Soetomo', *Jurnal Anestesi Perioperatif*, 91(1), pp. 1–9.

Rouby, J. J., Brochard, L. (2007) 'Tidal recruitment and overinflation in acute respiratory distress syndrome: yin and yang', *American Journal of Respiratory and Critical Care Medicine*, 175(2), pp. 104–106.

Saini, P. J., Atina J. (2017) 'Ventilator Induced Lung Injury (VILI) in Acute Respiratory Distress

Syndrome (ARDS). "Barotrauma" To "Biotrauma": Case Report', *East African Medical Journal*. 94(5), pp. 391–396.

Sartini, S., Massobrio, L., Cutuli, O., Campodonico, P., Bernini, C., Sartini, M., Cristina, M. L., Castellani, L., Ceschi, L., Spadaro, M., Gratarola, A., Barbera, P. (2021) 'Role of SatO₂, PaO₂/FiO₂ Ratio and PaO₂ to Predict Adverse Outcome in COVID-19: A Retrospective, Cohort Study', *International Journal of Environmental Research and Public Health*, 18(21), pp. 11534.

Schranc, Á. *et al.* (2022) 'Exaggerated ventilator-induced lung injury in an animal model of type 2 diabetes mellitus: A randomized experimental study', *Frontiers in Physiology*, 13. doi:10.3389/fphys.2022.889032.

Seah, A. S., Grant, K. A., Aliyeva, M., Allen, G. B., Bates, J. H. (2011) 'Quantifying the roles of tidal volume and PEEP in the pathogenesis of ventilator-induced lung injury', *Annals of Biomedical Engineering*, 39(5), pp. 1505–1516.

Seeley, E. *et al.* (2008) 'Predictors of mortality in acute lung injury during the era of lung protective ventilation', *Thorax*, 63(11), pp. 994–998. doi:10.1136/thx.2007.093658.

Slutsky, A. S., Ranieri, V. M. (2013) 'Ventilator-induced lung injury', *The New England Journal of Medicine*, 369(22), pp. 2126–2136.

Stemp, L.I. and Ramsay, M.A. (2005) 'Oxygen May Mask Hypoventilation – Patient Breathing Must Be Ensured', *Anesthesia Patient Safety Foundation*, 20(4), p. 80.

Thekkevedu, K. R., El-Saie, A., Prakash, V., Katakam, L., Shivanna, B. (2022). Ventilation-Induced Lung Injury (VILI) in Neonates: Evidence-Based Concepts and Lung-Protective Strategies. *Journal of clinical medicine*, 11(3), pp. 557.

Tremblay, L.N., Slutsky, A.S., Ventilator-induced injury: from barotrauma to biotrauma. *Proc Assoc Am Physicians* 1998; 110:482.

Tremblay, L.N., Slutsky, A.S., Ventilator-induced lung injury: from the bench to the bedside. *Intensive Care Med* 2006; 32:24

Uhlig, S., Uhlig, U. (2004) 'Pharmacological interventions in ventilator-induced lung injury', *Trends in Pharmacological Sciences*, 25(11), pp. 592–600.

Vadi, S. (2021) 'Correlation of oxygen index, Oxygen Saturation Index, and PAO₂/fio₂ ratio in invasive mechanically ventilated adults', *Indian Journal of Critical Care Medicine*, 25(1), pp. 54–55. doi:10.5005/jp-journals-10071-23506.

Vento, M (2022). 'Oxygen Therapy' In: Keszler M, Gautham KS (eds). Goldsmith's Assisted Ventilation of the Neonate: An Evidence-Based Approach to Newborn Respiratory Care. 7th Edition. Philadelphia, PA: Elsevier.

Vieillard-Baron, A., Dreyfuss, D. (2017) 'Ventilator-induced Lung Injury: Follow the Right Direction! Another Piece of the Puzzle in the Ventilator-induced Lung Injury Epic', *American Journal of Respiratory and Critical Care Medicine*, 196(11), pp. 1366–1368.

Wang, W. F., Liu, S., Xu, B. (2017) 'A study of the protective effect and mechanism of ketamine on acute lung injury induced by mechanical ventilation', *European Review for Medical and Pharmacological Sciences*, 21(6), pp. 1362–1367.

Ware, L.B. (2005) 'Prognostic determinants of acute respiratory distress syndrome in adults: Impact on clinical trial design', *Critical Care Medicine*, 33(Supplement). doi:10.1097/01.ccm.0000155788.39101.7e.

Whiting, J. *et al.* (2016) 'Peak pressures and pao₂/fio₂ ratios are associated with adverse outcomes in patients on mechanical ventilators', *The American Journal of the Medical Sciences*, 351(6), pp. 638–641. doi:10.1016/j.amjms.2016.01.028.

Wick, K.D., Matthay, M.A. and Ware, L.B. (2022) 'Pulse oximetry for the diagnosis and management of acute respiratory distress syndrome', *The Lancet Respiratory Medicine*, 10(11), pp. 1086–1098. doi:10.1016/s2213-2600(22)00058-3.

Wu, M. Y., Chang, Y. S., Huang, C. C., Wu, T. I., Lin, P. J. (2017) 'The impacts of baseline ventilator parameters on hospital mortality in acute respiratory distress syndrome treated with venovenous extracorporeal membrane oxygenation: a retrospective cohort study', *BMC Pulmonary Medicine*, 17(1), pp. 181.

Xuan, W., Zhou, Q., Yao, S., Deng, Q., Wang, T., Wu, Q. (2015) 'Mechanical Ventilation Induces an Inflammatory Response in Preinjured Lungs in Late Phase of Sepsis', *Oxidative Medicine And Cellular Longevity*, 2015, pp. 364020.

Young, D., Lamb, S. E., Shah, S., MacKenzie, I., Tunnicliffe, W., Lall, R., Rowan, K., Cuthbertson, B. H., OSCAR Study Group (2013) 'High-frequency oscillation for acute respiratory distress syndrome', *The New England Journal of Medicine*, 368(9), pp. 806–813.