

DAFTAR PUSTAKA

- Allen E, Fingeret A. Anatomy, Head and Neck, Thyroid. [Updated 2022 Jul 25]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK470452/>
- Al Dawish, M. A., Alwin Robert, A., Thabet, M. A., & Braham, R. (2018). Thyroid nodule management: Thyroid-stimulating hormone, ultrasound, and cytological classification system for predicting malignancy. *Cancer Informatics*, 17, 117693511876513. <https://doi.org/10.1177/1176935118765132>
- Arrangoiz, R., Cordera, F., Caba, D., Muñoz, M., Moreno, E., & de León, E. L. (2018). Comprehensive review of thyroid embryology, anatomy, histology, and physiology for surgeons. *International Journal of Otolaryngology and Head & Neck Surgery*, 07(04), 160–188. <https://doi.org/10.4236/ijohns.2018.74019>
- Boelaert, K. (2009). The association between serum TSH concentration and thyroid cancer. *Endocrine-Related Cancer*, 16(4), 1065–1072. <https://doi.org/10.1677/erc-09-0150>
- Bojunga, J., Herrmann, E., Meyer, G., Weber, S., Zeuzem, S., & Friedrich-Rust, M. (2010). Real-time elastography for the differentiation of benign and malignant thyroid nodules: A meta-analysis. *Thyroid*, 20(10), 1145–1150. <https://doi.org/10.1089/thy.2010.0079>
- Chaudhary, V. and Bano, S. (2013) “Thyroid ultrasound,” *Indian Journal of Endocrinology and Metabolism*, 17(2), p. 219. Available at: <https://doi.org/10.4103/2230-8210.109667>.
- Cho, Y. A., Kong, S.-Y., Shin, A., Lee, J., Lee, E. K., Lee, Y. J., & Kim, J. (2014). Biomarkers of thyroid function and autoimmunity for predicting high-risk groups of thyroid cancer: A nested case–Control Study. *BMC Cancer*, 14(1). <https://doi.org/10.1186/1471-2407-14-873>
- C., P., Kumar, S., & Y., T. T. (2017). Comparative study on association between serum TSH concentration and thyroid cancer. *International Surgery Journal*, 4(8), 2800. <https://doi.org/10.18203/2349-2902.isj20173422>
- Dahlan, M.S. (2010) Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. 3rd ed. *Epidemiologi Indonesia*, 76-80
- Dahlan, M.S. (2011) Statistik untuk Kedokteran dan Kesehatan. 5th ed. *Epidemiologi Indonesia*, 167-179

- Dahlan, M.S. (2015) Statistik untuk kedokteran dan kesehatan. 6nd ed. *Epidemiologi Indonesia*, 9: 224-240
- Dawish, M. A., Robert, A. A., Muna, A., Eyad, A., Ghamdi, A. A., Hajeri, K. A., Thabet, M. A., & Braham, R. (2017). Bethesda System for Reporting Thyroid Cytopathology: A three-year study at a tertiary care referral center in Saudi Arabia. *World Journal of Clinical Oncology*, 8(2), 151. <https://doi.org/10.5306/wjco.v8.i2.151>
- Dorange, A., Triau, S., Mucci-Hennekinne, S., Bizon, A., Laboureaux-Soares, S., Illouz, F., Rodien, P., & Rohmer, V. (2011). An elevated level of TSH might be predictive of differentiated thyroid cancer. *Annales D'Endocrinologie*, 72(6), 513–521. <https://doi.org/10.1016/j.ando.2011.07.032>
- Dunya, G., Dance, L. and Grimmer, J.F. (2023) “Comparing Ata Guidelines vs ti-RADS for evaluation of pediatric thyroid lesions,” *International Journal of Pediatric Otorhinolaryngology*, 164, p. 111411. Available at: <https://doi.org/10.1016/j.ijporl.2022.111411>.
- Ganguly, A., Burnside, G. and Nixon, P. (2014) “A systematic review of ultrasound-guided FNA of lesions in the head and neck—focusing on operator, sample inadequacy and presence of on-spot cytology service,” *The British Journal of Radiology*, 87(1044), p. 20130571. Available at: <https://doi.org/10.1259/bjr.20130571>.
- Gharib, H., Papini, E., Paschke, R., Duick, D. S., Valcavi, R., Hegedüs, L., & Vitti, P. (2010). American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and European Thyroid Association Medical Guidelines for Clinical Practice for the diagnosis and management of thyroid nodules: Executive summary of recommendations. *Journal of Endocrinological Investigation*, 33(5), 287–291. <https://doi.org/10.1007/bf03346587>.
- Gharib, H., Papini, E., Garber, J. R., Duick, D. S., Harrell, R. M., Hegedus, L., Paschke, R., Valcavi, R., & Vitti, P. (2016). American Association of Clinical Endocrinologists, American College of Endocrinology, and Associazione Medici Endocrinologi Medical Guidelines for clinical practice for the diagnosis and management of thyroid nodules - 2016 update appendix. *Endocrine Practice*, 22, 1–60. <https://doi.org/10.4158/ep161208.gl>.
- Grant, E. G., Tessler, F. N., Hoang, J. K., Langer, J. E., Beland, M. D., Berland, L. L., Cronan, J. J., Desser, T. S., Frates, M. C., Hamper, U. M., Middleton, W. D., Reading, C. C., Scoutt, L. M., Stavros, A. T., & Teefey, S. A. (2015). Thyroid ultrasound reporting lexicon: White paper of the ACR Thyroid Imaging, reporting and data system (TIRADS) committee. *Journal of the*

- American College of Radiology*, 12(12), 1272–1279.
<https://doi.org/10.1016/j.jacr.2015.07.011>.
- Gul, K., Ersoy, R., Dirikoc, A., Korukluoglu, B., Ersoy, P. E., Aydin, R., Ugras, S. N., Belenli, O. K., & Cakir, B. (2009). Ultrasonographic evaluation of thyroid nodules: Comparison of ultrasonographic, cytological, and histopathological findings. *Endocrine*, 36(3), 464–472.
<https://doi.org/10.1007/s12020-009-9262-3>
- Ha, E.J., Na, D.G. and Baek, J.H. (2021) “Korean thyroid imaging reporting and Data System: Current status, Challenges, and future perspectives,” *Korean Journal of Radiology*, 22(9), p. 1569. Available at: <https://doi.org/10.3348/kjr.2021.0106>.
- Haugen, B. R. (2016). 2015 American Thyroid Association Management Guidelines for adult patients with thyroid nodules and differentiated thyroid cancer: What is new and what has changed? *Cancer*, 123(3), 372–381.
<https://doi.org/10.1002/cncr.30360>.
- Haymart, M. R., Repplinger, D. J., Levenson, G. E., Elson, D. F., Sippel, R. S., Jaume, J. C., & Chen, H. (2008). Higher serum thyroid stimulating hormone level in thyroid nodule patients is associated with greater risks of differentiated thyroid cancer and advanced tumor stage. *The Journal of Clinical Endocrinology & Metabolism*, 93(3), 809–814.
<https://doi.org/10.1210/jc.2007-2215>
- Hoang, J. (2010). Thyroid nodules and evaluation of thyroid cancer risk. *Australasian Journal of Ultrasound in Medicine*, 13(4), 33–36.
<https://doi.org/10.1002/j.2205-0140.2010.tb00177.x>.
- Hoang, J. K., Lee, W. K., Lee, M., Johnson, D., & Farrell, S. (2007). US features of thyroid malignancy: Pearls and *pitfalls*. *RadioGraphics*, 27(3), 847–860.
<https://doi.org/10.1148/rg.273065038>.
- Hoang, J. K., Middleton, W. D., & Tessler, F. N. (2021). Update on ACR ti-RADS: Successes, challenges, and future directions, from the *ajr* special series on Radiology Reporting and Data Systems. *American Journal of Roentgenology*, 216(3), 570–578. <https://doi.org/10.2214/ajr.20.24608>.
- Horne, M. J., Chhieng, D. C., Theoharis, C., Schofield, K., Kowalski, D., Prasad, M. L., Hammers, L., Udelsman, R., & Adeniran, A. J. (2011). Thyroid follicular lesion of undetermined significance: Evaluation of the risk of malignancy using the two-tier sub-classification. *Diagnostic Cytopathology*, 40(5), 410–415. <https://doi.org/10.1002/dc.21790>.
- Horvath, E., Majlis, S., Rossi, R., Franco, C., Niedmann, J. P., Castro, A., & Dominguez, M. (2009). An ultrasonogram reporting system for thyroid

- nodules stratifying cancer risk for clinical management. *The Journal of Clinical Endocrinology & Metabolism*, 94(5), 1748–1751. <https://doi.org/10.1210/jc.2008-1724>.
- Jonklaas, J., Nsouli-Maktabi, H., & Soldin, S. J. (2008). Endogenous thyrotropin and triiodothyronine concentrations in individuals with thyroid cancer. *Thyroid*, 18(9), 943–952. <https://doi.org/10.1089/thy.2008.0061>
- Kementrian Kesehatan RI. 2019. Infodatin Stop Kanker.
- Kim DW, Park JS, In HS, Choo HJ, Ryu JH, Jung SJ. Ultrasound-based diagnostic classification for solid and partially cystic thyroid nodules. *AJNR Am J Neuroradiol* 2012;33(6):1144–1149.
- Koc, A. M., Adibelli, Z. H., Erkul, Z., Sahin, Y., & Dilek, I. (2020). Comparison of diagnostic accuracy of ACR-TIRADS, American Thyroid Association (ATA), and EU-TIRADS guidelines in detecting thyroid malignancy. *European Journal of Radiology*, 133, 109390. <https://doi.org/10.1016/j.ejrad.2020.109390>.
- Kwak, J. Y., Han, K. H., Yoon, J. H., Moon, H. J., Son, E. J., Park, S. H., Jung, H. K., Choi, J. S., Kim, B. M., & Kim, E.-K. (2011). Thyroid imaging reporting and data system for US features of Nodules: A step in establishing better stratification of cancer risk. *Radiology*, 260(3), 892–899. <https://doi.org/10.1148/radiol.11110206>.
- Mahajan, A., Vaidya, T., Vaish, R., & Sable, N. (2017). The journey of ultrasound-based thyroid nodule risk stratification scoring systems: Do all roads lead to thyroid imaging, reporting and Data System (TIRADS)? *Journal of Head & Neck Physicians and Surgeons*, 5(2), 57. https://doi.org/10.4103/jhnps.jhnps_40_17.
- Middleton, W. D., Teefey, S. A., Reading, C. C., Langer, J. E., Beland, M. D., Szabunio, M. M., & Desser, T. S. (2018). Comparison of performance characteristics of American College of Radiology Ti-Rads, korean society of thyroid radiology TIRADS, and American Thyroid Association Guidelines. *American Journal of Roentgenology*, 210(5), 1148–1154. <https://doi.org/10.2214/ajr.17.18822>.
- Mohamed, T. Y., Abdel Latif, A. M., Zaki, A. M., Abd El Shahid, M., Ali, M. M., & Lotfy, A. E. (2021). Accuracy of Thyroid Imaging Reporting and Data System in evaluation of Thyroid Neoplasm. *The Egyptian Journal of Hospital Medicine*, 82(2), 241–248. <https://doi.org/10.21608/ejhm.2021.142882>.
- Moon, W.-J., Baek, J. H., Jung, S. L., Kim, D. W., Kim, E. K., Kim, J. Y., Kwak, J. Y., Lee, J. H., Lee, J. H., Lee, Y. H., Na, D. G., Park, J. S., & Park, S. W.

- (2011). Ultrasonography and the ultrasound-based management of thyroid nodules: Consensus statement and recommendations. *Korean Journal of Radiology*, 12(1), 1. <https://doi.org/10.3348/kjr.2011.12.1.1>.
- Moon, W.-J., Jung, S. L., Lee, J. H., Na, D. G., Baek, J.-H., Lee, Y. H., Kim, J., Kim, H. S., Byun, J. S., & Lee, D. H. (2008). Benign and malignant thyroid nodules: US differentiation—Multicenter Retrospective Study. *Radiology*, 247(3), 762–770. <https://doi.org/10.1148/radiol.2473070944>
- Moore, K.L., Dalley, A.F. dan Agur, A.M.R. (2010). Thyroid Gland. In *Clinically Oriented Anatomy*. Philadelphia, US: Lippincott Williams & Wilkins, hal. 1018–20.
- Moon, S.-S., Lee, Y.-S., Lee, I.-K., & Kim, J.-G. (2011). Serum thyrotropin as a risk factor for thyroid malignancy in Euthyroid subjects with thyroid micronodule. *Head & Neck*, 34(7), 949–952. <https://doi.org/10.1002/hed.21828>
- Moore, K.L., Dalley, A.F. & Agur, A.M.R., 2010. Thyroid Gland. In *Clinically Oriented Anatomy*. Philadelphia, US: Lippincott Williams & Wilkins, pp. 1018–1020.
- Mu, C., Ming, X., Tian, Y., Liu, Y., Yao, M., Ni, Y., Liu, Y., & Li, Z. (2022). Mapping global epidemiology of thyroid nodules among general population: A systematic review and meta-analysis. *Frontiers in Oncology*, 12. <https://doi.org/10.3389/fonc.2022.1029926>.
- Park, J.-Y., Lee, H. J., Jang, H. W., Kim, H. K., Yi, J. H., Lee, W., & Kim, S. H. (2009). A proposal for a thyroid imaging reporting and Data System for ultrasound features of thyroid carcinoma. *Thyroid*, 19(11), 1257–1264. <https://doi.org/10.1089/thy.2008.0021>
- Periakaruppan, G., Seshadri, K. G., Vignesh Krishna, G. M., Mandava, R., Venkata Sai, P. M., & Rajendiran, S. (2018). Correlation between ultrasound-based TIRADS and Bethesda System for reporting thyroid-cytopathology: 2-Year experience at a tertiary care center in India. *Indian Journal of Endocrinology and Metabolism*, 22(5), 651. https://doi.org/10.4103/ijem.ijem_27_18.
- Rago, T., Fiore, E., Scutari, M., Santini, F., Di Coscio, G., Romani, R., Piaggi, P., Ugolini, C., Basolo, F., Miccoli, P., Pinchera, A., & Vitti, P. (2010). Male sex, single nodularity, and young age are associated with the risk of finding a papillary thyroid cancer on fine-needle aspiration cytology in a large series of patients with nodular thyroid disease. *European Journal of Endocrinology*, 162(4), 763–770. <https://doi.org/10.1530/eje-09-0895>

- Russ, G., Bonnema, S. J., Erdogan, M. F., Durante, C., Ngu, R., & Leenhardt, L. (2017). European thyroid association guidelines for ultrasound malignancy risk stratification of thyroid nodules in adults: The EU-tirads. *European Thyroid Journal*, 6(5), 225–237. <https://doi.org/10.1159/000478927>.
- Salabè, G.B. (2001) “Pathogenesis of thyroid nodules: Histological classification?,” *Biomedicine & Pharmacotherapy*, 55(1), pp. 39–53. Available at: [https://doi.org/10.1016/s0753-3322\(00\)00010-x](https://doi.org/10.1016/s0753-3322(00)00010-x).
- Sasson, M., Kay-Rivest, E., Shoukrun, R., Florea, A., Hier, M., Forest, V.-I., Tamilia, M., & Payne, R. J. (2017). The T4/T3 quotient as a risk factor for differentiated thyroid cancer: A case control study. *Journal of Otolaryngology - Head & Neck Surgery*, 46(1). <https://doi.org/10.1186/s40463-017-0208-0>
- Schmidt, G. (2006). Thieme Clinical Companions Ultrasound. <https://doi.org/10.1055/b-005-148929>.
- Shin, J. H., Baek, J. H., Chung, J., Ha, E. J., Kim, J.-hoon, Lee, Y. H., Lim, H. K., Moon, W.-J., Na, D. G., Park, J. S., Choi, Y. J., Hahn, S. Y., Jeon, S. J., Jung, S. L., Kim, D. W., Kim, E.-K., Kwak, J. Y., Lee, C. Y., Lee, H. J., ... Sung, J. Y. (2016). Ultrasonography diagnosis and imaging-based management of thyroid nodules: Revised korean society of thyroid radiology consensus statement and recommendations. *Korean Journal of Radiology*, 17(3), 370. <https://doi.org/10.3348/kjr.2016.17.3.370>.
- Tessler, F. N., Middleton, W. D., Grant, E. G., & Hoang, J. K. (2018). Re: ACR thyroid imaging, reporting and Data System (TI-RADS): White Paper of the ACR ti-rads committee. *Journal of the American College of Radiology*, 15(3), 381–382. <https://doi.org/10.1016/j.jacr.2017.12.035>.
- Vaccarella, S., Franceschi, S., Bray, F., Wild, C. P., Plummer, M., & Dal Maso, L. (2016). Worldwide thyroid-cancer epidemic? the increasing impact of overdiagnosis. *New England Journal of Medicine*, 375(7), 614–617. <https://doi.org/10.1056/nejmp1604412>
- Xie, C., Cox, P., Taylor, N., & LaPorte, S. (2015). Ultrasonography of thyroid nodules: A pictorial review. *Insights into Imaging*, 7(1), 77–86. <https://doi.org/10.1007/s13244-015-0446-5>.
- Xu, T., Gu, J.-yu, Ye, X.-hua, Xu, S.-hang, Wu, Y., Shao, X.-yu, Liu, D.-zhen, Lu, W.-ping, Hua, F., Shi, B.-min, Liang, J., Xu, L., Tang, W., Liu, C., & Wu, X.-hong. (2017). Thyroid nodule sizes influence the diagnostic performance of TIRADS and ultrasound patterns of 2015 ATA guidelines: A multicenter retrospective study. *Scientific Reports*, 7(1). <https://doi.org/10.1038/srep43183>

Ye, Z.-qiang, Gu, D.-na, Hu, H.-ye, Zhou, Y.-li, Hu, X.-qu, & Zhang, X.-hua. (2013). Hashimoto's thyroiditis, microcalcification and raised thyrotropin levels within normal range are associated with thyroid cancer. *World Journal of Surgical Oncology*, 11(1). <https://doi.org/10.1186/1477-7819-11-56>