



## DAFTAR PUSTAKA

- Abdullah, R. Insani, W. Destiani, D. Rohmanuasari, N. Mohenathas, N. Barliana, M. 2018. Polypharmacy leads to increased prevalence of potentially inappropriate medication in the Indonesian geriatric population visiting primary care facilities. *Therapeutics and clinical risk management*, 14, hal. 1591–1597. doi: 10.2147/TCRM.S170475.
- Anghel, L. A., Farcas, A. M. dan Oprean, R. N. (2019) “An overview of the common methods used to measure treatment adherence,” *Medicine and pharmacy reports*, 92(2), pp. 117–122. doi: 10.15386/mpr-1201.
- Ageing and health. Who.int.* Available at: <https://www.who.int/news-room/fact-sheets/detail/ageing-and-health> [Diakses 10 Januari 2023].
- Alimohammadian, M. Majidi, A. Yaseri, M. Ahmadi, B. Islami, F. Derakhshan, M. et al. 2017 “Multimorbidity as an important issue among women: results of a gender difference investigation in a large population-based cross-sectional study in West Asia,” *BMJ open*, 7(5), hal. e013548. doi: 10.1136/bmjopen-2016-013548.
- Alvis, B. D. dan Hughes, C. G. 2015. Physiology considerations in geriatric patients. *Anesthesiology clinics*, 33(3), hal. 447–456. doi: 10.1016/j.anclin.2015.05.003.
- Ardhana, M. E., Lestari, F. dan Choesrina, R. 2022 “Kepatuhan Pengobatan Pasien Geriatri dalam Pengobatan Hipertensi di Puskesmas Cicantayan Sukabumi,” *Bandung Conference Series: Pharmacy*, 2(2), hal. 462–468. doi: 10.29313/bcsp.v2i2.4275.
- Bhasin, S., Valderrábano, R. J. dan Gagliano-Jucá, T. 2022. *Age-related changes in the male reproductive system*. MDText.com.
- Borah, B., Sacco, P. dan Zarotsky, V. 2010 “Predictors of adherence among Alzheimer’s disease patients receiving oral therapy,” *Current medical research and opinion*, 26(8), hal. 1957–1965. doi: 10.1185/03007995.2010.493788.
- Cantlay, A., Glyn, T. dan Barton, N. 2016. Polypharmacy in the elderly. *InnovAiT Education and inspiration for general practice*, 9(2), hal. 69–77. doi: 10.1177/1755738015614038.
- Chapman, R. H. Petrilla, A. A. Benner, J. S. Schwarz, J. S. dan Tan, S. S. K. 2008. “Predictors of adherence to concomitant antihypertensive and lipid-lowering medications in older adults: A retrospective, cohort study,” *Drugs & aging*, 25(10), hal. 885–892. doi: 10.2165/00002512-200825100-00008.



- Chowdhury, S. R. Das, D. C. Sunna, T. C. Beyene, J. dan Hossain, A. .2023. “Global and regional prevalence of multimorbidity in the adult population in community settings: a systematic review and meta-analysis,” *EClinicalMedicine*, 57(101860), p. 101860. doi: 10.1016/j.eclim.2023.101860.
- Dagli, R. J. dan Sharma, A. 2014. Polypharmacy: a global risk factor for elderly people. *Journal of international oral health: JIOH*, 6(6), hal. i–ii.
- Delara, M. Murray, L. Jafari, B. Bajji, A. Goodarzi, Z. Kirkham, J. et al. 2022. Prevalence and factors associated with polypharmacy: a systematic review and Meta-analysis. *BMC geriatrics*, 22(1), hal. 601. doi: 10.1186/s12877-022-03279-x.
- Fauziah, H., Mulyana, R. dan Martini, R. D. 2020. POLIFARMASI PADA PASIEN GERIATRI. *Human Care Journal*, 5(3), p. 804. doi: 10.32883/hcj.v5i3.796.
- Fillit, H. M., Rockwood, K., & Young, J., 2017. *Brocklehurst's Textbook of Geriatric Medicine and Gerontology*. 8 ed. Philadelphia: Elsevier, Inc.
- Flint, B. dan Tadi, P. 2022. *Physiology, Aging*. StatPearls Publishing.
- Gierisch, J. M. Beadles, C. Shapiro, A. McDuffie, J. Cunningham, N. Bradford, D. et al. (2014) *Newcastle-Ottawa Scale coding manual for cohort studies*. Department of Veterans Affairs.
- Grymonpre, R. E. Didur, C. D. Montgomery, P. R. dan Sitar, D. S. (1998) “Pill count, self-report, and pharmacy claims data to measure medication adherence in the elderly,” *The annals of pharmacotherapy*, 32(7–8), hal. 749–754. doi: 10.1345/aph.17423.
- Halter, J. B., Ouslander, J. G., Studenski, S., High, K. P., Asthana, S., Ritchie, C. S. & Supiano, M. A., 2017. *Hazzard's Geriatric Medicine and Gerontology*. 7 ed. New York: McGraw-Hill Education Medical.
- Hutchison, L. C. dan O'Brien, C. E. 2007. Changes in pharmacokinetics and pharmacodynamics in the elderly patient. *Journal of pharmacy practice*, 20(1), hal. 4–12. doi: 10.1177/0897190007304657.
- Kemenkes. 2016. *Peraturan Menteri Kesehatan RI Nomor 25 Tahun 2016 tentang Rencana Aksi Nasional Kesehatan Lanjut Usia Tahun 2016-2019*.
- Kemenkes. 2021. Peraturan Menteri Kesehatan Republik Indonesia Nomor 34 Tahun 2021 tentang Standar Pelayanan Kefarmasian di Klinik.
- Kemkes.go.id.* Available at: <https://www.kemkes.go.id/downloads/resources/download/pusdatin/infodatin/Infodatin-Lansia-2022.pdf> [Diakses 10 Januari 2023].
- Khezrian, M. McNeil, C. Murray, A. Myint, P. 2020. An overview of prevalence, determinants and health outcomes of polypharmacy. *Therapeutic advances in drug safety*, 11, p. 2042098620933741. doi: 10.1177/2042098620933741.



- Lee, V. W. Y. Pang, K. K. W. Hui, K. C. Kwok, J. C. K. Leung, S. L. Yu, D. S. F. dan Lee, D. T. F. 2013. "Medication adherence: Is it a hidden drug-related problem in hidden elderly?: Drug-related problems in hidden elderly," *Geriatrics & gerontology international*, 13(4), hal. 978–985. doi: 10.1111/ggi.12042.
- Lundh, A. dan Gøtzsche, P. C. (2008) "Recommendations by Cochrane Review Groups for assessment of the risk of bias in studies," *BMC medical research methodology*, 8(1). doi: 10.1186/1471-2288-8-22.
- Ma, L.-L. Wang Y.Y. Yang Z-H. Huang, D. Weng, H. Zeng, X. et al. (2020) "Methodological quality (risk of bias) assessment tools for primary and secondary medical studies: what are they and which is better?," *Military medical research*, 7(1). doi: 10.1186/s40779-020-00238-8.
- Mansur, N., Weiss, A. dan Beloosesky, Y. 2012. "Looking beyond polypharmacy: quantification of medication regimen complexity in the elderly," *The American journal of geriatric pharmacotherapy*, 10(4), hal. 223–229. doi: 10.1016/j.amjopharm.2012.06.002.
- Marcum, Z. A. dan Gellad, W. F. (2012) "Medication adherence to multidrug regimens," *Clinics in geriatric medicine*, 28(2), pp. 287–300. doi: 10.1016/j.cger.2012.01.008.
- Mian, H., Fiala, M. dan Wildes, T. M. ,2019. "Adherence to lenalidomide in older adults with newly diagnosed multiple myeloma," *Clinical lymphoma, myeloma & leukemia*, 20(2), hal. 98-104.e1. doi: 10.1016/j.clml.2019.09.618.
- Morin, L. Johnell, K. Laroche, M. Fastbom, J. Wastesson, J. 2018. The epidemiology of polypharmacy in older adults: register-based prospective cohort study. *Clinical epidemiology*, 10, hal. 289–298. doi: 10.2147/clep.s153458.
- Morrison, A., Stauffer, M. E. dan Kaufman, A. S. 2015. Defining medication adherence in individual patients. *Patient preference and adherence*, 9, hal. 893–897. doi: 10.2147/PPA.S86249.
- Park, D. C. dan Yeo, S. G. 2013. Aging. *Korean journal of audiology*, 17(2), hal. 39–44. doi: 10.7874/kja.2013.17.2.39.
- Pasina, L. Brucato, A. L. Falcone, C. Cucchi, E. Bresciani, A. Sottocorno, M. et al. .2014. "Medication non-adherence among elderly patients newly discharged and receiving polypharmacy," *Drugs & aging*, 31(4), hal. 283–289. doi: 10.1007/s40266-014-0163-7.
- Payne, R. A. 2016. The epidemiology of polypharmacy. *Clinical medicine (London, England)*, 16(5), hal. 465–469. doi: 10.7861/clinmedicine.16-5-465.
- Pazan, F. dan Wehling, M. 2021. Polypharmacy in older adults: a narrative review of definitions, epidemiology and consequences. *European geriatric medicine*, 12(3), hal. 443–452. doi: 10.1007/s41999-021-00479-3.



Pednekar, P. P. Agh, T. Malmenas, M. Raval, A. D. Bennett, B. M. Borah, B. J. *et al.* 2019. "Methods for measuring multiple medication adherence: A systematic review-report of the ISPOR medication adherence and persistence special interest group," *Value in health: the journal of the International Society for Pharmacoeconomics and Outcomes Research*, 22(2), hal. 139–156. doi: 10.1016/j.jval.2018.08.006.

*Percentage of total population aged 60 years or over. Who.int.* Available at: <https://platform.who.int/data/maternal-newborn-child-adolescent-ageing/indicator-explorer-new/mca/percentage-of-total-population-aged-60-years-or-over> [Diakses 10 Januar 2023].

Pokorski, M. .ed. 2020. *Medical research and development*. Cham: Springer International Publishing.

Rieckert, A. Trampisch, U. S. Mielke, R. K. Drewelow, E. Esmail, A. Johansson, T. *et al.* 2018. Polypharmacy in older patients with chronic diseases: a cross-sectional analysis of factors associated with excessive polypharmacy. *BMC family practice*, 19(1), p. 113. doi: 10.1186/s12875-018-0795-5.

Rochon, P. A. Petrovic, M. Cherubini, A. Onder, G. O'Mahony, D. Sternberg, S. A. *et al.* 2021. Polypharmacy, inappropriate prescribing, and deprescribing in older people: through a sex and gender lens. *The Lancet. Healthy longevity*, 2(5), hal. e290–e300. doi: 10.1016/S2666-7568(21)00054-4.

Ross, L., Jennings, P., & Williams, B., 2017. Psychosocial support issues affecting older patients: A cross-sectional paramedic perspective. *Inquiry*, 54. doi: 10.1177/0046958017731963.

Sera, L. dan Uritsky, T. 2016. Pharmacokinetic and pharmacodynamic changes in older adults and implications for palliative care. *Progress in palliative care*, 24(5), hal. 255–261. doi: 10.1080/09699260.2016.1192319.

Shareinia, H. Sadeghmoghadam, L. Mokhtarzadeh, M. R. Zahrayi, S. M. Jafari, N. dan Noori, R. 2020. "Relationship between polypharmacy and medication adherence in the hypertensive elderly patients," *Disease and Diagnosis*, 9(4), hal. 153–157. doi: 10.34172/ddj.2020.05.

Shirasuna, K. dan Iwata, H. 2017. Effect of aging on the female reproductive function. *Contraception and reproductive medicine*, 2, p. 23. doi: 10.1186/s40834-017-0050-9.

Sinha, A. Mukherjee, S. Tripathi, S. dan Dutta, S. 2021. Issues and challenges of polypharmacy in the elderly: A review of contemporary Indian literature. *Journal of family medicine and primary care*, 10(10), hal. 3544–3547. doi: 10.4103/jfmpc.jfmpc\_2581\_20.

Slabaugh, S. L. *et al.* (2010) "Prevalence and risk of polypharmacy among the elderly in an outpatient setting: a retrospective cohort study in the Emilia-Romagna region, Italy: A retrospective cohort study in the Emilia-Romagna region, Italy," *Drugs & aging*, 27(12), pp. 1019–1028. doi: 10.2165/11584990-00000000-00000.



- Smaje, A. Clark, M. W. Raj, R. Orlu, M. Davis, D. dan Rawle, M. 2018. "Factors associated with medication adherence in older patients: A systematic review," *Aging medicine*, 1(3), hal. 254–266. doi: 10.1002/agm2.12045.
- Soejono, C. H. dan Rizka, A. (2021) "Polypharmacy and drug use pattern among Indonesian elderly patients visiting emergency unit," *Acta medica Indonesiana*, 53(1), pp. 60–76. Available at: <https://pubmed.ncbi.nlm.nih.gov/33818408/>.
- Tan, Y. W. Suppiah, S. Bautista, M. A. C. dan Malhotra, R. 2019. "Polypharmacy among community-dwelling elderly in Singapore: Prevalence, risk factors and association with medication non-adherence," *Proceedings of Singapore healthcare*, 28(4), hal. 224–231. doi: 10.1177/2010105819868485.
- Tang, K. L., Quan, H. dan Rabi, D. M. 2017. "Measuring medication adherence in patients with incident hypertension: a retrospective cohort study," *BMC health services research*, 17(1). doi: 10.1186/s12913-017-2073-y.
- Timiras, P. S., 2007. *Physiological Basis of Aging and Geriatrics*. 4 ed. New York: Informa Healthcare USA, Inc.
- Tsai, K. T. Chen, J. H. Wen, C. J. Kuo, H. K. Lu, I. S. Chiu, L. S. Wu, S. C. et al. 2012. "Medication adherence among geriatric outpatients prescribed multiple medications," *The American journal of geriatric pharmacotherapy*, 10(1), hal. 61–68. doi: 10.1016/j.amjopharm.2011.11.005.
- Walckiers, D., Van der Heyden, J. dan Tafforeau, J. 2015. Factors associated with excessive polypharmacy in older people. *Archives belges de sante publique [Archives of public health]*, 73(1), p. 50. doi: 10.1186/s13690-015-0095-7.
- Wang, R. et al. 2015. Incidence and effects of polypharmacy on clinical outcome among patients aged 80+: A five-year follow-up study. *PloS one*, 10(11), p. e0142123. doi: 10.1371/journal.pone.0142123.
- WHO. 2019. *Medication Safety in Polypharmacy*. Who.int. Available at: <https://www.who.int/docs/default-source/patient-safety/who-uhc-sds-2019-11-eng.pdf> (Diakses: 10 Januari, 2023).
- WHO. 2022. "Noncommunicable diseases" Who.int. Available at: <https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases> (Diakses: August 22, 2023).
- Wikan, E., Rahmawati, F. dan Wahab, I. A. 2019. "Kepatuhan Penggunaan Obat pada Komunitas Pasien Lanjut Usia Dengan Penyakit Kronis di Kecamatan Muntilan Jawa Tengah," *Majalah Farmaseutik*, 17(1), hal. 54. doi: 10.22146/farmaseutik.v17i1.49088.
- Xu, X., Jones, M. dan Mishra, G. D. 2020. "Age at natural menopause and development of chronic conditions and multimorbidity: results from an Australian prospective cohort," *Human reproduction (Oxford, England)*, 35(1), hal. 203–211. doi: 10.1093/humrep/dez259.
- Yap, A. F., Thirumoorthy, T. dan Kwan, Y. H. (2016) "Systematic review of the



barriers affecting medication adherence in older adults: Medication adherence and older adults," *Geriatrics & gerontology international*, 16(10), pp. 1093–1101. doi: 10.1111/ggi.12616.

Zelko, E., Klemenc-Ketis, Z. dan Tusek-Bunc, K. 2016. Medication adherence in elderly with polypharmacy living at home: A systematic review of existing studies. *Materia socio-medica*, 28(2), hal. 129–132. doi: 10.5455/msm.2016.28.129-132.

Zulkarnaini, A. dan Martini, R. D. 2019. Gambaran Polifarmasi Pasien Geriatri Dibeberapa Poliklinik RSUP Dr. M. Djamil Padang. *Jurnal kesehatan Andalas*, 8(1S), p. 1. doi: 10.25077/jka.v8i1s.916.