

- Abdel-Shafy, H. I., Ibrahim, A. M., Al-Sulaiman, A. M., & Okasha, R. A. (2023). Landfill leachate: Sources, nature, organic composition, and treatment: An environmental overview. *Ain Shams Engineering Journal*, *15*(1), 102293. <https://doi.org/10.1016/j.asej.2023.102293>
- Agarwal, A., Ng, W. J., & Liu, Y. (2011). Principle and applications of microbubble and nanobubble technology for water treatment. *Chemosphere*, *84*(9), 1175–1180. <https://doi.org/10.1016/j.chemosphere.2011.05.054>
- Ahn, D. H., Kim, H., & Pack, M. Y. (1997). Immobilization of  $\beta$ -glucosidase using the cellulose-binding domain of *Bacillus subtilis* endo- $\beta$ -1,4-glucanase. *Biotechnology Letters*, *19*(5), 483–486. <https://doi.org/10.1023/A:1018360530691>
- Andersson, S. (2009). Characterization of Bacterial Biofilms for Wastewater Treatment. In *Technology*. <http://kth.diva-portal.org/smash/get/diva2:209486/FULLTEXT01>
- Arora, J., Ranjan, A., Chauhan, A., Biswas, R., Rajput, V. D., Sushkova, S., Mandzhieva, S., Minkina, T., & Jindal, T. (2022). Surfactant pollution, an emerging threat to ecosystem: Approaches for effective bacterial degradation. *Journal of Applied Microbiology*, *133*(3), 1229–1244. <https://doi.org/10.1111/jam.15631>
- Assiddieq, M., Darmayani, S., & Kudonowarso, W. (2017). The use of silica sand, zeolite and active charcoal to reduce BOD, COD, and TSS of laundry waste water as a biology learning resources. *Jurnal Pendidikan Biologi Indonesia*, *3*(3), 202. <https://doi.org/10.22219/jpbi.v3i3.4864>
- Bai, M., Liu, Z., Zhang, J., Du, Y., Lu, L., & Zhu, Z. (2021). Experimental study of the effect of salinity and surfactant on mass transfer characteristics of oxygen micro-nano bubbles. *Japanese Geotechnical Society Special Publication*, *9*(6), 272–276. <https://doi.org/10.3208/jgssp.v09.cpeg078>
- Bering, S., Mazur, J., Tarnowski, K., Janus, M., Mozia, S., & Morawski, A. W. (2018). The application of moving bed bio-reactor (MBBR) in commercial laundry wastewater treatment. *Science of the Total Environment*, *627*, 1638–1643. <https://doi.org/10.1016/j.scitotenv.2018.02.029>
- Budhijanto, W., Al Ayyubi, S., & Abdul Latif, K. (2020). Evaluasi Rangkaian Anaerobic Fluidized Bed Reactor (AFBR) dan Micro Bubble Generator (MBG) untuk Pengolahan Air Lindi Sampah. *Jurnal Teknik Kimia Indonesia*, *18*(1), 1. <https://doi.org/10.5614/jtki.2019.18.1.1>
- Concepts, B. (1992). Bioprocess engineering: Basic concepts. *Journal of Controlled Release*, *22*(3), 293. [https://doi.org/10.1016/0168-3659\(92\)90106-2](https://doi.org/10.1016/0168-3659(92)90106-2)
- Cui, X., Ren, Q., Zhang, J., & Zhou, Y. (2022). Removal kinetics of linear alkylbenzene sulfonate in a batch-operated oxygen based membrane biofilm reactor treating greywater: Quantitative differentiation of adsorption and biodegradation. *Science of the Total Environment*, *806*, 150523. <https://doi.org/10.1016/j.scitotenv.2021.150523>
- Cunliffe, D., Smart, C. A., Alexander, C., & Vulfson, E. N. (1999). Bacterial adhesion at synthetic surfaces. *Applied and Environmental Microbiology*, *65*(11), 4995–5002. <https://doi.org/10.1128/aem.65.11.4995-5002.1999>
- Dhouib, A., Hamad, N., Hassairi, I., & Sayadi, S. (2003). Degradation of anionic surfactants by *Citrobacter braakii*. *Process Biochemistry*, *38*(8), 1245–1250. [https://doi.org/10.1016/S0032-9592\(02\)00322-9](https://doi.org/10.1016/S0032-9592(02)00322-9)
- Eddy, M. (2014). Wastewater Engineering: Treatment and Reuse (Book). In *Chemical engineering* (Issue 7, p. 421).
- Gill, L., Doran, C., Misstear, D., & Sheahan, B. (2009). The use of recycled glass as a

- filter media for on-site wastewater treatment. *Desalination and Water Treatment*, 4(1–3), 198–205. <https://doi.org/10.5004/dwt.2009.376>
- Giraldo-Gomez, E. (1991). Kinetics of anaerobic treatment: A critical review. *Critical Reviews in Environmental Control*, 21(5–6), 411–490. <https://doi.org/10.1080/10643389109388424>
- Gonen, C., Gungormusler, M., & Azbar, N. (2012). Comparative evaluation of pumice stone as an alternative immobilization material for 1,3-propanediol production from waste glycerol by immobilized klebsiella pneumoniae. *Applied Biochemistry and Biotechnology*, 168(8), 2136–2147. <https://doi.org/10.1007/s12010-012-9923-1>
- H Kara, O. A. M. A. (2014). 濟無No Title No Title No Title. *Paper Knowledge . Toward a Media History of Documents*, 7(2), 107–115.
- Herlina, N., Turmuzi Lubis, M., Husin, A., & Putri, I. (2019). Studies on decreasing Chemical Oxygen Demand (COD) on artificial laundry wastewater using anaerobic-aerobic biofilter dipped with bio ball media. *MATEC Web of Conferences*, 276, 06015. <https://doi.org/10.1051/mateconf/201927606015>
- Ho, K. C., Teow, Y. H., Sum, J. Y., Ng, Z. J., & Mohammad, A. W. (2021a). Water pathways through the ages: Integrated laundry wastewater treatment for pollution prevention. In *Science of the Total Environment* (Vol. 760). <https://doi.org/10.1016/j.scitotenv.2020.143966>
- Ho, K. C., Teow, Y. H., Sum, J. Y., Ng, Z. J., & Mohammad, A. W. (2021b). Water pathways through the ages: Integrated laundry wastewater treatment for pollution prevention. *Science of the Total Environment*, 760, 143966. <https://doi.org/10.1016/j.scitotenv.2020.143966>
- Hong, S. W., Choi, Y. S., Kim, S. J., & Kwon, G. (2005). Pilot-testing an alternative on-site wastewater treatment system for small communities and its automatic control. *Water Science and Technology*, 51(10), 101–108. <https://doi.org/10.2166/wst.2005.0356>
- Hreiz, R., Latifi, M. A., & Roche, N. (2015). Optimal design and operation of activated sludge processes: State-of-the-art. *Chemical Engineering Journal*, 281, 900–920. <https://doi.org/10.1016/j.cej.2015.06.125>
- Huang, X., Chen, W., Cai, M., & Hei, L. (2022). The screening of high-efficiency ammonia-nitrogen degrading bacteria and their influencing factors were studied. *IOP Conference Series: Earth and Environmental Science*, 983(1). <https://doi.org/10.1088/1755-1315/983/1/012103>
- Hussain, A., Dubey, S. K., & Kumar, V. (2015). Kinetic study for aerobic treatment of phenolic wastewater. *Water Resources and Industry*, 11, 81–90. <https://doi.org/10.1016/j.wri.2015.05.002>
- Indriyati, I. (2011). Pengolahan Limbah Cair Industri Minuman. *Jurnal Teknologi Lingkungan*, 9(1), 25–30. <https://doi.org/10.29122/jtl.v9i1.440>
- John, W., & Sons. (2012). *Kirk-Othmer Encyclopedia of Chemical Technology. Fifth Edition*. 4(March 2019), 582–602.
- Johnson, I., Abubakar, M., Ali, S., & Kumar, M. (2019). Cyanobacteria/microalgae for distillery wastewater treatment- past, present and the future. In *Microbial Wastewater Treatment*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-816809-7.00010-5>
- Katam, K., & Bhattacharyya, D. (2017). Biodegradation of Laundry Wastewater Under Aerobic and Anaerobic Conditions: A Kinetic Evaluation. *Water Environment Research*, 89(12), 2071–2077. <https://doi.org/10.2175/106143017x14902968254638>
- Kementerian Lingkungan Hidup Republik Indonesia. (2014). Peraturan Menteri

- Khuntia, S., Majumder, S. K., & Ghosh, P. (2012). Microbubble-aided water and wastewater purification: A review. *Reviews in Chemical Engineering*, 28(4–6), 191–221. <https://doi.org/10.1515/revce-2012-0007>
- Kogawa, H., Naoe, T., Kyotoh, H., Haga, K., Kinoshita, H., & Futakawa, M. (2015). Development of microbubble generator for suppression of pressure waves in mercury target of spallation source. *Journal of Nuclear Science and Technology*, 52(12), 1461–1469. <https://doi.org/10.1080/00223131.2015.1009188>
- Kovárová-Kovar, K., & Egli, T. (1998). Growth Kinetics of Suspended Microbial Cells: From Single-Substrate-Controlled Growth to Mixed-Substrate Kinetics. *Microbiology and Molecular Biology Reviews*, 62(3), 646–666. <https://doi.org/10.1128/mmbr.62.3.646-666.1998>
- Krishnan, S., Chandran, K., & Sinnathambi, C. M. (2016). Wastewater treatment technologies used for the removal of different surfactants: A comparative review. *International Journal of Applied Chemistry*, 12(4), 727–739.
- Kurniawan, A., Wirasembada, Y. C., Park, K. Y., Kim, Y. M., Hur, J., & Cho, J. (2018). Estimation of biokinetic parameters in the acid fermentation of primary sludge using an anaerobic baffled reactor. *Environmental Science: Water Research and Technology*, 4(12), 1997–2011. <https://doi.org/10.1039/c8ew00566d>
- Kusuma, D. A., Fitria, L., & Kadaria, U. (2019). *PENGOLAHAN LIMBAH LAUNDRY DENGAN METODE MOVING BED BIOFILM REACTOR ( MBBR )*. 02(1), 1–10.
- Kwok, T. K. (2011). *Assessing the effect of surfactants on activated sludge processes using sequencing batch reactors*. March, 111. <https://researchrepository.rmit.edu.au/esploro/outputs/graduate/Assessing-the-effect-of-surfactants-on-activated-sludge-processes-using-sequencing-batch-reactors/9921863633301341>
- Lan, H., Zhang, H., Qiao, H., Guo, C., Lv, Y., & Zhang, H. (2019). Environmental impact Effects of temperature on white water treatment by the dominant bacteria. *Nordic Pulp & Paper Research Journal*, 34(1), 133–137.
- Liang, H., Gao, M., Liu, J., Wei, Y., & Guo, X. (2010). A novel integrated step-feed biofilm process for the treatment of decentralized domestic wastewater in rural areas of China. *Journal of Environmental Sciences*, 22(3), 321–327. [https://doi.org/10.1016/S1001-0742\(09\)60111-X](https://doi.org/10.1016/S1001-0742(09)60111-X)
- Liu, C., Tanaka, H., Ma, J., Zhang, L., Zhang, J., Huang, X., & Matsuzawa, Y. (2012). Effect of microbubble and its generation process on mixed liquor properties of activated sludge using Shirasu porous glass (SPG) membrane system. *Water Research*, 46(18), 6051–6058. <https://doi.org/10.1016/j.watres.2012.08.032>
- Liu, C., & Tang, Y. (2019). Application research of micro and nano bubbles in water pollution control. *E3S Web of Conferences*, 136, 10–12. <https://doi.org/10.1051/e3sconf/201913606028>
- Luan, Y. N., Yin, Y., An, Y., Zhang, F., Wang, X., Zhao, F., Xiao, Y., & Liu, C. (2022). Investigation of an intermittently-aerated moving bed biofilm reactor in rural wastewater treatment under low dissolved oxygen and C/N condition. *Bioresource Technology*, 358(April), 127405. <https://doi.org/10.1016/j.biortech.2022.127405>
- Luostarinen, S., Luste, S., Valentín, L., & Rintala, J. (2006). Nitrogen removal from on-site treated anaerobic effluents using intermittently aerated moving bed biofilm reactors at low temperatures. *Water Research*, 40(8), 1607–1615. <https://doi.org/10.1016/j.watres.2006.02.022>
- Marbelia, L., Wan Noor, A., Paramesti, A., Damarjati, B. A., Widyaparaga, A.,

- Deendarlianto, Bilad, M. R., & Budhijanto, W. (2020). A Comparative Study of Conventional Aerator and Microbubble Generator in Aerobic Reactors for Wastewater Treatment. *IOP Conference Series: Materials Science and Engineering*, 778(1). <https://doi.org/10.1088/1757-899X/778/1/012132>
- Mataram, A., Nasution, J. D., Mohruni, A. S., Alian, H., Anisya, N., Rizal, S., Pataras, M., Kurnia, A. Y., Aditya, B. B., Kurnia, R. D., & Jambak, M. I. (2023). Laundry Wastewater Treatment With Repeated Filter Article Information Abstract. *Austenit*, 15(1), 8–12. <http://doi.org/10.5281/zenodo.7882139>
- Megasari, R., Biyatmoko, D., Ilham, W., & Hadie, J. (2012). IDENTIFIKASI KERAGAMAN JENIS BAKTERI PADA PROSES PENGOLAHAN LIMBAH CAIR INDUSTRI MINUMAN DENGAN LUMPUR AKTIF LIMBAH TAHU Ritni Megasari, Danang Biyatmoko, Wahyuni Ilham, Jamzuri Hadie. *Enviro Scienteeae*, 8, 89–101.
- Mohan, P. K., Nakhla, G., & Yanful, E. K. (2006). Biokinetics of biodegradation of surfactants under aerobic, anoxic and anaerobic conditions. *Water Research*, 40(3), 533–540. <https://doi.org/10.1016/j.watres.2005.11.030>
- Mohiyaden, H. A., Sidek, L. M., Ahmed Salih, G. H., Birima, A. H., Basri, H., Mohd Sabri, A. F., & Md. Noh, M. N. (2016). Conventional methods and emerging technologies for urban river water purification plant: A short review. *ARNP Journal of Engineering and Applied Sciences*, 11(4), 2547–2556.
- Mohiyaden, H. A., Sidek, L. M., & Hayder, G. (2019). The performance of attached and suspended growth process in integrated fixed activated sludge. *Journal of Engineering Science and Technology*, 14(3), 1751–1763.
- Morel, A., & Diener, S. (2006). *Greywater Management in Low and Middle-Income Countries, Review of different treatment systems for households or neighbourhoods*. (Issue 14/06). [www.sandec.ch](http://www.sandec.ch)
- Nogaj, T., Randall, A., Jimenez, J., Takacs, I., Bott, C., Miller, M., Murthy, S., & Wett, B. (2015). Modeling of organic substrate transformation in the high-rate activated sludge process. *Water Science and Technology*, 71(7), 971–979. <https://doi.org/10.2166/wst.2015.051>
- Oya, M. (2020). Effect of Fine Bubbles on Removal of Linear Alkyl Benzene Sulfonate Surfactant during the Rinsing Stage of Laundry Washing. *Journal of Surfactants and Detergents*, 23(5), 945–952. <https://doi.org/10.1002/jsde.12429>
- Pramyani, I. A. P. C., & Marwati, N. M. (2020). Efektivitas Metode Aerasi Dalam Menurunkan Kadar Biochemical Oxygen Demand (Bod) Air Limbah Laundry. *Jurnal Kesehatan Lingkungan (JKL)*, 10(2), 88–99. <https://doi.org/10.33992/jkl.v10i2.1281>
- Pungut, P., Al Kholif, M., & Pratiwi, W. D. I. (2021). Penurunan Kadar Chemical Oxygen Demand (Cod) Dan Fosfat Pada Limbah Laundry Dengan Metode Adsorpsi. *Jurnal Sains & Teknologi Lingkungan*, 13(2). <https://doi.org/10.20885/jstl.vol13.iss2.art6>
- Qasim, S. (2017). Wastewater treatment plants: Planning, design, and operation, second edition. In *Wastewater Treatment Plants: Planning, Design, and Operation, Second Edition*. <https://doi.org/10.1201/9780203734209>
- Rodezno, L. A. E. (2004). Biological Treatment of Industrial Wastewater Containing High Concentrations of Linear Alkylbenzene Sulfonate (Las). *Biomass*, 136.
- Rofik, D. A. (2020). Perancangan Dan Analisis Alat Microbubble Generator (Mbg) Untuk Aerasi Kolam Ikan Tipe Nozzel Venturi. *Gorontalo Journal of Infrastructure and Science Engineering*, 3(2), 24. <https://doi.org/10.32662/gojise.v3i2.1206>
- Rosyida, S., & Riyanto, V. (2019). SISTEM INFORMASI PENGELOLAAN DATA LAUNDRY PADA RUMAH LAUNDRY BEKASI. *JITK (Jurnal Ilmu*

<https://doi.org/10.33480/jitk.v5i1.611>

- Ruffino, B., Campo, G., Zanetti, M. C., & Genon, G. (2014). Improvement of the anaerobic digestion of activated sludge: Thermal and economical perspectives. *WIT Transactions on Ecology and the Environment*, 190 VOLUME(April), 979–991. <https://doi.org/10.2495/EQ140922>
- Ryskie, S., Gonzalez-Merchan, C., Neculita, C. M., & Genty, T. (2020). Efficiency of ozone microbubbles for ammonia removal from mine effluents. *Minerals Engineering*, 145(September 2019), 106071. <https://doi.org/10.1016/j.mineng.2019.106071>
- Said, N. I. (2017). Aplikasi Bio-Ball Untuk Media Biofilter Studi Kasus Pengolahan Air Limbah Pencucian Jean. *Jurnal Air Indonesia*, 1(1). <https://doi.org/10.29122/jai.v1i1.2276>
- Said, N. I., & Ruliasih. (2005). Tinjauan Aspek Teknis Pemilihan Media Biofilter Untuk Pengolahan Air Limbah. *Juurnal Agronomi Indonesia*, 1(3).
- Said, N. I., & Sya, M. R. (2014). Removal Ammonia in Domestic Wastewater Using Moving Bed Biofilm Reactor (MBBR) Process. *Jurnal Air Indonesia*, 7(1).
- Schleheck, D., Dong, W., Denger, K., Heinzle, E., & Cook, A. M. (2000). An  $\alpha$ -proteobacterium converts linear alkylbenzenesulfonate surfactants into sulfophenylcarboxylates and linear alkyl-diphenyletherdisulfonate surfactants into sulfodiphenylethercarboxylates. *Applied and Environmental Microbiology*, 66(5), 1911–1916. <https://doi.org/10.1128/AEM.66.5.1911-1916.2000>
- Schwarz, A. O., Rittmann, B. E., Crawford, G. V., Klein, A. M., & Daigger, G. T. (2006). Critical review on the effects of mixed liquor suspended solids on membrane bioreactor operation. *Separation Science and Technology*, 41(7), 1489–1511. <https://doi.org/10.1080/01496390600634699>
- Sen, D., Copithorn, R. R., & Randall, C. W. (2014). Successful Evaluation of Ten IFAS and MMBR Facilities by applying the Unified Model to Quantify Biofilm Surface Area Requirements for Nitrification, Determine its Accuracy in Predicting Effluent Characteristics, and understand the Contribution of Media towards Organics Removal and Nitrification. *Proceedings of the Water Environment Federation*, 2006(13), 185–199. <https://doi.org/10.2175/193864706783710802>
- Sharma, S., Sarma, S. J., & Tay, J. H. (2019). Aerobic granulation in wastewater treatment: A general overview. In *Microbial Wastewater Treatment*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-816809-7.00004-X>
- Silva, J. A. (2023). Water Supply and Wastewater Treatment and Reuse in Future Cities: A Systematic Literature Review. *Water (Switzerland)*, 15(17). <https://doi.org/10.3390/w15173064>
- Sinaga, M. S., Astuti, S. W., & Gultom, E. (2020). Degradation of phosphate in laundry waste with biosand filter method. *IOP Conference Series: Materials Science and Engineering*, 801(1). <https://doi.org/10.1088/1757-899X/801/1/012067>
- Smulders, E., Rähse, W., von Rybinski, W., Steber, J., Sung, E., & Wiebel, F. (2001). Laundry Detergents. *Laundry Detergents*. <https://doi.org/10.1002/3527600450>
- Takahashi, M., Chiba, K., & Li, P. (2007). Free-radical generation from collapsing microbubbles in the absence of a dynamic stimulus. *Journal of Physical Chemistry B*, 111(6), 1343–1347. <https://doi.org/10.1021/jp0669254>
- Terasaka, K., Hirabayashi, A., Nishino, T., Fujioka, S., & Kobayashi, D. (2011). Development of microbubble aerator for waste water treatment using aerobic activated sludge. *Chemical Engineering Science*, 66(14), 3172–3179. <https://doi.org/10.1016/j.ces.2011.02.043>

- Thoharudin, T., Sunardi, S., Yudha, F. A. K., Nadjib, M., & Nugroho, A. S. (2023). Design and Analysis of Venturi Microbubble Generator Using Computational Fluid Dynamics. *Eksergi*, 19(2), 49. <https://doi.org/10.32497/eksergi.v19i2.4305>
- Thomas, B., Ohde, D., Matthes, S., Engelmann, C., Bubenheim, P., Terasaka, K., Schlüter, M., & Liese, A. (2021). Comparative investigation of fine bubble and macrobubble aeration on gas utility and biotransformation productivity. *Biotechnology and Bioengineering*, 118(1), 130–141. <https://doi.org/10.1002/bit.27556>
- van der Weerden, T. J., Noble, A. N., Beltran, I., Hutchings, N. J., Thorman, R. E., de Klein, C. A. M., & Amon, B. (2023). Influence of key factors on ammonia and nitrous oxide emission factors for excreta deposited by livestock and land-applied manure. *Science of the Total Environment*, 889(May), 164066. <https://doi.org/10.1016/j.scitotenv.2023.164066>
- Villain, M., & Marrot, B. (2013). Influence of sludge retention time at constant food to microorganisms ratio on membrane bioreactor performances under stable and unstable state conditions. *Bioresource Technology*, 128(July), 134–144. <https://doi.org/10.1016/j.biortech.2012.10.108>
- Wachidin, G. (2016). *Original article: THE ANALYSIS OF LIQUID WASTE AT LAUNDRY BUSINESS IN BENGKULU*. September, 890–893.
- Wang, R. C., Wen, X. H., & Qian, Y. (2005). Influence of carrier concentration on the performance and microbial characteristics of a suspended carrier biofilm reactor. *Process Biochemistry*, 40(9), 2992–3001. <https://doi.org/10.1016/j.procbio.2005.02.024>
- Yuliana, Y., Langsa, M. H., & Sirampun, A. D. (2020). Air Limbah Laundry : Karakteristik Dan Pengaruhnya Terhadap Kualitas Air. *Jurnal Natural*, 16(1), 25–33. <https://doi.org/10.30862/jn.v16i1.48>
- Yulianti, T., Sri Puji Saraswati, Johan Syafri Mahathir Ahmad, & Wiratni Budhijanto. (2021). Organic Removal Treatment Using Microbubble Generator (MBG) in Eutrophic Disorder Condition. *Journal of the Civil Engineering Forum*, 8(82), 97–104. <https://doi.org/10.22146/jcef.3599>