

DAFTAR PUSTAKA

- Aggour, M. A. (1978). *Hydrodynamics and Heat Transfer in Two-Phase Two-Component Flow*. Dissertation. University of Manitoba, Winnipeg, MB, Canada.
- Agostini, B., Revellin, R. Dan Thome, J. R. (2008). Elongated bubbles in microchannels. Part I: Experimental study and modeling of elongated bubble velocity, *International Journal of Multiphase Flow*, 34(6), 590-601, ISSN: 0301-9322. <https://doi.org/10.1016/j.ijmultiphaseflow.2007.07.007>.
- Aravamudhan, A., D. M. Ramos, A. A. Nada, S. G. Kumbar. (2014). Chapter 4 - Natural Polymers: Polysaccharides and Their Derivatives for Biomedical Applications. *Natural and Synthetic Biomedical Polymers*, 67-89, ISBN: 9780123969835. <https://doi.org/10.1016/B978-0-12-396983-5.00004-1>.
- Ayed, H., A. Arsalanloo, S. Khorasani, M. M. Youshanlouei, S. Jafarmadar, M. Abbasalizadeh, F. Jarad, I. Mahariq. (2022). Experimental investigation on the thermos-hydraulic performance of air-water two-phase flow inside a horizontal circumferentially corrugated tube. *Alexandria Engineering Journal*, 61(9), 6769-6783, ISSN: 1110-0168. <https://doi.org/10.1016/j.aej.2021.12.024>.
- Basu, P., A. Repanas, A. Chatterjee, B. Glasmacher, U. N. Kumar, I. Manjubala. (2017). PEO–CMC blend nanofibers fabrication by electrospinning for soft tissue engineering applications. *Materials Letters*, 195, 10-13, ISSN: 0167-577X. <https://doi.org/10.1016/j.matlet.2017.02.065>.
- Bhat, I. M., Wani, S. M., Mir, S. A., Masoodi, F. A. (2022). Advances in xanthan gum production, modifications and its applications. *Biocatalysis and Agricultural Biotechnology*, 42, 102328, ISSN: 1878-8181. <https://doi.org/10.1016/j.bcab.2022.102328>.
- Bush, M. B. (1989). *Application in Non-Newtonian Fluid Mechanics In: Brebbia, Carlos A. (Ed)*. Viscous Flow Applications, 5, chapter 7, 134-160. Springer Berlin, Heidelberg. ISBN: 978-3-642-83683-1. https://doi.org/10.1007/978-3-642-83683-1_7.
- Catrawedarma, I. G. N. B., Deendarlianto, Indarto. (2021a). Statistical Characterization of Flow Structure of Air–water Two-phase Flow in Airlift Pump–Bubble Generator System. *International Journal of Multiphase Flow*, 138, 103596, ISSN: 0301-9322. <https://doi.org/10.1016/j.ijmultiphaseflow.2021.103596>.
- Catrawedarma, I. G. N. B., F. A. Resnaraditya, Deendarlianto, Indarto. (2021b). Statistical characterization of the flow structure of air-water-solid particles three-phase flow in the airlift pump-bubble generator system. *Flow Measurement and Instrumentation*, 82, 102062, ISSN: 0955-5986. <https://doi.org/10.1016/j.flowmeasinst.2021.102062>.
- Cengel, Y. A., Afshin J. Ghajar. (2014). *Heat and Mass Transfer Fundamentals and Application*. McGraw-Hill Education. 5th edition. ISBN: 978-007-339818-1.

- Chen, Y., Y. Zhao, M. Han, C. Ye, M. Dang, G. Chen. (2013). Safe, efficient and selective synthesis of dinitro herbicides via a multifunctional continuous-flow microreactor: one-step dinitration with nitric acid as agent. *Green Chemistry*, 15(1), 91-94, ISSN: 1463-9262. <http://dx.doi.org/10.1039/C2GC36652E>.
- Chisholm, D dan A. D. K. Laird. (1958). Two-Phase Flow in Rough Tubes. *ASME Trans.* ASME, 80(2), 276-284, ISSN: 0097-6822. <https://doi.org/10.1115/1.4012342>.
- Durig, T., Kapish Karan. (2019). Chapter 9-Binders in Wet Granulation. *Handbook of Pharmaceutical Wet Granulation*, 317-349, ISBN: 9780128104606. <https://doi.org/10.1016/B978-0-12-810460-6.00010-5>.
- Elperin, T., Klochko, M. (2002). Flow regime identification in a two-phase flow using wavelet transform. *Exp Fluids*, 32(6), 674-682, ISSN: 1432-1114. <https://doi.org/10.1007/s00348-002-0415-x>.
- Everts, M., J.P. Meyer. (2018a). Relationship between pressure drop and heat transfer of developing and fully developed flow in smooth horizontal circular tubes in the laminar, transitional, quasi-turbulent and turbulent flow regimes. *International Journal of Heat and Mass Transfer*, 117, 1231-1250, ISSN: 0017-9310. <https://doi.org/10.1016/j.ijheatmasstransfer.2017.10.072>.
- Everts, M., J.P. Meyer. (2018b). Heat transfer of developing and fully developed flow in smooth horizontal tubes in the transitional flow regime. *International Journal of Heat and Mass Transfer*, 117, 1331-1351, ISSN: 0017-9310. <https://doi.org/10.1016/j.ijheatmasstransfer.2017.10.071>.
- Feng, K., H Zhang. (2021). Pressure drop and flow pattern of gas-non-Newtonian fluid two-phase flow in a square microchannel. *Chemical Engineering Research and Design*, 173, 158-169, ISSN: 0263-8762. <https://doi.org/10.1016/j.cherd.2021.07.010>.
- Ferdows, M., M. D. Shamshuddin, S. O. Salawu, Shuyu Sun. (2022). Thermal cooling performance of convective non-Newtonian nanofluid flowing with variant power-index across moving extending surface. *Scientific Reports*, 12(1), 8714, ISSN: 2045-2322. <https://doi.org/10.1038/s41598-022-12333-y>.
- Fu, T., Lijuan Wei, Chunying Zhu, & Youguang Ma. (2015). Flow patterns of liquid-liquid two-phase flow in non-Newtonian fluids in rectangular microchannels. *Chemical Engineering and Processing*, 91, 114-120, ISSN: 0255-2701. <https://doi.org/10.1016/j.cep.2015.03.020>.
- Gao, W., Xu, X., Liang, X. (2017). Experimental study on the effect of orientation on flow boiling using R134a in a mini-channel evaporator. *Applied Thermal Engineering*, 121, 963-973, ISSN: 1359-4311. <https://doi.org/10.1016/j.applthermaleng.2017.04.019>.
- Garstecki, P., Fuerstman, M. J., Stone, H. A. & Whiteside, G.M. (2006). Formation of droplets and bubbles in a microfluidic T-junction-scaling and mechanism of break-up. *Lab on a chip*, 6(3), 437-446. <https://doi.org/10.1039/b510841a>.

- Grant, I. D.R., dan D. Chisholm. (1979). Two-phase flow on the shell-side of a segmentally baffled shell and tube heat exchanger. *Journal Heat Transfer*, 101(1), 38-42. <https://doi.org/10.1115/1.3450927>.
- Hessel, V., D. Kralisch, N. Kockmann, T. Noël, Q. Wang. (2013). Novel process windows for enabling, accelerating, and uplifting flow chemistry. *ChemSusChem*, 6(5), ISSN: 1864-564X. <https://doi.org/10.1002/cssc.201200766>.
- Hosseini, M., Rad Sadri, Salim Newaz Kazi, Samira Bagheri, Nashrul Zubir, Chew Bee Teng, and Tuan Zaharinie. (2017). Experimental study on heat transfer and thermos-physical properties of covalently functionalized carbon nanotubes nanofluids in an annular heat exchanger: a green and novel synthesis. *Energy & Fuels*, 31(5), 5635-5644, ISSN: 0887-0624. <https://doi.org/10.1021/acs.energyfuels.6b02928>.
- Huang, X., L. Wang, F. Jia. (2008). Study of two-phase flow regime identification in horizontal tube bundles under vertical upward cross-flow condition using wavelet transform. *Frontiers of Energy and Power Engineering in China*, 2(3), 333-338, ISSN: 1673-7504. <https://doi.org/10.1007/s11708-008-0043-0>.
- Kaji, M., Toru Sawai, Yosuke Kagi, Tadanobu Ueda. (2010). Heat transfer and fluid dynamics of air–water two-phase flow in micro-channels. *Experimental Thermal and Fluid Science*, 34(4), 446-453, ISSN: 0894-1777. <https://doi.org/10.1016/j.expthermflusci.2009.12.003>.
- Kandiklar, S. G. (2014). Chapter 3-Single-Phase Liquid Flow in Minichannels and Microchannels. *Heat Transfer and Fluid Flow in Minichannels and Microchannels*. Elsevier Science Ltd., 87-136, ISBN: 9780080445274. <https://doi.org/10.1016/B978-008044527-4/50005-0>.
- Kawahara, A., P. M. Y. Chung, M. Kawaji. (2002). Investigation of two-phase flow pattern, void fraction and pressure drop in a microchannels. *International Journal of Multiphase Flow*, 28(9), 1411-1435, ISSN: 0301-9322. [https://doi.org/10.1016/S0301-9322\(02\)00037-X](https://doi.org/10.1016/S0301-9322(02)00037-X).
- Kawahara, A., Sadatomi, M. & Kumagae, K. (2006). Effects of Gas-Liquid Inlet/Mixing Conditions on Two-Phase Flow in Microchannels. *Progress in Multiphase Flow Research*, 1, 197-204. <https://doi.org/10.3811/pmfr.1.197>.
- Kawahara, A., M. Sadatomi, K. Nei, H. Matsuo. (2011). Characteristics of Two-Phase Flows in a Rectangular Microchannel with a T-Junction Type Gas-Liquid Mixer. *Heat Transfer Engineering*, 32(7-8), 585-594. <https://doi.org/10.1080/01457632.2010.509752>.
- Kawahara, A., M. H. Mansour, M. Sadatomi, W. Z. Law, H. Kurihara, H. Kusumaningsih. (2015). Characteristics of gas–liquid two-phase flows through a sudden contraction in rectangular microchannels. *Experimental Thermal and Fluid Science*, 66, 243-253, ISSN: 0894-1777. <https://doi.org/10.1016/j.expthermflusci.2015.03.030>.
- Kawahara, A., Mori, A., Law, W. Z., Yonemoto, Y., Mansour, M. H., & Sadatomi, M. (2016). Two-phase flow Pressure Drop for Gas and *non-Newtonian* Liquid through Circular Microchannel. Jepang: *J-STAGE*, 83(847), p\16-

00386. <https://doi.org/10.1299/transjsme.16-00386>.
- Kawahara, A., Y. Yonemoto, Y. Arakaki. (2020). Pressure drop for gas and polymer aqueous solution two-phase flows in horizontal circular microchannel. *Flow, Turbulence, and Combustion*, 105(4), 1325-1344, ISSN: 1573-1987. <https://doi.org/10.1007/s10494-020-00127-z>.
- Kawaji, M., Kawahara, A., Mori, K., Sadatomi, M. & Kumagae, K. (2006). Gas-Liquid Two-Phase flow in Microchannels: The Effects of Gas-Liquid Injection Methods. *Proc. 18th National & 7th ISHMT-ASME Heat Transfer Conference*, IIT Guwahati, India, 80-89.
- Kim, J. and Afshin J. Ghajar. (2006). A general heat transfer correlation for non-boiling gas-liquid flow with different flow patterns in horizontal pipes. *International Journal of Multiphase Flow*, 32(4), 447-465, ISSN: 0301-9322. <https://doi.org/10.1016/j.ijmultiphaseflow.2006.01.002>.
- Knott, R. F., Anderson, R. N., A. Acrivos, and Petersen, E. E. (1959). An experimental study of heat transfer to nitrogen-oil mixtures. *Industrial & Engineering Chemistry*, 51(11), 1369-1372. <https://doi.org/10.1021/ie50599a032>.
- Kusumaningsih, H., Deendarlianto, Indarto, M. Fakhri A., M. Rian A. M., Aldy F. Ritonga. (2023). Fourier and Wavelet Analysis of Pressure Fluctuations in Gas–Non-Newtonian Liquid Two-Phase Flows in A Microchannel. *Multiphase Science and Technology*, 35(3), 67-80, ISSN: 0276-1459. <https://doi.org/10.1615/MultScienTechn.2023047880>.
- Li, W., Kan Zhou, Junye Li, Zhaozan Feng, Hua Zhu. (2018). Effects of heat flux, mass flux and two-phase inlet quality on flow boiling in a vertical superhydrophilic microchannel. *International Journal of Heat and Mass Transfer*, 119, 601-613, ISSN: 0017-9310. <https://doi.org/10.1016/j.ijheatmasstransfer.2017.11.145>.
- Lockhart, R. W., and Martinelli, R. C. (1949). Proposed Correlation Data for Isothermal Two-Phase Two-Component Flow in Pipes. *Chem. Eng. Progr.*, 45, 39-48. <https://cir.nii.ac.jp/crid/1572543024979765888>.
- Luewisutthichat, W., A. Tsutsumi, K. Yoshida. Chaotic hydrodynamics of continuous single-bubble flow systems. *Chemical Engineering Science*, 52(21-22), 3685-3691, ISSN: 0009-2509. [https://doi.org/10.1016/S0009-2509\(97\)88927-0](https://doi.org/10.1016/S0009-2509(97)88927-0).
- Elella, M. H. A., Goda, Emad S., Gab-Allah, Mohamed A., Hong, San E., Pandit, B., Lee, S., Gamal, H., ur Rehman, A., Yoon, Kuk R. (2021). Xanthan gum-derived materials for applications in environment and eco-friendly materials: A review. *Journal of Environmental Chemical Engineering*, 1, 1, 104702, ISSN: 2213-3437. <https://doi.org/10.1016/j.jece.2020.104702>.
- M., Emmanuel, Nsengiyumva, A., Paschalis, Alexandridis. (2022). Xanthan gum in aqueous solutions: Fundamentals and applications. *International Journal of Biological Macromolecules*, 216, 583-604, ISSN: 0141-8130. <https://doi.org/10.1016/j.ijbiomac.2022.06.189>.
- Mallat, S. G. (1989). Multiresolution approximations and wavelet orthonormal bases of $L^2(\mathbb{R})$. *Transactions of the American Mathematical Society*, 315(1), 69-87, JSTOR. <https://doi.org/10.2307/2001373>.

- Mansour, M. H., A. Kawahara, M. Sadatomi. (2015). Experimental investigation of gas-non -Newtonian liquid two-phase flows from T-junction mixer in rectangular microchannel. *International Journal of Multiphase Flow*, 72, 263-274, ISSN: 0301-9322. <https://doi.org/10.1016/j.ijmultiphaseflow.2015.02.019>.
- Mi, Y., M. Ishii, L. H. Tsoukalas. (2001). Flow regime identification methodology with neural networks and two-phase flow models. *Nuclear Engineering and Design*, 204(1-3), 87-100, ISSN: 0029-5493. [https://doi.org/10.1016/S0029-5493\(00\)00325-3](https://doi.org/10.1016/S0029-5493(00)00325-3).
- Mishima, K., Hibiki, T., (1996). Some Characteristics of Air-Water Two-Phase Flow in Small Diameter Vertical Tubes. *International Journal of Multiphase Flow*, 22(4), 703-712, ISSN: 0301-9322. [https://doi.org/10.1016/0301-9322\(96\)00010-9](https://doi.org/10.1016/0301-9322(96)00010-9).
- Morales, I., Jayanth K. N. P., and Norman. (2017). Inert Gas Asphyxiation: A Liquid Nitrogen Accident. *CHEST Journal*, 152(4), A378. <https://doi.org/10.1016/j.chest.2017.08.404>.
- Morshed, M., M. S. Khan, M. A. Rahman, S. Imtiaz. (2020). Flow regime, slug frequency and wavelet analysis of air/Newtonian and air/non-Newtonian two-phase flow. *Applied Sciences*, 10(9), 3272. <https://doi.org/10.3390/app10093272>.
- Munson, Bruce R., Donald F. Young, Theodore H. Okhiishi. (2002). *Fundamentals of Fluid Mechanics*, 4th Ed. Jhon Willey & Sons, Inc. USA., ISBN: 0-471-44250-X.
- Naser, M., M. Elshafei, A. Al-Sarkhi. (2016). Artificial neural network application for multiphase flow patterns detection: A new approach. *Journal of Petroleum Science and Engineering*, 145, 548-564, ISSN: 0920-4105. <https://doi.org/10.1016/j.petrol.2016.06.029>.
- Nenjeru, C., P. Vizureanu, A. V. Sandu, A. Grecu, N, Cimpoesu. (2014). Thermal Fatigue of Some Synthetic Hardening Environments with CMC. *Reviista de Chimie*, 65(2), 194-198, ISSN: 1582-9049. <https://doi.org/10.37358/Rev.Chim.1949>.
- Nenjeru, C., R. Cimpoesu, P. Vizureanu, Elene-Luiza Epure, M. C. Perju, Stefan-Constantin Lupescu. (2023). Study on the Thermal Fatigue Effect of Carboxymethylcellulose Solution Media Dissolved in Water as a Quenching Cooling Medium. *Applied Sciences*, 13(10), 6021. <https://doi.org/10.3390/app13106021>.
- Ochoa, F. Garcia, V.E. Santos, J. A. Casas, E. Gomez. (2000). Xhantan gum: production, recovery, and properties. *Biotechnology Advances*, 18(7), 549-579, ISSN: 0734-9750. [https://doi.org/10.1016/S0734-9750\(00\)00050-1](https://doi.org/10.1016/S0734-9750(00)00050-1).
- Omidian, H., K. Park. (2017). *Superporous hydrogels for drug delivery systems*. Comprehensive Biomaterials II, Elsevier, 1, 688-704, ISBN: 9780081006924. <https://doi.org/10.1016/B978-0-08-100691-7.00188-9>.
- Ong, C. L. and John R. Thome. (2009). Flow boiling heat transfer of R134a, R236fa and R245fa in a horizontal 1.030 mm circular channel. *Experimental Thermal and Fluid Science*, 33(4), 651-663, ISSN: 0894-1777. <https://doi.org/10.1016/j.expthermflusci.2009.01.002>.

- Peixinho, J., C. Desaubry, M. Lebouche. (2008). Heat transfer of a non-Newtonian fluid (Carbopol aqueous solution) in transitional pipe flow. *International Journal of Heat and Mass Transfer*, 51(1-2), 198-209, ISSN: 0017-9310. <https://doi.org/10.1016/j.ijheatmasstransfer.2007.04.012>.
- Philips, T. W., Lignos, I. G., Maceiczky, R. M., DeMello, A. J. (2014). Nanocrystal synthesis in microfluidic reactors: where next?. *Lab Chip*, 14(17), 3172-3180. <http://dx.doi.org/10.1039/C4LC00429A>.
- Rahman, Md. Saifur., Md. Saif Hasan, A. Sutradhar Nitai, Sunghyun Nam, Aneek Krishna Karmakar, Md. Shameem Ahsan, Muhammad J. A. Shiddiky, Mohammad Boshir Ahmed. (2021). Recent Developments of Carboxymethyl Cellulose. *Polymers*, 13(8), 1345. <https://doi.org/10.3390/polym13081345>.
- Revellin, R., Dupont, V., Ursenbacher, T., Thome, J.R. and Zun, I. (2006). Characterization of twophase flows in microchannels: optical measurement technique and flow parameter results for R-134a in a 0.5 mm channel. *International Journal of Multiphase Flow*, 32(7), 755-774, ISSN: 0301-9322. <https://doi.org/10.1016/j.ijmultiphaseflow.2006.02.016>.
- Rezkallah, K. S. (1986). *Heat Transfer and Hydrodynamics in two-Phase Two-Component Flow in a Vertical Tube*. Dissertation. University of Manitoba, Winnipeg, MB, Canada.
- Saisorn, S., S. Wongwises. (2008). Flow pattern, void fraction and pressure drop of two-phase air–water flow in a horizontal circular micro-channel. *Experimental Thermal and Fluid Science*, 32(3), 748-760, ISSN: 0894-1777. <https://doi.org/10.1016/j.expthermflusci.2007.09.005>.
- Saisorn, S., S. Wongwises. (2009). An experimental investigation of two-phase air–water flow through a horizontal circular micro-channel. *Experimental Thermal and Fluid Science*, 33(2), 306-315, ISSN: 0894-1777. <https://doi.org/10.1016/j.expthermflusci.2008.09.009>.
- Saisorn, S., S. Wongwises. (2010). The effects of channel diameter on flow pattern, void fraction and pressure drop of two-phase air–water flow in circular micro-channels. *Experimental Thermal and Fluid Science*, 34(4), 454-462, ISSN: 0894-1777. <https://doi.org/10.1016/j.expthermflusci.2009.02.006>.
- Saisorn, S., Jatuporn Kaew-On, Somchai Wongwises. (2013). An experimental investigation of flow boiling heat transfer of R-134a in horizontal and vertical mini-channels. *Experimental Thermal Fluid Science*, 46, 232-244, ISSN: 0894-1777. <https://doi.org/10.1016/j.expthermflusci.2012.12.015>.
- Saisorn, S., Piyawat Kuaseng, Somchai Wongwises. (2014). Heat transfer characteristics of gas-liquid flow in horizontal rectangular micro-channels. *Experimental Thermal Fluid Science*, 55, 54-61, ISSN: 0894-1777. <https://doi.org/10.1016/j.expthermflusci.2014.02.006>.
- Saisorn, S., Pakorn Wongpromma, Somchai Wongwises. (2018). The difference in flow pattern, heat transfer and pressure drop characteristics of mini-channel flow boiling in horizontal and vertical orientations. *International Journal of Multiphase Flow*, 101, 97-112, ISSN: 0301-9322. <https://doi.org/10.1016/j.ijmultiphaseflow.2018.01.005>.

- Shah, M. M. (1981). Generalized prediction of heat transfer during two-component gas-liquid flow in tubes and other channels. *AIChE Symp. Ser.*, 77, 140-151.
- Shah, M. M. (2018). General correlation for heat transfer to gas-liquid flow in vertical channels. *Journal of Thermal Science and Engineering Applications*, 10(6), 061006, ISSN: 1948-5085. <https://doi.org/10.1115/1.4040652>.
- Shao, N., A. Gavriilidis, P. Angeli. (2009). Flow regimes for adiabatic gas-liquid flow in microchannels. *Chemical Engineering Science*, 64(11), 2749-2761, ISSN: 0009-2509. <https://doi.org/10.1016/j.ces.2009.01.067>.
- Shojaeian, M., Mehrdad Karimzadehkhoei, Ali Kosar. (2017). Experimental investigation on convective heat transfer of non-Newtonian flows of Xanthan gum solutions in microtubes. *Experimental Thermal and Fluid Science*, 85, 305-312, ISSN: 0894-1777. <https://doi.org/10.1016/j.expthermflusci.2017.02.025>.
- Song, KW., Kim, YS. & Chang, GS. (2006). Rheology of concentrated xanthan gum solutions: Steady shear flow behavior. *Fibers Polymers*, 7(2), 129-138, ISSN: 1875-0052. <https://doi.org/10.1007/BF02908257>.
- Spisak, W. (1986). *Two-phase flow of gas-highly viscous liquid*. Wrocław Technical University: Poland.
- Thome, Jhon R. (2010). *Engineering Data Book III*. Wolverine Tube, Inc. Switzerland.
- Triplett, K. A., S. M. Ghiaasiaan, S. I. Abdel-Khalik, D. L. Sadowski. (1999). Gas-liquid two-phase flow in microchannels Part 1: Two-phase flow pattern. *International Journal of Multiphase Flow*, 25(3), 377-394, ISSN: 0301-9322. [https://doi.org/10.1016/S0301-9322\(98\)00054-8](https://doi.org/10.1016/S0301-9322(98)00054-8).
- Ullmann, A. and Brauner, N. The prediction of flow pattern maps in mini channels, *4th Japanese-European Two-Phase Flow Group Meeting*, (2006), Kanbaikan, Japan.
- Ullmann, A. and Brauner, N. (2007). The prediction of flow pattern maps in mini channels. *Multiphase Science Technology*, 19(1), 49-73. <http://dx.doi.org/10.1615/MultScienTechn.v19.i1.20>.
- Umoren, S. A., Abdullah A. AlAhmary, Zuhair M. Gasem, Moses M. Solomon. (2018). Evaluation of chitosan and carboxymethyl cellulose as ecofriendly corrosion inhibitors for steel. *International Journal of Biological Macromolecules*, 117, 1017-1028. ISSN: 0141-8130. <https://doi.org/10.1016/j.ijbiomac.2018.06.014>.
- Van Erp, R., R. Soleimanzadeh, L. Nela, G. Kampitsis, E. Matioli. (2020). Co-designing electronics with microfluidics for more sustainable cooling. *Nature*, 585(7824), 211-216. ISSN: 1476-4687. <https://doi.org/10.1038/s41586-020-2666-1>.
- Vasilev, M. P., Rufat Abiev. (2021). Gas-liquid two-phase flow and heat transfer without phase change in microfluidic heat exchanger. *Fluids*, 6(4), 150. <https://doi.org/10.3390/fluids6040150>.

- Vaze MJ., J. Banerjee. (2011). A modified heat transfer correlation for two-phase flow. *Heat Mass Transfer*, 47(9), 1159-1170, ISSN: 1432-1181. <https://doi.org/10.1007/s00231-011-0784-x>.
- Vial, C., E. Camarasa, S. Poncin, G. Wild, N. Midoux, J. Bouillard. (2000). Study of hydrodynamic behaviour in bubble columns and external loop airlift reactors through analysis of pressure fluctuations. *Chemical Engineering Science*, 55(15), 2957-2973, ISSN: 0009-2509. [https://doi.org/10.1016/S0009-2509\(99\)00551-5](https://doi.org/10.1016/S0009-2509(99)00551-5).
- Widyatama, A., O. Dinaryanto, Indarto, Deendarlianto. (2018). The development of image processing technique to study the interfacial behavior of air-water slug two-phase flow in horizontal pipes. *Flow Measurement and Instrumentation*, 59, 168-180, ISSN: 0955-5986. <https://doi.org/10.1016/j.flowmeasinst.2017.12.015>.
- Wijayanta, S., I. G. Indarto, A. Z. Deendarlianto, I. G. N. B. Catrawedarma, A. Z. Hudaya. (2022). Statistical characterization of the interfacial behavior of the sub-regimes in gas-liquid stratified two-phase flow in a horizontal pipe. *Flow Measurement and Instrumentation*, 83, 102107, ISSN: 0955-5986. <https://doi.org/10.1016/j.flowmeasinst.2021.102107>.
- Wojtan, L., Revellin, R. and Thome, J.R. (2006). Investigation of critical heat flux in single, uniformly heated microchannels. *Experimental Thermal Fluid Science*, 30(8), 765-774, ISSN: 0894-1777. <https://doi.org/10.1016/j.expthermflusci.2006.03.006>.
- Wu, Q.Y., Wu, J.A. (2002). *Rheology of Polymer Materials*. Higher Education Press, Beijing.
- Xie, T, Ghiaasiaan, SM, & Karrila, S. (2003). Flow Regime Identification in Gas-Liquid-Pulp Fiber Slurry Flows Based on Pressure Fluctuations Using Artificial Neural Networks. *Proceedings of the ASME 2003 International Mechanical Engineering Congress and Exposition*. Heat Transfer, Volume 4. Washington, DC, USA. November 15–21, pp. 99-100. ASME. <https://doi.org/10.1115/IMECE2003-41822>.
- Yang, Z. C., Q. C. Bi, B. Liu, K. X. Huang. (2010). Nitrogen/non-Newtonian fluid two-phase upward flow in non-circular microchannels. *International Journal of Multiphase Flow*, 36(1), 60-70, ISSN: 0301-9322. <https://doi.org/10.1016/j.ijmultiphaseflow.2009.07.011>.
- Yang, P., Y. Zhang, X. Wang, Ying-wen Liu. (2018). Heat transfer measurement and flow regime visualization of two-phase pulsating flow in an evaporator. *International Journal of Heat and Mass Transfer*, 127, 1014-1024, ISSN: 0017-9310. <https://doi.org/10.1016/j.ijheatmasstransfer.2018.08.065>.
- Yao, C., Y. Zhao, Haiyun Ma, Y. Liu, Q. Zhao, G. Chen. (2021). Two-phase flow and mass transfer in microchannels: A review from local mechanism to global models. *Chemical Engineering Science*, 229, 116017, ISSN: 0009-2509. <https://doi.org/10.1016/j.ces.2020.116017>.
- Yin, Y., C. Zhu, R. Guo, T. Fu, Y. Ma. (2018). Gas-liquid two-phase flow in a square microchannel with chemical mass transfer: Flow pattern, void fraction and frictional pressure drop. *International Journal of Heat and*

Mass Transfer, 127, part B, 484-496, ISSN: 0017-9310.
<https://doi.org/10.1016/j.ijheatmasstransfer.2018.07.113>.

Yoshida, J., Takahashi, Y., & Nagaki, A. (2013). Flash chemistry: flow chemistry that cannot be done in batch. *Chem. Commun.*, 49(85), 9896-9904.
<https://doi.org/10.1039/c3cc44709j>.

Zhang, T., B. Cao, Y. Fan, Y. Gonthier, L. Luo, S. Wang. (2011). Gas-liquid flow in circular microchannel. Part I: Influence of liquid physical properties and channel diameter on flow patterns. *Chemical Engineering Science*, 66(23), 5791-5803, ISSN: 0009-2509. <https://doi.org/10.1016/j.ces.2011.07.035>.

Zheng, N., L. Zhao, Y. Hwang, J. Zhang, X. Yang. (2016). Experimental study on two-phase separation performance of impacting T-junction. *International Journal of Multiphase Flow*, 83, 172-182, ISSN: 0301-9322.
<https://doi.org/10.1016/j.ijmultiphaseflow.2016.04.009>.