

DAFTAR PUSTAKA

Abdallah, L. A. M., & Seoud, A.-L. A. (2010). *Determination of the Rate Constants for a Consecutive Second Order Irreversible Chemical Reaction Using MATLAB Toolbox*. 41(3), 412–419.

Abdel-Gawad, E. H., Taha, M. M., Abdel-Kawi, M. A., Sedahmed, G. H., & El-Naggar, M. A. (2022). Mass and heat transfer in stirred tank equipped with a horizontal tubular cruciform baffle. *Chemical Engineering Research and Design*, 178, 514–522. <https://doi.org/10.1016/j.cherd.2021.12.045>

Al Basir, F., & Roy, P. K. (2015). Effects of Temperature and Stirring on Mass Transfer to Maximize Biodiesel Production from *Jatropha curcas* Oil: A Mathematical Study. *International Journal of Engineering Mathematics*, 2015, 1–9. <https://doi.org/10.1155/2015/278275>

Al Taweel, A. M., Li, C., Gomaa, H. G., & Yuet, P. (2007). Intensifying Mass Transfer Between Immiscible Liquids. *Chemical Engineering Research and Design*, 85(5), 760–765. <https://doi.org/10.1205/cherd06180>

Andreia Schäfer De Martini Soares, F., Claro Da Silva, R., Caroline Guimarães Da Silva, K., Bertolessi Lourenço, M., Ferreira Soares, D., & Antonio Gioielli, L. (2009). Effects of chemical interesterification on physicochemical properties of blends of palm stearin and palm olein. *Food Research International*, 42(9), 1287–1294. <https://doi.org/10.1016/j.foodres.2009.03.022>

Armenante, P. M., & Kirwan, D. J. (1989). Mass transfer to microparticles in agitated systems. *Chemical Engineering Science*, 44(12), 2781–2796. [https://doi.org/10.1016/0009-2509\(89\)85088-2](https://doi.org/10.1016/0009-2509(89)85088-2)

Atef, N. M., Abdel-Aziz, M. H., Fouad, Y. O., Farag, H. A., & Sedahmed, G. H. (2015). Mass and heat transfer at an array of horizontal cylinders placed at the bottom of a square agitated vessel. *Chemical Engineering Research and Design*, 94, 449–455. <https://doi.org/10.1016/j.cherd.2014.09.001>

Bernal, J. M., Lozano, P., García-Verdugo, E., Burguete, M. I., Sánchez-Gómez, G., López-López, G., Pucheault, M., Vaultier, M., & Luis, S. V. (2012). Supercritical Synthesis of Biodiesel. *Molecules*, 17(7), 8696–8719. <https://doi.org/10.3390/molecules17078696>

Biswas, N., Cheow, Y. L., Tan, C. P., Kanagaratnam, S., & Siow, L. F. (2017). Cocoa Butter Substitute (CBS) Produced from Palm Mid-fraction/Palm Kernel Oil/Palm Stearin for Confectionery Fillings. *Journal of the American Oil Chemists' Society*, 94(2), 235–245. <https://doi.org/10.1007/s11746-016-2940-4>

Biswas, N., Cheow, Y. L., Tan, C. P., & Siow, L. F. (2017). Physical, rheological and sensorial properties, and bloom formation of dark chocolate made with cocoa butter substitute (CBS). *LWT - Food Science and Technology*, 82, 420–428. <https://doi.org/10.1016/j.lwt.2017.04.039>

Borges, M. E., & Díaz, L. (2012). Recent developments on heterogeneous catalysts for biodiesel production by oil esterification and transesterification reactions: A review. *Renewable and Sustainable Energy Reviews*, 16(5), 2839–2849. <https://doi.org/10.1016/j.rser.2012.01.071>

Boxall, J. A., Koh, C. A., Sloan, E. D., Sum, A. K., & Wu, D. T. (2010). Measurement and Calibration of Droplet Size Distributions in Water-in-Oil Emulsions by Particle Video Microscope and a Focused Beam Reflectance Method. *Industrial & Engineering Chemistry Research*, 49(3), 1412–1418. <https://doi.org/10.1021/ie901228e>

Bramasta, D. A. (2019). *SINTESIS MONO- DAN DIASILGLISEROL DARI CAMPURAN STEARIN SAWIT DAN STEARIN AYAM DENGAN KATALIS NaOH MENGGUNAKAN CENTRIFUGAL CONTACTOR REACTOR: KAJIAN KECEPATAN PENGADUKAN, WAKTU REAKSI, DAN SUHU GLISEROLISIS*. Universitas Gadjah Mada.

Camino Feltes, M. M., Villeneuve, P., Baréa, B., De Oliveira, D., & Ninow, J. L. (2012). Evaluation of the use of surfactants as additives in enzymatic glycerolysis reactions. *European Journal of Lipid Science and Technology*, 114(12), 1352–1357. <https://doi.org/10.1002/ejlt.201200065>

Carrillo De Hert, S., & Rodgers, T. L. (2017). On the effect of dispersed phase viscosity and mean residence time on the droplet size distribution for high-shear mixers. *Chemical Engineering Science*, 172, 423–433. <https://doi.org/10.1016/j.ces.2017.07.002>

Chetpattananondh, P., & Tongurai, C. (2008). *Synthesis of high purity monoglycerides from crude glycerol and palm stearin*.

Corma, A., Iborra, S., Miquel, S., & Primo, J. (1998). Catalysts for the Production of Fine Chemicals. *Journal of Catalysis*, 173(2), 315–321. <https://doi.org/10.1006/jcat.1997.1930>

Da Silva, R. C., Soares, D. F., Lourenço, M. B., Soares, F. A. S. M., Da Silva, K. G., Gonçalves, M. I. A., & Gioielli, L. A. (2010). Structured lipids obtained by chemical interesterification of olive oil and palm stearin. *LWT - Food Science and Technology*, 43(5), 752–758. <https://doi.org/10.1016/j.lwt.2009.12.010>

Da Silva, T. L. T., Danthine, S., & Martini, S. (2021). Palm-based fat crystallized at different temperatures with and without high-intensity ultrasound in batch and in a scraped surface heat exchanger. *LWT*, 138, 110593. <https://doi.org/10.1016/j.lwt.2020.110593>

Daramola, M. O., Mtshali, K., Senokoane, L., & Fayemiwo, O. M. (2016). Influence of operating variables on the transesterification of waste cooking oil to biodiesel over sodium silicate catalyst: A statistical approach. *Journal of Taibah University for Science*, 10(5), 675–684. <https://doi.org/10.1016/j.jtusci.2015.07.008>

Daramola, M. O., Nkazi, D., & Mtshali, K. (2015). *Synthesis and Evaluation of Catalytic Activity of Calcined Sodium Silicate for Transesterification of Waste Cooking Oil to Biodiesel*.

Darnoko, D., & Cheryan, M. (2000). Kinetics of palm oil transesterification in a batch reactor. *Journal of the American Oil Chemists' Society*, 77(12), 1263–1267. <https://doi.org/10.1007/s11746-000-0198-y>

De Oliveira, G. M., Badan Ribeiro, A. P., Dos Santos, A. O., Cardoso, L. P., & Kieckbusch, T. G. (2015). Hard fats as additives in palm oil and its relationships to crystallization process and polymorphism. *LWT - Food Science and Technology*, 63(2), 1163–1170. <https://doi.org/10.1016/j.lwt.2015.04.036>

deMan, J. M. (1992). X-ray diffraction spectroscopy in the study of fat polymorphism. *Food Research International*, 25(6), 471–476. [https://doi.org/10.1016/0963-9969\(92\)90172-2](https://doi.org/10.1016/0963-9969(92)90172-2)

Deutschmann, O., Knözinger, H., Kochloefl, K., & Turek, T. (2009). Heterogeneous Catalysis and Solid Catalysts. In Wiley-VCH Verlag GmbH & Co. KGaA (Ed.), *Ullmann's Encyclopedia of Industrial Chemistry* (p. a05_313.pub2). Wiley-VCH Verlag GmbH & Co. KGaA. https://doi.org/10.1002/14356007.a05_313.pub2

- Devi, B. L. A. P., Zhang, H., Damstrup, M. L., Guo, Z., Zhang, L., Lue, B.-M., & Xu, X. (2008). Enzymatic synthesis of designer lipids. *Oléagineux, Corps Gras, Lipides*, 15(3), 189–195. <https://doi.org/10.1051/ocl.2008.0194>
- Dijkstra, A. J. (2020). Some Thoughts on the Mechanism of Ester Interchange Reactions Involving Acylglycerols. *European Journal of Lipid Science and Technology*, 122(10), 2000188. <https://doi.org/10.1002/ejlt.202000188>
- Dijkstra, A. J., & Van Duijn, G. (2016). Vegetable Oils: Oil Production and Processing. In *Encyclopedia of Food and Health* (pp. 373–380). Elsevier. <https://doi.org/10.1016/B978-0-12-384947-2.00707-8>
- D'Souza, V., deMan, J. M., & deMan, L. (1990). Short spacings and polymorphic forms of natural and commercial solid fats: A review. *Journal of the American Oil Chemists' Society*, 67(11), 835–843. <https://doi.org/10.1007/BF02540502>
- Echeverri, D. A., Cardeño, F., & Rios, L. A. (2011). Glycerolysis of Soybean Oil with Crude Glycerol Containing Residual Alkaline Catalysts from Biodiesel Production. *Journal of the American Oil Chemists' Society*, 88(4), 551–557. <https://doi.org/10.1007/s11746-010-1688-5>
- Elmore, A. R. (2005). Final Report on the Safety Assessment of Potassium Silicate, Sodium Metasilicate, and Sodium Silicate1. *International Journal of Toxicology*, 24(1_suppl), 103–117. <https://doi.org/10.1080/10915810590918643>
- Esmelindro, Â. F. A., Fiametti, K. G., Ceni, G., Corazza, M. L., Treichel, H., De Oliveira, D., & Oliveira, J. V. (2008). Lipase-catalyzed production of monoglycerides in compressed propane and AOT surfactant. *The Journal of Supercritical Fluids*, 47(1), 64–69. <https://doi.org/10.1016/j.supflu.2008.05.004>
- Faridah, M. R., Yusoff, M. M., Rozzamri, A., Ibadullah, W. Z. W., Hair, A. N. A., Daud, N. H. A., Huda, N., & Ismail-Fitry, M. R. (2023). Effect of Palm-Based Shortenings of Various Melting Ranges as Animal Fat Replacers on the Physicochemical Properties and Emulsion Stability of Chicken Meat Emulsion. *Foods*, 12(3), 597. <https://doi.org/10.3390/foods12030597>
- Fauzi, S. H. M., Rashid, N. A., & Omar, Z. (2013). Effects of chemical interesterification on the physicochemical, microstructural and thermal properties of palm stearin, palm kernel oil and soybean oil blends. *Food Chemistry*, 137(1–4), 8–17. <https://doi.org/10.1016/j.foodchem.2012.09.086>

- Feltes, M. M. C., De Oliveira, D., Block, J. M., & Ninow, J. L. (2013). The Production, Benefits, and Applications of Monoacylglycerols and Diacylglycerols of Nutritional Interest. *Food and Bioprocess Technology*, 6(1), 17–35. <https://doi.org/10.1007/s11947-012-0836-3>
- Ferreira, A. G. M., Egas, A. P. V., Fonseca, I. M. A., Costa, A. C., Abreu, D. C., & Lobo, L. Q. (2017). The viscosity of glycerol. *The Journal of Chemical Thermodynamics*, 113, 162–182. <https://doi.org/10.1016/j.jct.2017.05.042>
- Ferretti, C. A., Spotti, M. L., & Di Cosimo, J. I. (2018). Diglyceride-rich oils from glycerolysis of edible vegetable oils. *Catalysis Today*, 302, 233–241. <https://doi.org/10.1016/j.cattod.2017.04.008>
- Fiametti, K. G., Ustra, M. K., De Oliveira, D., Corazza, M. L., Furigo, A., & Vladimir Oliveira, J. (2012). Kinetics of ultrasound-assisted lipase-catalyzed glycerolysis of olive oil in solvent-free system. *Ultrasonics Sonochemistry*, 19(3), 440–451. <https://doi.org/10.1016/j.ultsonch.2011.09.005>
- Fogler, H. S. (2006). *Elements of chemical reaction engineering* (4th ed). Prentice Hall PTR.
- Fu, Y., Zhao, R., Zhang, L., Bi, Y., Zhang, H., & Chen, C. (2018). Influence of acylglycerol emulsifier structure and composition on the function of shortening in layer cake. *Food Chemistry*, 249, 213–221. <https://doi.org/10.1016/j.foodchem.2017.12.051>
- Fuchs, B., Süß, R., Teuber, K., Eibisch, M., & Schiller, J. (2011). Lipid analysis by thin-layer chromatography—A review of the current state. *Journal of Chromatography A*, 1218(19), 2754–2774. <https://doi.org/10.1016/j.chroma.2010.11.066>
- Ghazani, S. M., & Marangoni, A. G. (2021). Molecular Origins of Polymorphism in Cocoa Butter. *Annual Review of Food Science and Technology*, 12(1), 567–590. <https://doi.org/10.1146/annurev-food-070620-022551>
- Goh, K. M., Wong, Y. H., Abas, F., Lai, O. M., Cheong, L. Z., Wang, Y., Wang, Y., & Tan, C. P. (2019). Effects of shortening and baking temperature on quality, MCPD ester and glycidyl ester content of conventional baked cake. *LWT*, 116, 108553. <https://doi.org/10.1016/j.lwt.2019.108553>
- Gole, V. L., & Gogate, P. R. (2013). Intensification of synthesis of biodiesel from non-edible oil using sequential combination of microwave and ultrasound. *Fuel Processing Technology*, 106, 62–69. <https://doi.org/10.1016/j.fuproc.2012.06.021>

- Gole, V. L., & Gogate, P. R. (2014). Intensification of glycerolysis reaction of higher free fatty acid containing sustainable feedstock using microwave irradiation. *Fuel Processing Technology*, 118, 110–116. <https://doi.org/10.1016/j.fuproc.2013.08.018>
- Gu, J., Xu, Q., Zhou, H., Li, W., & Zhang, J. (2016). Liquid–liquid mass transfer property of two inline high shear mixers. *Chemical Engineering and Processing: Process Intensification*, 101, 16–24. <https://doi.org/10.1016/j.cep.2015.12.005>
- Gulyaev, I. P., & Solonenko, O. P. (2013). Hollow droplets impacting onto a solid surface. *Experiments in Fluids*, 54(1), 1432. <https://doi.org/10.1007/s00348-012-1432-z>
- Guo, F., Peng, Z.-G., Dai, J.-Y., & Xiu, Z.-L. (2010). Calcined sodium silicate as solid base catalyst for biodiesel production. *Fuel Processing Technology*, 91(3), 322–328. <https://doi.org/10.1016/j.fuproc.2009.11.003>
- Guo, F., Wei, N.-N., Xiu, Z.-L., & Fang, Z. (2012). Transesterification mechanism of soybean oil to biodiesel catalyzed by calcined sodium silicate. *Fuel*, 93, 468–472. <https://doi.org/10.1016/j.fuel.2011.08.064>
- Hall, S., Cooke, M., El-Hamouz, A., & Kowalski, A. J. (2011). Droplet break-up by in-line Silverson rotor–stator mixer. *Chemical Engineering Science*, 66(10), 2068–2079. <https://doi.org/10.1016/j.ces.2011.01.054>
- Harsanto, B. W., Pranoto, Y., Supriyanto, & Kartini, I. (2021). Breadfruit-Based Starch Nanoparticles Prepared Using Nanoprecipitation to Stabilize a Pickering Emulsion. *Journal of Southwest Jiaotong University*, 56(3), 372–383. <https://doi.org/10.35741/issn.0258-2724.56.3.31>
- Hicyilmaz, C., & Bilgen, S. (1996). *Changing scopes in mineral processing: Proceedings of the 6th International Mineral Processing Symposium, Kusadasi, Turkey, 24 - 26 September 1996* (M. Kemal, Ed.). Balkema.
- Ilmi, M., Kloekhorst, A., Winkelman, J. G. M., Euverink, G. J. W., Hidayat, C., & Heeres, H. J. (2017). Process intensification of catalytic liquid-liquid solid processes: Continuous biodiesel production using an immobilized lipase in a centrifugal contactor separator. *Chemical Engineering Journal*, 321, 76–85. <https://doi.org/10.1016/j.cej.2017.03.070>
- Jahurul, M. H. A., Zaidul, I. S. M., Nik Norulaini, N. A., Sahena, F., Abedin, M. Z., Mohamed, A., & Mohd Omar, A. K. (2014). Hard cocoa butter replacers from mango

seed fat and palm stearin. *Food Chemistry*, 154, 323–329. <https://doi.org/10.1016/j.foodchem.2013.11.098>

Jia, D., Hamilton, J., Zaman, L. M., & Goonewardene, A. (2007). The time, size, viscosity, and temperature dependence of the Brownian motion of polystyrene microspheres. *American Journal of Physics*, 75(2), 111–115. <https://doi.org/10.1119/1.2386163>

Kang, K. K., Jeon, H., Kim, I.-H., & Kim, B. H. (2013). Cocoa butter equivalents prepared by blending fractionated palm stearin and shea stearin. *Food Science and Biotechnology*, 22(2), 347–352. <https://doi.org/10.1007/s10068-013-0087-8>

Kchaou, H., Benbettaieb, N., Jridi, M., Nasri, M., & Debeaufort, F. (2019). Influence of Maillard reaction and temperature on functional, structure and bioactive properties of fish gelatin films. *Food Hydrocolloids*, 97, 105196. <https://doi.org/10.1016/j.foodhyd.2019.105196>

Kellens, M., Gibon, V., Hendrix, M., & De Greyt, W. (2007). Palm oil fractionation. *European Journal of Lipid Science and Technology*, 109(4), 336–349. <https://doi.org/10.1002/ejlt.200600309>

Khalil, A., Puel, F., Chevalier, Y., Galvan, J.-M., Rivoire, A., & Klein, J.-P. (2010). Study of droplet size distribution during an emulsification process using in situ video probe coupled with an automatic image analysis. *Chemical Engineering Journal*, 165(3), 946–957. <https://doi.org/10.1016/j.cej.2010.10.031>

Kim, B. H., & Akoh, C. C. (2015). Recent Research Trends on the Enzymatic Synthesis of Structured Lipids: Research trends in the SLs synthesis. *Journal of Food Science*, 80(8), C1713–C1724. <https://doi.org/10.1111/1750-3841.12953>

Komaiko, J. S., & McClements, D. J. (2016). Formation of Food-Grade Nanoemulsions Using Low-Energy Preparation Methods: A Review of Available Methods: Formation of food-grade nanoemulsions.... *Comprehensive Reviews in Food Science and Food Safety*, 15(2), 331–352. <https://doi.org/10.1111/1541-4337.12189>

Kraai, G. N., Winkelman, J. G. M., De Vries, J. G., & Heeres, H. J. (2008). Kinetic studies on the *Rhizomucor miehei* lipase catalyzed esterification reaction of oleic acid with 1-butanol in a biphasic system. *Biochemical Engineering Journal*, 41(1), 87–94. <https://doi.org/10.1016/j.bej.2008.03.011>

Kumoro, A. C. (2012). *Experimental and Modeling Studies of the Reaction Kinetics of Alkaline-Catalyzed used Frying Oil Glycerolysis using Isopropyl Alcohol as a Reaction Solvent*.

Lakum, R., & Sonwai, S. (2018). Production of trans-free margarine fat by enzymatic interesterification of soy bean oil, palm stearin and coconut stearin blend. *International Journal of Food Science & Technology*, 53(12), 2761–2769. <https://doi.org/10.1111/ijfs.13888>

Le Révérend, B. J. D., Fryer, P. J., Coles, S., & Bakalis, S. (2010). A Method to Qualify and Quantify the Crystalline State of Cocoa Butter in Industrial Chocolate. *Journal of the American Oil Chemists' Society*, 87(3), 239–246. <https://doi.org/10.1007/s11746-009-1498-9>

Lee, K., & Akoh, C. C. (1998). Structured lipids: Synthesis and applications. *Food Reviews International*, 14(1), 17–34. <https://doi.org/10.1080/87559129809541148>

Lee, K. S., & Lee, J. H. (2019). Hybrid Thermal Recovery Using Low-Salinity and Smart Waterflood. In *Hybrid Enhanced Oil Recovery using Smart Waterflooding* (pp. 129–135). Elsevier. <https://doi.org/10.1016/B978-0-12-816776-2.00006-4>

Li, B., Li, H., Zhang, X., Fan, P., Liu, L., Li, B., Dong, W., & Zhao, B. (2019). Calcined sodium silicate as an efficient and benign heterogeneous catalyst for the transesterification of natural lecithin to L- α -glycerophosphocholine. *Green Processing and Synthesis*, 8(1), 78–84. <https://doi.org/10.1515/gps-2017-0190>

Li, X., Yang, L., Guo, J., Li, W., Zhou, M., & Zhang, J. (2022). Micromixing performance of the teathed high shear mixer under semi-batch operation. *Frontiers of Chemical Science and Engineering*, 16(4), 546–559. <https://doi.org/10.1007/s11705-021-2069-3>

Liu, C., Meng, Z., Chai, X., Liang, X., Piatko, M., Campbell, S., & Liu, Y. (2019). Comparative analysis of graded blends of palm kernel oil, palm kernel stearin and palm stearin. *Food Chemistry*, 286, 636–643. <https://doi.org/10.1016/j.foodchem.2019.02.067>

Lo, S.-K., Tan, C.-P., Long, K., Yusoff, Mohd. S. A., & Lai, O.-M. (2008). Diacylglycerol Oil—Properties, Processes and Products: A Review. *Food and Bioprocess Technology*, 1(3), 223–233. <https://doi.org/10.1007/s11947-007-0049-3>

Long, Y.-D., Guo, F., Fang, Z., Tian, X.-F., Jiang, L.-Q., & Zhang, F. (2011). Production of biodiesel and lactic acid from rapeseed oil using sodium silicate as

catalyst. *Bioresource Technology*, 102(13), 6884–6886.
<https://doi.org/10.1016/j.biortech.2011.04.007>

Lu, C., & Mai, Y.-W. (2010). Modelling permeability behaviour of polymer nanocomposites. In *Physical Properties and Applications of Polymer Nanocomposites* (pp. 431–453). Elsevier. <https://doi.org/10.1533/9780857090249.2.431>

Márquez, A. L., Pérez, M. P., & Wagner, J. R. (2013). Solid Fat Content Estimation by Differential Scanning Calorimetry: Prior Treatment and Proposed Correction. *Journal of the American Oil Chemists' Society*, 90(4), 467–473.
<https://doi.org/10.1007/s11746-012-2190-z>

Matos, L. M. C., Leal, I. C. R., & De Souza, R. O. M. A. (2011). Diacylglycerol synthesis by lipase-catalyzed partial hydrolysis of palm oil under microwave irradiation and continuous flow conditions. *Journal of Molecular Catalysis B: Enzymatic*, 72(1–2), 36–39. <https://doi.org/10.1016/j.molcatb.2011.04.021>

Matsuda, T. (2013). Recent progress in biocatalysis using supercritical carbon dioxide. *Journal of Bioscience and Bioengineering*, 115(3), 233–241.
<https://doi.org/10.1016/j.jbiosc.2012.10.002>

Monte Blanco, S. F. M., Santos, J. S., Feltes, M. M. C., Dors, G., Licodiedoff, S., Lerin, L. A., De Oliveira, D., Ninow, J. L., & Furigo, A. (2015). Optimization of diacylglycerol production by glycerolysis of fish oil catalyzed by Lipozyme TL IM with Tween 65. *Bioprocess and Biosystems Engineering*, 38(12), 2379–2388.
<https://doi.org/10.1007/s00449-015-1473-9>

Moquin, P. H. L., Temelli, F., King, J. W., & Palcic, M. M. (2005). Kinetic modeling of the glycerolysis reaction for soybean oils in supercritical carbon dioxide media. *Journal of the American Oil Chemists' Society*, 82(8), 613–617.
<https://doi.org/10.1007/s11746-005-1118-x>

Naik, M. K., Naik, S. N., & Mohanty, S. (2014). Enzymatic glycerolysis for conversion of sunflower oil to food based emulsifiers. *Catalysis Today*, 237, 145–149.
<https://doi.org/10.1016/j.cattod.2013.11.005>

Nguyen, H. C., Wang, F.-M., Dinh, K. K., Pham, T. T., Juan, H.-Y., Nguyen, N. P., Ong, H. C., & Su, C.-H. (2020). Microwave-Assisted Noncatalytic Esterification of Fatty Acid for Biodiesel Production: A Kinetic Study. *Energies*, 13(9), 2167.
<https://doi.org/10.3390/en13092167>

- Nguyen, V., Rimaux, T., Truong, V., Dewettinck, K., & Van Bockstaele, F. (2021). The effect of cooling on crystallization and physico-chemical properties of puff pastry shortening made of palm oil and anhydrous milk fat blends. *Journal of Food Engineering*, 291, 110245. <https://doi.org/10.1016/j.jfoodeng.2020.110245>
- Nicholson, R. A., Mazzanti, G., & Marangoni, A. G. (2022). Crystallization and Melting Behavior of Mixtures of Pure Monoacylglycerols and Diacylglycerols. *Crystal Growth & Design*, 22(1), 414–427. <https://doi.org/10.1021/acs.cgd.1c01047>
- Noor, I. M., Hasan, M., & Ramachandran, K. B. (2003). Effect of operating variables on the hydrolysis rate of palm oil by lipase. *Process Biochemistry*, 39(1), 13–20. [https://doi.org/10.1016/S0032-9592\(02\)00263-7](https://doi.org/10.1016/S0032-9592(02)00263-7)
- Nor Aini, I., & Miskandar, M. S. (2007). Utilization of palm oil and palm products in shortenings and margarines. *European Journal of Lipid Science and Technology*, 109(4), 422–432. <https://doi.org/10.1002/ejlt.200600232>
- Noureddini, H., Harkey, D. W., & Gutsman, M. R. (2004). A continuous process for the glycerolysis of soybean oil. *Journal of the American Oil Chemists' Society*, 81(2), 203–207. <https://doi.org/10.1007/s11746-004-0882-y>
- Nusantoro, B. P. (2007). *DRY FRACTIONATION OF RBD (REFINED BLEACHED AND DEODORIZED) PALM OIL*. 27(4).
- Okullo, A. A., & Temu, A. K. (2015). Modelling the Kinetics of Jatropha Oil Transesterification. *Energy and Power Engineering*, 07(04), 135–143. <https://doi.org/10.4236/epe.2015.74013>
- Oliveira, P. D., Rodrigues, A. M. C., Bezerra, C. V., & Silva, L. H. M. (2017). Chemical interesterification of blends with palm stearin and patawa oil. *Food Chemistry*, 215, 369–376. <https://doi.org/10.1016/j.foodchem.2016.07.165>
- Osborn, H. T., & Akoh, C. C. (2002). Structured Lipids-Novel Fats with Medical, Nutraceutical, and Food Applications. *Comprehensive Reviews in Food Science and Food Safety*, 1(3), 110–120. <https://doi.org/10.1111/j.1541-4337.2002.tb00010.x>
- Ötles, S., & Özyurt, V. H. (2020). Structured lipids intended for infant nutrition. In *Lipids and Edible Oils* (pp. 329–342). Elsevier. <https://doi.org/10.1016/B978-0-12-817105-9.00009-4>
- Perdana, I., Nugrahanti, N., Sofiyah, & Bendiyasa, I. M. (2016). Transesterification of palm oil using sodium silicate base catalyst from geothermal sludge. *IOP Conference*

Series: Materials Science and Engineering, 162(1), 012024.
<https://doi.org/10.1088/1757-899X/162/1/012024>

Perez-Santana, M., Cagampang, G. B., Nieves, C., Cedeño, V., & MacIntosh, A. J. (2022). Use of High Oleic Palm Oils in Fluid Shortenings and Effect on Physical Properties of Cookies. *Foods, 11*(18), 2793. <https://doi.org/10.3390/foods11182793>

Phuah, E.-T., Tang, T.-K., Lee, Y.-Y., Choong, T. S.-Y., Tan, C.-P., & Lai, O.-M. (2015). Review on the Current State of Diacylglycerol Production Using Enzymatic Approach. *Food and Bioprocess Technology, 8*(6), 1169–1186. <https://doi.org/10.1007/s11947-015-1505-0>

Piska, I., Zárubová, M., Loužeký, T., Karami, H., & Filip, V. (2006). Properties and crystallization of fat blends. *Journal of Food Engineering, 77*(3), 433–438. <https://doi.org/10.1016/j.jfoodeng.2005.07.010>

Ramel, P. R., Co, E. D., Acevedo, N. C., & Marangoni, A. G. (2016). Structure and functionality of nanostructured triacylglycerol crystal networks. *Progress in Lipid Research, 64*, 231–242. <https://doi.org/10.1016/j.plipres.2016.09.004>

Ramos, Dias, Puna, Gomes, & Bordado. (2019). Biodiesel Production Processes and Sustainable Raw Materials. *Energies, 12*(23), 4408. <https://doi.org/10.3390/en12234408>

Razali, N. A., Conte, M., & McGregor, J. (2019). The role of impurities in the La₂O₃ catalysed carboxylation of crude glycerol. *Catalysis Letters, 149*(5), 1403–1414. <https://doi.org/10.1007/s10562-019-02679-w>

Remonatto, D., Santin, C. M. T., Valério, A., Lerin, L., Batistella, L., Ninow, J. L., De Oliveira, J. V., & De Oliveira, D. (2015). Lipase-Catalyzed Glycerolysis of Soybean and Canola Oils in a Free Organic Solvent System Assisted by Ultrasound. *Applied Biochemistry and Biotechnology, 176*(3), 850–862. <https://doi.org/10.1007/s12010-015-1615-1>

Ribeiro, A. P. B., Masuchi, M. H., Miyasaki, E. K., Domingues, M. A. F., Stroppa, V. L. Z., De Oliveira, G. M., & Kieckbusch, T. G. (2015). Crystallization modifiers in lipid systems. *Journal of Food Science and Technology, 52*(7), 3925–3946. <https://doi.org/10.1007/s13197-014-1587-0>

Rodgers, T. L., & Trinh, L. (2016). High-Shear Mixing: Applications in the Food Industry. In *Reference Module in Food Science* (p. B978008100596503095X). Elsevier. <https://doi.org/10.1016/B978-0-08-100596-5.03095-X>

- Roh, M.-K., Kim, Y. D., & Choi, J.-S. (2015). Transesterification of fish oil by lipase immobilized in supercritical carbon dioxide. *Fisheries Science*, 81(6), 1113–1125. <https://doi.org/10.1007/s12562-015-0926-z>
- Şahin-Yeşilçubuk, N., & Akoh, C. C. (2017). Biotechnological and Novel Approaches for Designing Structured Lipids Intended for Infant Nutrition. *Journal of the American Oil Chemists' Society*, 94(8), 1005–1034. <https://doi.org/10.1007/s11746-017-3013-z>
- Sang, Y., He, L., & Chen, J. (2022). Preparation and characterization of experimental oily wastewater: Effect of rotor speeds and oil/water ratios in an in-line high-share mixer. *Separation Science and Technology*, 57(6), 959–967. <https://doi.org/10.1080/01496395.2021.1950764>
- Sato, K., Bayés-García, L., Calvet, T., Cuevas-Diarte, M. À., & Ueno, S. (2013). External factors affecting polymorphic crystallization of lipids. *European Journal of Lipid Science and Technology*, 115(11), 1224–1238. <https://doi.org/10.1002/ejlt.201300049>
- Satriana, Arpi, N., Lubis, Y. M., Adisalamun, Supardan, M. D., & Mustapha, W. A. W. (2016). Diacylglycerol-enriched oil production using chemical glycerolysis. *European Journal of Lipid Science and Technology*, 118(12), 1880–1890. <https://doi.org/10.1002/ejlt.201500489>
- Satriana, S., & Supardan, M. D. (2008). Kinetic Study of Esterification of Free Fatty Acid in Low Grade Crude Palm Oil using Sulfuric Acid. *ASEAN Journal of Chemical Engineering*, 8(1 & 2), 1. <https://doi.org/10.22146/ajche.50112>
- Sellami, M., Ghamgui, H., Frikha, F., Gargouri, Y., & Miled, N. (2012). Enzymatic transesterification of palm stearin and olein blends to produce zero-trans margarine fat. *BMC Biotechnology*, 12(1), 48. <https://doi.org/10.1186/1472-6750-12-48>
- Singh, G., Nakade, P. G., Mishra, P., Jha, P., Sen, S., & Mondal, U. (2016). Kinetic investigation on liquid–liquid–solid phase transfer catalyzed synthesis of dibenzyl disulfide with H₂S-laden monoethanolamine. *Journal of Molecular Catalysis A: Chemical*, 411, 78–86. <https://doi.org/10.1016/j.molcata.2015.10.013>
- Solaesa, Á. G., Sanz, M. T., Beltrán, S., & Melgosa, R. (2016). Kinetic study and kinetic parameters of lipase-catalyzed glycerolysis of sardine oil in a homogeneous medium. *Chinese Journal of Catalysis*, 37(4), 596–606. [https://doi.org/10.1016/S1872-2067\(15\)61040-3](https://doi.org/10.1016/S1872-2067(15)61040-3)

Sreenivasan, B. (1978). Interesterification of fats. *Journal of the American Oil Chemists' Society*, 55(11), 796–805. <https://doi.org/10.1007/BF02682651>

Stankiewicz, A. (2006). Energy Matters. *Chemical Engineering Research and Design*, 84(7), 511–521. <https://doi.org/10.1205/cherd.05214>

Su, C.-H. (2013). Kinetic study of free fatty acid esterification reaction catalyzed by recoverable and reusable hydrochloric acid. *Bioresource Technology*, 130, 522–528. <https://doi.org/10.1016/j.biortech.2012.12.090>

Subroto, E. (2019). *SINTESIS LIPIDA TERSTRUKTUR KAYA MONO- DAN DIASILGLISEROL YANG KOMPATIBEL DENGAN COCOA BUTTER MELALUI GLISEROLISIS-INTERESTERIFIKASI ENZIMATIS CAMPURAN PALM STEARIN DAN PALM OLEIN*. Universitas Gadjah Mada.

Subroto, E., Supriyanto, Utami, T., & Hidayat, C. (2019). Enzymatic glycerolysis–interesterification of palm stearin–olein blend for synthesis structured lipid containing high mono- and diacylglycerol. *Food Science and Biotechnology*, 28(2), 511–517. <https://doi.org/10.1007/s10068-018-0462-6>

Subroto, E., Wisamputri, M. F., Supriyanto, Utami, T., & Hidayat, C. (2020). Enzymatic and chemical synthesis of high mono- and diacylglycerol from palm stearin and olein blend at different type of reactor stirrers. *Journal of the Saudi Society of Agricultural Sciences*, 19(1), 31–36. <https://doi.org/10.1016/j.jssas.2018.05.003>

Sulistiya, E., Yanti, R., & Hidayat, C. (2022). Chemical synthesis mono- and diacylglycerol from palm stearin-olein blend using continuous high shear stirred tank reactor. *Advances in Food Science, Sustainable Agriculture and Agroindustrial Engineering*, 5(2), 144–153. <https://doi.org/10.21776/ub.afssae.2022.005.02.4>

Sulisty, H., Sediawan, W. B., Suyatno, R. I. D., & Hartati, I. (2021). Kinetic Studies of the Glycerolysis of Urea to Glycerol Carbonate in the Presence of Amberlyst-15 as Catalyst. *Bulletin of Chemical Reaction Engineering & Catalysis*, 16(1), 52–62. <https://doi.org/10.9767/bcrec.16.1.8893.52-62>

Suriaini, N., Arpi, N., Syamsuddin, Y., & Supardan, M. D. (2023). Characteristics of palm oil-based oleogel and its potency as a shortening replacer. *South African Journal of Chemical Engineering*, 43, 197–203. <https://doi.org/10.1016/j.sajce.2022.11.003>

Suriaini, N., Raaf, A., Arpi, N., Syamsuddin, Y., & Supardan, M. D. (2021). Modeling of Glycerolysis Kinetic of Free Fatty Acid in Crude Palm Oil. *IOP Conference Series*:

Materials Science and Engineering, 1053(1), 012110. <https://doi.org/10.1088/1757-899X/1053/1/012110>

Susanti, R. F., Kim, J., & Yoo, K. (2014). Supercritical Water Gasification for Hydrogen Production. In *Supercritical Fluid Technology for Energy and Environmental Applications* (pp. 111–137). Elsevier. <https://doi.org/10.1016/B978-0-444-62696-7.00006-X>

Tamaru, S., Noda, T., Igura, N., & Shimoda, M. (2020). Effect of Oil–water Surface Area on the Aroma Release Behavior of Mono-dispersed Oil-in-water Emulsions. *Food Science and Technology Research*, 26(2), 293–298. <https://doi.org/10.3136/fstr.26.293>

Tang, S., Li, F., Liu, J., Guo, B., Tian, Z., & Lv, J. (2022). Calcined sodium silicate as solid base catalyst for alcoholysis of poly(ethylene terephthalate). *Journal of Chemical Technology & Biotechnology*, 97(5), 1305–1314. <https://doi.org/10.1002/jctb.7025>

Tangsathitkulchai, C., Sittichaitaweekul, Y., & Tangsathitkulchai, M. (2004). Temperature effect on the viscosities of palm oil and coconut oil blended with diesel oil. *Journal of the American Oil Chemists' Society*, 81(4), 401–405. <https://doi.org/10.1007/s11746-004-0913-8>

Valério, A., Krüger, R. L., Ninow, J., Corazza, F. C., De Oliveira, D., Oliveira, J. V., & Corazza, M. L. (2009). Kinetics of Solvent-Free Lipase-Catalyzed Glycerolysis of Olive Oil in Surfactant System. *Journal of Agricultural and Food Chemistry*, 57(18), 8350–8356. <https://doi.org/10.1021/jf901771m>

Vallance, C. (2017). *An introduction to chemical kinetics*. Morgan & Claypool Publishers.

Vashisth, V., Nigam, K. D. P., & Kumar, V. (2021). Design and development of high shear mixers: Fundamentals, applications and recent progress. *Chemical Engineering Science*, 232, 116296. <https://doi.org/10.1016/j.ces.2020.116296>

Vikash, Deshwar, D., & Kumar, V. (2017). Hydrodynamics and mixing characterization in a novel high shear mixer. *Chemical Engineering and Processing - Process Intensification*, 120, 57–67. <https://doi.org/10.1016/j.cep.2017.06.008>

Voll, F., Krüger, R. L., De Castilhos, F., Filho, L. C., Cabral, V., Ninow, J., & Corazza, M. L. (2011). Kinetic modeling of lipase-catalyzed glycerolysis of olive oil. *Biochemical Engineering Journal*, 56(3), 107–115. <https://doi.org/10.1016/j.bej.2010.11.005>

- Waimaleongora-Ek, C., & Chen, T. C. (1983). Effect of Shortening Color, Frying Temperature, and Coating Ingredients on Color of Fried Chicken Parts. *Poultry Science*, 62(5), 793–797. <https://doi.org/10.3382/ps.0620793>
- Wenhao, Z. (2021). Influence of Temperature and Concentration on Viscosity of Complex Fluids. *Journal of Physics: Conference Series*, 1965(1), 012064. <https://doi.org/10.1088/1742-6596/1965/1/012064>
- Xu, X., Chen, H., Zhang, Q., Lyu, F., Ding, Y., & Zhou, X. (2020). Effects of Oil Droplet Size and Interfacial Protein Film on the Properties of Fish Myofibrillar Protein–Oil Composite Gels. *Molecules*, 25(2), 289. <https://doi.org/10.3390/molecules25020289>
- Xu, Y., Zhao, X., Wang, Q., Peng, Z., & Dong, C. (2016). Thermal profiles, crystallization behaviors and microstructure of diacylglycerol-enriched palm oil blends with diacylglycerol-enriched palm olein. *Food Chemistry*, 202, 364–372. <https://doi.org/10.1016/j.foodchem.2016.01.102>
- Yadav, V. P., Maity, S. K., Biswas, P., & Singh, R. K. (2011). Kinetics of Esterification of Ethylene Glycol with Acetic Acid Using Cation Exchange Resin Catalyst. *Chemical and Biochemical Engineering Quarterly*, 25(3), 359–366.
- Yılmaz, B., & Ağagündüz, D. (2022). Fractionated palm oils: Emerging roles in the food industry and possible cardiovascular effects. *Critical Reviews in Food Science and Nutrition*, 62(7), 1990–1998. <https://doi.org/10.1080/10408398.2020.1869694>
- Zaidul, I. S. M., Nik Norulaini, N. A., Mohd Omar, A. K., & Smith, R. L. (2007). Blending of supercritical carbon dioxide (SC-CO₂) extracted palm kernel oil fractions and palm oil to obtain cocoa butter replacers. *Journal of Food Engineering*, 78(4), 1397–1409. <https://doi.org/10.1016/j.jfoodeng.2006.01.012>
- Zha, B., Chen, Z., Wang, L., Wang, R., Chen, Z., & Zheng, L. (2014). Production of glycerol monolaurate-enriched monoacylglycerols by lipase-catalyzed glycerolysis from coconut oil. *European Journal of Lipid Science and Technology*, 116(3), 328–335. <https://doi.org/10.1002/ejlt.201300243>
- Zhang, J., Xu, S., & Li, W. (2012). High shear mixers: A review of typical applications and studies on power draw, flow pattern, energy dissipation and transfer properties. *Chemical Engineering and Processing: Process Intensification*, 57–58, 25–41. <https://doi.org/10.1016/j.cep.2012.04.004>

Zhang, Z., Ma, X., Wang, Y., Yan, R., & Liu, M. (2015). Production of Monoacylglycerols from Fully Hydrogenated Palm Oil Catalyzed by Hydrotalcite Loaded with K_2CO_3 . *Chemical Engineering Communications*, 202(5), 585–592. <https://doi.org/10.1080/00986445.2013.853294>

Zhao, X., Sun, Q., Qin, Z., Liu, Q., & Kong, B. (2018). Ultrasonic pretreatment promotes diacylglycerol production from lard by lipase-catalysed glycerolysis and its physicochemical properties. *Ultrasonics Sonochemistry*, 48, 11–18. <https://doi.org/10.1016/j.ultsonch.2018.05.005>

Zhong, N., Cheong, L., & Xu, X. (2014). Strategies to obtain high content of monoacylglycerols. *European Journal of Lipid Science and Technology*, 116(2), 97–107. <https://doi.org/10.1002/ejlt.201300336>

Zhong, N., Deng, X., Huang, J., Xu, L., Hu, K., & Gao, Y. (2014). Low-temperature chemical glycerolysis to produce diacylglycerols by heterogeneous base catalyst. *European Journal of Lipid Science and Technology*, 116(4), 470–476. <https://doi.org/10.1002/ejlt.201300438>

Zhong, N., Li, B., Xu, X., Cheong, L., Xu, Z., & Li, L. (2011). Low-Temperature Chemical Glycerolysis: An Evaluation of Substrates Miscibility on Reaction Rate. *Journal of the American Oil Chemists' Society*, 88(7), 1077–1079. <https://doi.org/10.1007/s11746-010-1743-2>

Zhong, N., Li, L., Xu, X., Cheong, L., Xu, Z., & Li, B. (2013). High yield of monoacylglycerols production through low-temperature chemical and enzymatic glycerolysis. *European Journal of Lipid Science and Technology*, 115(6), 684–690. <https://doi.org/10.1002/ejlt.201200377>

Zhong, N., Li, L., Xu, X., Cheong, L.-Z., Zhao, X., & Li, B. (2010). Production of diacylglycerols through low-temperature chemical glycerolysis. *Food Chemistry*, 122(1), 228–232. <https://doi.org/10.1016/j.foodchem.2010.02.067>