

DAFTAR PUSTAKA

Abdel-Misih, S.R.Z. and Bloomston, M. (2010) 'Liver Anatomy', *Surgical Clinics of North America*. W.B. Saunders, pp. 643–653. Available at: <https://doi.org/10.1016/j.suc.2010.04.017>.

Abdullah, N.A. *et al.* (2019) *Predictors of Good Glycemic Controls Among Type 2 Diabetes Mellitus Patients in Two Primary Health Clinics, Kuala Selangor, Malaysian Journal of Medicine and Health Sciences*.

Adibi, A. *et al.* (2007) 'First-degree relatives of patients with type 2 diabetes mellitus and risk of non-alcoholic fatty liver disease', *Review of Diabetic Studies*, 4(4), pp. 236–241. Available at: <https://doi.org/10.1900/RDS.2007.4.236>.

Badedi, M. *et al.* (2016) 'Factors Associated with Long-Term Control of Type 2 Diabetes Mellitus', *Journal of Diabetes Research*, 2016. Available at: <https://doi.org/10.1155/2016/2109542>.

Ballestri, S. *et al.* (2016) 'Type 2 diabetes in non-alcoholic fatty liver disease and hepatitis c virus infection—liver: The “Musketeer” in the spotlight', *International Journal of Molecular Sciences*. MDPI AG. Available at: <https://doi.org/10.3390/ijms17030355>.

Dahlan, S. (2016) *Besar sampel dalam penelitian kedokteran dan kesehatan*. 4th edn. Jakarta: Epidemiolog Indonesia.

Deng, J. *et al.* (2022) 'Elevated fasting glucose level increases the risk of fatty liver disease: a 10-year study of 31,154 individuals', *BMC Gastroenterology*, 22(1). Available at: <https://doi.org/10.1186/s12876-022-02615-0>.

Estep, M.J.P. *et al.* (2012) 'Elevated Fasting Serum Glucose in Non-Alcoholic Fatty Liver Disease (NAFLD) Patients is Correlated with the Degree of Steatosis : 393', *American Journal of Gastroenterology*, p. S166.

Esterson, Y.B. and Grimaldi, G.M. (2018) 'Radiologic Imaging in Nonalcoholic Fatty Liver Disease and Nonalcoholic Steatohepatitis', *Clinics in Liver Disease*. W.B. Saunders, pp. 93–108. Available at: <https://doi.org/10.1016/j.cld.2017.08.005>.

Eyth, E. and Naik, R. (2023) *Hemoglobin A1C*. NCBI. Available at: [https://www.ncbi.nlm.nih.gov/books/NBK549816/#:~:text=For%20an%20HbA1c%20test%20to,HbA1c%20of%206.5%25%20or%20higher.\(Accessed:15December2023\)](https://www.ncbi.nlm.nih.gov/books/NBK549816/#:~:text=For%20an%20HbA1c%20test%20to,HbA1c%20of%206.5%25%20or%20higher.(Accessed:15December2023)).

Ferraioli, G. and Monteiro, L.B.S. (2019) 'Ultrasound-based techniques for the diagnosis of liver steatosis', *World Journal of Gastroenterology*. Baishideng

Publishing Group Co, pp. 6053–6062. Available at: <https://doi.org/10.3748/wjg.v25.i40.6053>.

Fowler, G.C. and Vasudevan, D.A. (2010) ‘Type 2 Diabetes Mellitus: Managing Hemoglobin A 1c and Beyond’, *Southern Medical Journal*, 103, pp. 911–916.

Giri, R. *et al.* (2022) ‘A study of non-alcoholic fatty liver disease in patients with type 2 diabetes mellitus and its correlation with cardiovascular risk’, *International Journal of Advances in Medicine*, 9(5), p. 583. Available at: <https://doi.org/10.18203/2349-3933.ijam20221093>.

Goel, A., Jones, J. and Di Muzio B (2021) *Diffuse hepatic steatosis (grading)*, *Radiopaedia.org*. Available at: <https://radiopaedia.org/articles/33279> (Accessed: 14 March 2023).

Gujral, U.P. *et al.* (2013) ‘Type 2 diabetes in South Asians: Similarities and differences with white Caucasian and other populations’, *Annals of the New York Academy of Sciences*, 1281(1), pp. 51–63. Available at: <https://doi.org/10.1111/j.1749-6632.2012.06838.x>.

Jones, J. and Chieng, R. (2023) *Liver*. Available at: <https://doi.org/10.53347/rID-5726> (Accessed: 17 February 2023).

Jones, J. and Skandhan, A. (2013) ‘Abdominal aortic aneurysm rupture’, in *Radiopaedia.org*. Radiopaedia.org. Available at: <https://doi.org/10.53347/rID-25600>.

Khan, M.K., Saad, M. and Ullah, R. (2022) ‘A Concise Review on Hepatitis C Virus Infection-Associated Type 2 Diabetes Mellitus and Its Impact on Anti-HCV Therapy’, *INNOSC Theranostics and Pharmacological Sciences*, 4(1), p. 172. Available at: <https://doi.org/10.36922/itps.v4i1.172>.

Lee, B.W. *et al.* (2020) ‘Non-alcoholic fatty liver disease in patients with type 2 diabetes mellitus: A position statement of the fatty liver research group of the Korean diabetes association’, *Diabetes and Metabolism Journal*. Korean Diabetes Association. Available at: <https://doi.org/10.4093/dmj.2020.0010>.

Lee, D.H. (2017) ‘Imaging evaluation of non-alcoholic fatty liver disease: Focused on quantification’, *Clinical and Molecular Hepatology*. Korean Association for the Study of the Liver, pp. 290–301. Available at: <https://doi.org/10.3350/cmh.2017.0042>.

Lin, Y. *et al.* (2022) ‘Age patterns of nonalcoholic fatty liver disease incidence: heterogeneous associations with metabolic changes’, *Diabetology and Metabolic Syndrome*, 14(1). Available at: <https://doi.org/10.1186/s13098-022-00930-w>.

Ma, H. *et al.* (2013) 'Independent association of HbA1c and nonalcoholic fatty liver disease in an elderly Chinese population', *BMC Gastroenterology*, 13(1). Available at: <https://doi.org/10.1186/1471-230X-13-3>.

Al Mahtab, M. *et al.* (2022) 'Gender Differences in Nonalcoholic Fatty Liver Disease', *Euroasian Journal of Hepato-Gastroenterology*, 12(S1), pp. S19–S25. Available at: <https://doi.org/10.5005/jp-journals-10018-1370>.

Masroor, M. and Haque, Z. (2021) 'HbA1c as a biomarker of non-alcoholic fatty liver disease: Comparison with anthropometric parameters', *Journal of Clinical and Translational Hepatology*, 9(1), pp. 15–21. Available at: <https://doi.org/10.14218/JCTH.2019.00046>.

Mathew, T.K., Zubair, M. and Tadi, P. (2023) *Blood Glucose Monitoring*. NCBI. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK555976/> (Accessed: 15 December 2023).

Maurice, J. and Manousou, P. (2018) *Non-alcoholic fatty liver disease*, *CME GASTROENTEROLOGY*.

Muzica, C.M. *et al.* (2020) 'Nonalcoholic Fatty Liver Disease and Type 2 Diabetes Mellitus: A Bidirectional Relationship', *Canadian Journal of Gastroenterology and Hepatology*. Hindawi Limited. Available at: <https://doi.org/10.1155/2020/6638306>.

Nugrahaeni, D.K. *et al.* (2022) *Factor Associated with Long-Term Control Blood Glucose Based on HbA1c Level in Type 2 Diabetes Mellitus Patients*, *Malaysian Journal of Medicine and Health Sciences*.

Petzold, G. (2022) 'Role of Ultrasound Methods for the Assessment of NAFLD', *Journal of Clinical Medicine*. MDPI. Available at: <https://doi.org/10.3390/jcm11154581>.

Polyzos, S.A., Kountouras, J. and Mantzoros, C.S. (2019) 'Obesity and nonalcoholic fatty liver disease: From pathophysiology to therapeutics', *Metabolism: Clinical and Experimental*. W.B. Saunders, pp. 82–97. Available at: <https://doi.org/10.1016/j.metabol.2018.11.014>.

Pouwels, S. *et al.* (2022) 'Non-alcoholic fatty liver disease (NAFLD): a review of pathophysiology, clinical management and effects of weight loss', *BMC Endocrine Disorders*. BioMed Central Ltd. Available at: <https://doi.org/10.1186/s12902-022-00980-1>.

Powell, E.E., Wong, V.W.S. and Rinella, M. (2021) 'Non-alcoholic fatty liver disease', *The Lancet*. Elsevier B.V., pp. 2212–2224. Available at: [https://doi.org/10.1016/S0140-6736\(20\)32511-3](https://doi.org/10.1016/S0140-6736(20)32511-3).

Rocha, R. *et al.* (2005) *Body mass index and waist circumference in non-alcoholic fatty liver disease.*

Ruissen, M.M. *et al.* (2020) 'Non-alcoholic fatty liver disease: A multidisciplinary approach towards a cardiometabolic liver disease', *European Journal of Endocrinology*. BioScientifica Ltd., pp. R57–R73. Available at: <https://doi.org/10.1530/EJE-20-0065>.

Sastroasmoro, S. and Ismael, S. (2011) *Dasar dasar metodologi penelitian klinis*. 4th edn. Jakarta : Sagung Seto.

Villoro, R. *et al.* (2014) 'Key Cost Drivers Of Type 2 Diabetes Mellitus: an International Literature Review', *Value in Health*, 17(7), pp. A340–A341. Available at: <https://doi.org/10.1016/j.jval.2014.08.674>.

Wang, M. *et al.* (2022) 'Automatic CT liver Couinaud segmentation based on key bifurcation detection with attentive residual hourglass-based cascaded network', *Computers in Biology and Medicine*, 144. Available at: <https://doi.org/10.1016/j.compbiomed.2022.105363>.

WHO (1999) *Mean fasting blood glucose*. Available at: <https://www.who.int/data/gho/indicator-metadata-registry/imr-details/2380#:~:text=The%20expected%20values%20for%20normal,and%20monitoring%20glycemia%20are%20recommended>. (Accessed: 15 December 2023).

Zheng, Y., Ley, S.H. and Hu, F.B. (2018) 'Global aetiology and epidemiology of type 2 diabetes mellitus and its complications', *Nature Reviews Endocrinology*. Nature Publishing Group, pp. 88–98. Available at: <https://doi.org/10.1038/nrendo.2017.151>.