

- Afdal, R. dan Fadhilah, F., 2020a. Optimasi Penggunaan Koagulan PC300 dan Flokulan A100 untuk Proses Pengolahan Air Limbah Tambang di WWTP01 PT. Mitrabara Adiperdana, Tbk. *Jurnal Bina Tambang*, 5 (1), 1–10.
- Afdal, R. dan Fadhilah, F., 2020b. Optimasi Penggunaan Koagulan PC300 dan Flokulan A100 untuk Proses Pengolahan Air Limbah Tambang di WWTP01 PT. Mitrabara Adiperdana, Tbk. *Jurnal Bina Tambang*, 5 (1), 1–10.
- Astari, T., Mahreda, E.S., Biyatmoko, D., dan Chairuddin, G., 2013. Perbaikan Kualitas Air Dengan Sistem Penyaringan Di Penambangan Rakyat Intan Dan Emas Di Kecamatan Cempaka Kota Banjarbaru Provinsi Kalimantan Selatan, 9, 54–66.
- Baghvand, A., Zand, A.D., Mehrdadi, N., dan Karbassi, A., 2010. Optimizing coagulation process for low to high turbidity waters using aluminum and iron salts. *American Journal of Environmental Sciences*, 6 (5), 442–448.
- Benalia, A., Derbal, K., Khalfaoui, A., Bouchareb, R., Panico, A., Gisonni, C., Crispino, G., Pirozzi, F., dan Pizzi, A., 2021. Use of aloe vera as an organic coagulant for improving drinking water quality. *Water (Switzerland)*, 13 (15).
- Benalia, A., Derbal, K., Khalfaoui, A., Pizzi, A., dan Medjahdi, G., 2022. The Use of as Natural Coagulant in Algerian Drinking Water Treatment Plant. *Journal of Renewable Materials*, 10 (3), 625–637.
- Benalia, A., Derbal, K., Panico, A., dan Pirozzi, F., 2018. Use of acorn leaves as a natural coagulant in a drinking water treatment plant. *Water (Switzerland)*, 11 (1), 1–12.
- Badan Pusat Statistik Kabupaten Kotabaru, 2022. *Kabupaten Kotabaru Dalam Angka 2022*.
- Badan Standarisasi Nasional, 2019. SNI 6989.3:2019 Cara Iji Padatan Tersuspensi Total (Total Suspended Solids) Secara Gravimetri. *Badan Standarisasi Nasional*.
- Cánovas, C.R., Quispe, D., Macías, F., Callejón-Leblic, B., Arias-Borrego, A., García-Barrera, T., dan Nieto, J.M., 2023. Potential release and bioaccessibility of metal/loids from mine wastes deposited in historical abandoned sulfide mines. *Environmental Pollution*, 316 (July 2022).
- Chang, M., Ma, X., Dong, X., Fan, Y., dan Chen, R., 2022. The Synergistic Effects of Al³⁺ and Chitosan on the Solid–Liquid Separation of Coal Wastewater and Their Mechanism of Action. *Polymers*, 14 (19), 3970.
- Chikanda, F., Otake, T., Koide, A., Ito, A., dan Sato, T., 2021. The formation of Fe colloids and layered double hydroxides as sequestration agents in the natural remediation of mine drainage. *Science of the Total Environment*, 774, 145183.
- Desiana, N., Ngatijo, dan Lagowa, M.I., 2022. Pengelolaan Air Limbah Tambang dengan Metode Bioadsorpsi Menggunakan Karbon Aktif Tempurung Kelapa. *Jurnal Teknologi Mineral dan Batubara*, 18 (2), 97–103.
- Dhrubo, A.A.K., Jannat, M., dan Hossain, M.S., 2023. Enhancing the performance of coagulants for wastewater treatment by varying and optimizing the experimental parameters. *Journal of Water Process Engineering*, 55 (August), 104144.
- Diver, D., Nhapi, I., dan Ruziwa, W.R., 2023. The potential and constraints of replacing conventional chemical coagulants with natural plant extracts in water and wastewater treatment. *Environmental Advances*, 13 (May), 100421.

- Ebeling, J.M., Ogden, S.R., Sibrell, P.L., dan Rishel, K.L., 2004. Application of *Chemical Coagulation Aids* for the Removal of Suspended Solids (TSS) and Phosphorus from the Microscreen Effluent Discharge of an Intensive Recirculating Aquaculture System. *North American Journal of Aquaculture*, 66 (3), 198–207.
- Environmental Protection Agency, 2002. *Water Treatment Manuals: Coagulation, Flocculation & Clarification*. Wexford, , Irlandia.
- Erna Widiyanti, S., 2018. Optimization of the Aluminum Sulfate and Pac (Poly Aluminum Chloride) Coagulant on Tello River Water Treatment. *Konversi*, 7 (1), 1–5.
- Fatimah, A., -, H., dan -, W., 2014. Perancangan Alat Ukur Tss (Total Suspended Solid) Air Menggunakan Sensor Serat Optik Secara Real Time. *Jurnal Ilmu Fisika / Universitas Andalas*, 6 (2), 68–73.
- Gan, Y., Zhang, L., Wu, B., Zheng, H., dan Zhang, S., 2021. Analysis of key factors in the coagulation of metal salts based on the calculation of hydrolysis-precipitation distribution. *Scientia Sinica Chimica*, 51 (4), 458–467.
- Google, E., 2024. PT. Indocement Tungal Prakarsa Tbk. [online]. Available from: <https://earth.google.com/web/search/Kotabaru,+Kalimantan+Selatan/@-3.20185803,116.01399288,24.10710816a,227.25564322d,35y,0h,0t,0r/data=CigiJgokCdLZS7zP4zBAEa1NGizKfzTAGQAdMlqMoT9AieqTVujSS1HAOgMKATA> [Diakses 11 Jan 2024].
- Hadadi, A., Imessaoudene, A., Bollinger, J.C., Assadi, A.A., Amrane, A., dan Mouni, L., 2022. Comparison of Four Plant-Based Bio-Coagulants Performances against Alum and *Ferric Chloride* in the Turbidity Improvement of Bentonite Synthetic Water. *Water (Switzerland)*, 14 (20).
- Harahap, J., 2017. Efektivitas Penggunaan *Aluminium Sulfate* Dalam Menurunkan Kadar TSS (Total Suspended Solid) Air Limbah Penambangan Batu Bara Di PT.X. *Elkawanie*, 3 (2), 187–200.
- Harto, S., 1981. *Mengenal Dasar-Dasar Hidrologi Terapan*. Yogyakarta: Keluarga Mahasiswa Teknik Sipil Universitas Gadjah Mada.
- He, W., Xie, Z., Lu, W., Huang, M., dan Ma, J., 2019. Comparative analysis on floc growth behaviors during ballasted flocculation by using aluminum sulphate (AS) and polyaluminum chloride (PACl) as coagulants. *Separation and Purification Technology*, 213 (September 2018), 176–185.
- Hua, B., Xiong, H., Zhu, G., Wang, L., Yan, S., Yang, J., dan Deng, B., 2016. *Physico-Chemical Processes*. Water Environment Research.
- Husaini, H., Cahyono, S.S., Suganal, S., dan Hidayat, K.N., 2018. Perbandingan Koagulan Hasil Percobaan Dengan Koagulan Komersial Menggunakan Metode *Jar Test*. *Jurnal Teknologi Mineral dan Batubara*, 14 (1), 31.
- Idrissy, H. El dan Connelly, R., 2012. Water - The other resource a mine needs to estimate. *Procedia Engineering*, 46 (0), 206–212.
- Indriatmoko, R.H., Nugroho, R., Ikbil, dan Setiyano, 2018. Aplikasi Ipal Biofilter Pada Pengolahan Air Limbah Application Of Biofilter Wwtp For Treatment Of Food Industry Waste Water (Capacity , 75 M³ / Day), 10 (2), 79–89.
- Iwuozor, K.O., 2019. Prospects and Challenges of Using Coagulation-Flocculation Method in

- Kementrian Lingkungan Hidup dan Kehutanan, 2022. *Peraturan Menteri Lingkungan Hidup Dan Kehutanan Republik Indonesia Nomor 5 Tahun 2022 Tentang Pengolahan Air Limbah Bagi Usaha Dan/Atau Kegiatan Pertambangan Dengan Menggunakan Metode Lahan Basah Buatan*.
- Kurniawan, P., Kasmiyatun, M., dan -, S., 2020. Reduksi Kandungan Logam Berat Fe Pada Air Sungai Jetis Salatiga Secara Adsorpsi Menggunakan Karbon Aktif. *CHEMTAG Journal of Chemical Engineering*, 1 (1), 12.
- Kurniawan, S.B., Imron, M.F., Chik, C.E.N.C.E., Owodunni, A.A., Ahmad, A., Alnawajha, M.M., Rahim, N.F.M., Said, N.S.M., Abdullah, S.R.S., Kasan, N.A., Ismail, S., Othman, A.R., dan Hasan, H.A., 2022. What compound inside biocoagulants/bioflocculants is contributing the most to the coagulation and flocculation processes? *Science of the Total Environment*, 806.
- Kwofie, I.A., Jogand, H., De Ladurantaye-Noël, M., dan Dale, C., 2021. Removal of cyanide and other nitrogen-based compounds from gold mine effluents using moving Bed Biofilm reactor (MBBR). *Water (Switzerland)*, 13 (23).
- Lee, A. dan Kim, K., 2020. New approach to remove heavy metals from wastewater by the coagulation of alginate-rhamnolipid solution with aluminum sulfate. *Water (Switzerland)*, 12 (12).
- Maćczak, P., Kaczmarek, H., Ziegler-Borowska, M., Węgrzynowska-Drzymalska, K., dan Burkowska-But, A., 2022. The Use of Chitosan and Starch-Based Flocculants for Filter Backwash Water Treatment.
- Masduqi, A., 2012. *Operasi dan Proses Pengolahan Air*. Surabaya: ITS Press.
- Meng, S., Wen, S., Han, G., Wang, X., dan Feng, Q., 2022. Wastewater Treatment in Mineral Processing of Non-Ferrous Metal Resources: A Review. *Water (Switzerland)*, 14 (5).
- Mroczko, D. dan Zimoch, I., 2020. The use of zeta potential measurement as a control tool of surface water coagulation. *Journal of Ecological Engineering*, 21 (3), 237–242.
- Munir, S. dan Sodikin, I., 2009. Hubungan Antara Parameter Karakteristik Limbah Batubara Kalimantan Timur Dan, 05, 40–46.
- Ngole-Jeme, V.M. dan Ndava, J., 2023. The Implications of AMD Induced Acidity, High Metal Concentrations and Ochre Precipitation on Aquatic Organisms. *Polish Journal of Environmental Studies*, 32 (4), 2959–2980.
- Novianti, A.D., Karang, I.W.G.A., dan Putra, I.N.G., 2020. Optimalisasi Biomassa Alga Hijau *Ulva* sp. Sebagai Biosorben Logam Berat Cr(VI). *Journal of Marine and Aquatic Sciences*, 6 (1), 125.
- Oktaviasari, S.A. dan Mashuri, M., 2016. Optimasi Parameter Proses *Jar Test* Menggunakan Metode Taguchi dengan Pendekatan PCR-TOPSIS, 5 (2), 2337–3520.
- PT.Indocement, T.P., 2023. *Kajian Teknis Pembuangan Air Limbah Ke Badan Air Permukaan*. Desa Tarjun, Kecamatan Kelumpang Hilir Kabupaten Kotabaru – Kalimantan Selatan Mei 2023 Kajian.
- Qasim, S.R., Motley, E., dan Zhu, G., 2000. *Water Works Engineering: Planning, Design, and Operations*. London: Prentice-Hall.

- Qasim, W. dan Mane, A. V., 2013. Characterization and treatment of selected food industrial effluents by coagulation and adsorption techniques. *Water Resources and Industry*, 4, 1–12.
- Risdianto, D., 2007. Optimisasi Proses Koagulasi Flokulasi Untuk Pengolahan Air Limbah Industri Jamu (Studi Kasus PT. SIDO MUNCUL). *Teknik Kimia, UNDIP*. Universitas Diponegoro.
- Rizvi, O.S., Ikhlaiq, A., Ashar, U.U., Qazi, U.Y., Akram, A., Kalim, I., Alazmi, A., Ibn Shamsah, S.M., Alawi Al-Sodani, K.A., Javaid, R., dan Qi, F., 2022. Application of poly aluminum chloride and alum as catalyst in catalytic ozonation process after coagulation for the treatment of textile wastewater. *Journal of Environmental Management*, 323 (July), 115977.
- Said, N.I., 2014. TEKNOLOGI PENGOLAHAN AIR ASAM TAMBANG BATUBARA “Alternatif Pemilihan Teknologi.” *Jurnal Air minum*, 7 (2), 119–138.
- Sarief, H. S., 1989. *Fisika - Kimia Tanah Pertanian*. Cet. Pertama. Bandung: Pustaka Buana, Bandung, 1989.
- Saritha, V., Srinivas, N., dan Srikanth Vuppala, N. V., 2017. Analysis and optimization of coagulation and flocculation process. *Applied Water Science*, 7 (1), 451–460.
- Saxena, K. dan Brighu, U., 2020. Comparison of floc properties of coagulation systems: Effect of particle concentration, scale and mode of flocculation. *Journal of Environmental Chemical Engineering*, 8 (5).
- Shan, T.C., Matar, M. Al, Makky, E.A., dan Ali, E.N., 2017. The use of Moringa oleifera seed as a natural coagulant for wastewater treatment and heavy metals removal. *Applied Water Science*, 7 (3), 1369–1376.
- Silva, J.A., 2023. Wastewater Treatment and Reuse for Sustainable Water Resources Management: A Systematic Literature Review. *Sustainability (Switzerland)*, 15 (14).
- Sis, H. dan Başaran, B., 2023. Investigating acid mine drainage potential and alteration properties of Zn-Pb wastes from Görgü (Malatya, Türkiye) region. *Physicochemical Problems of Mineral Processing*, 59 (5).
- Sohrabi, Y., Shokoohizadeh, M.J., Tabar, F.R., Mirzaei, N., Bagheri, A., Ghadiri, S.K., Rezaei, S., dan Charganeh, S.S., 2018. Surveying the utilization of aluminum chloride in water treatment. *International Journal of Pharmaceutical Research*, 10 (3), 72–76.
- Susanto, R., 2008. Optimasi Koagulasi-Flokulasi Dan Analisis Kualitas Air Pada Industri Semen. Universitas Islam Negeri Syarif Hidayatullah.
- Susianti, B., Warmadewanthi, I., dan Tangahu, B.V., 2022. Characterization of Post-Mining Soil and Solid Waste from Silica Sand Purification. *Journal of Ecological Engineering*, 23 (8), 277–289.
- Thiruvengkatachari, R., Francis, M., Cunningham, M., dan Su, S., 2016. Application of integrated forward and reverse osmosis for coal mine wastewater desalination. *Separation and Purification Technology*, 163, 181–188.
- Wang, M., Zhang, D., Dong, J., dan Tan, S.K., 2018. Application of constructed wetlands for treating agricultural runoff and agro-industrial wastewater: a review. *Hydrobiologia*, 805 (1), 1–31.
- Wang, Y., 2011. Application of Coagulation-Flocculation Process for Treating Oil Sands

- Warsita, A.R., Gusniawati, W.S., dan Rokhati, N., 2012. Pengaruh Konsentrasi Kitosan Terhadap Flokulasi Pada Pemanenan Mikroalga. *Jurnal Teknologi Kimia dan Industri*, 1 (1), 28–33.
- Wibowo, W., Mualim, M., Aris, P., dan Daroji, M., 2020. Instalasi Waste Water Treatment Plant (Wwtp) Untuk Menurunkan Total Suspended Solid Sesuai Baku Mutu Pada Air Sump Yang Berkadar Silika Tinggi. *Prosiding Tpt Xxix Perhapi 2020*, 271–280.
- Wirasembada, Y.C., Setiawan, B.I., dan Saptomo, S.K., 2017. Penerapan Zero Runoff System (ZROS) dan Efektivitas Penurunan Limpasan Permukaan Pada Lahan Miring di DAS Cidanau, Banten. *Media Komunikasi Teknik Sipil*, 23 (2), 102.
- Wu, X., Ge, X., Wang, D., dan Tang, H., 2009. Distinct mechanisms of particle aggregation induced by alum and PACl: Floc structure and DLVO evaluation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 347 (1–3), 56–63.
- Yeow, P.K., Wong, S.W., dan Hadibarata, T., 2021. Removal of azo and anthraquinone dye by plant biomass as adsorbent – a review. *Biointerface Research in Applied Chemistry*, 11 (1), 8218–8232.
- Zand, A.D. dan Hoveidi, H., 2015. Comparing Aluminium Sulfate and poly-aluminium chloride (PAC) performance in turbidity removal from synthetic water. *Journal of Applied Biotechnology Reports*, 2 (3), 287–292.
- Zhang, L., Liu, X., Zhang, M., Wang, T., Tang, H., dan Jia, Y., 2023. The effect of pH/PAC on the coagulation of anionic surfactant wastewater generated in the cosmetic production. *Journal of Environmental Chemical Engineering*, 11 (2), 109312.
- Zouboulis, A.I. dan Tzoupanos, N., 2010. Alternative cost-effective preparation method of polyaluminium chloride (PAC) coagulant agent: Characterization and comparative application for water/wastewater treatment. *Desalination*, 250 (1), 339–344.