

## DAFTAR PUSTAKA

- Adebowale, S. A. & Palamuleni, M. E. (2014) Determinants of unmet need for modern contraception and reasons for non-use among married women in rural areas of Burkina Faso. *African Population Studies*, 499-514.
- ADPIN, K. (2023) Laporan Kinerja Deputy Advokasi Penggerakan dan Informasi 2022. Jakarta: BKKBN.
- Adugnaw, B., Sibhatu, B., Alemayehu, A., Sudhakar, M., Alemayehu, B. & Kebede, D. (2011) Men's knowledge and spousal communication about modern family planning methods in Ethiopia. *African journal of reproductive health*, 15(4): 24-32.
- Agha, S. & Rasheed, B. (2007) Family planning and unmet need among Iraqi Kurds. *EMHJ-Eastern Mediterranean Health Journal*, 13 (6), 1382-1391, 2007.
- Ahinkorah, B. O., Ameyaw, E. K. & Seidu, A.-A. (2020) Socio-economic and demographic predictors of unmet need for contraception among young women in sub-Saharan Africa: evidence from cross-sectional surveys. *Reproductive health*, 171-11.
- Ahmed, S., Creanga, A. A., Gillespie, D. G. & Tsui, A. O. (2010) Economic Status, Education and Empowerment: Implications for Maternal Health Service Utilization in Developing Countries. *PLOS ONE*, 5(6): e11190.
- Ajmal, S., Idris, A. & Ajmal, B. (2018) Factors affecting contraceptive use and unmet need among currently married women in Afghanistan: further analysis of the 2015 Afghanistan Demographic and Health Survey. *Journal of Global Health Reports*, 2e2018037.
- Ajong, A. B., Njotang, P. N., Yakum, M. N., Essi, M. J., Essiben, F., Eko, F. E., Kenfack, B. & Mbu, E. R. (2016) Determinants of unmet need for family planning among women in Urban Cameroon: a cross sectional survey in the Biyem-Assi Health District, Yaoundé. *BMC Women's Health*, 16(1): 4.

- Alem, A. Z. & Agegnehu, C. D. (2021) Magnitude and associated factors of unmet need for family planning among rural women in Ethiopia: a multilevel cross-sectional analysis. *BMJ Open*, 11(4): e044060.
- Ali, A. A. A. & Okud, A. (2013) Factors affecting unmet need for family planning in Eastern Sudan. *BMC Public Health*, 13(1): 102.
- Angsar, I., Hartiti, W. & Junita, R. S. (2020) *Pedoman Pelayanan Kontrasepsi dan Keluarga Berencana*, Jakarta:Kementerian Kesehatan.
- Anguzu, R., Sempeera, H. & Sekandi, J. N. (2018) High parity predicts use of long-acting reversible contraceptives in the extended postpartum period among women in rural Uganda. *Contraception and reproductive medicine*, 31-7.
- Ardiansyah, B. (2016) Effect of mass media on family planning choices in Indonesia.
- Asif, M. F. & Pervaiz, Z. (2019) Socio-demographic determinants of unmet need for family planning among married women in Pakistan. *BMC Public Health*, 19(1): 1226.
- Austin, A. (2015) Unmet contraceptive need among married Nigerian women: an examination of trends and drivers. *Contraception*, 91(1): 31-38.
- Bakibinga, P., Matanda, D. J., Ayiko, R., Rujumba, J., Muiruri, C., Amendah, D. & Atela, M. (2016) Pregnancy history and current use of contraception among women of reproductive age in Burundi, Kenya, Rwanda, Tanzania and Uganda: analysis of demographic and health survey data. *BMJ Open*, 6(3): e009991.
- Balitbangkes (2018) Laporan Riset Ketenagaan di Bidang Kesehatan (Risnakes) 2017 Puskesmas. Jakarta: Kementerian Kesehatan RI.
- Barman, S. B. S. (2013) *Socio-economic and demographic determinants of unmet need for family planning in India and its consequences*;publisher location: London  
publisher name: International Institute for Science, Technology and Education (IISTE).

- Bhusal, C. K. & Bhattarai, S. (2018) Factors Affecting Unmet Need of Family Planning Among Married Tharu Women of Dang District, Nepal. *International Journal of Reproductive Medicine*, 20189312687.
- BKKBN (2020) Laporan Kinerja Instansi Pemerintah 2020. Jakarta: Badan Kependudukan dan Keluarga Berencana Nasional.
- BKKBN (2020) Rencana Strategis BKKBN 2020-2024. Jakarta: Badan Kependudukan dan Keluarga Berencana Nasional.
- BKKBN (2021) Laporan Kinerja Instansi Pemerintah 2021. Jakarta: Badan Kependudukan dan Keluarga Berencana Nasional.
- BKKBN (2022) Laporan Kinerja Instansi Pemerintah 2022. Jakarta: Badan Kependudukan dan Keluarga Berencana Nasional.
- BKKBN (2022) Peraturan Badan Kependudukan dan Keluarga Berencana Nasional Republik Indonesia Nomor 13 Tahun 2022 Tentang Petunjuk Teknis Penggunaan Dana Bantuan Operasional Keluarga Berencana Tahun Anggaran 2023. Jakarta: BKKBN.
- BKKBN & BPS (2019) Survei Kinerja dan Akuntabilitas Program KKBPK (SKAP) Keluarga. Jakarta: Badan Kependudukan dan Keluarga Berencana Nasional.
- BKKBN, BPS, Kementerian Kesehatan & USAID (2018) Survei Demografi dan Kesehatan Indonesia 2017. Jakarta: BKKBN, BPS, Kementerian Kesehatan, USAID
- Bradley, S. E. K., Croft, T. N., Fishel, J. D. & Westoff, C. F. (2012) Revising Unmet Need For Family Planning. In: Robey, B. (ed.) *DHS Analytical Studies* 25. Calverton, Maryland, USA: ICF International.
- Budiharsana, M. P., Wahyuningsih, W. & Heywood, P. (2022) The use of Method Information Index (MII) to monitor the amount of information given to women users of modern contraceptives in Indonesia: results from an analysis of the 2007, 2012 and 2017 demographic and health surveys. *BMC Women's Health*, 22(1): 1-13.
- Cao, J., Xu, W., Liu, Y., Zhang, B., Zhang, Y., Yu, T., Huang, T., Zou, Y. & Zhang, B. (2022) Trends in maternal age and the relationship between

- advanced age and adverse pregnancy outcomes: a population-based register study in Wuhan, China, 2010–2017. *Public Health*, 2068-14.
- Chafo, K. & Doyore, F. (2014) Unmet need for family planning and associated factors among currently married women in Misha District, southern Ethiopia: a cross sectional study. *J Women's Health Care*, 3(165): 2167-0420.1000165.
- Chauhan, B. G. & Nagarajan, R. (2019) Contraceptive use and unmet need for family planning among women with at least one child in rural Uttar Pradesh: the role of wealth and gender composition of children. *Journal of Public Health*, 27(5): 637-648.
- Chukwuji, C. N., Tsafe, A. G., Sayudi, S., Yusuf, Z. & Zakariya, J. (2018) Awareness, access and utilization of family planning information in Zamfara State, Nigeria. *Library Philosophy and Practice (e-journal)*, 771.
- Demographic and Health Survey, D. (2016) *Wealth Index Construction* [Online]. <https://dhsprogram.com>: Demographic and Health Survey Program. Available: <https://dhsprogram.com/topics/wealth-index/Wealth-Index-Construction.cfm> [Accessed].
- Diamond-Smith, N., Campbell, M. & Madan, S. (2012) Misinformation and fear of side-effects of family planning. *Culture, health & sexuality*, 14(4): 421-433.
- Dynes, M. M., Bernstein, E., Morof, D., Kelly, L., Ruiz, A., Mongo, W., Chaote, P., Bujari, R. N. & Serbanescu, F. (2018) Client and provider factors associated with integration of family planning services among maternal and reproductive health clients in Kigoma Region, Tanzania: a cross-sectional study, April–July 2016. *Reproductive Health*, 15(1): 152.
- Fall, C. H. D., Sachdev, H. S., Osmond, C., Restrepo-Mendez, M. C., Victora, C., Martorell, R., Stein, A. D., Sinha, S., Tandon, N., Adair, L., Bas, I., Norris, S. & Richter, L. M. (2015) Association between maternal age at childbirth and child and adult outcomes in the offspring: a prospective study in five low-income and middle-income countries (COHORTS collaboration). *The Lancet Global Health*, 3(7): e366-e377.

- Febriana & Sari, L. K. (2020) Faktor-faktor yang memengaruhi kehamilan tidak diinginkan di Indonesia tahun 2017. 2020.
- Genet, E., Abeje, G. & Ejigu, T. (2015) Determinants of unmet need for family planning among currently married women in Dangila town administration, Awi Zone, Amhara regional state; a cross sectional study. *Reproductive Health*, 12(1): 42.
- Geske, S., Quevillon, R., Struckman-Johnson, C. & Hansen, K. (2016) Comparisons of contraceptive use between rural and urban teens. *Journal of Pediatric and Adolescent Gynecology*, 29(1): 33-41.
- Hastuti, A. P., Mufarokhah, H., Kurniawan, A. W. & Putri, E. M. I. (2022) Determinant factors related to the unmet-need of family planning program among married women in Indonesia. *Indian Journal of Forensic Medicine & Toxicology*, 16(4): 125-131.
- Islam, S. & Hasan, M. (2016) Women knowledge, attitude, approval of family planning and contraceptive use in Bangladesh. *Asia Pacific Journal of Multidisciplinary Research*, 4(2): 76-82.
- Jain, R. & Muralidhar, S. (2011) Contraceptive methods: needs, options and utilization. *J Obstet Gynaecol India*, 61(6): 626-34.
- Khalil, S. N., Alzahrani, M. M. & Siddiqui, A. F. (2018) Unmet need and demand for family planning among married women of Abha, Aseer Region in Saudi Arabia. *Middle East Fertility Society Journal*, 23(1): 31-36.
- KIE, D. (2023) Laporan Kinerja Direktorat Komunikasi, Informasi dan Edukasi Tahun 2022. Jakarta: BKKBN.
- Larasanti, A. & Ayuningtyas, D. (2022) Effects of family planning service utilization determinants on unmet need incidents with generalized structural equation modeling. *AJOG Global Reports*, 2(4): 100088.
- Letamo, G. & Navaneetham, K. (2015) Levels, trends and reasons for unmet need for family planning among married women in Botswana: a cross-sectional study. *BMJ Open*, 5(3): e006603.
- Listyaningsih, U., Sumini, S. & Satiti, S. (2016) Unmet need: Konsep yang masih perlu diperdebatkan. *Populasi*, 24(1): 72-90.

- Lorensimaya, K. (2014) Determinan Kebutuhan Pelayanan KB yang Tidak Terpenuhi (*Unmet Need*) di Indonesia Analisis Survey Demografi dan Kesehatan Indonesia 2012. *Biostatistika dan Kependudukan*, Fakultas Kesehatan Masyarakat, Universitas Indonesia.
- Maryani, S., Nengsih, W., Devita, R., Hastri, R., Lestari, T., Dewianti, N. M. & Bohari, N. H. (2023) *Kontrasepsi dan Pelayanan Keluarga Berencana (KB)*, Padang, Sumatera Barat:PT Global Eksekutif Teknologi.
- Matahari, R., KM, S., Utami, F. P., KM, S. & Sugiharti, I. S. (2019) *Buku Ajar Keluarga Berencana Dan Kontrasepsi*:Pustaka Ilmu.
- Mohammed, A., Woldeyohannes, D., Feleke, A. & Megabiaw, B. (2014) Determinants of modern contraceptive utilization among married women of reproductive age group in North Shoa Zone, Amhara Region, Ethiopia. *Reproductive health*, 111-7.
- Morris, N. & Prata, N. (2018) Abortion history and its association with current use of modern contraceptive methods in Luanda, Angola. *Open access journal of contraception*, 45-55.
- Motlaq, M. E., Eslami, M., Yazdanpanah, M. & Nakhaee, N. (2013) Contraceptive use and unmet need for family planning in Iran. *International Journal of Gynecology & Obstetrics*, 121(2): 157-161.
- Namukoko, H., Likwa, R. N., Hamoonga, T. E. & Phiri, M. (2022) Unmet need for family planning among married women in Zambia: lessons from the 2018 Demographic and Health Survey. *BMC Women's Health*, 22(1): 137.
- Nzokirishaka, A. & Itua, I. (2018) Determinants of unmet need for family planning among married women of reproductive age in Burundi: a cross-sectional study. *Contraception and reproductive medicine*, 31-13.
- Pandjaitan, T., Majid, A. M. & Wulandari, D. E. (2022) Modul 4 Program Keluarga Berencana dan Kesehatan Reproduksi. In: Tri Aryadi & Agustien, S. (eds.). Jakarta: Pusat Pendidikan dan Pelatihan Kependudukan dan KB BKKBN.
- Phiri, Y. V., Nyam, G., Wardani, Y., Phiri, D., Chuang, K.-Y., Chao, H. J. & Nkoka, O. (2022) Association between history of abortion and current use

of contraceptives among Mongolian Women. *BMC Women's Health*, 22(1): 279.

Republik Indonesia, P. (2009) Undang-Undang Republik Indonesia Nomor 52 Tahun 2009 Tentang Perkembangan Kependudukan dan Pembangunan Keluarga. Jakarta: Sekretariat Negara RI.

Sachdeva, S., Kar, H., Sachdeva, R. & Tyagi, A. (2015) Information, education, and communication (IEC): A revisit to facilitate change. *Journal, Indian Academy of Clinical Medicine*.

Safitri, H. & Siregar, K. (2019) *Access, Quality of Family Planning Service, and Unmet Need: A Systematic Review*.

Samandari, G., Speizer, I. S. & O'Connell, K. (2010) The role of social support and parity on contraceptive use in Cambodia. *International perspectives on sexual and reproductive health*, 122-131.

Setia, M. S. (2016) Methodology Series Module 3: Cross-sectional Studies. *Indian J Dermatol*, 61(3): 261-4.

Sheard, J. (2018) Chapter 18 - Quantitative data analysis. In: Williamson, K. & Johanson, G. (eds.) *Research Methods (Second Edition)*. Chandos Publishing.

Sheen, J.-J., Wright, J. D., Goffman, D., Kern-Goldberger, A. R., Booker, W., Siddiq, Z., D'Alton, M. E. & Friedman, A. M. (2018) Maternal age and risk for adverse outcomes. *American journal of obstetrics and gynecology*, 219(4): 390. e1-390. e15.

Shekari, M., Shirzadfarjahromi, M., Ranjbar, A., Mehrnoush, V., Darsareh, F. & Roozbeh, N. (2022) Advanced maternal age and adverse obstetrical and neonatal outcomes of singleton pregnancies. *Gynecology and Obstetrics Clinical Medicine*, 2(4): 175-180.

Shiferaw, S., Spigt, M., Seme, A., Amogne, A., Skrøvseth, S., Desta, S., Radloff, S., Tsui, A. & GeertJan, D. (2017) Does proximity of women to facilities with better choice of contraceptives affect their contraceptive utilization in rural Ethiopia? *PLOS ONE*, 12(11): e0187311.



- Solomon, T., Nigatu, M., Gebrehiwot, T. T. & Getachew, B. (2019) Unmet need for family planning and associated factors among currently married reproductive age women in Tiro Afeta District, South West Ethiopia, 2017: cross-sectional study. *BMC women's health*, 191-9.
- Stith Butler, A. & Wright Clayton, E. (2009) *A Review of the HHS Family Planning Program: Mission, Management, and Measurement of Results*, Washington (DC):National Academies Press (US).
- Sumiati, L. N., Wirawan, D. N. & Ani, L. S. (2019) Determinants of unmet needs for family planning in Indonesia: Secondary data analysis of the 2017 Indonesia Demographic and Health Survey. *Public Health and Preventive Medicine Archive*, 7(2): 85-94.
- Tadele, A., Abebaw, D. & Ali, R. (2019) Predictors of unmet need for family planning among all women of reproductive age in Ethiopia. *Contraception and reproductive medicine*, 4(1): 1-9.
- Tappis, H., Kazi, A., Hameed, W., Dahar, Z., Ali, A. & Agha, S. (2015) The Role of Quality Health Services and Discussion about Birth Spacing in Postpartum Contraceptive Use in Sindh, Pakistan: A Multilevel Analysis. *PLOS ONE*, 10(10): e0139628.
- Taufiqoh, Z. (2014) Determinan kebutuhan KB yang tidak terpenuhi di Indonesia. *Kajian Kependudukan dan Ketenagakerjaan Universitas Indonesia*.
- Teshale, A. B. (2022) Factors associated with unmet need for family planning in sub-Saharan Africa: A multilevel multinomial logistic regression analysis. *PloS one*, 17(2): e0263885.
- Uddin, J., Pulok, M. H. & Sabah, M. N.-U. (2016) Correlates of unmet need for contraception in Bangladesh: does couples' concordance in household decision making matter? *Contraception*, 94(1): 18-26.
- United Nations Department of Economic and Social Affairs, P. D. (2022) *World Family Planning 2022: Meeting the changing needs for family planning: Contraceptive use by age and method*. United Nations, New York: Department of Economic and Social Affairs Population Division, United Nation



- Utami, D. A. & Samosir, O. B. (Year) Women's empowerment and unmet needs for family planning in Indonesia. *In: IOP Conference Series: Earth and Environmental Science*, 2021. IOP Publishing, 012057.
- Utari, S. R. (2022) *Teknik Komunikasi Informasi dan Edukasi (KIE) Penyuluh Program Bangga Kencana*, Jakarta:Badan Kependudukan dan Keluarga Berencana Nasional (BKKBN).
- Utari, S. R. & Suharno, R. (2014) Advokasi, KIE/Penyuluhan Kependudukan dan Keluarga Berencana pada Pelatihan Dasar Umum PKB. Jakarta: Pusat Pendidikan dan Pelatihan (Pusdiklat) Kependudukan dan KB BKKBN.
- Wai, M. M., Bjertness, E., Stigum, H., Htay, T. T., Liabsuetrakul, T., Moe Myint, A. N. & Sundby, J. (2019) Unmet Need for Family Planning among Urban and Rural Married Women in Yangon Region, Myanmar—a Cross-Sectional Study. *International Journal of Environmental Research and Public Health*, 16(19): 3742.
- Wasserman, I. M. & Richmond-Abbott, M. (2005) Gender and the Internet: Causes of variation in access, level, and scope of use. *Social science quarterly*, 86(1): 252-270.
- Westoff, C. F. & Koffman, D. (2010) Birth Spacing and Limiting Connection. *In: Johnson, N. (ed.) DHS Analytical Studies 21*. Maryland, USA: USAID.
- WHO (2001) Information, Education and Communication: lessons from the past; perspectives for the future. World Health Organization.
- WHO (2014) *Child Health and Development* [Online]. <https://www.emro.who.int:> WHO. Available: <https://www.emro.who.int/child-health/community-information/information/All-Pages.html> [Accessed 2023].
- Wilopo, S. A., Setyawan, A., Pinandari, A. W., Prihyugianto, T., Juliaan, F. & Magnani, R. J. (2017) Levels, trends and correlates of unmet need for family planning among postpartum women in Indonesia: 2007–2015. *BMC women's health*, 171-14.
- Worku, S. A., Ahmed, S. M. & Mulushewa, T. F. (2019) Unmet need for family planning and its associated factor among women of reproductive age in Debre Berhan Town, Amhara, Ethiopia. *BMC research notes*, 121-6.

- Wulifan, J. K., Brenner, S., Jahn, A. & De Allegri, M. (2016) A scoping review on determinants of unmet need for family planning among women of reproductive age in low and middle income countries. *BMC Women's Health*, 16(1): 2.
- Wulifan, J. K., Jahn, A., Hien, H., Ilboudo, P. C., Meda, N., Robyn, P. J., Saidou Hamadou, T., Haidara, O. & De Allegri, M. (2017) Determinants of unmet need for family planning in rural Burkina Faso: a multilevel logistic regression analysis. *BMC Pregnancy and Childbirth*, 17(1): 426.
- Yadav, K., Agarwal, M., Shukla, M., Singh, J. V. & Singh, V. K. (2020) Unmet need for family planning services among young married women (15–24 years) living in urban slums of India. *BMC Women's Health*, 20(1): 187.
- Yaya, S. & Ghose, B. (2018) Prevalence of unmet need for contraception and its association with unwanted pregnancy among married women in Angola. *PloS one*, 13(12): e0209801.
- Yaya, S., Idriss-Wheeler, D., Uthman, O. A. & Bishwajit, G. (2021) Determinants of unmet need for family planning in Gambia & Mozambique: implications for women's health. *BMC women's health*, 211-8.