

DAFTAR PUSTAKA

- Adamo, A., Brandi, J., Caligola, S., Delfino, P., Bazzoni, R., Carusone, R., Cecconi, D., Giugno, R., Manfredi, M., Robotti, E. (2019). Extracellular Vesicles Mediate Mesenchymal Stromal Cell-Dependent Regulation of B Cell PI3K-AKT Signaling Pathway and Actin Cytoskeleton. *Front. Immunol*, 10, 446.
- Adeghate, E. (2001) Diabetes mellitus multifactorial in the etiology and global in prevalence. *Arch. Physiol. Biochem.*, 109(3): 197-199.
- Al-Azzawi, B., McGuigan, D.H., Koivula F.N.M. (2020). The Secretome of Mesenchymal Stem Cells Prevents Islet Beta Cell Apoptosis via an IL-10-Dependent Mechanism. *Open Stem Cell J.*, 6(1):1-12.
- Alexandraki, K. I., Piperi, C., Ziakas, P. D. (2008). Cytokine secretion in long-standing diabetes mellitus type 1 and 2: associations with low-grade systemic inflammation. *J. Clin. Immunol.*, vol. 28, no. 4, pp. 314–321.
- American Diabetes Association. (2014). Diagnosis and classification of diabetes mellitus. *Diabetes Care.*, 37:S81-90.
- Banerjee A, Onyuksel H. Human pancreatic polypeptide in a phospholipid-based micellar formulation. *Pharm Res.* 2012 Jun;29(6):1698-711. doi: 10.1007/s11095-012-0718-4. Epub 2012 Mar 8. Erratum in: *Pharm Res.* 2012 Jun;29(6):1712. PMID: 22399387; PMCID: PMC3349792.
- Bettelli, E., et al.. (2006). Reciprocal developmental pathways for the generation of pathogenic effector TH17 and regulatory T cells. *Nature.* 441(7090): p. 235-8.
- Bian, S., Zhang, L., Duan, L., Wang, X., Min, Y., Yu, H. (2014). Extracellular vesicles derived from human bone marrow mesenchymal stem cells promote angiogenesis in a rat myocardial infarction model. *J. Mol. Med.*, 92, 387–397.
- Brovkina, O., Dashinimaev, E. (2020). Advances and complications of regenerative medicine in diabetes therapy. *PeerJ*, 8, e9746.
- Bryant, N.J., Govers, R., James, D.E. (2002). Regulated transport of the glucose transporter GLUT4. *Nat Rev Mol Cell Biol.* 3(4):267-77.
- Canning, P., Alwan, A., Khalil, F., Zhang, Y., Opara, E.C. (2022). Perspectives and Challenges on the Potential Use of Exosomes in Bioartificial Pancreas Engineering. *Ann. Biomed. Eng.*, 50, 1177–1186.
- Chen, G., Fan, X.Y., Zheng, X.P., Jin, Y.L., Liu, Y., Liu, S.C. (2020a). Human umbilical cord-derived mesenchymal stem cells ameliorate insulin resistance

vPTEN-mediated crosstalk between the PI3K/Akt and Erk/MAPKs signaling pathways in the skeletal muscles of db/db mice. *Stem Cell Res. Ther.*, 11(1):401.

Chen, J., Cheng, Y., Fu, Y., Zhao, H., Tang, M. (2020b). Mesenchymal stem cell-derived exosomes protect beta cells against hypoxia-induced apoptosis via miR-21 by alleviating ER stress and inhibiting p38 MAPK phosphorylation. *Stem Cell Res. Ther.*. 11(1):97.

Chen, M., Chen, J., Huang, W., Li, C., Luo, H., Xue, Z., Xiao, Y., Wu, Q., Chen, C. (2022) Exosomes from human induced pluripotent stem cells derived mesenchymal stem cells improved myocardial injury caused by severe acute pancreatitis through activating Akt/Nrf2/HO-1 axis. *Cell Cycle*, 21:15, 1578-1589,

Chen, M.T., Zhao, Y.T., Zhou, L.Y., Li, M., Zhang, Q., Han, Q. (2021). Exosomes Derived from Human Umbilical Cord Mesenchymal Stem Cells Enhance Insulin Sensitivity in Insulin Resistant Human Adipocytes. *Current medical science.*, 41(1):87-93.

Chen, Q., et al.. (2012). Inducible microRNA-223 down-regulation promotes TLR-triggered IL-6 and IL-1 β production in macrophages by targeting STAT3. *PLoS One*. 7(8): p. e42971.

Corrêa-Giannella, M.L. and MacHado, U. F. (2013). SLC2A4 gene: a promising target for pharmacogenomics of insulin resistance. *Pharmacogenomics*. 14 ,no.8 ,pp.847–850,2013.

Dabelea, D., Rewers, A., Stafford, J.M., Standiford, D.A., Lawrence, J.M., Saydah, S., Imperatore, G., D'Agostino, R.B., Mayer-Davis, E.J., Pihoker, C. (2014). SEARCH for Diabetes in Youth Study Group. Trends in the prevalence of ketoacidosis at diabetes diagnosis: the SEARCH for diabetes in youth study. *Pediatrics*. 133(4):e938-45.

Damasceno, D., Netto, A., Iessi, I., Gallego, F., Corvino, S., Dallaqua, B., Sinzato, Y., Bueno, A., Calderon, I., Rudge, M. (2014). Streptozotocin-induced diabetes models: pathophysiological mechanisms and fetal outcomes. *BioMed Res. Int.*

Damayanti, R.H., Rusdiana, T., Wathoni, N. (2021). Mesenchymal Stem Cell Secretome for Dermatology Application: A Review. *Clin. Cosmet. Investig. Derm.* 14, 1401–1412.

Davies RR, Turner SJ, Alberti KG, Johnston DG. Somatostatin analogues in diabetes mellitus. *Diabet Med*. 1989 Mar;6(2):103-11. doi: 10.1111/j.1464-5491.1989.tb02096.x. PMID: 2564819

- Ding DC, Shyu WC, Lin SZ. Mesenchymal stem cells. *Cell Transplant.* 2011;20(1):5-14. doi: 10.3727/096368910X. PMID: 21396235.
- Driscoll, J., Patel, T. (2019). The mesenchymal stem cell secretome as an acellular regenerative therapy for liver disease. *J. Gastroenterol.*, 54, 763–773.
- Ehrmann, D., Kulzer, B., Roos, T., Haak, T., Al-Kheparb, M., Hermanns, N. (2020) Risk factors and prevention strategies for diabetic ketoacidosis in people with established type 1 diabetes. *Lancet Diabetes Endocrinol.* 8(5):436-446.
- Eleazu, C.O., Eleazu, K.C., Chukwuma, S., Essien, U.N. (2013). Review of the mechanism of cell death resulting from streptozotocin challenge in experimental animals, its practical use and potential risk to humans. *J. Diabetes Metab. Disord.* 12 : 60e67.
- El-Kadre, L. and Tinoco, A. (2013). Interleukin-6 and obesity: the crosstalk between intestine, pancreas and liver. *Curr Opin Clin Nutr Metab Care.*, 16, pp. 564–568.
- Eriksson, O., Eich, T., Sundin, A., Tibell, A., Tufveson, G., Andersson, H., Felldin, M., Foss, A., Kyllönen, L., Langstrom, B. (2009). Positron emission tomography in clinical islet transplantation. *Am. J. Transplant.*, 9, 2816–2824.
- Eroschenko, V. P. (2003). *Sistem Pencernaan : Hepar, Kantung empedu dan Pankreas*. In : Anggraini, D., Sikumbang T. M. N. Editor. *Atlas Histologi Difiore*. Jakarta : EGC. Hal. 215-220, 224-228, 247-254, 260.
- Fan, Y., Li, Z., He, Y. (2022). Exosomes in the Pathogenesis, Progression, and Treatment of Osteoarthritis. *Bioengineering.*, 9, 99.
- Gibson, J. (1981). *Modern Physiology and Anatomy for Nurses*. Oxford : Blackwell Science Limited
- Guo, X., Wang, Y., Wang, K., Ji, B.P, Zhou, F. (2018). Stability of a type 2 diabetes rat model induced by highfat diet feeding with low-dose streptozotocin injection. *J Zhejiang Univ Sci B.* 1;19(7):559–69.
- He, J.S., Xie, P.S., Luo, D.S., Sun, C.J., Zhang, Y.G., Liu, F.X. (2014). Role of immune dysfunction in pathogenesis of type 1 diabetes mellitus in children. *Asian Pac. J. Trop. Med.*, vol. 7, no. 10, pp. 823–826, 2014.
- Holt, R.I.G., DeVries, J.H., Hess-Fischl, A., Hirsch, I.B., Kirkman, M.S., Klupa, T., Ludwig, B., Nørgaard, K., Pettus, J., Renard, E., Skyler, J.S., Snoek, F.J., Weinstock, R.S., Peters, A.L. (2022). Correction to: The management of type 1 diabetes in adults. A consensus report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). *Diabetologia.* 65(1):255.

- Huang, S., Czech, M.P. (2007). The GLUT4 glucose transporter. *Cell Metab.* 5(4):237-52.
- Hulmi, J.J., Silvennoinen, M., Lehti, M., Kivel, R., Kainulainen, H. (2012). Altered REDD1, myostatin, and Akt/mTOR/FoxO/MAPK signaling in streptozotocin-induced diabetic muscle atrophy. *Am. J. Physiol. Endocrinol. Metab.* 302.
- Intan, P.S, Arini, D.A., Agung, P., Risky, C.S.I., Frigi, E.H. (2022). Secretome Hypoxia-Mesenchymal Stem Cells Regulate IL-10 Concentrations in STZ-induced Type 1 Diabetes Rats. *Int J Biomed Sci.* 1: (2) p56-64.
- Jeyam, A., Colhoun, H., McGurnaghan, S., Blackburn, L., McDonald, T.J., Palmer, C.N.A., McKnight, J.A., Strachan, M.W.J., Patrick. A.W., Chalmers, J., Lindsay, R.S., Petrie, J.R., Thekkepat, S., Collier, A., MacRury, S., McKeigue, P.M. (2021). Clinical Impact of Residual C-Peptide Secretion in Type 1 Diabetes on Glycemia and Microvascular Complications. *Diabetes Care.* 44(2):390-398.
- Kehl, D., Generali, M., Mallone, A., Heller, M., Uldry, A.C., Cheng, P., Gantenbein, B., Hoerstrup, S.P., Weber, B. (2019). Proteomic analysis of human mesenchymal stromal cell secretomes: a systematic comparison of the angiogenic potential. *NPJ Regen Med.*, 16;4:8.
- Keshtkar, S., Azarpira, N., Ghahremani, M.H. (2018). Mesenchymal stem cell-derived extracellular vesicles: novel frontiers in regenerative medicine. *Stem Cell Res. Ther.* 9(1):63.
- Kim, H., Lee, M.J., Bae, E.H., Ryu, J.S., Kaur, G., Kim, H.J., Kim, J.Y., Barreda, H., Jung, S.Y., Choi, J.M. (2020). Comprehensive Molecular Profiles of Functionally Effective MSC-Derived Extracellular Vesicles in Immunomodulation. *Mol. Ther.* 28, 1628–1644.
- Kim, K.S., Choi, Y.K., Kim, M.J., Hwang, J.W., Min, K., Jung, S.Y. (2021). Umbilical Cord-Mesenchymal Stem Cell-Conditioned Medium Improves Insulin Resistance in C2C12 Cell. *Diabetes Metab J.* 45(2):260-9.
- Kordelas, L., Rebmann, V., Ludwig, A.K., Radtke, S., Ruesing, J., Doeppner, T.R., Epple, M., Horn, P.A., Beelen, D.W., Giebel, B. (2014). MSC-derived exosomes: A novel tool to treat therapy-refractory graft-versus-host disease. *Leukemia.*, 28, 970–973.
- Kumar, S., Singh, R., Vasudeva, N., Sharma, S. (2012). Acute and chronic animal models for the evaluation of anti-diabetic agents, Cardiovasc. *Diabetol.* 11.
- Kusindarta, D.L., Wihadmadyatami H, Fibrianto, Y.H, Nugroho, W.S., Susetya, H., Musana, D.K., Wijayanto, H., Prihatna, S.A, Wahyuni, A.E. (2016). Human

umbilical mesenchymal stem cells conditioned medium promote primary wound healing regeneration. *Vet World*. Jun;9(6):605-10.

Laaksonen, D.E., Atalay, M., Vider, L., Hanninen, O. (2002). Effects of endurance training on tissue glutathione homeostasis and lipid peroxidation in streptozotocin-induced diabetic rats, *Scand. J. Med. Sci. Sports.*, 12 :163e170.

Lee, S., Kim, S., Chung, H., Moon, J.H., Kang, S.J., Park, C.G. (2020). Mesenchymal stem cell-derived exosomes suppress proliferation of T cells by inducing cell cycle arrest through p27kip1/Cdk2 signaling. *Immunol. Lett.*, 225, 16–22.

Li, B., Cheng, Y., Yin, Y., Xue, J., Yu, S., Gao, J. (2021) . Reversion of early- and late-stage β -cell dedifferentiation by human umbilical cord-derived mesenchymal stemcells in type 2 diabetic mice. *Cytotherapy.*, 23(6):510-20.

Liu, J., Qiu, X., Lv, Y., Zheng, C., Dong, Y., Dou, G., Zhu, B., Liu, A., Wang, W., Zhou, J. (2020). Apoptotic bodies derived from mesenchymal stem cells promote cutaneous wound healing via regulating the functions of macrophages. *Stem Cell Res. Ther.*, 11, 507.

Longnecker, D.S., Gorelick, F., Thompson, E.D. (2018). *Anatomy, histology, and fine structure of the pancreas In: Beger HG, Warshaw AL, Hruban RH et al. (eds) The pancreas: an integrated textbook of basic science, medicine, and surgery, 3rd edn* .John Wiley & Sons Ltd, Hoboken, NJ, pp 10–23.

McInnes, I.B., Gravalles, E.M. (2021). Immune-mediated inflammatory disease therapeutics: Past, present and future. *Nat. Rev. Immunol.* 21, 680–686.

Meehan, B., Rak, J., Di Vizio, D. (2016). Oncosomes—large and small: What are they, where they came from?. *J. Extracell. Vesicles.*, 5, 33109..

Nakao, A., Afrakhte, M., Morén. A., Nakayama, T., Christian, J.L., Heuchel, R. (1997). Identification of Smad7, a TGF β -inducible antagonist of TGF β signalling. *Nature*. 389 (6651): 631–5.

Nojehdehi, S., Soudi, S., Hesampour, A., Rasouli, S., Soleimani, M., Hashemi, S.M. (2018). Immunomodulatory Effects of Mesenchymal Stem Cell-Derived Exosomes on Experimental Type-1 Autoimmune Diabetes. *J. Cell Biochem*. 119, 9433–9443.

Nugroho WS, Kusindarta DL, Susetya H, Fitriana I, Mulyani GT, Fibrianto YH, Haryanto A, Budipitojo T. The structural and functional recovery of pancreatic β -cells in type 1 diabetes mellitus induced mesenchymal stem cell-conditioned medium. *Vet World*. 2016 May;9(5):535-9.

- Nugroho, W.S., Kusindarta, D.L., Susetya, H., Fitriana, I., Mulyani, G.T., Fibrianto, Y.H., Haryanto, A., Budipitojo, T. (2016). The structural and functional recovery of pancreatic β -cells in type 1 diabetes mellitus induced mesenchymal stem cell-conditioned medium. *Vet World*. May;9(5):535-9. .
- Pari L, Suman S. (2010). Efficacy Of Naringin On Hepatic Enzymes Of Carbohydrate Metabolism In Streptozotocin- Nicotinamide Induced Type 2 Diabetic Rats. *Int. J. Pharm. Biol. Arch*. 1, 280–286.
- Patel YC, Weir GC. Increased somatostatin content of islets from streptozotocin-diabetic rats. *Clin Endocrinol (Oxf)*. 1976 Mar;5(2):191-4. doi: 10.1111/j.1365-2265.1976.tb02832.x. PMID: 131661.
- Praveen Kumar, L., Kandoi, S., Misra, R., Vijayalakshmi, S., Rajagopal, K., Verma, R.S. (2019). The mesenchymal stem cell secretome: A new paradigm towards cell-free therapeutic mode in regenerative medicine. *Cytokine Growth Factor Rev.*, 46, 1–9.
- Prentki, M., Matschinsky, F.M., Madiraju, S.R. (2013). Metabolic signaling in fuel-induced insulin secretion. *Cell Metab*. 18, 162–185
- Puddu, A., Sanguineti, R., Mach, F., Dallegri, F., Viviani G.L., Montecucco F. (2013). Update on the protective molecular pathways improving pancreatic Betacell dysfunction. *Mediat. Inflamm*.
- Qi, M., Kinzer, K., Danielson, K.K., Martellotto, J., Barbaro, B., Wang, Y., Bui, J.T., Gaba, R.C., Knuttinen, G., Garcia-Roca, R. (2014). Five-year follow-up of patients with type 1 diabetes transplanted with allogeneic islets: The UIC experience. *Acta Diabetol*. 51, 833–843.
- Raza, H., Prabu, S.K., John, A., Avadhani, N.G. (2011). Impaired mitochondrial respiratory functions and oxidative stress in streptozotocin-induced diabetic rats. *Int. J. Mol. Sci*. 12: 3133e3147.
- Roep, B.O., Thomaïdou, S., van Tienhoven, R., Zaldumbide, A. (2021). Type 1 Diabetes Mellitus as a Disease of the Cell (do Not Blame the Immune System)?. *Nat. Rev. Endocrinol.*, 17, 150–161.
- Sadowsky, D., Delijani, K., Asilnejad, B., Choi, J., Steinberg, N. (2022). A Comparison of Mesenchymal Stem Cell Lineages for Treatment of Diabetes Mellitus. *Georgetown Medical Review*.5(1).
- Saeedi, P., Petersohn, I., Salpea, P., Malanda, B., Karuranga, S., Unwin N. (2019). Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045: Results from the international diabetes federation diabetes atlas, 9th edition. *Diabetes Res Clin Pract*;157.

- Sahoo, S., Klychko, E., Thorne, T., Misener, S., Schultz, K.M., Millay, M., Ito, A., Liu, T., Kamide, C., Agrawal, H. (2011). Exosomes from human CD34+ stem cells mediate their proangiogenic paracrine activity. *Circ. Res.*, 109, 724–728.
- Samuelson, D. (2007) Textbook of Veterinary Histology. 3 ed. Saunders-Elsevier, St. Louis, MO. p416.
- Sandonà, M., Di Pietro, L., Esposito, F., Ventura, A., Silini, A.R., Parolini, O., Saccone, V. (2021). Mesenchymal Stromal Cells and Their Secretome: New Therapeutic Perspectives for Skeletal Muscle Regeneration. *Front. Bioeng Biotechnol.*, 9, 652970.
- Scheller, J., et al. (2011). The pro- and anti-inflammatory properties of the cytokine interleukin-6. *Biochim Biophys Acta*, 1813(5): p. 878-88.
- Seetharaman, R., Mahmood, V., Kshatriya, P., Patel, P., Srivastava, A. (2019). Mesenchymal Stem Cell Conditioned Media Ameliorate Psoriasis Vulgaris: A Case Study. *Case Rep. Dermatol. Med.*, vol. 5.
- Shabbir, A., Cox, A., Rodriguez-Menocal, L., Salgado, M., Van Badiavas, E. (2015). Mesenchymal Stem Cell Exosomes Induce Proliferation and Migration of Normal and Chronic Wound Fibroblasts, and Enhance Angiogenesis In Vitro. *Stem Cells Dev.*, 24, 1635–1647.
- Shah, A.A., Khan, F.A. (2021). *Types and Classification of Stem Cells. In Advances in Application of Stem Cells: From Bench to Clinics, 1st ed.*; Khan, F.A., Ed.; Humana Press: Totowa, NJ, USA, 2021; pp. 25–49.
- Shahir, M., Mahmoud Hashemi, S., Asadirad, A., Varahram, M., Kazempour-Dizaji, M., Folkerts, G., Garssen, J., Adcock, I., Mortaz, E. (2020). Effect of mesenchymal stem cell-derived exosomes on the induction of mouse tolerogenic dendritic cells. *J. Cell Physiol.*, 235, 7043–7055.
- Sharma, R., Kumari, M., Mishra, S., Chaudhary, D.K., Kumar, A., Avni, B. (2021). Exosomes Secreted by Umbilical Cord Blood-Derived Mesenchymal Stem Cell Attenuate Diabetes in Mice. *J. Diabetes Res.*:9534574.
- Shigemoto-Kuroda, T., Oh, J.Y., Kim, D.K., Jeong, H.J., Park, S.Y., Lee, H.J., Park, J.W., Kim, T.W., An, S.Y., Prockop, D.J. (2017). MSC-derived Extracellular Vesicles Attenuate Immune Responses in Two Autoimmune Murine Models: Type 1 Diabetes and Uveoretinitis. *Stem Cell Rep.* 8, 1214–1225.
- Soltani, S., Mansouri, K., Emami Aleagha, M.S., Moasefi, N., Yavari, N., Shakouri, S.K., Notararigo, S., Shojaeian, A., Pociot, F., Yarani, R. (2022).

- Extracellular Vesicle Therapy for Type 1 Diabetes. *Front. Immunol.* 13, 865782.
- Sun, X., Hao, H., Han, Q., Song, X., Liu, J., Dong, L. (2017) . Human umbiliccord-derived mesenchymal stem cells ameliorate insulin resistance bsuppressing NLRP3 inflammasome-mediated inflammation in type 2 diabeteterats. *Stem Cell Res. Ther.*8(1):241.
- Sun, Y., Shi, H., Yin, S., Ji, C., Zhang, X., Zhang, B. (2018). Human Mesenchymal Stem Cell Derived Exosomes Alleviate Type 2 Diabetes Mellitus by Reversing Peripheral Insulin Resistance and Relieving β -Cell Destruction. *ACS nano.* 12(8):7613-28.
- Swinkels, M., Rijkers, M., Voorberg, J., Vidarsson, G., Leebeek, F.W.G., Jansen, A.J.G. (2018). Emerging concepts in immune thrombocytopenia. *Front Immunol.* 9:880.
- Syed, F.Z. (2022). Type 1 Diabetes Mellitus. *Ann. Intern. Med.* 175, ITC33–ITC48
- Syed, F.Z. (2022). Type 1 Diabetes Mellitus. *Ann. Intern. Med.* 175, ITC33–ITC48
- Taipale, J., Saharinen, J., Keski-Oja, J. (1998). Extracellular matrixassociated transforming growth factor-beta: role in cancer cell growth and invasion. *Adv. Cancer Res.* 75, 87-134.
- Taylor, M.R., Simon, E.J., Dickey, J.L., Hogan, K.A., Reece, J.B. and Mitchell, L. (2017). Campbell Biology: Concepts and Connections. 9 ed. Pearson Education, Inc., London, United Kingdom.
- Teng, X., Chen, L., Chen, W., Yang, J., Yang, Z., Shen, Z. (2015). Mesenchymal Stem Cell-Derived Exosomes Improve the Microenvironment of Infarcted Myocardium Contributing to Angiogenesis and Anti-Inflammation. *Cell Physiol. Biochem.* 37, 2415–2424.
- Thorens, B. (2014). GLUT2, glucose sensing and glucose homeostasis. *Diabetologia.* 58,221-232.
- Thorens, B., Weir, G.C., Leahy, J.L., Lodish, H.F. and Bonner-Weir, S. (1990). Reduced expression of the liver/beta-cell glucose transporter isoform in glucose-insensitive pancreatic beta cells of diabetic rats. *Proc. Natl. Acad. Sci.* 87, 6492-6496.
- Tomita T, Sasaki S, Doull V, Bunag R, Kimmel JR. Pancreatic hormones in streptozotocin-diabetic rats. *Int J Pancreatol.* 1986 Oct;1(3-4):265-78. doi: 10.1007/BF02795252. PMID: 2890693.
- Tzavlaki, K., Moustakas, A. (2020). TGF- β Signaling. *Biomolecules.* 23;10(3):487.

- Vija, L., Farge, D., Gautier, J.F., Vexiau, P., Dumitrache, C., Bourgarit, A. (2009). Mesenchymal stem cells: Stem cell therapy perspectives for type 1 diabetes. *Diabetes & metabolism.* 35(2):85-93.
- Wangler, S., Kamali, A., Wapp, C., Wuertz-Kozak, K., Häckel, S., Fortes, C., Benneker, L.M., Haglund, L., Richards, R.G., Alini, M. (2021). Uncovering the secretome of mesenchymal stromal cells exposed to healthy, traumatic, and degenerative intervertebral discs: A proteomic analysis. *Stem Cell Res. Ther.*, 12, 11.
- Warshauer, J.T., Bluestone, J.A., Anderson, M.S. (2020). New Frontiers in the Treatment of Type 1 Diabetes. *Cell Metab.* 31, 46–61.
- Watson, R.T., Kanzaki, M., Pessin, J.E. (2004). Regulated membrane trafficking of the insulin-responsive glucose transporter 4 in adipocytes. *Endocr Rev.* 25(2):177-204.
- Wei, L., Zhang, L., Yang, L., Wang, X., Zhao, C., Zhao, D. (2022). Protective Effect of Mesenchymal Stem Cells on Isolated Islets Survival and Against Hypoxia Associated With the HIF-1 α /PFKFB3 Pathway. *Cell transplantation.* 31:9636897211073127.
- Wen, D., Peng, Y., Liu, D., Weizmann, Y., Mahato, R.I. (2016). Mesenchymal Stem Cell and Derived Exosome as Small RNA Carrier and Immunomodulator to Improve Islet Transplantation. *J. Control Release.* 238, 166–175.
- Wolfle, U., Esser, P.R., Simon-Haarhaus, B, Martin SF, Lademann J, Schempp CM. (2011). UVB-induced DNA damage, generation of reactive oxygen species, and inflammation are effectively attenuated by the flavonoid luteolin in vitro and in vivo. *Free Radic Biol Med.* 50(9):1081-1093.
- Xia, J., Liu, W., Hu, B., Tian, Z., Yang, Y. (2010). “IL-15 promotes regulatory T cell function and protects against diabetes development in NK-depleted NOD mice,”. *Clinical Immunology.* vol. 134, no. 2, pp. 130–139..
- Xin, D., Li, T., Chu, X., Ke, H., Yu, Z., Cao, L., Bai, X., Liu, D., Wang, Z. (2020). Mesenchymal stromal cell-derived extracellular vesicles modulate microglia/macrophage polarization and protect the brain against hypoxia-ischemic injury in neonatal mice by targeting delivery of miR-21a-5p. *Acta. Biomater.* 113, 597–613.
- Xue, J., Gao, J., Gu, Y., Wang, A., Yu, S., Li, B. (2022). Human umbilical cord-derived mesenchymal stem cells alleviate insulin resistance in diet-induced obese mice via an interaction with splenocytes. *Stem Cell Res. Ther.* 13(1):109.

- Yin, J.Q., Zhu, J., Ankrum, J.A. (2019). Manufacturing of primed mesenchymal stromal cells for therapy. *Nat Biomed Eng.* 3(2):90-104.
- Yin, Y., Hao, H., Cheng, Y., Gao, J., Liu, J., Xie, Z. (2018). The homing of human umbilical cord-derived mesenchymal stem cells and the subsequent modulation of macrophage polarization in type 2 diabetic mice. *Int. Immunopharmacol.* 60:235-45.
- Zang, L., Hao, H., Liu, J., Li, Y., Han, W., Mu, Y. (2017). Mesenchymal stem cell therapy in type 2 diabetes mellitus. *Diabetol. metab. syndr.* 9:36.
- Zhang, B., Wu, X., Zhang, X., Sun, Y., Yan, Y., Shi, H., Zhu, Y., Wu, L., Pan, Z., Zhu, W. (2015). Human umbilical cord mesenchymal stem cell exosomes enhance angiogenesis through the Wnt4/ -catenin pathway. *Stem Cells Transl. Med.* 4, 513–522.
- Zhang, Q., Ramracheya, R., Lahmann, C. (2013). Role of KATP channels in glucose-regulated glucagon secretion and impaired counterregulation in type 2 diabetes. *Cell Metab.* 18,871–882
- Zhou, Y., Hu, Q., Chen, F., Zhang, J., Guo, J., Wang, H. (2015) . Human umbilical cord matrix-derived stem cells exert trophic effects on β -cell survival in diabetic rats and isolated islets. *Dis Model Mech.* 8(12):1625-33.