

- Abalde J, Betancourt L, Torres E, Cid A and Barwell C, 1998, 'Purification and characterization of phycocyanin from the marine cyanobacterium *Synechococcus* sp. IO9201' *Plant. Sci.* 136, 109-120.
- Amdoun, R., Khelifi, L., Khelifi-Slaoui, M., Amroune, S., Asch, M., Assaf-ducrocq, C., and Gontier, E. 2018. 'The Desirability Optimization Methodology; a Tool to Predict Two Antagonist Responses in Biotechnological Systems: Case of Biomass Growth and Hyoscyamine Content in Elicited *Datura stramonium* Hairy Roots. *Iranian Journal of Biotechnology*', 16(1), 11–19.
- Angeorsa, F, Christine C, and Giansante, Lucia, 2006, 'Olive Oil (Second Edition)'. AOCS Press, 7, 113-172.
- Azmir J, Zaidul ISM, Rahman MM, Sharif KM, Mohamed A, Sahena F, Jahurul, MHA, Ghafoor K, Norulaini NAN, and Omar, AKM, 2013, 'Techniques for extraction of bioactive compounds from plant materials: A review', *Journal of Food Engineering*, 117(4), 426 436.
- Badan Meteorologi Klimatologi dan Geofisika. Ekstrem perubahan iklim [Internet], Jakarta: BMKG; [cited 2022 February 1]. Available from <https://www.bmkg.go.id/iklim/?p=ekstrem-perubahan-iklim>.
- Béchet Q, Shilton A, Guieysse B, 2013, 'Modeling the effects of light and temperature algae growth: state of the art and critical assessment for productivity prediction during outdoor cultivation', *Biotechnol. Adv.*, 31:1648–1663.
- Bennett, A, Bogorad, L, 1973, 'Complementary chromatic adaptation in a filamentous blue-green alga', *J. Cell Biol.* 1973, 58, 419–435.
- Bermejo R, Acie'n, FG, Iba'nez MJ, Ferna'ndez JM, Molina E, Alvarez-Pez JM, 2013, 'Preparative purification of B-phycoerythrin from the microalga *Porphyridium cruentum* by expanded-bed adsorption chromatography', *J. Chromatogr., B* 790: 317–325
- Bermejo R, Felipe MA, Talavera EM, Alvarez-Pez JM, 2016, 'Expanded Bed Adsorption Chromatography for Recovery of Phycocyanins from the Microalga *Spirulina Platensis*', *Chromatographia.*, 63(1-2): 59-66.
- Bermejo R, Tobaruela D.J, Talavera EM, Orte A, Alvarez-Pez JM, 2013, 'Fluorescent behavior of B-phycoerythrin in microemulsions of aerosol OT/water/isooctane', *J. Colloid Interface Sci.*, 263(2): 616-624.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Chen HB, Wu JY, Wang CF, Fu CC, Shieh, CJ, Chen CI, Wang CY, Liu YC, 2010, 'Modeling on chlorophyll a and phycocyanin production by Spirulina platensis under various light-emitting diodes', Biochem. Eng. J., 53: 52–56.
- Cojocaru, C., Khayet, M., Zakrzewska-Trznadel, G., and Jaworska, A, 2009, Modeling and multi-response optimization of pervaporation of organic aqueous solutions using desirability function approach. Journal of Hazardous Materials, 167(1–3), 52–63.
- Da Silva MF, Casazza AA, Ferrari PF, Perego P, Bezerra RP, Converti A, Porto A.L, 2016, 'A new bioenergetic and thermodynamic approach to batch photoautotrophic growth of Arthrospira (Spirulina) platensis in different photobioreactors and under different light conditions', Bioresour. Technol., 207: 220–228.
- Future Market Insights. Phycocyanin market by nature (organic, conventional), form (powder, liquid), grade (phycocyanin E18, phycocyanin E25, phycocyanin E30) application (food & beverage, cosmetics & personal care, nutraceuticals, animal feed, aquaculture) & region - forecast to 2021 – 2031 [internet]. Dubai: Future Market Insights; 2021 February [cited 2022 February 3]. Available from <https://www.futuremarketinsights.com/reports/phycocyanin-market>
- Guan S, 2016, 'Extracting phycocyanin from spirulina and hydrothermal Liquefaction of its residues to produce bio-crude oil'. Thesis. Illinois. University of Illinois at Urbana-Champaign.
- Mehrer, Helmut, 2007, 'Diffusion in Solids Fundamentals, Methods, Materials, Diffusion-Controlled Processes'. Springer Series in Solid-State Sciences.
- Hadiyanto, Sutrisnorhadi, Heri Sutanto, Meiny Suzery, Danny Soetrisnanto, Nur Azizah, 2015, 'The effects of temperature and frequencies in ultrasound assisted extraction of phycocyanin from microalgae Spirulina sp.', AIP Conference Proceedings 1699, 030009.
- Hadiyanto, Sutrisnorhadi, 2016, 'Response Surface Optimization of Ultrasound Assisted Extraction (UAE) of Phycocyanin from Microalgae Spirulina platensis', Emirates Journal of Food and Agriculture, 28(4):227-234.

- 'Optimization of phycocyanin extraction from *Spirulina platensis* using different techniques', *J. Food Compos. Anal.*, 70: 78-88.
- Irawati D, Abdillah A.A, Sumartiwi L, 2020, 'The effect of using different polar solvents on the stability of thermal extraction phycocyanin from *Spirulina platensis*', *IOP Conf. Ser.: Earth Environ. Sci.* 441 012050.
- Junique L, Watier L, Lejeune H, Viudes F, Deblieck M, Watier D, 2021, 'Determination by response surface methodology of optimal protein and phycocyanin productivity conditions in *Arthrospira (Spirulina) platensis* under different combinations of photoperiod variation and lighting intensity', *Bioresour. Technol. Rep.*, 15.
- Kamble, SP, Gaikar, RB, Padalia, RB, Shinde, KD, 2013, 'Extraction and purification of C-phycocyanin from dry *Spirulina* powder and evaluating its antioxidant, anticoagulation and prevention of DNA damage activity'. *Journal of Applied Pharmaceutical Science*, 3(08), 149–153.
- Kementerian Kelautan dan Perikanan Republik Indonesia. Laut masa depan bangsa, mari jaga Bersama [Internet]. Jakarta:KKP RI; 2019 August [cited 2022 February 1]. Available from <https://kkp.go.id/artikel/12993-laut-masa-depan-bangsa-mari-jaga-bersama>.
- Kissoudi M, Sarakatsianos I, Samanidou V, 2018, 'Isolation and purification of foodgrade c-phycocyanin from *Arthrospira platensis* and its determination in confectionery by HPLC with diode array detection', *J. Sep. Sci.*, 41: 4–18.
- Kore KJ, Wakte PS, 2018, 'Pharmaceuticals bioactive compounds from spirulina sp. A review'. *World J. Pharm. Res.*, 7(10).
- Kuddus M, Singh P, Thomas G, Al-Hazimi A, 2013, 'Recent developments in production and biotechnological applications of c-phycocyanin', *BiomMed. Res. Int.*, 1–9.
- Kuddus M, Singh P, Thomas G, Ali A, Gupta VK, O'Donovan A, Tuohy MG, 2015, 'Production of C-phycocyanin and its potential applications. *Biotechnology of Bioactive Compounds*, 12.
- Kumar D, Dhar D.W, Pabbi S, Kumar N, Walia S, 2014, 'Extraction and purification of C phycocyanin from *Spirulina platensis* (CCC540)', *Indian J. Plant Physiol.*, 19: 184–188.
- Lavilla I, and Bendicho C, 2017, 'Fundamentals of Ultrasound-Assisted Extraction, Water Extraction of Bioactive Compounds From Plants to Drug Development', Elsevier, 291 316.

Chromatographia, 73(3–4), 291–296

Martinez JM, Luengo E, Saldana G, Alvarez I, Raso J, 2016, 'C-phycocyanin extraction assisted by pulsed electric field from *artrosphira platensis*', Food Res. Int., 99: 1042–1047.

Martinez, JM, Luengo E, Saldana G, Alvarez I, Raso J, 2016, 'C-phycocyanin extraction assisted by pulsed electric field from *artrosphira platensis*', Food Res. Int., 99:1042–1047.

Mason, TJ, Paniwnyk, L, Lorimer, JP, 1996, 'The uses of ultrasound in food technology', Ultrasonics Sonochemistry, 3(3), S253 S260.

Medina-Torres, N, Ayora-Talavera, T, Espinosa-Andrews, H, Sánchez-Contreras, A, and Pacheco, N, 2017, 'Ultrasound assisted extraction for the recovery of phenolic compounds from vegetable sources', Agronomy, 7(3).

Meticulous Research. Phycocyanin market by form (liquid, powder), by grade (food grade, cosmetic grade, reagent grade, analytical grade) by application (food and beverages, pharmaceutical and nutraceutical, diagnostics and biomedical), geography - global forecast to 2027 [Internet]. California: Meticulous Research; 2021 September [cited 2022 February 3]. available from <https://www.meticulousresearch.com/product/phycocyanin-market-5126>

Minitab, What are response surface designs, central composite designs, and Box-Behnken designs [Internet]. [cited 2022 June 25]. Available from <https://support.minitab.com/en-us/minitab/18/help-and-how-to/modeling-statistics/doe/supporting-topics/response-surface-designs/response-surface-central-composite-and-box-behnken-designs/>.

Mkruqulwa, U., Okudoh, V., and Oyekola, O. 2020. 'Optimizing Methane Production from Co-digestion of Cassava Biomass and Winery Solid Waste Using Response Surface Methodology. Waste and Biomass Valorization', 11(9), 4799–4808.

Nakagawa K, Ritcharoen W, Sri-Uam P, Pavasant P, Adachi S, 2016, 'Antioxidant properties of convective-air-dried *Spirulina maxima*: evaluation of phycocyanin retention by a simple mathematical model of air-drying'. Food Bioprod. Process., 100: 292–302.

- methodology to optimise alkaline gelatinisation of novel depressants. South African Journal of Chemical Engineering, 45, 240–246.
- Ores, JD C, Amarante, MC, Ad, Kalil, SJ, 2016, ‘Co-production of carbonic anhydrase and phycobiliproteins by Spirulina sp. and Synechococcus nidulans’, Bioresource Technology, 219, 219–227.
- Pan-utai W, and Iamtham S, 2019, ‘Extraction, purification and antioxidant activity of phycobiliprotein from Arthrospira platensis’. Process Biochemistry, 82, 189–198.
- Pan-utai, W, Kahapana, W, Iamtham, S, 2018, ‘Extraction of C-phycocyanin from Arthrospira (Spirulina) and its thermal stability with citric acid’, In Journal of Applied Phycology, 30, 231–242.
- Patel A, Mikes F, and Matsakas L, 2018, ‘An overview of current pretreatment methods used to improve lipid extraction from oleaginous microorganisms’, Molecules, 213(7), 1562.
- Pleonsil P, Soogarun S, Suwanwong Y, 2013, ‘Anti-oxidant activity of holo- and apo-phycocyanin and their protective effects on human erythrocytes, Int. J. Biol. Macromol., 60: 393–398.
- Qinghua Wu, Lian Liu, · Anca Miron, · Blanka Klímová, Dan Wan, · Kamil Kuc., 2016, ‘The antioxidant, immunomodulatory, and anti-inflammatory activities of Spirulina: an overview’, Archives of Toxicology 90(8)
- Raposo MFJ, Morais, AMMB, 2015, ‘Microalgae for the prevention of cardiovascular disease and stroke, Life Sci., 125: 32–41.
- Research and Markets Guinness Centre. Global phycocyanin market (2020 to 2027) - increasing awareness regarding clean-label products presents opportunities [Internet]. Dublin: Research and Markets Guinness Centre; 2020 December [cited 2022 February 3]. Available from <https://www.globenewswire.com/news-release/2019/08/29/1908366/0/en/Phycocyanin-Market-to-Grow-at-a-CAGR-of-7-6-by-2028-Future-Market-Insights.html>
- Research and Markets Guinness Centre. Phycocyanin Marke. Forecasts from 2020 to 2025 Report [Internet]. Dublin: Research and Markets Guinness Centre; 2020 December [cited 2022 February 3]. Available from <https://www.researchandmarkets.com/reports/5238717/phycocyanin-market-forecasts-from-2020-to-2025>.

- lysis by peroxyl radicals', J. Pharm. Pharmacol., 52(4): 367-368.
- Saif A, Hafigh A, 2017, 'Indoor and outdoor culture of Spirulina (Arthrospira platensis) grown in different salinity in Sultanate of Oman', Secheresse.
- Silveira ST, Burkert FFM, Costa JAV, Burkert CAV, Kalil SJ, 2006, 'Optimization of phycocyanin extraction from Spirulina platensis using factorial design', Bioresour. Technol., 98: 1629-1634.
- Singh NK, Sonani RR, Prasad RR, Madamwar D, 2015, 'The phycobilisomes: an early requisite for efficient photosynthesis in cyanobacteria', EXCLI J., 14: 268–289.
- Sobiechowska-Sasim M, Ston-Egiert J, Kosakowska A, 2014, 'Quantitative analysis of extracted phycobilin pigments in cyanobacteria-an assessment of spectrophotometric and spectrofluorometric methods', J Appl Phycol., 26(5): 2065-2074.
- Soni AR, Sudhakar K, Rana RS, 2019, 'Comparative study on the growth performance of Spirulina platensis on modifying culture media', Energy Rep., 327-336.
- Su CH, Liu CS, Yang, PC, Syu KS, Chiu CC, 2014, 'Solid-liquid extraction of phycocyanin from Spirulina platensis: kinetic modeling of influential factors', Sep. Purif. Technol, 123: 64–68.
- Tavanandi HA, Mittal R, Chandrasekhar J, Raghavarao KSMS, 2018, 'Simple and efficient method for extraction of C-Phycocyanin from dry biomass of Arthrospira platensis', Algal Research, 31, 239–251.
- Vali RA, Rezaei K, Bandani AR, Mortazavi, 2017, 'Antioxidant activity optimisation of Spirulina platensis C-phycocyanin obtained by freeze-thaw, microwave assisted and ultrasound-assisted extraction methods', Qual. Assur. Saf. Crop. Foods., 9: 1–9.
- Woon YC and Hyeon YL, 2018, 'Effect of Ultrasonic Extraction on Production and Structural Changes of C-Phycocyanin from Marine Spirulina maxima', Int. J. Mol. Sci., 19, 220.
- Wu HL, Wang, GH, Xiang, WZ, Li T, He H, 2016, 'Stability and antioxidant activity of food grade phycocyanin isolated from spirulina platensis', Int. J. Food Prop., 19 (10942912).
- Yaws, C. L. 1999. Chemical properties handbook: physical, thermodynamic, environmental, transport, safety, and health related properties for organic and inorganic chemicals, Chemical engineering books. McGraw-Hill Education.

Response surface optimization of ultrasound-assisted oil extraction from autoclaved almond powder. Food Chemistry, 116(2), 513–518.