

DAFTAR PUSTAKA

- Ahmed, A. F., Mutua, F. N., & Kenduiywo, B. K. (2021). Monitoring benthic habitats using Lyzenga model features from Landsat multi-temporal images in Google Earth Engine. *Modeling Earth Systems and Environment*, 7(3), 2137–2143. <https://doi.org/10.1007/s40808-020-00960-1>
- Albright, A., & Glennie, C. (2021). Nearshore Bathymetry from Fusion of Sentinel-2 and ICESat-2 Observations. *IEEE Geoscience and Remote Sensing Letters*, 18(5), 900–904. <https://doi.org/10.1109/LGRS.2020.2987778>
- Aldrian, E., & Dwi Susanto, R. (2003). Identification of three dominant rainfall regions within Indonesia and their relationship to sea surface temperature. *International Journal of Climatology*, 23(12), 1435–1452. <https://doi.org/10.1002/joc.950>
- Auret, L., & Aldrich, C. (2012). Interpretation of nonlinear relationships between process variables by use of random forests. *Minerals Engineering*. <https://doi.org/10.1016/j.mineng.2012.05.008>
- Bayong, T. (1999). *Klimatologi Umum*. Penerbit ITB Bandung.
- Bernardis, M., Nardini, R., Apicella, L., Demarte, M., Guideri, M., Federici, B., Quarati, A., & De Martino, M. (2023). Use of ICESat-2 and Sentinel-2 Open Data for the Derivation of Bathymetry in Shallow Waters: Case Studies in Sardinia and in the Venice Lagoon. *Remote Sensing*, 15(11). <https://doi.org/10.3390/rs15112944>
- Blegur, W. A., Djohan, T. S., & Ritohardoyo, S. (2017). Vegetasi Habitat Komodo dalam Bentang Alam Riung dan Pulau Ontoloe di Nusa Tenggara Timur. *Majalah Geografi Indonesia*, 31(1), 95. <https://doi.org/10.22146/mgi.24530>
- Breiman, L. (2001). Random forests. Dalam *Machine Learning* (Vol. 45, Nomor 1, hlm. 5–32). <https://doi.org/10.1023/A:1010933404324>
- Bulgin, C. E., Merchant, C. J., & Ferreira, D. (2020). Tendencies, variability and persistence of sea surface temperature anomalies. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-64785-9>
- Burgers, F. (2020). *Estimating satellite derived bathymetry for times of absent in situ data*. <http://repository.tudelft.nl/>
- Caballero, I., & Stumpf, R. (2020). Towards Routine Mapping of Shallow Bathymetry in Environments with Variable Turbidity: Contribution of Sentinel-2A/B Satellites Mission. *Remote Sensing*, 12(3), 451. <https://doi.org/10.3390/rs12030451>
- Dewi, R. S., Lumban-Gaol, Y., Safi'I, A. N., Rizaldy, A., Syetiawan, A., & Rahadiati, A. (2020). Assessing the effect of various training and testing set ratios to model the satellite derived bathymetry. *IOP Conference Series: Earth and Environmental Science*, 500(1). <https://doi.org/10.1088/1755-1315/500/1/012032>
- Dewi, R. S., & Rizaldy, A. (2021). Accuracy Assessment of Satellite Derived Bathymetry Model for Depth Extraction in Sorong Shallow Water Area. *IOP Conference Series: Earth and Environmental Science*, 925(1), 012053. <https://doi.org/10.1088/1755-1315/925/1/012053>

- Dimiyati, R. D., Danoedoro, P., Hartono, & Kustiyo. (2018). A minimum cloud cover mosaic image model of the operational land imager landsat-8 multitemporal data using tile based. *International Journal of Electrical and Computer Engineering*, 8(1), 360–371. <https://doi.org/10.11591/ijece.v8i1.pp360-371>
- Dong, Y., Liu, Y., Hu, C., & Xu, B. (2019). Coral reef geomorphology of the Spratly Islands: A simple method based on time-series of Landsat-8 multi-band inundation maps. *ISPRS Journal of Photogrammetry and Remote Sensing*, 157, 137–154. <https://doi.org/10.1016/j.isprsjprs.2019.09.011>
- Duan, Y., Li, X., Zhang, L., Chen, D., Liu, S., & Ji, H. (2020). Mapping national-scale aquaculture ponds based on the Google Earth Engine in the Chinese coastal zone. *Aquaculture*, 520, 734666. <https://doi.org/10.1016/j.aquaculture.2019.734666>
- Duarte, C. M., Fourqurean, J. W., Krause-Jensen, D., & Olesen, B. (2005). *Chapter 11 Dynamics of Seagrass Stability and Change*.
- Efendi, E., & Purwandani, A. (2013). Korelasi Asian Monsoon , El Nino South Oscillation Dan Indian Ocean Dipole Terhadap Variabilitas Curah Hujan Di Propinsi Lampung. *AQUASAINS (Jurnal Ilmu Perikanan dan Sumberdaya Perairan)*, 2(1), 107–112.
- Effendi, I., Agus Suprayudi, M., Wayan Nurjaya, I., Harris Surawidjaja, E., Supriyono, E., Zairin Junior, M., & Sukenda. (2016). Kondisi Oseanografi dan Kualitas Air di Beberapa Perairan Kepulauan Seribu dan Kesesuaiannya untuk Budidaya Udang Vaname *Litopenaeus vannamei*. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 8(1), 403–417. http://itk.fpik.ipb.ac.id/ej_itkt81
- ESA. (2013). *User Guides - Sentinel-1 SAR - Sentinel Online - Sentinel Online*. [Sentinels.copernicus.eu. https://sentinels.copernicus.eu/web/sentinel/user-guides/sentinel-1-sar/definitions%0Ahttps://sentinel.esa.int/web/sentinel/user-guides/sentinel-1-sar](https://sentinels.copernicus.eu/web/sentinel/user-guides/sentinel-1-sar/definitions%0Ahttps://sentinel.esa.int/web/sentinel/user-guides/sentinel-1-sar)
- Eugenio, F., Marcello, J., & Martin, J. (2015). High-Resolution Maps of Bathymetry and Benthic Habitats in Shallow-Water Environments Using Multispectral Remote Sensing Imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 53(7), 3539–3549. <https://doi.org/10.1109/TGRS.2014.2377300>
- Farina, G., Alvisi, S., Franchini, M., Corato, G., & Moramarco, T. (2015). Estimation of bathymetry (and discharge) in natural river cross-sections by using an entropy approach. *Journal of Hydrology*, 527, 20–29. <https://doi.org/10.1016/j.jhydrol.2015.04.037>
- Forsythe, K. W., Ford, D. E., Marvin, C. H., Shaker, R. R., Macdonald, M. W., Wilkinson, R., Erie, L., & Erie, L. (2021). *Multivariable 3D Geovisualization of Historic and Contemporary Lead Sediment Contamination in Lake Erie*. 29–50.
- Gao, J. (2009). Bathymetric mapping by means of remote sensing: Methods, accuracy and limitations. *Progress in Physical Geography*, 33(1), 103–116. <https://doi.org/10.1177/0309133309105657>

- Ghorbanian, A., Zaghian, S., Asiyabi, R. M., Amani, M., Mohammadzadeh, A., & Jamali, S. (2021). Mangrove ecosystem mapping using sentinel-1 and sentinel-2 satellite images and random forest algorithm in google earth engine. *Remote Sensing*, 13(13), 1–18. <https://doi.org/10.3390/rs13132565>
- Gnanadesikan, A., & Anderson, W. G. (2009). Ocean water clarity and the ocean general circulation in a coupled climate model. *Journal of Physical Oceanography*, 39(2), 314–332. <https://doi.org/10.1175/2008JPO3935.1>
- Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thau, D., & Moore, R. (2017). Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote Sensing of Environment*, 202, 18–27. <https://doi.org/10.1016/j.rse.2017.06.031>
- Hartanto, P., Lumban-Gaol, Y., & Dewi, R. S. (2020). A Comparative Analysis to Model Bathymetry using Multi-sensor Satellite Imageries. *IOP Conference Series: Earth and Environmental Science*, 618(1), 1–9. <https://doi.org/10.1088/1755-1315/618/1/012027>
- Hedley, J. D., Harborne, A. R., & Mumby, P. J. (2005). Simple and robust removal of sun glint for mapping shallow-water benthos. *International Journal of Remote Sensing*, 26(10), 2107–2112. <https://doi.org/10.1080/01431160500034086>
- Hedley, J. D., Roelfsema, C., Brando, V., Giardino, C., Kutser, T., Phinn, S., Mumby, P. J., Barrilero, O., Laporte, J., & Koetz, B. (2018). Coral reef applications of Sentinel-2: Coverage, characteristics, bathymetry and benthic mapping with comparison to Landsat 8. *Remote Sensing of Environment*, 216, 598–614. <https://doi.org/10.1016/j.rse.2018.07.014>
- Hengky, S. H. (2017). Gazing Coastal Ecotourism in Morotai Islands, Indonesia. *Environmental Management and Sustainable Development*, 6(2), 144. <https://doi.org/10.5296/emsd.v6i2.11393>
- Hengky, S. H., & Kikvidze, Z. (2021). Sustainable Coastal Tourism in Tanjung Kelayang, Indonesia. Dalam *Tourism Planning and Development* (Vol. 18, Nomor 3, hlm. 365–370). Routledge. <https://doi.org/10.1080/21568316.2020.1763444>
- IHO. (2020). International Hydrographic Organization Standards for Hydrographic Surveys S-44. *International Hydrographic Organization*, 377, 49.
- Kanno, A., & Tanaka, Y. (2012). Modified lyzenga's method for estimating generalized coefficients of satellite-based predictor of shallow water depth. *IEEE Geoscience and Remote Sensing Letters*, 9(4), 715–719. <https://doi.org/10.1109/LGRS.2011.2179517>
- Kay, S., Hedley, J. D., & Lavender, S. (2009). Sun glint correction of high and low spatial resolution images of aquatic scenes: A review of methods for visible and near-infrared wavelengths. *Remote Sensing*, 1(4), 697–730. <https://doi.org/10.3390/rs1040697>
- Kementerian Kelautan dan Perikanan. (2018). *Riset Wisata Bahari: Pulau Morotai - Maluku*. <http://pusriskel.litbang.kkp.go.id/index.php/en/data/riset-wisata-bahari/category/490-pulau-morotai-maluku>
- Kerr, J. M., & Purkis, S. (2018). An algorithm for optically-deriving water depth from multispectral imagery in coral reef landscapes in the absence of ground-

- truth data. *Remote Sensing of Environment*, 210(January 2017), 307–324. <https://doi.org/10.1016/j.rse.2018.03.024>
- Klemas, V. (2011). Remote sensing techniques for studying coastal ecosystems: An overview. *Journal of Coastal Research*, 27(1), 2–17. <https://doi.org/10.2112/JCOASTRES-D-10-00103.1>
- Knudby, A., & Richardson, G. (2023). Incorporation of neighborhood information improves performance of SDB models. *Remote Sensing Applications: Society and Environment*, 32. <https://doi.org/10.1016/j.rsase.2023.101033>
- Kutser, T., Hedley, J., Giardino, C., Roelfsema, C., & Brando, V. E. (2020). Remote sensing of shallow waters – A 50 year retrospective and future directions. *Remote Sensing of Environment*, 240(December 2019), 111619. <https://doi.org/10.1016/j.rse.2019.111619>
- Kutser, T., Paavel, B., Kaljurand, K., Ligi, M., & Randla, M. (2019). Mapping Shallow Waters of the Baltic Sea with Sentinel-2 Imagery. *2018 IEEE/OES Baltic International Symposium, BALTIC 2018, September 2017*, 1–6. <https://doi.org/10.1109/BALTIC.2018.8634850>
- Kutser, T., Skirving, W., Parslow, J., Clementson, L., Done, T., Wakeford, M., & Miller, I. (2001). Spectral discrimination of coral reef bottom types. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 6, 2872–2874. <https://doi.org/10.1109/igarss.2001.978190>
- Lantzanakis, G., Mitraka, Z., & Chrysoulakis, N. (2016). Comparison of physically and image based atmospheric correction methods for Sentinel-2 satellite imagery. *Fourth International Conference on Remote Sensing and Geoinformation of the Environment (RSCy2016)*, 9688(November 2017), 96880A. <https://doi.org/10.1117/12.2242889>
- Le Quilleuc, A., Collin, A., Jasinski, M. F., & Devillers, R. (2022). Very high-resolution satellite-derived bathymetry and habitat mapping using pleiades-1 and icesat-2. *Remote Sensing*, 14(1). <https://doi.org/10.3390/rs14010133>
- Lee, Z. P., Darecki, M., Carder, K. L., Davis, C. O., Stramski, D., & Rhea, W. J. (2005). Diffuse attenuation coefficient of downwelling irradiance: An evaluation of remote sensing methods. *Journal of Geophysical Research C: Oceans*, 110(2), 1–9. <https://doi.org/10.1029/2004JC002573>
- Li, J., Knapp, D. E., Lyons, M., Roelfsema, C., Phinn, S., Schill, S. R., & Asner, G. P. (2021). Automated Global Shallow Water Bathymetry Mapping Using Google Earth Engine. *Remote Sensing*, 13(8), 1469. <https://doi.org/10.3390/rs13081469>
- Li, J., Knapp, D. E., Schill, S. R., Roelfsema, C., Phinn, S., Silman, M., Mascaro, J., & Asner, G. P. (2019). Adaptive bathymetry estimation for shallow coastal waters using Planet Dove satellites. *Remote Sensing of Environment*, 232, 111302. <https://doi.org/10.1016/j.rse.2019.111302>
- Li, J., Ma, J., & Ye, X. (2022). A Batch Pixel-Based Algorithm to Composite Landsat Time Series Images. *Remote Sensing*, 14(17). <https://doi.org/10.3390/rs14174252>
- Liu, Y., Zhao, J., Deng, R., Liang, Y., Gao, Y., Chen, Q., Xiong, L., Liu, Y., Tang, Y., & Tang, D. (2021). A downscaled bathymetric mapping approach combining multitemporal Landsat-8 and high spatial resolution imagery:

- Demonstrations from clear to turbid waters. *ISPRS Journal of Photogrammetry and Remote Sensing*, 180, 65–81. <https://doi.org/10.1016/j.isprsjprs.2021.07.015>
- Lubac, B., Burvingt, O., Nicolae Lerma, A., & Sénéchal, N. (2022). Performance and Uncertainty of Satellite-Derived Bathymetry Empirical Approaches in an Energetic Coastal Environment. *Remote Sensing*, 14(10). <https://doi.org/10.3390/rs14102350>
- Lumban-Gaol, Y. A., Ogori, K. A., & Peters, R. Y. (2021). Satellite-Derived Bathymetry Using Convolutional Neural Networks And Multispectral Sentinel-2 Images. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLIII-B3-2(B3-2021), 201–207. <https://doi.org/10.5194/isprs-archives-XLIII-B3-2021-201-2021>
- Lyzenga, D. R. (1978). Passive remote sensing techniques for mapping water depth and bottom features. *Applied Optics*, 17(3), 379. <https://doi.org/10.1364/AO.17.000379>
- Lyzenga, D. R. (1981). Remote sensing of bottom reflectance and water attenuation parameters in shallow water using aircraft and Landsat data. *International Journal Remote Sensing*, 2, 71–82.
- Lyzenga, D. R. (1985). Shallow-water bathymetry using combined lidar and passive multispectral scanner data. *International Journal of Remote Sensing*, 6(1), 115–125. <https://doi.org/10.1080/01431168508948428>
- Lyzenga, D. R., Malinas, N. P., & Tanis, F. J. (2006). Multispectral bathymetry using a simple physically based algorithm. *IEEE Transactions on Geoscience and Remote Sensing*, 44(8), 2251–2259. <https://doi.org/10.1109/TGRS.2006.872909>
- Ma, Y., Xu, N., Liu, Z., Yang, B., Yang, F., Wang, X. H., & Li, S. (2020). Satellite-derived bathymetry using the ICESat-2 lidar and Sentinel-2 imagery datasets. *Remote Sensing of Environment*, 250. <https://doi.org/10.1016/j.rse.2020.112047>
- Manessa, M. D. M., Haidar, M., Hartuti, M., & Kresnawati, D. K. (2018). Determination of the Best Methodology for Bathymetry Mapping Using Spot 6 Imagery: a Study of 12 Empirical Algorithms. *International Journal of Remote Sensing and Earth Sciences (IJReSES)*, 14(2), 127. <https://doi.org/10.30536/j.ijreses.2017.v14.a2827>
- Manessa, M. D. M., Kanno, A., Sekine, M., Haidar, M., Yamamoto, K., Imai, T., & Higuchi, T. (2016). Satellite-Derived Bathymetry Using Random Forest Algorithm and Worldview-2 Imagery. *Geopanning: Journal of Geomatics and Planning*, 3(2), 117. <https://doi.org/10.14710/geopanning.3.2.117-126>
- McFeeters, S. K. (1996). The use of the Normalized Difference Water Index (NDWI) in the delineation of open water features. *International Journal of Remote Sensing*, 17(7), 1425–1432. <https://doi.org/10.1080/01431169608948714>
- Meliala, L., Wibowo, W. A., & Amalia, J. (2019). Satellite Derived Bathymetry on Shallow Reef Platform: A Preliminary Result from Semak Daun, Seribu Islands, Java Sea, Indonesia. *KnE Engineering*, 2019, 192–202. <https://doi.org/10.18502/keg.v4i3.5849>

- Mishra, D., Narumalani, S., Lawson, M., & Rundquist, D. (2004). Bathymetric mapping using IKONOS multispectral data. *GIScience and Remote Sensing*, 41(4), 301–321. <https://doi.org/10.2747/1548-1603.41.4.301>
- Misra, A., & Ramakrishnan, B. (2020). Assessment of coastal geomorphological changes using multi-temporal Satellite-Derived Bathymetry. *Continental Shelf Research*, 207, 104213. <https://doi.org/10.1016/j.csr.2020.104213>
- Moerwanto, A. S., & Junoasmoro, T. (2017). Strategi pembangunan infrastruktur wisata terintegrasi. *Jurnal HPJI*, 3(2), 67–78.
- Mudiyanselage, S. S. J. D., Abd-Elrahman, A., Wilkinson, B., & Lecours, V. (2022). Satellite-derived bathymetry using machine learning and optimal Sentinel-2 imagery in South-West Florida coastal waters. *GIScience and Remote Sensing*, 59(1), 1143–1158. <https://doi.org/10.1080/15481603.2022.2100597>
- Mustikasari, E., Rustam, A., Salim, H. L., Nugroho, D. Y., Heriati, A., & Kadarwati, U. R. (2019). Karakteristik Fisis Air Laut dan Dinamika Perairan Kepulauan Seribu. *Jurnal Riset Jakarta*, 12(2), 89–98. <https://doi.org/10.37439/jurnaldrd.v12i2.5>
- Noi Phan, T., Kuch, V., & Lehnert, L. W. (2020). Land cover classification using google earth engine and random forest classifier-the role of image composition. *Remote Sensing*, 12(15). <https://doi.org/10.3390/RS12152411>
- Prasetyo, B. A., Siregar, V. P., Agus, S. B., & Asriningrum, W. (2018). Pengukuran Koefisien Diffuse Atenuasi (Kd) Di Perairan Dangkal Sekitar Karang Lebar, Kepulauan Seribu, Dki Jakarta. *Jurnal Teknologi Perikanan dan Kelautan*, 8(2), 127–138. <https://doi.org/10.24319/jtpk.8.127-138>
- Purkis, S. J. (2018). Remote sensing tropical coral reefs: The view from above. *Annual Review of Marine Science*, 10(August 2017), 149–168. <https://doi.org/10.1146/annurev-marine-121916-063249>
- Purkis, S. J., & Pasterkamp, R. (2004). Integrating in situ reef-top reflectance spectra with Landsat TM imagery to aid shallow-tropical benthic habitat mapping. *Coral Reefs*, 23(1), 5–20. <https://doi.org/10.1007/s00338-003-0351-0>
- Safi'i, A. N., & Dewi, R. S. (2020). Uji Akurasi Metode Berbasis Citra Satelit untuk Ekstraksi Data Batimetri. *Teknik*, 41(2), 142–151. <https://doi.org/10.14710/teknik.v0i0.29516>
- Sagawa, T., Yamashita, Y., Okumura, T., & Yamanokuchi, T. (2019). Satellite Derived Bathymetry Using Machine Learning and Multi-Temporal Satellite Images. *Remote Sensing*, 11(10), 1155. <https://doi.org/10.3390/rs11101155>
- Sarker, I. H. (2021). Machine Learning: Algorithms, Real-World Applications and Research Directions. *SN Computer Science*. <https://doi.org/10.1007/s42979-021-00592-x>
- Schmitt, M., Hughes, L. H., Qiu, C., & Zhu, X. X. (2019). Aggregating Cloud-Free Sentinel-2 Images With Google Earth Engine. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, IV-2/W7(2/W7), 145–152. <https://doi.org/10.5194/isprs-annals-IV-2-W7-145-2019>

- Simonetti, D., Pimple, U., Langner, A., & Marelli, A. (2021). Pan-tropical Sentinel-2 cloud-free annual composite datasets. *Data in Brief*, 39, 107488. <https://doi.org/10.1016/j.dib.2021.107488>
- Stumpf, R. P., Holderied, K., & Sinclair, M. (2003). Determination of water depth with high-resolution satellite imagery over variable bottom types. *Limnology and Oceanography*, 48(1 II), 547–556. https://doi.org/10.4319/lo.2003.48.1_part_2.0547
- Sun, M., Yu, L., Zhang, P., Sun, Q., Jiao, X., Sun, D., & Lun, F. (2021). Coastal water bathymetry for critical zone management using regression tree models from Gaofen-6 imagery. *Ocean & Coastal Management*, 204, 105522. <https://doi.org/10.1016/j.ocecoaman.2021.105522>
- Susa, T. (2022). Satellite Derived Bathymetry with Sentinel-2 Imagery: Comparing Traditional Techniques with Advanced Methods and Machine Learning Ensemble Models. *Marine Geodesy*, 0(0), 1–20. <https://doi.org/10.1080/01490419.2022.2064572>
- Tamiminia, H., Salehi, B., Mahdianpari, M., Quackenbush, L., Adeli, S., & Brisco, B. (2020). Google Earth Engine for geo-big data applications: A meta-analysis and systematic review. Dalam *ISPRS Journal of Photogrammetry and Remote Sensing* (Vol. 164, hlm. 152–170). Elsevier B.V. <https://doi.org/10.1016/j.isprsjprs.2020.04.001>
- Thomas, N., Pertiwi, A. P., Traganos, D., Lagomasino, D., Poursanidis, D., Moreno, S., & Fatoyinbo, L. (2021). Space-Borne Cloud-Native Satellite-Derived Bathymetry (SDB) Models Using ICESat-2 And Sentinel-2. *Geophysical Research Letters*, 48(6). <https://doi.org/10.1029/2020GL092170>
- Traganos, D., Poursanidis, D., Aggarwal, B., Chrysoulakis, N., & Reinartz, P. (2018). Estimating satellite-derived bathymetry (SDB) with the Google Earth Engine and sentinel-2. *Remote Sensing*, 10(6), 1–18. <https://doi.org/10.3390/rs10060859>
- Traganos, D., & Reinartz, P. (2018). Machine learning-based retrieval of benthic reflectance and Posidonia oceanica seagrass extent using a semi-analytical inversion of Sentinel-2 satellite data. *International Journal of Remote Sensing*, 39(24), 9428–9452. <https://doi.org/10.1080/01431161.2018.1519289>
- Wahab, I., Koroy, K., & Lukman, D. M. (2021). Pengaruh Parameter Fisikimia Terhadap Tutupan Karang Di Perairan Daruba, Morotai The Influence Of Physical-Chemical Parameters To The Coral Cover Of Daruba Waters, Morotai. <https://doi.org/10.15578/jppi.27.2.2021.85-93>
- Wibowo, M., & Santoso, A. D. (2019). Kelayakan Aspek Lingkungan Abiotik Pemilihan Lokasi Pelabuhan Wisata Marina di Kabupaten Belitung. Dalam *Inovasi Teknologi Lingkungan Dalam Peningkatan Kualitas Lingkungan* (hlm. 3–14).
- Wicaksono, P. (2015). Perbandingan Akurasi Metode Band Tunggal dan Band Rasio dalam Pemetaan Batimetri Pada Laut Dangkal Optis. *Simposium Nasional Sains Geoinformasi IV 2015*, 802–810. <https://doi.org/10.13140/RG.2.1.1340.3286>
- Willmott, C. J., & Matsuura, K. (2005). Advantages of the mean absolute error (MAE) over the root mean square error (RMSE) in assessing average model

- performance. *Climate Research*, 30(1), 79–82.
<https://doi.org/10.3354/cr030079>
- Willmott, C. J., & Matsuura, K. (2006). On the use of dimensioned measures of error to evaluate the performance of spatial interpolators. *International Journal of Geographical Information Science*, 20(1), 89–102.
<https://doi.org/10.1080/13658810500286976>
- Zhou, W., Tang, Y., Jing, W., Li, Y., Yang, J., Deng, Y., & Zhang, Y. (2023). A Comparison of Machine Learning and Empirical Approaches for Deriving Bathymetry from Multispectral Imagery. *Remote Sensing*, 15(2).
<https://doi.org/10.3390/rs15020393>
- Zoffoli, M. L., Frouin, R., & Kampel, M. (2014). Water column correction for coral reef studies by remote sensing. Dalam *Sensors (Switzerland)* (Vol. 14, Nomor 9). <https://doi.org/10.3390/s140916881>