



Daftar Pustaka

- Ahmed, S. H., Clark, L. L., Pennington, W. R., Webb, C. S., Bonnema, D. D., Leonardi, A. H., McClure, C. D., Spinale, F. G., & Zile, M. R. (2006). Matrix metalloproteinases/tissue inhibitors of metalloproteinases: relationship between changes in proteolytic determinants of matrix composition and structural, functional, and clinical manifestations of hypertensive heart disease. *Circulation*, 113(17), 2089–2096. <https://doi.org/10.1161/CIRCULATIONAHA.105.573865>
- Allon M, Robbin ML. 2002. Increasing arteriovenous fistulas in hemodialysis patients: problems and solutions. *Kidney Int.* 2002 Oct;62(4):1109-24. doi: 10.1111/j.1523-1755.2002.kid551.x. PMID: 12234281.
- Alturkistani, H. M., Alsergani, A. H., Alasqah, M. I., Alsaif, F. F., & Shukr, M. A. (2022). Predictors of recurrent arteriovenous fistula stenosis in Saudi patients undergoing hemodialysis. *Saudi Medical Journal*, 43(6), 592–598. <https://doi.org/10.15537/smj.2022.43.6.20220192>
- Askandar Tjokroprawiro. (2015). Buku Ajar Ilmu Penyakit Dalam (edisi 2). Surabaya: Pusat Penerbitan dan Percetakan Unair.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia. 2018. Riset Kesehatan Dasar (Riskesdas) Tahun 2018. Jakarta : Kesehatan Kementerian Kesehatan Republik Indonesia.
- Bai, H., Wei, S., Xie, B., Wang, Z., Li, M., Qiao, Z., Sun, P., & Wang, W. (2022). Endothelial nitric oxide synthase (eNOS) mediates neointimal thickness in arteriovenous fistulae with different anastomotic angles in rats. *The Journal of Vascular Access*, 23(3), 403–411. <https://doi.org/10.1177/1129729821996537>
- Barcena, A. J. R., Perez, J. V. D., Liu, O., Mu, A., Heralde, F. M., Huang, S. Y., & Melancon, M. P. (2022). Localized Perivascular Therapeutic Approaches to Inhibit Venous Neointimal Hyperplasia in Arteriovenous Fistula Access for Hemodialysis Use. In *Biomolecules* (Vol. 12, Issue 10). MDPI. <https://doi.org/10.3390/biom12101367>
- Beathard, G. A. (2017). Angiography of Hemodialysis Fistulas and Grafts. *Seminars in Dialysis*, 30(4), 326–337. <https://doi.org/10.1111/sdi.12595>
- Beathard GA, Arnold P, Jackson J, Litchfield T. Aggressive treatment of early fistula failure. *KidneyInt* 2003;64:1487–1494. [PubMed: 12969170]
- Bekes, E. M., Schweighofer, B., Kupriyanova, T. A., Zajac, E., Ardi, V. C., Quigley, J. P., & Deryugina, E. I. (2011). Tumor-recruited neutrophils and neutrophil TIMP-free MMP-9 regulate coordinately the levels of tumor angiogenesis and efficiency of malignant cell intravasation. *The American Journal of Pathology*, 179(3), 1455–1470. <https://doi.org/10.1016/j.ajpath.2011.05.031>
- Brahmbhatt A, Remuzzi A, Franzoni M, Misra S. The molecular mechanisms of hemodialysis vascular access failure. *Kidney Int.* 2016 Feb;89(2):303-316. doi: 10.1016/j.kint.2015.12.019. PMID: 26806833; PMCID: PMC4734360.
- Brown, D. L., Hibbs, M. S., Kearney, M., Loushin, C., & Isner, J. M. (1995). Identification of 92-kD gelatinase in human coronary atherosclerotic lesions. Association of active enzyme



UNIVERSITAS
GADJAH MADA

Hubungan Kadar Matrix Metalloproteinase-9 dengan Kejadian Stenosis Fistula Arteriovenosa pada Pasien

Penyakit Ginjal Kronik di RSUP Dr Sardjito Yogyakarta

Jumadi Sihura, Dr.dr. Hariadi Hariawan, Sp.PD-KKV, Sp.JP(K); dr. Muhamad Taufik Ismail, Sp.JP(K).

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id>

- synthesis with unstable angina. *Circulation*, 91(8), 2125–2131. <https://doi.org/10.1161/01.cir.91.8.2125>
- Buctowarsing, B. (2019). An Overview of Dialysis Access-associated Steal Syndrome. <https://www.renalfellow.org/2019/06/30/an-overview-of-dialysis-access-associated-steal-syndrome>.
- Castier Y, Brandes RP, Leseche G, Tedgui A, Lehoux S. p47phox-dependent NADPH oxidase regulates flow-induced vascular remodeling. *Circ Res* 2005;97:533–540. [PubMed: 16109921]
- Chen, M.-C., Tsai, W.-L., Tsai, I.-C., Chan, S.-W., Liao, W.-C., Lin, P.-C., & Yang, S. J. (2010). Arteriovenous fistula and graft evaluation in hemodialysis patients using MDCT: a primer. *AJR. American Journal of Roentgenology*, 194(3), 838–847. <https://doi.org/10.2214/AJR.09.3357>
- Chen, N. X., O'Neill, K. D., Chen, X., Kiattisunthorn, K., Gattone, V. H., & Moe, S. M. (2011). Activation of arterial matrix metalloproteinases leads to vascular calcification in chronic kidney disease. *American Journal of Nephrology*, 34(3), 211–219. <https://doi.org/10.1159/000330175>
- Cho, A., & Reidy, M. A. (2002). Matrix metalloproteinase-9 is necessary for the regulation of smooth muscle cell replication and migration after arterial injury. *Circulation Research*, 91(9), 845–851. <https://doi.org/10.1161/01.res.0000040420.17366.2e>
- Creemers, E. E., Cleutjens, J. P., Smits, J. F., & Daemen, M. J. (2001). Matrix metalloproteinase inhibition after myocardial infarction: a new approach to prevent heart failure? *Circulation Research*, 89(3), 201–210. <https://doi.org/10.1161/hh1501.094396>
- Deleon-Pennell, K. Y., Altara, R., Yabluchanskiy, A., Modesti, A., & Lindsey, M. L. (2015). The circular relationship between matrix metalloproteinase-9 and inflammation following myocardial infarction. *IUBMB Life*, 67(8), 611–618. <https://doi.org/10.1002/iub.1408>
- Dixon BS. Why don't fistulas mature? *Kidney Int* 2006;70:1413–1422. [PubMed: 16883317]
- Elalfy, K., & Elwakeel, H. (2013). Vascular Access for Hemodialysis - How to Maintain in Clinical Practice. In *Hemodialysis*. InTech. <https://doi.org/10.5772/54352>
- Ene-Iordache, B., & Remuzzi, A. (2012). Disturbed flow in radial-cephalic arteriovenous fistulae for haemodialysis: low and oscillating shear stress locates the sites of stenosis. *Nephrology, Dialysis, Transplantation : Official Publication of the European Dialysis and Transplant Association - European Renal Association*, 27(1), 358–368. <https://doi.org/10.1093/ndt/LFG342>
- Fang, L., Du, X.-J., Gao, X.-M., & Dart, A. M. (2010). Activation of peripheral blood mononuclear cells and extracellular matrix and inflammatory gene profile in acute myocardial infarction. *Clinical Science (London, England : 1979)*, 119(4), 175–183. <https://doi.org/10.1042/CS20100011>
- Flamant, M., Placier, S., Dubroca, C., Esposito, B., Lopes, I., Chatziantoniou, C., Tedgui, A., Dussaule, J.-C., & Lehoux, S. (2007). Role of matrix metalloproteinases in early hypertensive vascular remodeling. *Hypertension (Dallas, Tex. : 1979)*, 50(1), 212–218. <https://doi.org/10.1161/HYPERTENSIONAHA.107.089631>
- Fitts, M. K., Pike, D. B., Anderson, K., & Shiu, Y.-T. (2014). Hemodynamic Shear Stress and Endothelial Dysfunction in Hemodialysis Access. *The Open Urology & Nephrology Journal*, 7(1), 33–44. <https://doi.org/10.2174/1874303x01407010033>



UNIVERSITAS
GADJAH MADA

Hubungan Kadar Matrix Metalloproteinase-9 dengan Kejadian Stenosis Fistula Arteriovenosa pada Pasien

Penyakit Ginjal Kronik di RSUP Dr Sardjito Yogyakarta

Jumadi Sihura, Dr.dr. Hariadi Hariawan, Sp.PD-KKV, Sp.JP(K); dr. Muhamad Taufik Ismail, Sp.JP(K).

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id>

- Franzoni, M., Cattaneo, I., Longaretti, L., Figliuzzi, M., Ene-Iordache, B., & Remuzzi, A. (2016). Endothelial cell activation by hemodynamic shear stress derived from arteriovenous fistula for hemodialysis access. *American Journal of Physiology-Heart and Circulatory Physiology*, 310(1), H49–H59. <https://doi.org/10.1152/ajpheart.00098.2015>
- Froger, C. L., Duijm, L. E. M., Liem, Y. S., Tielbeek, A. v., Donkers-van Rossum, A. B., Douwes-Draaijer, P., Cuypers, P. W. M., Buth, J., & van den Bosch, H. C. M. (2005). Stenosis detection with MR angiography and digital subtraction angiography in dysfunctional hemodialysis access fistulas and grafts. *Radiology*, 234(1), 284–291. <https://doi.org/10.1148/radiol.2341031859>
- Gao, M., & Wang, J. (2022). Risk Factors of Arteriovenous Fistula Stenosis of Patients with Maintenance Hemodialysis. *Evidence-Based Complementary and Alternative Medicine*, 2022, 1–4. <https://doi.org/10.1155/2022/2968122>
- Gonzalez, T.V., Bookwalter, C. A., Foley, T. A., & Rajiah, P. S. (2023). Multimodality imaging evaluation of arteriovenous fistulas and grafts: a clinical practice review. *Cardiovascular Diagnosis and Therapy*, 13(1), 196–211. <https://doi.org/10.21037/cdt-22-439>
- Habas, E., Habas, A., Elgamal, M., Shraim, B., Moursi, M., Ibrahim, A., Danjuma, M., & Elzouki, A.-N. (2021). Common complications of hemodialysis: A clinical review. *Ibnosina Journal of Medicine and Biomedical Sciences*, 13(04), 161–172. https://doi.org/10.4103/ijmbs.ijmbs_62_21
- Heye, S., Maleux, G., Claes, K., Kuypers, D., & Oyen, R. (2009). Stenosis detection in native hemodialysis fistulas with MDCT angiography. *AJR. American Journal of Roentgenology*, 192(4), 1079–1084. <https://doi.org/10.2214/AJR.08.1620>
- Hill, Nathan R, Fatoba, Samuel T, Oke, Jason L, Hirst, Jennifer A, O'Callaghan, Christopher A., Lasserson, Daniel S., Hobbs, F.D. Richards. 2016. Global Prevalence of Chronic Kidney Disease - A Systematic Review and Meta-Analysis. *Journal PLoS One* Edisi 11 Vol. 7; 1–18. <https://doi.org/10.1371/journal.pone.0158765>
- Indonesian Renal Registry. 2016. 9th Report of Indonesian Renal Registry. <https://www.indonesianrenalregistry.org/data/INDONESIAN%20RENAL%20REGISTRY%202016.pdf>
- Inker LA, Astor BC, Fox CH, et al. KDOQI US commentary on the 2012 KDIGO clinical practice guideline for the evaluation and management of CKD. *Am J Kidney Dis.* 2014;63(5):713–735. doi:10.1053/j.ajkd.2014.01.416 [PubMed: 24647050]
- Inker LA, Schmid CH, Tighiouart H, et al.; CKD-EPI Investigators. Estimating glomerular filtration rate from serum creatinine and cystatin C. *N Engl J Med.* 2012;367(1):20–29. doi: 10.1056/NEJMoa1114248 [PubMed: 22762315]
- Inrig, J.K. (2010) Intradialytic Hypertension. A Less-Recognized Cardiovascular Complication of Hemodialysis. *American Journal of Kidney Diseases*, 55, 580-589. <https://doi.org/10.1053/j.ajkd.2009.08.013>
- Inston N, Mistry H, Gilbert J, Kingsmore D, Raza Z, Tozzi M, Azizzadeh A, Jones R, Deane C, Wilkins J, Davidson I, Ross J, Gibbs P, Huang D, Valenti D. Aneurysms in vascular access: state of the art and future developments. *J Vasc Access.* 2017 Nov 17;18(6):464-472. doi: 10.5301/jva.5000828. Epub 2017 Nov 2. PMID: 29099536.
- Ismail, MT, Hariawan, H, Kuswadi, I, et al. 2022. Seputar AV Shunt. Jogjakarta: UGM Press



UNIVERSITAS
GADJAH MADA

Hubungan Kadar Matrix Metalloproteinase-9 dengan Kejadian Stenosis Fistula Arteriovenosa pada Pasien

Penyakit Ginjal Kronik di RSUP Dr Sardjito Yogyakarta

Jumadi Sihura, Dr.dr. Hariadi Hariawan, Sp.PD-KKV, Sp.JP(K); dr. Muhamad Taufik Ismail, Sp.JP(K).

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id>

- Janardhanan, R., Yang, B., Vohra, P., Roy, B., Withers, S., Bhattacharya, S., Mandrekar, J., Kong, H., Leof, E. B., Mukhopadhyay, D., & Misra, S. (2013). Simvastatin reduces venous stenosis formation in a murine hemodialysis vascular access model. *Kidney International*, 84(2), 338–352. <https://doi.org/10.1038/ki.2013.112>
- Jha, Vivekanand, Garcia-Garcia, Guillermo, Iseki, Kunitoshi, Li Zuo, Naicker, Saraledevi, Plattner, Brett, Saran, Rajiv, Wang, Angela Yee-Moon, Yang, Chih-Wei. 2013. Chronic Kidney Disease: Global Dimension and Perspectives. USA: Lancet Vol. 382; 260–272. doi: 10.1016/S0140-6736(13)60687-X. Epub 2013 May 31.
- Jin, Y., Han, H.-C., & Lindsey, M. L. (2007). ACE inhibitors to block MMP-9 activity: new functions for old inhibitors. *Journal of Molecular and Cellular Cardiology*, 43(6), 664–666. <https://doi.org/10.1016/j.jmcc.2007.09.002>
- Kazemzadeh, GH, Modaghegh, MHS, Ravari, H, Daliri M, Hoseini L, Nateghi M. 2012. Primary Patency Rate of Native AV-Fistula: Long Term Follow Up. *International Journal of Clinical and Experimental Medicine* Vol.5(2); 173–178.. Epub 2012 Apr 6. PMID: 22567178; PMCID: PMC3342707.
- KDOQI Advisory Board Members. 2006. NKF-KDOQI Clinical Practice Guidelines for Vascular Access. *American Journal of Kidney Disease Supplement 1* Vol. 48; 1-322.
- Kidney Disease: Improving Global Outcomes (KDIGO) CKD Work Group. KDIGO 2012 clinical practice guideline for the evaluation and management of chronic kidney disease. *Kidney Int Suppl*. 2013;3(1):1–150.
- Lindsey, M. L., Escobar, G. P., Dobrucki, L. W., Goshorn, D. K., Bouges, S., Mingoia, J. T., McClister, D. M., Su, H., Gannon, J., MacGillivray, C., Lee, R. T., Sinusas, A. J., & Spinale, F. G. (2006). Matrix metalloproteinase-9 gene deletion facilitates angiogenesis after myocardial infarction. *American Journal of Physiology. Heart and Circulatory Physiology*, 290(1), H232-9. <https://doi.org/10.1152/ajpheart.00457.2005>
- Madjid dan Suharyanto. 2009. Asuhan Keperawatan Pada Klien Dengan Gangguan Sistem Perkemihan/Toto Suharyanto, Abdul Madjid; Copy Editor: Agung Wijaya, A.md-Jakarta : TIM
- Mahmud, A., Zhou, S., Ryan, A. W., Jerrard-Dunne, P., & Feely, J. (2009). A haplotype at the MMP-9 locus is associated with high-blood pressure and arterial stiffness in patients with essential hypertension. *Artery Research*, 3(1), 17. <https://doi.org/10.1016/j.artres.2009.01.002>
- Matsushita K, Coresh J, Sang Y, et al.; CKD Prognosis Consortium. Estimated glomerular filtration rate and albuminuria for prediction of cardiovascular outcomes: a collaborative meta-analysis of individual participant data. *Lancet Diabetes Endocrinol*. 2015;3(7):514–525. doi:10.1016/S2213-8587(15)00040-6 [PubMed: 26028594]
- Masud A, Costanzo EJ, Zuckerman R, Asif A. The Complications of Vascular Access in Hemodialysis. *Semin Thromb Hemost*. 2018 Feb;44(1):57-59. [PubMed: 28898900]
- Muttaqin, A., Kumala.. 2011. Asuhan keperawatan gangguan sistem perk emihan. Jakarta: Salemba Medika.
- Koirala, Nischal, Anvari, Evamaria, dan McLennan, Gordon. 2016. *Monitoring and Surveillance of Hemodialysis Access*. Ohio: Semin Interventional Radiology Vol. 33; 25–33. doi: 10.1055/s-0036-1572548



UNIVERSITAS
GADJAH MADA

Hubungan Kadar Matrix Metalloproteinase-9 dengan Kejadian Stenosis Fistula Arteriovenosa pada Pasien

Penyakit Ginjal Kronik di RSUP Dr Sardjito Yogyakarta

Jumadi Sihura, Dr.dr. Hariadi Hariawan, Sp.PD-KKV, Sp.JP(K); dr. Muhamad Taufik Ismail, Sp.JP(K).

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id>

- Lamb, E. J., Levey, A. S., & Stevens, P. E. (2013). The Kidney Disease Improving Global Outcomes (KDIGO) guideline update for chronic kidney disease: evolution not revolution. *Clinical Chemistry*, 59(3), 462–465. <https://doi.org/10.1373/clinchem.2012.184259>
- Lee, T., & Misra, S. (2016). New Insights into Dialysis Vascular Access: Molecular Targets in Arteriovenous Fistula and Arteriovenous Graft Failure and Their Potential to Improve Vascular Access Outcomes. *Clinical Journal of the American Society of Nephrology : CJASN*, 11(8), 1504–1512. <https://doi.org/10.2215/CJN.02030216>
- Lehoux S. Redox signalling in vascular responses to shear and stretch. *Cardiovasc Res* 2006;71:269–279. [PubMed: 16780820]
- Levey AS, Becker C, Inker LA. Glomerular filtration rate and albuminuria for detection and staging of acute and chronic kidney disease in adults: a systematic review. *JAMA*. 2015;313(8): 837–846. doi:10.1001/jama.2015.0602 [PubMed: 25710660]
- Li, H., Simon, H., Bocan, T. M., & Peterson, J. T. (2000). MMP/TIMP expression in spontaneously hypertensive heart failure rats: the effect of ACE- and MMP-inhibition. *Cardiovascular Research*, 46(2), 298–306. [https://doi.org/10.1016/s0008-6363\(00\)00028-6](https://doi.org/10.1016/s0008-6363(00)00028-6)
- Lin T, Horsfield C, Robson MG. Arteriovenous fistula in the rat tail: a new model of hemodialysis access dysfunction. *Kidney Int* 2008;74:528–531. [PubMed: 18509320]
- Liu BC, Li L, Gao M, Wang YL, Yu JR. Microinflammation is involved in the dysfunction of arteriovenous fistula in patients with maintenance hemodialysis. *Chin Med J (Engl)* 2008;121:2157–2161. [PubMed: 19080177]
- Lok, C. E., Allon, M., Moist, L., Oliver, M. J., Shah, H., & Zimmerman, D. (2006). Risk Equation Determining Unsuccessful Cannulation Events and Failure to Maturation in Arteriovenous Fistulas (REDUCE FTM I). *Journal of the American Society of Nephrology*, 17(11), 3204–3212. <https://doi.org/10.1681/ASN.2006030190>
- MacRae, Jennifer M., Dipchand, Christine, Oliver, Matthew, Moist, Louise, Lok, Charmaine, Clark, Edward, Hiremath, Swapnil, Kappel, Joanne, Kiaii, Mercedeh, Luscombe, Rick, dan Miller, Lisa M. 2016. *Arteriovenous Access Failure, Stenosis, and Thrombosis*. Canada : Canadian Journal Kidney Health Disease Vol. 3; 1-11. doi: 10.1177/2054358116669126
- Misra S, Doherty MG, Woodrum D, et al. Adventitial remodeling with increased matrix metalloproteinase-2 activity in a porcine arteriovenous polytetrafluoroethylene grafts. *Kidney Int* 2005;68:2890–2900. [PubMed: 16316367]
- Nagase, H., Visse, R., & Murphy, G. (2006). Structure and function of matrix metalloproteinases and TIMPs. *Cardiovascular Research*, 69(3), 562–573. <https://doi.org/10.1016/j.cardiores.2005.12.002>
- Opdenakker, G., van den Steen, P. E., Dubois, B., Nelissen, I., van Coillie, E., Masure, S., Proost, P., & van Damme, J. (2001). Gelatinase B functions as regulator and effector in leukocyte biology. *Journal of Leukocyte Biology*, 69(6), 851–859.
- Papazafiropoulou A., Tentolouris N. (2009). Matrix metalloproteinases and cardiovascular diseases. *Hippokratia* 13: 76 – 82, 2009.
- Pisoni RL, Zepel L, Port FK, Robinson BM. Trends in us vascular access use, patient preferences, and related practices: An update from the US DOPPS practice monitor with international comparisons. *Am J Kidney Dis*. 2015;65(6):905-915. doi:10.1053/j.ajkd.2014.12.014



UNIVERSITAS
GADJAH MADA

Hubungan Kadar Matrix Metalloproteinase-9 dengan Kejadian Stenosis Fistula Arteriovenosa pada Pasien

Penyakit Ginjal Kronik di RSUP Dr Sardjito Yogyakarta

Jumadi Sihura, Dr.dr. Hariadi Hariawan, Sp.PD-KKV, Sp.JP(K); dr. Muhamad Taufik Ismail, Sp.JP(K).

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id>

- Quencer, Keith Bertram and Arici, Melih. 2015. *Arteriovenous Fistulas and Their Characteristic Sites of Stenosis*. USA: *American Journal of Roentgenology* Vol. 205(4); 726-734. 10.2214/AJR.15.14650
- Quencer, Keith Bertram and Oklu, Rahmi. 2017. *Hemodialysis Access Thrombosis*. Phoenix: *Cardiovascular Diagnosis and Therapy* Vol. 7(3); 299–S308. doi: 10.21037/cdt.2017.09.08
- Rahmat, B., Kris Dinarti, L., & Yuli Setianto, B. (2013). Clinical Research Differences of Serum Ratio MMP-9/TIMP-1 in ST-Elevation Myocardial Infarction (STEMI) and Non ST-Elevation Acute Coronary Syndrome (NSTEACS). *Jurnal Kardiologi Indonesia J Kardiol Indones*, 34(3), 160–166.
- Ren, Chong, Chen, Jing, Wang, Yong, Huang, Bihong, Lu, Wenwen, Cao, Yanpei, Yang, Xiaoli. 2018. *Application of Ultrasonography in Monitoring The Complications of Autologous Arteriovenous Fistula in Hemodialysis Patients*. Shanghai : Medicine Vol. 97; 1-7. doi: 10.1097/MD.00000000000012994
- Rodius, S., Mulliert, G., Azuaje, F., Devaux, Y., & Wagner, D. R. (2011). Matrix metalloproteinase 9 polymorphism and outcome after myocardial infarction. *Cardiogenetics*, 1(1),e5.<https://doi.org/10.4081/cardigenetics.2011.e5>
- Rodríguez-Sánchez, E., Navarro-García, J. A., Aceves-Ripoll, J., Abarca-Zabalía, J., Susmozas-Sánchez, A., Bada-Bosch, T., Hernández, E., Mérida-Herrero, E., Andrés, A., Praga, M., Fernández-Ruiz, M., Aguado, J. M., Segura, J., Ruilope, L. M., & Ruiz-Hurtado, G. (2020). Variations in circulating active MMP-9 levels during renal replacement therapy. *Biomolecules*, 10(4). <https://doi.org/10.3390/biom10040505>
- Rotmans JI, Velema E, Verhagen HJ, et al. Matrix metalloproteinase inhibition reduces intimal hyperplasia in a porcine arteriovenous-graft model. *J Vasc Surg* 2004;39:432–439. [PubMed: 14743149]
- Roy-Chaudhury P, Wang Y, Krishnamoorthy M, et al. Cellular phenotypes in human stenotic lesions from haemodialysis vascular access. *Nephrol Dial Transplant*. 2009(in press)
- Roy-Chaudhury P, Sukhatme VP, Cheung AK. Hemodialysis vascular access dysfunction: a cellular and molecular viewpoint. *J Am Soc Nephrol* 2006;17:1112–1127. [PubMed: 16565259]
- Rybakowski, J. K. (2009). Matrix Metalloproteinase-9 (MMP9)-A Mediating Enzyme in Cardiovascular Disease, Cancer, and Neuropsychiatric Disorders. *Cardiovascular Psychiatry and Neurology*, 2009, 904836. <https://doi.org/10.1155/2009/904836>
- Sadaghianloo, N., Contenti, J., Dardik, A., & Mazure, N. M. (2019). Role of Hypoxia and Metabolism in the Development of Neointimal Hyperplasia in Arteriovenous Fistulas. *International Journal of Molecular Sciences*, 20(21). <https://doi.org/10.3390/ijms20215387>
- Schroeder, Emily B., Yang, Xiuhai, Thorp, Micah L., Arnold, Brent M., Tabano, David C., Petrik, Amanda F., Smith, David H., Platt, Robert W., Johnson, Eric S. 2017. Predicting 5-year risk of RRT in Stage 3 or 4 CKD: Development and External Validation. Miami : *Clinical Journal American Society of Nephrology* Vol. 12; 87-94. DOI: <https://doi.org/10.2215/CJN.01290216>
- Sezer S, Ozdemir FN, Arat Z, Turan M, Haberal M. Triad of malnutrition, inflammation, and atherosclerosis in hemodialysis patients. *Nephron* 2002;91:456–462. [PubMed: 12119477]
- Segal M, Qaja E. Types of Arteriovenous Fistulas. 2022 Aug 8. In: StatPearls [Internet]. Treasure Island (FL): *StatPearls Publishing*; 2023 Jan–. PMID: 29630247.



UNIVERSITAS
GADJAH MADA

Hubungan Kadar Matrix Metalloproteinase-9 dengan Kejadian Stenosis Fistula Arteriovenosa pada Pasien

Penyakit Ginjal Kronik di RSUP Dr Sardjito Yogyakarta

Jumadi Sihura, Dr.dr. Hariadi Hariawan, Sp.PD-KKV, Sp.JP(K); dr. Muhamad Taufik Ismail, Sp.JP(K).

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id>

Sheetal S, Byju P, Manoj P. Ischemic monomelic neuropathy. *J Postgrad Med.* 2017 Jan-Mar;63(1):42-43. doi: 10.4103/0022-3859.194221. PMID: 27853044; PMCID: PMC5394817.

Shih, Y. C., Chen, P. Y., Ko, T. M., Huang, P. H., Ma, H., & Tarng, D. C. (2021). Mmp-9 deletion attenuates arteriovenous fistula neointima through reduced perioperative vascular inflammation. *International Journal of Molecular Sciences*, 22(11). <https://doi.org/10.3390/ijms22115448>

Siddiqui, M. A., Ashraff, S., & Carline, T. (2017). Maturation of arteriovenous fistula: Analysis of key factors. *Kidney Research and Clinical Practice*, 36(4), 318–328. <https://doi.org/10.23876/j.krcp.2017.36.4.318>

Simone, S., Loverre, A., Cariello, M., Divella, C., Castellano, G., Gesualdo, L., Pertosa, G., & Grandaliano, G. (2014). Arteriovenous fistula stenosis in hemodialysis patients is characterized by an increased adventitial fibrosis. *Journal of Nephrology*, 27(5), 555–562. <https://doi.org/10.1007/s40620-014-0050-7>

Skorecki K, Chertow GM, Marsden PA, Taal MW, Yu ASL. Brenner & Rector's the Kidney. 10th ed Philadelphia, PA: Elsevier; 2016.

Soliman, M., Attallah, N., Younes, H., Park, W. S., & Bader, F. (2022). Clinical and Haemodynamic Effects of Arteriovenous Shunts in Patients with Heart Failure with Preserved Ejection Fraction. *Cardiac Failure Review*, 8. <https://doi.org/10.15420/cfr.2021.12>

Stern AB, Klemmer PJ. High-output heart failure secondary to arteriovenous fistula. *Hemodial Int.* 2011 Jan;15(1):104-7. doi: 10.1111/j.1542-4758.2010.00518.x. Epub 2011 Jan 12. PMID: 21223485.

Sternlicht, M. D., & Werb, Z. (2001). How matrix metalloproteinases regulate cell behavior. *Annual Review of Cell and Developmental Biology*, 17, 463–516. <https://doi.org/10.1146/annurev.cellbio.17.1.463>

Stolic, Radojica. 2013. Most Important Chronic Complications of Arteriovenous Fistulas for Hemodialysis. *Medical Principal Practice* Vol. 22; 220-228. doi: 10.1159/000343669. Epub 2012 Nov 2.

Suqin, L., Mingli, Z., Shiteng, S., Honglan, M., Lan, Z., Qihong, N., & Qing, L. (2020). Assessment of the Hemodynamics of Autogenous Arteriovenous Fistulas With 4D Phase Contrast-Based Flow Quantification MRI in Dialysis Patients. *Journal of Magnetic Resonance Imaging : JMRI*, 51(4), 1272–1280. <https://doi.org/10.1002/jmri.26936>

Tan, J., Hua, Q., Xing, X., Wen, J., Liu, R., & Yang, Z. (2007). Impact of the metalloproteinase-9/tissue inhibitor of metalloproteinase-1 system on large arterial stiffness in patients with essential hypertension. *Hypertension Research : Official Journal of the Japanese Society of Hypertension*, 30(10), 959–963. <https://doi.org/10.1291/hypres.30.959>

Tirinescu, D. C., Tomuleasa, C., Pop, L., Bondor, C. I., Vlăduțiu, D. Ș., Pațiu, I. M., Rusu, C. C., Moldovan, D. T., Potra, A., & Kacsó, I. M. (2017). Matrix-Metalloproteinase-2 Predicts Arteriovenous Fistula Failure in Hemodialysis Patients. *Therapeutic Apheresis and Dialysis*, 21(6), 586–591. <https://doi.org/10.1111/1744-9987.12584>

Toth, G. B., Varallyay, C. G., Horvath, A., Bashir, M. R., Choyke, P. L., Daldrup-Link, H. E., Dosa, E., Finn, J. P., Gahramanov, S., Harisinghani, M., Macdougall, I., Neuwelt, A., Vasanawala, S. S., Ambady, P., Barajas, R., Cetas, J. S., Ciporen, J., DeLoughery, T. J.,



UNIVERSITAS
GADJAH MADA

Hubungan Kadar Matrix Metalloproteinase-9 dengan Kejadian Stenosis Fistula Arteriovenosa pada Pasien

Penyakit Ginjal Kronik di RSUP Dr Sardjito Yogyakarta

Jumadi Sihura, Dr.dr. Hariadi Hariawan, Sp.PD-KKV, Sp.JP(K); dr. Muhamad Taufik Ismail, Sp.JP(K).

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id>

- Doolittle, N. D., ... Neuwelt, E. A. (2017). Current and potential imaging applications of ferumoxytol for magnetic resonance imaging. *Kidney International*, 92(1), 47–66. <https://doi.org/10.1016/j.kint.2016.12.037>
- Tronc F, Mallat Z, Lehoux S, Wassef M, Esposito B, Tedgui A. Role of matrix metalloproteinases in blood flow-induced arterial enlargement: interaction with NO. *Arterioscler Thromb Vasc Biol* 2000;20:E120–E126. [PubMed: 11116076]
- Turmel-Rodrigues L, Pengloan J, Baudin S, et al. Treatment of stenosis and thrombosis in haemodialysis fistulas and grafts by interventional radiology. *Nephrol Dial Transplant* 2000;15:2029– 2036. [PubMed: 11096150]
- Viecelli, Andrea K., Mori, Trevor A., Roy-Chaudhury, Prabir, Polkinghorne, Kevan R., Hawley, Carmel M., Johnson, David W., Pascoe, Elaine M., Irish, Ashley. B. 2017. *The Pathogenesis of Hemodialysis Vascular Access Failure and Systemic Therapies for Its Prevention: Optimism Unfulfilled*. *Seminars in Dialysis* Vol. 31(3); 244- 257.
- Wagner, D. R., Delagardelle, C., Ernens, I., Rouy, D., Vaillant, M., & Beissel, J. (2006). Matrix Metalloproteinase-9 Is a Marker of Heart Failure After Acute Myocardial Infarction. *Journal of Cardiac Failure*, 12(1), 66–72. <https://doi.org/10.1016/j.cardfail.2005.08.002>
- Wågsäter, D., Zhu, C., Björkegren, J., Skogsberg, J., & Eriksson, P. (2011). MMP-2 and MMP-9 are prominent matrix metalloproteinases during atherosclerosis development in the Ldlr(-/-)Apob(100/100) mouse. *International Journal of Molecular Medicine*, 28(2), 247–253. <https://doi.org/10.3892/ijmm.2011.693>
- Weiss MF, Scivittaro V, Anderson JM. Oxidative stress and increased expression of growth factors in lesions of failed hemodialysis access. *Am J Kidney Dis* 2001;37:970–980. [PubMed: 11325679]
- Yabluchanskiy, A., Ma, Y., Iyer, R. P., Hall, M. E., & Lindsey, M. L. (2013). Matrix metalloproteinase-9: Many shades of function in cardiovascular disease. *Physiology (Bethesda, Md.)*, 28(6), 391–403. <https://doi.org/10.1152/physiol.00029.2013>