



DAFTAR PUSTAKA

- Abuyassin, B., Badran, M., Ayas, N.T., & Laher, I. (2018). Intermittent hypoxia causes histological kidney damage and increases growth factor expression in a mouse model of obstructive sleep apnea. *PLoS One* 13 : 1–16.
- AlMarabeh, S., Abdulla, M.H., & O'Halloran, K.D. (2019). Is aberrant reno-renal reflex control of blood pressure a contributor to chronic intermittent hypoxia-induced hypertension? *Front. Physiol.* 10 : 1–25.
- American Veterinary Medical Association (2020). American veterinary medical association guidelines for the euthanasia of animals: 2020 edition. Schaumburg : American Veterinary Medical Association.
- Arvaniti, O.S., Samaras, Y., Gatidou, G., Thomaidis, N.S., & Stasinakis, A.S. (2019). Review on fresh and dried figs: chemical analysis and occurrence of phytochemical compounds, antioxidant capacity and health effects. *Food Res. Int.* 119 : 244–267.
- Atta, E.M., Mohamed, N.H., & Abdalgawad, A.A.M. (2017). Antioxidants: an overview on the natural and synthetic types. *Eur. Chem. Bull.* 6 : 365–375.
- Ayala, A., Muñoz, M.F., & Argüelles, S. (2014). Lipid peroxidation: production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxid. Med. Cell. Longev.* 1–31.
- Ayuso, M., Carpena, M., Taofiq, O., Albuquerque, T.G., Gandara, J.S., Oliveira, M.B.P.P., et al. (2022). Fig “*Ficus carica L.*” and its by-products: a decade evidence of their health-promoting benefits towards the development of novel food formulations. *Trends Food Sci. Technol.* 127 : 1–13.
- Badgujar, S.B., Patel, V. V., Bandivdekar, A.H., & Mahajan, R.T. (2014). Traditional uses, phytochemistry and pharmacology of *Ficus carica*: a review. *Pharm. Biol.* 52 : 1487–1503.
- Banjarnahor, S.D.S., & Artanti, N. (2014). Antioxidant properties of flavonoids. *Med. J. Indones.* 23 : 239–244.
- Barrett, K.E., Brooks, H.L., Boitano, S., & Barman, S.M. (2010). Ganong's review of medical physiology, 23rd ed. United States : The McGraw-Hill Companies, Inc.
- Boron, W.F., & Boulpaep, E.L. (2017). Medical physiology, 3rd ed. Philadelphia : Elsevier Inc.
- BPOM (2019). Peraturan badan pengawas obat dan makanan nomor 34 tahun 2019 tentang kategori pangan.
- BPOM (2011). Peraturan kepala badan pengawas obat dan makanan tentang pengawasan klaim dalam label dan iklan pangan olahan.
- Carocho, M., & Ferreira, I.C.F.R. (2013). A review on antioxidants , prooxidants and related controversy : natural and synthetic compounds , screening and analysis methodologies and future perspectives. *Food Chem. Toxicol.* 51 : 15–25.
- Carocho, M., Morales, P., & Ferreira, I.C.F.R. (2018). Antioxidants: reviewing the chemistry, food applications, legislation and role as preservatives. *Trends Food Sci. Technol.* 71 : 107–120.



- Chen, P.S., Chiu, W.T., Hsu, P.L., Lin, S.C., Peng, I.C., Wang, C.Y., *et al.* (2020). Pathophysiological implications of hypoxia in human diseases. *J. Biomed. Sci.* 27 : 1–19.
- Choudhry, H., & Harris, A.L. (2018). Advances in hypoxia-inducible factor biology. *Cell Metab.* 27 : 281–298.
- Corrado, C., & Fontana, S. (2020). Hypoxia and HIF signaling: one axis with divergent effects. *Int. J. Mol. Sci.* 21 : 1–17.
- Costa, D.C., Alva, N., Duran, M., Carbonell, T., & Rama, R. (2017). Oxidative stress and apoptosis after acute respiratory hypoxia and reoxygenation in rat brain. *Redox Biol.*
- Cruz, J.M. dos A., Correa, R.F., Lamarao, C.V., Kinupp, V.F., Sanches, E.A., Campelo, P.H., *et al.* (2022). Ficus spp . fruits : bioactive compounds and chemical, biological and pharmacological properties. *Food Res. Int.* 152 : 1–19.
- Darby, I.A., & Hewitson, T.D. (2016). Hypoxia in tissue repair and fibrosis. *Cell Tissue Res.* 365 : 553–562.
- Das, K.K., Nemagouda, S.R., Patil, S.G., & Saha, S. (2016). Possible hypoxia signaling induced alteration of glucose homeostasis in rats exposed to chronic intermittent hypoxia - role of antioxidant (vitamin c) and ca2 + channel blocker (cilnidipine). *Curr. Signal Transduct. Ther.* 11 : 49–55.
- Delwatta, S.L., Gunatilake, M., Baumans, V., Seneviratne, M.D., Dissanayaka, M.L.B., Batagoda, S.S., *et al.* (2018). Reference values for selected hematological, biochemical and physiological parameters of Sprague-Dawley rats at the animal house, Faculty of Medicine, University of Colombo, Sri Lanka. *Anim. Model. Exp. Med.* 1 : 250–254.
- Ding, W., Cai, Y., Wang, W., Ji, L., Dong, Y., Zhang, Xiaofeng, *et al.* (2016). Adiponectin protects the kidney against chronic intermittent hypoxia-induced injury through inhibiting endoplasmic reticulum stress. *Sleep Breath.* 20 : 1069–1074.
- Evans, R.G., Smith, D.W., Lee, C.J., Ngo, J.P., & Gardiner, B.S. (2019). What makes the kidney susceptible to hypoxia? *Anat. Rec.* 303 : 2544–2552.
- Fouad, D., Alhatem, H., Gaber, R.A., & Ataya, F. (2019). Hepatotoxicity and renal toxicity induced by gamma-radiation and the modulatory protective effect of Ficus carica in male albino rats. *Res. Vet. Sci.* 125 : 24–35.
- Fu, Q., Colgan, S.P., & Shelley, C.S. (2016). Hypoxia: the force that drives chronic kidney disease. *Clin. Med. Res.* 14 : 15–39.
- Gilany, K., & Vafakhah, M. (2010). Hypoxia : a review. *J. Paramed. Sci.* 1 : 43–60.
- Gounden, V., Bhatt, H., & Jialal, I. (2023). Renal Function Tests - StatPearls - NCBI Bookshelf, StatPearls.
- Guyton, A.C., Hall, J.E., & Hall, M.E. (2021). Guyton and Hall textbook of medical physiology, 14th ed. Philadelphia : Elsevier Inc.
- Haase, V.H. (2013). Mechanisms of hypoxia responses in renal tissue. *J. Am. Soc. Nephrol.* 24 : 537–541.
- Heydari, M., Ahmadizadeh, M., & Angali, K.A. (2017). Ameliorative effect of vitamin E on trichloroethylene-induced nephrotoxicity in rats. *Soc. Diabet.*



- Nephrop. Prev.* 6 : 168–173.
- Ho, E., Karimi Galougahi, K., Liu, C.C., Bhindi, R., & Figtree, G.A. (2013). Biological markers of oxidative stress: applications to cardiovascular research and practice. *Redox Biol.* 1 : 483–491.
- Honda, T., Hirakawa, Y., & Nangaku, M. (2019). The role of oxidative stress and hypoxia in renal disease. *Kidney Res. Clin. Pract.* 38 : 414–426.
- Hosten, A. (1990). BUN and Creatinine - Clinical Methods - NCBI Bookshelf.
- Hunyor, I., & Cook, K.M. (2018). Models of intermittent hypoxia and obstructive sleep apnea: molecular pathways and their contribution to cancer. *Am J Physiol Regul Integr Comp Physiol* 315 : R669–R687.
- Ighodaro, O.M., & Akinloye, O.A. (2018). First line defence antioxidants-superoxide dismutase (SOD), catalase (CAT) and glutathione peroxidase (GPX): heir fundamental role in the entire antioxidant defence grid. *Alexandria J. Med.* 54 : 287–293.
- Jadoon, S., & Malik, A. (2017). A review article on the formation, mechanism and biochemistry of MDA and MDA as a biomarker of oxidative stress. *Int. J. Adv. Res.* 5 : 811–818.
- Jakubczyk, K., Dec, K., Kałduńska, J., Kawczuga, D., Kochman, J., & Janda, K. (2020). Reactive oxygen species - sources, functions, oxidative damage. *Pol. Merkur. Lekarski* 48 : 124–127.
- John, R., & Singla, A. (2021). Functional foods: components, health benefits, challenges, and major projects. *DRC Sustain. Futur. J. Environ. Agric. Energy* 2 : 61–72.
- Juanda, A., Nasrudin, D., Nursamsika, K.H., & Utami, W. (2021). Cultivating Ficus carica as a contextual learning approach: Redesigning the science curriculum during a pandemic outbreak. *J. Phys. Conf. Ser.* 1918.
- Kamiloglu, S., & Capanoglu, E. (2013). Investigating the in vitro bioaccessibility of polyphenols in fresh and sun-dried figs (Ficus carica L.). *Int. J. Food Sci. Technol.* 48 : 2621–2629.
- Kashani, K., Rosner, M.H., & Ostermann, M. (2020). Creatinine: from physiology to clinical application. *Eur J Intern Med* 72 : 9–14.
- Kawagoe, Y., & Sameshima, H. (2017). Hypoxia: animal experiments and clinical implications. *J. Obstet. Gynaecol. Res.* 43 : 1381–1390.
- Keeley, T.P., & Mann, G.E. (2019). Defining physiological normoxia for improved translation of cell physiology to animal models and humans. *Physiol. Rev.* 99 : 161–234.
- Khwaja, A. (2012). KDIGO clinical practice guidelines for acute kidney injury, in: *Nephron Clinical Practice*. pp. 179–184, United Kingdom : Karger.
- Kore, K.J., Shete, R. V., Kale, B.N., & Borade, A.S. (2011). Protective role of hydroalcoholic extract of Ficus carica in gentamicin induced nephrotoxicity in rats. *Int. J. Pharm. Life Sci.* 2 : 978–982.
- Krause, B.J., Casanello, P., Dias, A.C., Arias, P., Velarde, V., Arenas, G.A., et al. (2018). Chronic intermittent hypoxia-induced vascular dysfunction in rats is reverted by N-acetylcysteine supplementation and arginase inhibition. *Front. Physiol.* 9 : 1–11.
- Kumar, N., & Goel, N. (2019). Phenolic acids: Natural versatile molecules with



- promising therapeutic applications. *Biotechnol. Reports* 24 : e00370.
- Kurutas, E.B. (2016). The importance of antioxidants which play the role in cellular response against oxidative/nitrosative stress: Current state. *Nutr. J.* 15 : 1–22.
- Lai, C.J., Yang, C.C.H., Hsu, Y.Y., Lin, Y.N., & Kuo, T.B.J. (2006). Enhanced sympathetic outflow and decreased baroreflex sensitivity are associated with intermittent hypoxia-induced systemic hypertension in conscious rats. *J. Appl. Physiol.* 100 : 1974–1982.
- Li, Q.-Y., Liu, F., Tang, X., Fu, H., & Mao, J. (2022). Renoprotective role of hypoxia-inducible factors and the mechanism. *Kidney Dis.* 8 : 44–56.
- Lian, N., Zhang, S., Huang, J., Lin, T., & Lin, Q. (2020). Resveratrol attenuates intermittent hypoxia-induced lung injury by activating the Nrf2/ARE pathway. *Lung* 198 : 323–331.
- Liu, Feng, Y., Zhou, D., Ju, A., Kou, J., Yu, B., et al. (2022). Sheng-Mai San extracts attenuate heart injury in chronic intermittent hypoxia via suppressing oxidative damage and regulating glucose metabolism. *Pharmacol. Res. - Mod. Chinese Med.* 5 : 1–8.
- Liu, J., Wei, Q., Guo, C., Dong, G., Liu, Y., Tang, C., et al. (2017). Hypoxia, HIF, and associated signaling networks in chronic kidney disease. *Int. J. Mol. Sci.* 18 : 1–17.
- Lobo, V., Patil, A., Phatak, A., & Chandra, N. (2010). Free radicals, antioxidants and functional foods: impact on human health. *Pharmacogn. Rev.* 4 : 118–126.
- Losso, J.N., & Badawi, H.A. (2005). Hypoxia inducible factor pathways as targets for functional foods. *J. Agric. Food Chem.* 53 : 3751–3768.
- Lu, W., Kang, J., Hu, K., Tang, S., Zhou, X., Yu, S., et al. (2017). Angiotensin-(1-7) relieved renal injury induced by chronic intermittent hypoxia in rats by reducing inflammation, oxidative stress and fibrosis. *Brazilian J. Med. Biol. Res.* 50 : 1–13.
- Luft, F.C. (2020). Biomarkers and predicting acute kidney injury. *Acta Physiol.* 231 : 1–12.
- Martemucci, G., Costagliola, C., Mariano, M., D'andrea, L., Napolitano, P., & D'Alessandro, A.G. (2022). Free radical properties, source and targets, antioxidant consumption and health. *Oxygen* 2 : 48–78.
- Martirosyan, D., Lampert, T., & Lee, M. (2022). A comprehensive review on the role of food bioactive compounds in functional food science. *Funct. Food Sci.* 3 : 64–78.
- Masihuzzaman, A.M., & Iftikhar, M.Y. (2023). Anjeer (Ficus carica Linn .): a famous fruit with distinct pharmacological properties : a review. *Int. J. Unani Integr. Med.* 7 : 38–42.
- Mattia, M. Di, Mauro, A., Citeroni, M.R., Dufrusine, B., Peserico, A., Russo, V., et al. (2021). Insight into hypoxia stemness control. *Cells* 10 : 1–45.
- Mawa, S., Husain, K., & Jantan, I. (2013). Ficus carica L. (Moraceae): phytochemistry, traditional uses and biological activities. *Evidence-based Complement. Altern. Med.* 1–8.
- Meliala, A., Narwidina, P., & Sumarno, Y.T. (2024). Antioxidative Parameters Improvements on Nutritional Approach: A Study on Hypoxic Multiple Organs of Sprague-Dawley. *HAYATI J. Biosci.* 31 : 59–70.



- Mihalev, K., Dinkova, R., Shikov, V., & Mollov, P. (2018). Classification of Fruit Juices, in: *Fruit Juices: Extraction, Composition, Quality and Analysis*. pp. 33–44. London : Elsevier.
- Milano, G., Corno, A.F., Lippa, S., Segesser, L.K. von, & Samaja, M. (2002). Chronic and intermittent hypoxia induce different degrees of myocardial tolerance to hypoxia-induced dysfunction. *Exp. Biol. Med.* 227 : 389–397.
- Millet, G.P., Burtscher, M., & Burtscher, J. (2022). Is hypoxic/altitude training an important topic in the field of hypoxia? *J. Sci. Sport Exerc.* 4 : 293–305.
- Mittal, M., Siddiqui, M.R., Tran, K., Reddy, S.P., & Malik, A.B. (2014). Reactive oxygen species in inflammation and tissue injury. *Antioxidants Redox Signal.* 20 : 1126–1167.
- Mulyani, Y.A., Kusrini, M.D., & Mardiastuti, A. (2021). Diversity of fig trees in a tropical urban residential area of Sentul City, Bogor, West Java. *IOP Conf. Ser. Earth Environ. Sci.* 918 : 1–11.
- Mun, B., Jang, Y.C., Kim, E.J., Kim, J.H., & Song, M.K. (2022). Brain activity after intermittent hypoxic brain condition in rats. *Brain Sci.* 12 : 1–15.
- Mylonis, I., Simos, G., & Paraskeva, E. (2019). Hypoxia-inducible factors and the regulation of lipid metabolism. *Cells* 8 : 1–16.
- Neha, K., Haider, M.R., Pathak, A., & Yar, M.S. (2019). Medicinal prospects of antioxidants: a review. *Eur. J. Med. Chem.* 178 : 687–704.
- Opazo, A.N., & Mitchell, G.S. (2014). Therapeutic potential of intermittent hypoxia: a matter of dose. *Am J Physiol Regul Integr Comp Physiol* 307 : R1181–R1197.
- Palm, F., & Nordquist, L. (2011). Renal tubulointerstitial hypoxia: cause and consequence of kidney dysfunction. *Clin. Exp. Pharmacol. Physiol.* 38 : 424–430.
- Poonit, N.D., Zhang, Y.C., Ye, C.Y., Cai, H.L., Yu, C.Y., Li, T., et al. (2018). Chronic intermittent hypoxia exposure induces kidney injury in growing rats. *Sleep Breath.* 22 : 453–461.
- Pourghayoumi, M., Bakhshi, D., Rahemi, M., Noroozisharaf, A., Jafari, M., Salehi, M., et al. (2016). Phytochemical attributes of some dried fig (*Ficus carica* L.) fruit cultivars grown in Iran. *Agric. Conspec. Sci.* 81 : 161–166.
- Raman, M., Middleton, R.J., Kalra, P.A., & Green, D. (2017). Estimating renal function in old people: an in-depth review. *Int. Urol. Nephrol.* 49 : 1979–1988.
- Rio, R. Del, Moya, E.A., Parga, M.J., Madrid, C., & Iturriaga, R. (2012). Carotid body inflammation and cardiorespiratory alterations in intermittent hypoxia. *Eur Respir J* 39 : 1492–1500.
- Rosa, D.P. da, Forgiarini, L.F., Silva, M.B. e, Fiori, C.Z., Andrade, C.F., Martinez, D., et al. (2015). Antioxidants inhibit the inflammatory and apoptotic processes in an intermittent hypoxia model of sleep apnea. *Inflamm. Res.* 64 : 21–29.
- Salehi, B., Martorell, M., Arbiser, J.L., Sureda, A., Martins, N., Maurya, P.K., et al. (2018). Antioxidants: positive or negative actors? *Biomolecules* 8 : 1–11.
- Samanta, A., Patra, A., Mandal, S., Roy, S., Das, K., Kar, S., et al. (2018). Hypoxia: a cause of acute renal failure and alteration of gastrointestinal microbial ecology. *Saudi J Kidney Dis Transpl* 29 : 879–888.



- Sasaki, H., Ray, P.S., Zhu, L., Galang, N., & Maulik, N. (2000). Oxidative stress due to hypoxia/reoxygenation induces angiogenic factor VEGF in adult rat myocardium: possible role of NF κ B. *Toxicology* 155 : 27–35.
- Seki, M., Nakayama, M., Sakoh, T., Yoshitomi, R., Fukui, A., Katafuchi, E., et al. (2019). Blood urea nitrogen is independently associated with renal outcomes in Japanese patients with stage 3-5 chronic kidney disease: a prospective observational study. *BMC Nephrol.* 20 : 1–10.
- Semenza, G.L. (2014). Oxygen sensing, hypoxia-inducible factors, and disease pathophysiology. *Annu. Rev. Pharmacol. Toxicol.* 9 : 47–71.
- Semenza, G.L. (2011). Oxygen sensing, homeostasis, and disease. *N Engl J Med* 365 : 537–547.
- Sforza, E., & Roche, F. (2016). Chronic intermittent hypoxia and obstructive sleep apnea: an experimental and clinical approach. *Hypoxia* 4 : 99–108.
- Shahrajabian, M.H., Sun, W., & Cheng, Q. (2021). A review of chemical constituents, traditional and modern pharmacology of fig (Ficus carica L.), a super fruit with medical astonishing characteristics. *Polish J. Agron.* 44 : 22–29.
- Sharifi-Rad, M., Kumar, N.V.A., Zucca, P., Varoni, E.M., Dini, L., Panzarini, E., et al. (2020). Lifestyle, oxidative stress, and antioxidants: back and forth in the pathophysiology of chronic diseases. *Front. Physiol.* 11 : 1–21.
- Sherwood, L. (2016). Human physiology from cells to systems, 9th ed. Boston : Cengage Learning.
- Silverthorn, D.U. (2010). Human physiology an integrated approach, 5th ed. San Francisco : Pearson Education, Inc.
- Solomon, A., Golubowicz, S., Yablowicz, Z., Grossman, S., Bergman, M., Gottlieb, H.E., et al. (2006). Antioxidant activities and anthocyanin content of fresh fruits of common fig (Ficus carica L.). *J. Agric. Food Chem.* 54 : 7717–7723.
- Soukhova-O'Hare, G.K., Roberts, A.M., & Gozal, D. (2006). Impaired control of renal sympathetic nerve activity following neonatal intermittent hypoxia in rats. *Neurosci. Lett.* 399 : 181–185.
- Sugahara, M., Tanaka, T., & Nangaku, M. (2020). Hypoxia-inducible factor and oxygen biology in the kidney. *Kidney360* 1 : 1021–1031.
- Taira, J. (2021). Oxidative stress modulators and functional foods. *Antioxidants* 10 : 1–4.
- Takahashi, Keiko, Ueda, S., Kobayashi, T., Nishiyama, A., Fujisawa, Y., Sugaya, T., et al. (2018). Chronic intermittent hypoxia-mediated renal sympathetic nerve activation in hypertension and cardiovascular disease. *Sci. Rep.* 8 : 1–7.
- Tanaka, S., Tanaka, T., & Nangaku, M. (2014). Hypoxia as a key player in the AKI-to-CKD transition. *Am J Physiol Ren. Physiol* 307 : F1187–F1195.
- Tapiero, H., Townsend, D.M., & Tew, K.D. (2004). The role of carotenoids in the prevention of human pathologies. *Physiol. Behav.* 58 : 100–10.
- Taylor, C.T., & Scholz, C.C. (2022). The effect of HIF on metabolism and immunity. *Nat. Rev. Nephrol.* 18 : 573–587.
- Tejchman, K., Kotfis, K., & Sieńko, J. (2021). Biomarkers and mechanisms of oxidative stress—last 20 years of research with an emphasis on kidney damage and renal transplantation. *Int. J. Mol. Sci.* 22 : 1–26.



- Tortora, G.J., & Derrickson, B. (2014). Principles of anatomy & physiology, 14th ed, Wiley. United States of America : John Wiley & Sons, Inc.
- Trayhurn, P. (2019). Oxygen—a critical, but overlooked, nutrient. *Front. Nutr.* 6 : 1–9.
- Walia, A., Kumar, N., Singh, R., Kumar, H., Kumar, V., Kaushik, R., et al. (2022). Bioactive compounds in Ficus fruits, their bioactivities, and associated health benefits: a review. *J. Food Qual.* 2022 : 1–19.
- Wang, Li, Z.L., Zhang, Y.L., Wen, Y., Gao, Y.M., & Liu, B.C. (2022). Hypoxia and chronic kidney disease. *eBioMedicine* 77 : 1–11.
- Wang, Y., Chen, B., Lin, T., Wu, S., & Wei, G. (2017). Protective effects of vitamin E against reproductive toxicity induced by di(2-ethylhexyl) phthalate via PPAR-dependent mechanisms. *Toxicol. Mech. Methods* 27 : 551–559.
- Wasung, M.E., Chawla, L.S., & Madero, M. (2015). Biomarkers of renal function, which and when? *Clin. Chim. Acta* 438 : 350–357.
- Watts, D., Gaete, D., Rodriguez, D., Hoogewijs, D., Rauner, M., Sormendi, S., et al. (2020). Hypoxia pathway proteins are masterregulators of erythropoiesis. *Int. J. Mol. Sci.* 21 : 1–18.
- Wijerathne, C.U.B., Au-Yeung, K.K.W., Siow, Y.L., & Karmin, O. (2022). 5-Methyltetrahydrofolate attenuates oxidative stress and improves kidney function in acute kidney injury through activation of Nrf2 and antioxidant defense. *Antioxidants* 11 : 1–15.
- Wu, X., Gu, W., Lu, H., Liu, C., Yu, B., Xu, H., et al. (2016). Soluble receptor for advanced glycation end product ameliorates chronic intermittent hypoxia induced renal injury, inflammation, and apoptosis via P38/JNK signaling pathways. *Oxid. Med. Cell. Longev.* 1–13.
- Yuliyanti, Y., Handayati, A., & Anggraini, A.D. (2021). Perbandingan kualitas analitik metode berthelot dan metode glutamate dehydrogenase (GLDH) terhadap pemeriksaan kadar ureum normal dan abnormal. *J. Anal. Kesehat. Sains* 8.
- Zhao, F., Lu, M., & Wang, H. (2023). Ginsenoside Rg1 ameliorates chronic intermittent hypoxia-induced vascular endothelial dysfunction by suppressing the formation of mitochondrial reactive oxygen species through the calpain-1 pathway. *J. Ginseng Res.* 47 : 144–154.
- Zhu, J., Kang, J., Li, X., Wang, M., Shang, M., Luo, Y., et al. (2020). Chronic intermittent hypoxia vs chronic continuous hypoxia: Effects on vascular endothelial function and myocardial contractility. *Clin. Hemorheol. Microcirc.* 74 : 417–427.
- Zhu, M., Xu, M., Zhang, K., Li, J., Ma, H., Xia, G., et al. (2019). Effect of acute exposure to hypobaric hypoxia on learning and memory in adult Sprague-Dawley rats. *Behav. Brain Res.* 367 : 82–90.