

## DAFTAR PUSTAKA

- Abid, M., I. Khan, F. Mahmood, U. Ashraf, M. Imran, and S.A. Anjum. 2015. Response of hybrid rice to various transplanting dates and nitrogen application rates. *Philippine Agricultural Scientist*. 98(1): 98-104.
- Adhikari, C., K.F.Bronson, G.M. Panuallah, A.P. Regmi, P.K. Saha, A.Doermann, D.C. Olk, P.R. Hobbs, and E.Pasuquin.1999. On-farm soil N supply and N nutrition in the rice–wheat system of Nepal and Bangladesh. *Field Crops Research*. 64(3):273-286.
- Aislabie, J.M. & J.R. Deslippe. 2013. Soil microbes and their contribution to soil services. *ecosystem services in New Zealand: Conditions and Trends*, Manaaki Whenua Press, Lincoln, New Zealand. 1(12): 143-61.
- Ajema, L. 2018. Effects of biochar application on beneficial soil organism review. *Int. J. Res. Stud. Sci. Eng. Technol.* 5: 9–18.
- Akram, H. M., A. Ali, A. Sattar, H.S.U. Rehman and A. Bibi. 2013. Impact of water deficit stress on various physiological and agronomic traits of three basmati rice (*Oryza sativa L.* ) cultivar. *The Journal Animal and Sciences* 23(5):1415-1423.
- Alam,T. 2014. Optimasi pengelolaan sistem agroforestri cengkeh, kakao dan kapulaga di Pegunungan Menoreh. *Tesis. Fakultas Pertanian, Universitas Gadjah Mada. Yogyakarta*.
- Alam, T., B. Kurniasih, P.Suryanto., P. Basunanda, Supriyanta, E. Ambarwati, M.H. Widyawan, S. Handayani and Taryono. 2019. Stability analysis for soybean in agroforestry system with kayu putih. *SABRAO Journal of Breeding and Genetics*. 51: 405-418.
- Alam, T., P. Suryanto, Supriyanta, P. Basunanda, R.A. Wulandari, D. Kastono, M.H. Widyawan, N. Nurmansyah and Taryono. 2021. Rice cultivar selection in an agroforestry system through GGE-biplot and EBLUP. *Biodiversitas Journal of Biological Diversity*. 22(11). DOI : <https://doi.org/10.13057/biodiv/d221106>.
- Ali, I., S. Ullah, L. He, Q. Zhao, A. Iqbal, and S.Q. Wei. 2020. Combined application of biochar and nitrogen fertilizer improves rice yield, microbial activity and N-metabolism in a pot experiment. *Peer J*. 8:e10311. <https://doi.org/10.7717/peerj.10311>.
- Alinezhad, S., J.M. Sinaki, M. Zarei, and M.B.F. Abadi. 2013. Effects of organic fertilizers and drought stress on physiological traits in barley. *International journal of Agronomy and Plant Production*. 4(2): 300-306.
- Aprahamian, A.M., M.E.Lulow, M.R. Major, K.R. Balazs, K.K. Treseder, and M.R. Maltz. 2016. Arbuscular mycorrhizal inoculation in coastal sage scrub restoration. *Botany*. 94(6): 493-499.
- Aini, D.N., Taryono, H.A. Ilmiah. 2023. Tanggapan kacang hijau (*Vigna Radiata* (L.) R. Wilczek) terhadap pemberian mikoriza dan kompos lumpur pengolahan limbah susu. *Vegetalika* 13(3): 1837-197.

- Aristya, V., Taryono, Y.A. Trisyono, J.H. Mulyo. 2021. Morphological fingerprint of new rice genotypes. IOP Conference Series: Earth and Environmental Science. 662: 012022. DOI: 10.1088/1755-1315/662/1/012022.
- Bahrami, A., M.I. Pech-Canul, C.A. Gutierrez., N. Soltani, 2015. Effect of rice-husk ash on properties of laminated and functionally graded Al/SiC composites by one-step pressureless infiltration. *J. Alloy. Compd.* 644: 256–266.
- Balittanah. 2012. Petunjuk teknis analisis kimia tanah, tanaman, air, dan pupuk. Balai Penelitian Tanah.
- Bates, L.S., R.P. Waldren and I.D. Teare. 1973. Rapid determination of free proline for water-stress studies. *Plant Soil.* 39:205–207.
- Beesley,L., E. Moreno-Jiménez, J.L. Gomez-Eyles, E. Harris, B. Robinson and T. Sizmur. 2011. A review of biochars' potential role in the remediation, re-vegetation and restoration of contaminated soils. *Environ Pollut.* 159:3269–3282. <https://doi.org/10.1016/j.envpol.2011.07.023>.
- Benepal, P.S. 1967. Correlations among applied nitrogen, phosphorus and potassium and responses of the potato plant. *American Potato Journal* 44: 75–86. <https://doi.org/10.1007/BF02861809>.
- Benitez, M. S., S.L. Osborne, and R.M. Lehman. 2017. Previous crop and rotation history effects on maize seedling health and associated rhizosphere microbiome. *Sci. Rep.* 7: 15709. doi: 10.1038/s41598-017-15955-9.
- Bertolino, L.T., R.S. Caine, and J.E. Gray. 2019. Impact of stomatal density and morphology on water-use efficiency in a changing world. *Frontiers in plant science.* 10: 225.
- Bouman, B. 2009. How much water does rice use. *Management*, 69(2): 115-133.
- BPS. 2021a. Analisis produktivitas padi di Indonesia 2020. Badan Pusat Statistik. ISBN: 978-602-438-424-1.
- BPS. 2021b. Luas panen, produksi, dan produktivitas padi menurut provinsi 2018-2020. Diakses Melalui <https://www.bps.go.id/indicator/53/1498/1/luas-panen-produksi-dan-produktivitas-padi-menurut-provinsi.html>.
- BPS. 2021c. Hasil sensus penduduk 2020. Berita Resmi Statistik No. 7/01/Th. XXIV.
- BPS. 2022a. Analisis Produktivitas Jagung dan Kedelai di Indonesia, 2021. Direktorat Statistik Tanaman Pangan, Hortikultura, dan Perkebunan, Badan Pusat Statistik.
- BPS. 2022b. Curah Hujan (mm), 2009-2021. <https://gunungkidulkab.bps.go.id/indicator/151/55/2/curah-hujan.html> (diakses 10 Mei 2022).
- Bradstreet, R.B.1954. Kjeldahl method for organic nitrogen. *Analytical Chemistry.* 26(1): 185-187.
- Bray, E.A. 2007. Plant response to water deficit stress. *Encyclopedia of Life Sciences.* John Wiley & Sons.



- Berry, P.M., J.R. Villegas, H. Branseley, M. A. Mgonja & M. Mohanty. 2013. Regional impacts of climate change on agriculture and the role of adaptation. *Plant Genetic Resource and Climate Change*. 4:78.
- Celik, I., I. Ortas. and S. Kilic. 2004. Effects of compost, mycorrhiza, manure and fertilizer on some physical properties of a Chromoxerert soil. *Soil and Tillage Research*, 78(1):59-67. <https://doi.org/10.1016/j.still.2004.02.012>.
- Chandler Jr, R.F. 1969. Plant morphology and stand geometry in relation to nitrogen. *Agronomy & Horticulture* 196.
- Cheng, R. A. N., G. Anwari, J. Zhu, X. Wang, S. Zhang, G. Yanqiu, G. Liying, J. Feng, and S. Xiwen. 2020. Benefits of Biochar for Improving Ion Contents, Cell Membrane Permeability, Leaf Water Status and Yield of Rice Under Saline–Sodic Paddy Field Condition." *Journal of Plant Growth Regulation* 39(1): 370-377.
- Clements, D.P. and E.A. Bihn. 2019. "Chapter 16 - The impact of food safety training on the adoption of good agricultural practices on farms", Editor(s): Debabrata Biswas, Shirley A. Micallef, Safety and Practice for Organic Food. Academic Press: 321-344. ISBN 9780128120606.
- Corwin, D.L. and S.M. Lesch. 2005. Apparent soil electrical conductivity measurements in agriculture. *Computers and electronics in agriculture*, 46(1-3):11-43.
- Dalling, M.J. and R.H. Loyn. 1977. Level of activity of nitrate reductase at the seedling stage as a predictor of grain nitrogen yield in wheat (*Triticum aestivum L.*). *Australian Journal of Agricultural Research*, 28(1): 1-4.
- Dama, H., S.I. Aisyah, A.K. Dewi and S. Sudarsono. 2020. Respon kerapatan stomata dan kandungan klorofil padi (*Oryza sativa L.*) mutan terhadap toleransi kekeringan. *Jurnal Ilmiah Pemberian Isotop Dan Radiasi*. 16(1):1-6.
- Dariah, A., Sutono dan N.L. Nurida. 2010. Penggunaan pemberian tanah organik dan mineral untuk perbaikan mutu tanah Typic Kanhapludults, Taman Bogo, Lampung. *Jurnal Tanah dan Iklim*. 31: 1 – 10.
- Das, S., S.T. Jeong, S. Das, P.J. Kim. 2017. Composted cattle manure increases microbial activity and soil fertility more than composted swine manure in a submerged rice paddy. *Front Microbiol* 58:17. Doi: 10.3389/fmicb.2017.01702.
- Deckard, E.L., R.J. Lambert and R.H. Hageman. 1973. Nitrate reductase activity in corn leaves as related to yields of grain and grain protein1. *Crop Science*. 13: 343-350. <https://doi.org/10.2135/cropsci1973.0011183X001300030017x>.
- Diedhiou, A.G. 2016. Field trials reveal ecotype-specific responses to mycorrhizal inoculation in rice. *PLOS ONE* 11:16. <https://doi.org/10.1371/journal.pone.0167014>

- Dwiarsa, R., T.H. Purwanto and L.W. Santosa. 2021. Evaluasi kesesuaian lahan kayu putih (*Melaleuca cajuputi*) berbasis SIG di bagian Daerah Hutan Playen. Wana Lestari. 5(02): 107-115.
- Doheny-Adams, T., L. Hunt, P.J. Franks, D.J. Beerling, and J.E. Gray. 2012. Genetic manipulation of stomatal density influences stomatal size, plant growth and tolerance to restricted water supply across a growth carbon dioxide gradient. Philosophical Transactions of the Royal Society B: Biological Sciences 367(1588): 547-555.
- Dwinta, E., S.N.H. Utami, S. Indarti and P.N. Kusumawardani. 2017. Effect of cow manure, neem compost and straw compost towards N uptake and soil fauna abundance in inceptisol paddy field, Berbah, Sleman. IOP Conf. Ser.: Earth Environ. Sci. 215 012025.
- Eberhart, S.T. and W.A. Russell. 1966. Stability parameters for comparing varieties . Crop science. 6(1): 36-40.  
<https://doi.org/10.2135/cropsci1966.0011183X000600010011x>.
- Ekawati, R. and S.A. Aziz. 2016. Respon Pertumbuhan dan Fisiologis Plectranthus amboinicus (Lour.) Spreng pada Cekaman Naungan. Agrovigor 9(2): 82-89.
- Epstein, E. and A.J. Bloom. 1853. Mineral nutrition of plants: principles and perspectives. Sinauer.
- Epstein, E.L., J.M. Taylor and R.L. Chaney. 1976. Effects of sewage sludge and sludge compost applied to soil on some soil physical and chemical properties. J. Environ. Qual. 5(4):422-426
- Evans, L.T. and R.A. Fischer. 1999. Yield potential: its definition, measurement, and significance. Crop Sci. 39:1544–1551.
- Evans, J. R., & S.L. Santiago. 2014. Prometheus wiki gold leaf protocol: Gas exchange using LI-COR 6400. Functional Plant Biology. 41(3): 223–226. DOI: 10.1071/FP10900.
- Fageria, N.K., V.C. Baligar, and C.A. Jones. 2010. Growth and mineral nutrition of field crops. CRC press.
- Fageria, N.K., O. P. de Morais & A.B. dos Santos. 2010. Nitrogen Use Efficiency In Upland Rice Genotypes. Journal of Plant Nutrition. 33(11):1696-1711. DOI: 10.1080/01904167.2010.496892
- FAOSTAT. 2020. Top 10 Commodities Production in Indonesia. Diakses melalui [https://www.fao.org/faostat/en/#rankings/commodities by country](https://www.fao.org/faostat/en/#rankings/commodities_by_country) pada tanggal 25 Oktober 2021.
- FAOSTAT. 2021. Production quantities of Rice, paddy by country. Diakses melalui <https://www.fao.org/faostat/en/#data/QCL/visualize> pada tanggal 25 Oktober 2021.
- Farooq, M., A. Wahid, N.S.M.A. Kobayashi, D.B.S.M.A. Fujita, and S.M.A. Basra. 2009. Plant drought stress: effects, mechanisms and management. Sustainable Agriculture. 153-188.

- Farooq, M., N. Kobayashi, O. Ito, A. Wahid and R. Serraj. 2010. Broader leaves result in better performance of indica rice under drought stress. *J Plant Physiol.* 167:1066–1075.
- Ferrarezi, R.S., X. Lin, A.C. Gonzalez Neira, F.T. Zambon, H. Hu, X. Wang, J.H. Huang, and G. Fan. 2022. Substrate pH influences the nutrient absorption and rhizosphere microbiome of Huanglongbing-affected grapefruit plants. *Frontiers in Plant Science* 13:856937.
- Fierer, N., J.W. Leff, B.J. Adams, U.N. Nielsen, S.T. Bates, C.L. Lauber, S. Owens, J.A. Gilbert, D.H. Wall, and J.G. Caporaso. 2012. Cross-biome metagenomic analyses of soil microbial communities and their functional attributes. *Proceedings of the National Academy of Sciences* 109(52): 21390-21395.
- Fischer, K.S., S. Fukai, & G. Atlin. 2003. Breeding rice for drought-prone environments. International Rice Research Institute.
- Fitler, A. H., R.K.M. Hay, S. Andani, B. Srigandono, & E.D. Purbayanti. 1992. *Fisiologi lingkungan tanaman*. Gadjah Mada University Press. Yogyakarta.
- Frąc, M., K. Oszust, & J. Lipiec. 2012. Community level physiological profiles (CLPP), characterization and microbial activity of soil amended with dairy sewage sludge. *Sensors* 12(3): 3253-3268.
- Gardner, F.P., R.B. Pearce and R.L. Mitchell. 1991. *Physiology of crop plants*. *Diterjemahkan oleh H. Susilo*. Jakarta. Universitas Indonesia Press.
- Ghodake, G.S., S.K. Shinde, A.A. Kadam, R.G. Saratale, G.D. Saratale, M. Kumar, R.R. Palem, H.A. AL-Shwaiman, A.M. Elgorban, A. Syed and D.Y. Kim. 2021. Review on biomass feedstocks, pyrolysis mechanism and physicochemical properties of biochar: State-of-the-art framework to speed up vision of circular bioeconomy. *Journal of Cleaner Production*. 297:126645.
- González, L. and M. González-Vilar. 2001. Determination of relative water content. In: Reigosa Roger, M.J. (eds) *Handbook of Plant Ecophysiology Techniques*. Springer, Dordrecht. [https://doi.org/10.1007/0-306-48057-3\\_14](https://doi.org/10.1007/0-306-48057-3_14).
- Hafez, E.M., S.M. Gowayed, Y. Nehela, R.M. Sakran, A.M.S. Rady, A. Awadalla, A.E. Omara, and B.F. Alowaisheh. 2021. Incorporated biochar-based soil amendment and exogenous glycine betaine foliar application ameliorate rice (*Oryza sativa* L.) tolerance and resilience to osmotic stress." *Plants*: 10(9):1930.
- Handayanto, E., N. Muddarisna, dan A. Fiqri. 2017. *Pengelolaan kesuburan tanah*. UB Press. Malang.
- Hardjowigeno. 2002. *Ilmu Tanah*. PT. Milton Putra. Jakarta
- Harjo, S., A.A. Amin, dan S. Anwar. 2014. Potensi dan pemanfaatan limbah susu bubuk untuk fortifikasi kompos pada pertanian sayur organik. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan* 4(2): 103-103.

- Hartemink, A.E. 2006. Assessing soil fertility decline in the tropics using soil chemical data. *Advances in Agronomy* 89:179-225. DOI: 10.1016/S0065-2113(05)89004-2.
- Haryadi. 2006. Teknologi Pengolahan Beras. Yogyakarta (ID): Gadjah Mada University Press.
- Hasegawa, T., Y. Koroda, N.G. Seligman, T. Horie. 1994. Response of spikelet number to plant nitrogen concentration and dry weight in paddy rice. *Agronomy Journal* 86(4): 673-676.
- Hayat, S., Q. Hayat, M.N. Alyemeni, A.S. Wani, J. Pichtel, and A. Ahmad. 2012. Role of proline under changing environments: a review. *Plant signaling & behavior* 7(11): 1456-1466.
- Herman, W., and U. Salamah. 2020. Peranan kombinasi biochar sekam padi dan mikoriza terhadap pertumbuhan jagung manis (*Zea Mays* Var. *Saccharata* Sturt) di entisols. prosiding webinar nasional series: Sistem Pertanian Terpadu dalam Pemberdayaan Petani di Era New Normal. pp. 159-167. ISSN 9786239504915.
- Hu, W., W. Zhao, J. Yang, D.M. Oosterhuis, D.A. Loka, and Z. Zhou. 2016. Relationship between potassium fertilization and nitrogen metabolism in the leaf subtending the cotton (*Gossypium hirsutum* L.) boll during the boll development stage. *Plant Physiol. Biochem.* 101:113–123. doi: 10.1016/j.plaphy.2016.01.019
- Hussain, H.A., S. Hussain, A. Khalil, U. Ashraf, S.A. Anjum, S. Men, L.C. Wang. 2018. Chilling and drought stresses in crop plants: Implications, cross talk, and potential management opportunities. *Front Plant Sci.* 9: 393.
- Houot, S., P. Cambier, P. Benoit, G. Bodineau, M. Deschamps, A. Jaulin, C. Lhoutellier, and E. Barriuso. 2009. Effect of composts inputs on the availability on metallic and organic micropollutants in cultivated soil. *Étude et Gestion des Sols.* 16: 255–274.
- Huxley, P. 1999. Tropical agroforestry. Willey Blackewell. 371 p.
- Isidra-Arellano, M.C., P.M. Delaux, O. Valds-Lpez. 2021. The Phosphate Starvation Response System: Its Role in the Regulation of Plant-Microbe Interactions. *Plant Cell Physiol.* 62:392–400.
- Jaleel, C.A., P. Manivannan, A. Wahid, M. Farooq, H.J. Al-Juburi, R. Somasundaram, and R. Panneerselvam. 2009. Drought stress in plants: a review on morphological characteristics and pigments composition. *Int. J. Agric. Biol.*, 11(1):100-105.
- Jatav, S.S., S.K. Singh, M. Parihar, A.M. Alsuhaimani, A. Gaber, and A. Hossain. 2022. Application of sewage sludge in a rice (*Oryza sativa* L.)-wheat (*Triticum aestivum* L.) system influences the growth, yield, quality and heavy metals accumulation of rice and wheat in the Northern Gangetic Alluvial Plain. *Life.* 12(4): 484.



- Jati, R.I. 2017. Interaksi nitrogen, fosfor dan kalium pada pertanaman kedelai dalam sistem agroforestri kayu putih. Tesis. Universitas Gadjah Mada
- Jeshni, M.G., M. Mousavnik, I. Khammari, and M. Rahimi. 2017. The changes of yield and essential oil components of german chamomile (*Matricaria recutita* L.) under application of phosphorus and zinc fertilizers and drought stress conditions. *Journal of the Saudi Society of Agricultural Sciences*. 16(1): 60–65. doi: 10.1016/J.JSSAS.2015.02.003.
- Jensen, C.R., V.O. Mongensen, G. Mortesen, M.N. Andersen, J.K. Schjoerring, J.H. Thange and J. Koribidis. 1996. Leaf photosynthesis and drought adaption in field-grown oilseed rape (*Brassica napus* L.). *Aust. J. Plant Physiol.* 23: 631-644. <https://doi.org/10.1071/PP9960631>.
- Jewitt, T. N., R. D. Law, and K. J. Virgo. 1979. Vertisol soils of the tropics and subtropics: their management and use. *Outlook on Agriculture* 10(1): 33-40.
- Kaiser, W. M. 1982. Correlation between changes in photosynthetic activity and changes in total protoplast volume in leaf tissue from hygro, meso, and xerophytes under osmotic stress. *Planta*. 154: 538–545. doi: 10.1007/BF00402997.
- Kandel, B.P., L.P. Joshi, S. Sharma, P. Adhikari, B. Koirala and K. Shrestha. 2022. Drought tolerance screening of rice genotypes in mid-hills of Nepal using various drought indices. *Acta Agriculturae Scandinavica, Section B—Soil & Plant Science* 72(1):744-750.
- Kartikawati, N. K., A. Rimbawanto, M. Susanto, L. Baskorowati, & Prastyono. 2014. *Budidaya Dan Prospek Pengembangan Kayu Putih (Melaleuca cajuputi)*. Bogor: IPB Press.
- Kastono, D., P. Suryanto, R. Rogomulyo, S. Handayani, M.H. Widyan, Supriyanta, and T. Alam. 2022. Differences in biochar sources for controlled nitrogen loss in a hybrid maize agroforestry system with *Melaleuca cajuputi*. *J. Eng. Tech .Sci.* 54: 122-134.
- Kementerian Kehutanan. 2010. Pengelolaan dan pemanfaatan sumberdaya hutan untuk mendukung peningkatan produksi pangan [The management and utilization of forest resources to support the food productivity increase]. Presentasi National Seminar berjudul “Food Security Leading to Feed The World”, 28 January 2010.
- Kemper, W.D. and E.J. Koch. 1966. Aggregate stability of soils from Western United States and Canada: measurement procedure, correlations with soil constituents (No. 1355). Agricultural Research Service, US Department of Agriculture (USDA).
- Kempton, R.A. 1984. The use of biplots in interpreting variety by environment interactions. *The Journal of Agricultural Science*. 103(1): 123-135.
- Kolb, S.E., K.J. Fermanich, & M.E. Dornbush. 2009. Effect of charcoal quantity on microbial biomass and activity in temperate soils. *Soil Sci. Soc. Am. J.* 73:1173–1181.

- Kozlowski, T. and A. Ludynia. 2019. Permeability coefficient of low permeable soils as a single-variable function of soil parameter. *Water* 11(12): 2500.
- Kramer, P. J. 1969. Plant and soil water relationships. Modern synthesis reprinter in India arrangement with Mc. Graw-Hill, Inc, New York GrawHill Inc., New York.
- Kramer, P.J., 1981. Carbondioxide concentration, photosynthesis, and dry matter production. *BioScience*. 31(1): 29-33.
- Ladha, J.K., G.J.D. Kirk, J. Bennett, S. Peng, C.K. Reddy, P.M. Reddy, and U. Singh. 1998. Opportunities for increased nitrogen-use efficiency from improved lowland rice germplasm. *Field Crops Res.* 56: 41–71.
- Lal, R. 2020. Soil organic matter content and crop yield. *Journal of Soil and Water Conservation*. 75(2): 27A-32A.
- Lakitan, B. 2002. Dasar-Dasar Klimatologi. PT Raja Grafindo Persada, Jakarta.
- Lestari, E.G. 2013. Pembentukan genotipa unggul tanaman melalui peningkatan keragaman genetik dengan metode variasi somaklonal. *Pengembangan Inovasi Pertanian*. 6 :2. DOI: <http://dx.doi.org/10.21082/pip.v6n2.2013.53-61>.
- Lugojan, C. and S. Ciulca. 2011. Evaluation of relative water content in winter wheat. *Journal of Horticulture, Forestry and Biotechnology*. 15(2): 173-177.
- Lundgreen, B.O. and J.B. Raintree. 1982. Sustained agroforestry. In: Nestel B (ed) Agricultural research for development: potentials and challenges in Asia. ISNAR, The Hague 37–49.
- Lehmann, J & S. Joseph. 2009. Biochar for environmental management: science and technology. Earthscan, London.
- Lingga, P. 1991. Jenis dan kandungan hara pada beberapa kotoran ternak. Pusat Pelatihan Pertanian Dan Pedesaan Swadaya (P4S). ANTANAN. Bogor.
- Lee, J., B. Lee, J. Kang, J. Bae, Y. Ku, S. Gorinstein. and J. Lee. 2014. Effect of root zone aeration on the growth and bioactivity of cucumber plants cultured in perlite substrate. *Biologia*, 69(5): 610-617.
- Li, J., W. Hu, Z. Lu, F. Meng, R. Cong, X. Li, T. Ren and J. Lu. 2022. Imbalance between nitrogen and potassium fertilization influences potassium deficiency symptoms in winter oilseed rape (*Brassica napus L.*) leaves. *The Crop Journal*. 10(2): 565-576.
- Li, G., J. Tang, J. Zheng, and C. Chu. 2021. Exploration of rice yield potential: Decoding agronomic and physiological traits. *The Crop Journal*, 9(3): 577-589.
- Liu, E., Y. Liu, G. Wu, S. Zeng, T.G. Tran Thi, L. Liang, Y. Liang, Z. Dong, D. She, H. Wang and I.U. Zaid. 2016. Identification of a candidate gene for panicle length in rice (*Oryza sativa L.*) via association and linkage analysis. *Frontiers in plant science* 7: 596.

- Mafakheri, A., A.F. Siosemardeh, B. Bahramnejad, P.C. Struik, and Y. Sohrabi. 2010. Effect of drought stress on yield, proline and chlorophyll contents in three chickpea cultivars. *Australian journal of crop science* 4(8): 580-585.
- Mahmud, A.J., A.T.M. Shamsuddoha and M.N. Haque. 2016. Effect of organic and inorganic fertilizer on the growth and yield of rice (*Oryza sativa L.*). *Nature Science* 14(2): 45-54.
- Marlina, N., N. Gofar, A.H.P.K. Subakti, and A.M. Rohim. 2014. Improvement of rice growth and productivity through balance application of inorganic fertilizer and biofertilizer in inceptisol soil of lowland swamp area. *AGRIVITA* 36(1): 48-56.
- Marschner, H. 2012. *Marschner's Mineral Nutrition of Higher Plants*. Cambridge, MA: Academic press.
- Masulili, A., W.H. Utomo, and M. S. Syechfani. 2010. Rice husk biochar for rice based cropping system in acid soil. The characteristics of rice husk biochar and its influence on the properties of acid sulfate soils and rice growth in West Kalimantan, Indonesia. *Journal of Agricultural Science*. 2(1): 39.
- Matsushima, S. 1962. Some experiments on soil-water-plant relationship in the cultivation of rice. *Japanese journal of Crop Science*. 31(2):115-121.
- Mayly, S., A. Rauf, C. Hanum & H. Hanum. 2019. Rice husk biochar application and the planting times effects on dry weight and water use efficiency of upland rice varieties. *IOP Conference Series.Earth and Environmental Science*. 260(1) doi:<http://dx.doi.org/10.1088/1755-1315/260/1/012132>.
- Milla, O.V., E.B. Rivera, W.J.Huang, C. Chien, and Y.M. Wang. 2013. Agronomic properties and characterization of rice husk and wood biochars and their effect on the growth of water spinach in a field test. *Journal of soil science and plant nutrition*. 13(2):251-266.
- Miller, H. B. 2007. Poultry litter induces tillering in rice. *J. Sustain. Agric.* 31:1-12.
- Myint, M.M., A.N. Chan, S.Win and M.M. Aung. 2021. Photosynthesis Rate as affected by chlorophyll content and leaf area index in rice (*Oryza sativa L.*). *Myanmar Agricultural Research Journal*.
- Naruoka, Y., L. Talbert, S. Lanning, N. Blake, J. Martin, and J.D. Sherman. 2011. Identification of quantitative trait loci for productive tiller number and its relationship to agronomic traits in spring wheat. *Theoretical and Applied Genetics* 123: 1043–1053.
- Nurmalasari, A.I., Supriyono, P. Suryanto., T. Alam. 2020. Effectiveness of melaleuca cajuputi Biochar as a Leaching Loss for Nitrogen Fertilizer and Intercropping in Maize. *Indian Journal of Agricultural Research*. 54(4): 506-510.
- Nurida, N.L., A. Rachman, dan S. Sutono. 2015. Biochar pemberah tanah yang potensial. *badan penelitian dan pengembangan pertanian*. Kementerian Pertanian.

- Obia, A., J. Mulder, V. Martinsen, G. Cornelissen, T. Børresen. 2016. In situ effects of biochar on aggregation, water retention and porosity in light-textured tropical soils. *Soil Tillage Res.* 155:35–44.
- Pagliai, M., G. Guidi, M.L. Marca, M. Giachetti, and G. Lucamante. 1981. Effects of sewage sludges and composts on soil porosity and aggregation. *Journal of Environmental Quality* 10(4): 556-561.
- Palupi, E.R. and Y. Dedywiriyanto. 2008. Kajian karakter ketahanan terhadap cekaman kekeringan pada beberapa genotipe bibit kelapa sawit (*Elaeis guineensis* Jacq.). *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)* 36(1).
- Pandey, C. and S. Shukla. 2006. Effects of composted yard waste on water movement in sandy soil. *Compost science & Utilization*. 14(4): 252-259. DOI: 10.1080/1065657X.2006.10702293.
- Pankakoski, M., R. Noicol, H. Kestens, R. Bertsch, I. Coldewey, H. Hannemann, B. Kofoed, J. Carballo, V. Merilainen, N. Hale and C. Israillides. 2000. A survey of the composition, treatment and disposal of sludge from dairy effluent treatment plants. *Bulletin of the International Dairy Federation* 356: 4-34.
- Pratiwi, E.P.A. & Y. Shinogi. 2016. Rice husk biochar application to paddy soil and its effects on soil physical properties, plant growth, and methane emission. *Paddy and Water Environment*. 14(4):521-532. <https://doi.org/10.1007/s10333-015-0521-z>.
- Phuong, N.T.K., C.M. Khoi, K. Ritz, T.B. Linh, D.D. Minh, T.A. Duc, N.V. Sinh, T.T. Linh and K. Toyota. 2020. Influence of rice husk biochar and compost amendments on salt contents and hydraulic properties of soil and rice yield in salt-affected fields. *Agronomy*. 10(8). Doi: 10.3390/AGRONOMY10081101.
- Piao, J., W. Che, X. Li, X. Li, C. Zhang, Q. Wang, F. Jin, and S. Hua. 2023. Application of peanut shell biochar increases rice yield in saline-alkali paddy fields by regulating leaf ion concentrations and photosynthesis rate. *Plant and Soil* 483: 589-606.
- Pirdashti, H., A. Motaghian, and M.A. Bahmanyar. 2010. Effects of organic amendments application on grain yield, leaf chlorophyll content and some morphological characteristics in soybean cultivars. *Journal of Plant Nutrition* 33(4): 485-495.
- Pugnaire, F.I., L. Serrano and J. Pardos. 1999. Constraints by water stress on plant growth in In: Pessarakli, M., Ed., *Handbook of Plant and Crop Stress*, Marcel Dekker, Inc., New York, 271-285.
- Purbajanti, E.D. and S. Setyowati. 2020. Organic Fertilizer Improve the Growth, Physiological Characters and Yield of Pak Choy. *Jurnal Penelitian Agronomi* 22(2): 83-87. doi:<http://dx.doi.org/10.20961/agsjpa.v22i2.43112>.
- Raven, P.H., R.F. Evert, and S.E. Eichhorn. 2005. Photosynthesis, light, and life. *Biology of plants* 7:119.

- Ritchie, S.W., H.T Nguyen, and A.S. Holaday. 1990. Leaf water content and gas-exchange parameters of two wheat genotypes differing in drought resistance. *Crop science* 30(1): 105-111.
- Robertson, G.P., 1997. Nitrogen use efficiency in row-crop agriculture: crop nitrogen use and soil nitrogen loss. *Ecology in agriculture* 3.
- Rostami, B, Y. Nagaya, H. Ganji, and T. Umezaki. 2018. Effects of Food-and Sludge-Derived Compost on Rice Cultivation." *Tropical Agriculture and Development* 62(4): 186-195.
- Sabetfar, S., M. Ashouri., E. Amiri, & S. Babazadeh. 2013. Effect of drought stress at different growth stages on yield and yield component of rice plant. *Persian Gulf Crop Protection*. 2(2):14-18.
- Salter, P. J. and F. Haworth. 1961. The Available water capacity of a sandy loam soil i. a. critical comparison of methods of determining the moisture content of a soil at field capacity and at the permanent wilting point. *J. Soil Sci.* 12:236.
- Sanchez, P.A. 2002. Soil fertility and hunger in Africa. *Science* 295: 2019-2020. DOI:10.1126/science.1065256.
- Saparso. 2008. Karakterisasi berbagai jenis bahan lapisan kedap, ketebalan dan nisbah bentonit dengan pasir pada pengeloaan lahan pasir pantai. *Jurnal Ilmu Tanah dan Lingkungan*. 8 (2) :93-101.
- Sang, D., R. Bakar, S. Ahmad & K. Rahim. 2018. Influences of rice husk biochar (RHB) on rice growth performance and fertilizer nitrogen recovery up to maximum tillering stage. *Journal of Wetlands Environmental Management*. 6:32.
- Schober, P., C. Boer, L. Schwarte. 2018. Correlation coefficients: appropriate use and interpretation. *Anesthesia & Analgesia*. 126(5):1. DOI:10.1213/ANE.0000000000002864.
- Senthilkumar, K. 2022. Closing rice yield gaps in Africa requires integration of good agricultural practices. *Field Crops Research*. 285. <https://doi.org/10.1016/j.fcr.2022.108591>.
- Sharma, S., and S.S. Dhaliwal. 2019. Effect of sewage sludge and rice straw compost on yield, micronutrient availability and soil quality under rice–wheat system. *Communications in Soil Science and Plant Analysis* 50(16): 1943-1954.
- Shetty, R. and N.B. Prakash. 2020. Effect of different biochars on acid soil and growth parameters of rice plants under aluminium toxicity. *Sci Rep.* 23:10. DOI: 10.1038/s41598-020-69262-x. PMID: 32704053; PMCID: PMC7378052.
- Siavoshi, M., A. Nasiri, and S.L. Laware. 2011. Effect of organic fertilizer on growth and yield components in rice (*Oryza sativa* L.). *Journal of Agricultural science* 3(3): 217.
- Singh, R. P., and M. Agrawal. 2010. Biochemical and physiological responses of rice (*Oryza sativa* L.) grown on different sewage sludge amendments rates. *Bulletin of environmental contamination and toxicology* 84: 606-612.

- Sissay, T. 2019. Principal role of organic fertilizer on soil properties and agricultural productivity-a review. DOI: 10.19080/ARTOAJ.2019.22.556192
- Sika, M.P. and A.G. Hardie. 2014. Effect of pine wood biochar on ammonium nitrate leaching and availability in a South African sandy soil. Eur. J. Soil Sci. 65 (1): 113–119. <https://doi.org/10.1111/ejss.12082/abstract>.
- Sikuku, P.A., J.C. Onyango, and G.W. Netondo. 2012. Physiological and biochemical responses of five Africa rice varieties (*Oryza sativa L.*) to water deficit at vegetative and reproductive stage. Agric. Biol. J. N. Am. 3(3):93-104.
- Silva, V.S.G.D., M.W.D. Oliveira, T.B.A. Oliveira, B.C. Mantovanelli, A.N.R. Soares, and P.R.A. Clemente, P.R.A. 2017. Leaf area of sugarcane varieties and their correlation with biomass productivity in three cycles. African Journal of Agricultural Research, 12(7): 459-466.
- Sitorus, U.K.P., B. Siagian, and N. Rahmawati. 2014. Respons pertumbuhan bibit kakao (*Theobroma cacao L.*) terhadap pemberian abu boiler dan pupuk urea pada media pembibitan. Jurnal Agroekoteknologi Universitas Sumatera Utara 2(3): 99543.
- Smith, S.E and D. Read. 2008. Mycorrhizas in achlorophyllous plants (mycoheterotrophs). Academic Press. ISBN 9780123705266. <https://doi.org/10.1016/B978-012370526-6.50015-5>.
- Soetarso. 1989. Indeks panen sebagai kriteria seleksi dalam pemuliaan tanaman kedelai (*GLycine max (L.) Merrill*). Ilmu Pertanian 4:5.
- Sohi, S., E. Krull, E.L. Capel and R. Bol. 2010. A review of biochar and its use and function in soil. Advances in Agronomy Advances in Agronomy 105(1): 47-82. DOI: 10.1016/S0065-2113(10)05002-9
- Soil Survey Staff. 2014. Keys to soil taxonomy 12Ed. Natural Resources Conservation Service. U.S. Department of Agriculture. Handbook 372
- Soreng, R.J., P.M. Peterson, K. Romaschenko, G. Davidse, J.K. Teisher, L.G. Clark, P. Barberá, L.J. Gillespie. and F.O. Zuloaga. 2017. A worldwide phylogenetic classification of the Poaceae (Gramineae) II: An update and a comparison of two 2015 classifications. Jnl of Systematics Evolution. 55: 259-290. <https://doi.org/10.1111/jse.12262>.
- Sreenivasulu, N., V.M. Butardo Jr, G. Misra, R.P. Cuevas, R. Anacleto, and P.B. Kavi Kishor. 2015. Designing climate-resilient rice with ideal grain quality suited for high-temperature stress. Journal of Experimental Botany 66(7): 1737-1748.
- Stuart, A.M., A.R.P. Pame, J.V. Silva, R.C. Dikitanan, P. Rutsaert, A.J.B. Malabayabas, R.M. Lampayan, A.M. Radanielson and G.R. Singleton. 2016. Yield gaps in rice-based farming systems: Insights from local studies and prospects for future analysis. Field crops research 194:43-56.
- Sulaeman, S dan Eviati. 2005. Petunjuk teknis analisis kimia tanah, tanaman, air, dan pupuk. Diedit oleh: Prasetyo, B.H., D. Santoso dan L.R. Widowati. Balai Penelitian Tanah, Bogor. 136 hlm.

- Sun, F. and S. Lu. 2014. Biochars improve aggregate stability, water retention, and pore-space properties of clayey soil. *Journal of Plant Nutrition and Soil Science.* 177(1): 26-33.
- Suryanto, P., D. Kastono, E.T. Putra, S. Handayani, M.H. Widyawan, T. Alam. 2020a. Assessment of soil quality parameters and yield of rice genotypes in Melaleuca cajuputi agroforestry system. *Biodiversitas Journal of Biological Diversity.* 21:3463-3470.
- Suryanto, P., B. Kurniasih, E. Faridah, H.H. Nurjanto, R. Rogomulyo, S. Handayani, D. Kastono, A.S. Muttaqien, T. Alam. 2020b. Influence of furrow with organic material and Chromolaena odorata compost on upland rice productivity in an agroforestry system with Melaleuca cajuputi. *Biodiversitas.* 21: 780-791.
- Susila, K.D. 2013. Studi keharaan tanaman dan evaluasi kesuburan tanah di lahan pertanaman jeruk Desa Cenggiling, Kecamatan Kuta Selatan. *Agrotrop* 3(2): 13-20.
- Sutanto, R. 2005. Dasar-dasar ilmu tanah (Konsep dan Kenyataan). Kanisius. Yogyakarta. 208 p.
- Suwignyo, B., P. Suryanto, E.T.S. Putra, T. Alam and S.D. Prianto. 2015. Potential of corn as forage on alfisol and vertisol soil in agrosilvopastural system with kayu putih (*Melaleuca leucadendron* Linn). *The Journal of Agricultural Science.* 7 : 268.
- Taiz, L, and E. Zeiger. 2010. *Plant Physiology* (5th edn). Sinauer Associates Inc. Publishers, Massachusetts.
- Tarley, C.R.T., and M.A.Z. Arruda. 2004. Biosorption of heavy metals using rice milling by-products, characterisation and application for removal of metals from aqueous effluents. *Chemosphere.* 54:987-995.
- Taryono, P.Suryanto, Supriyanta, P.Basunanda, R.A. Wulandari, S.Handayani, Nurmansyah and T.Alam. 2022. Soybean crop rotation stability in rainfed agroforestry system through GGE Biplot and EBLUP. *Agronomy.*12(9):2012. <https://doi.org/10.3390/agronomy12092012>.
- Thoruan-Mathius, N., T.M.I. Liwang, G. Danuwiksa, H. Suryatmana, D. Djajasukanta, Saodah, dan I.G.P.W. Astika. 2004. Respon biokimia beberapa progeni kelapa sawit (*Elaeis guineensis* Jacq) terhadap cekaman kekeringan pada kondisi lapang. *Jurnal Menara Perkebunan.* 72(2):38-56.
- Van Ittersum, M.K., and R. Rabbinge. 1997. Concepts in production ecology for analysis and quantification of agricultural input–output combinations. *Field Crops Res.* 52: 197–208.
- Van Ittersum, M.K., K.G. Cassman, P. Grassini, J. Wolf, P. Tittonell, and Z. Hochman. 2013. Yield gap analysis with local to global relevance-a review. *Field Crop Res.* 143: 4–17.

- Virmani, S.M., K.L. Sahrawat, and J.R. Burford. 1982. Physical and chemical properties of Vertisols and their management. International Crops Research Institute for the Semi-Arid Tropics (ICRISAT). 048: 80-93.
- Warnock, D.D., J. Lehmann, T.W. Kuyper. 2007. Mycorrhizal responses to biochar in soil – concepts and mechanisms. *Plant Soil*. **300**: 9–20. <https://doi.org/10.1007/s11104-007-9391-5>.
- Wang, D., C. Li, S.J. Parikh, and K.M. Scow. 2019. Impact of biochar on water retention of two agricultural soils—A multi-scale analysis. *Geoderma*. **340**:185-191.
- Wang, K. and Z.Chen. 2016. Stepwise regression and all possible subsets regression in education. *Electronic International Journal of Education, Arts, and Science (EIJEAS)* **2**:60-81.
- Wang, Y., Z. Zhang, Z. Tian, Yili Lu, T. Ren, and X. Peng. 2022. Determination of soil bulk density dynamic in a Vertisol during wetting and drying cycles using combined soil water content and thermal property sensors. *Geoderma* **428**: 116149.
- Williams, B., C. Halloin, W. Löbel, F. Finklea, E. Lipke, R. Zweigerdt, and S. Cremaschi. 2020. Data-driven model development for cardiomyocyte production experimental failure prediction. *Computer aided chemical engineering* **48**: 1639-1644.
- Wopereis, M.C.S., M.J. Kropff, A.R. Maligaya, and T.P. Tuong. 1996. Drought-stress responses of two lowland rice genotypes to soil water status. *Field Crops Research*. **46**(1-3): 21-39.
- Xiong, J., L. Zhang., G.Fu, Y.Yang, C. Zhu. and L.Tao. 2012. Drought-induced proline accumulation is uninvolved with increased nitric oxide, which alleviates drought stress by decreasing transpiration in rice. *Journal of Plant Research*. **125**:155-164.
- Xu, H., D. Vavilin, and W. Vermaas. 2001. Chlorophyll b can serve as the major pigment in functional photosystem II complexes of cyanobacteria. *Proceedings of the National Academy of Sciences*. **98**(24): 14168-14173.
- Yang, X., B. Wang, L. Chen, P. Li, and C.Cao. 2019. The different influences of drought stress at the flowering stage on rice physiological traits, grain yield, and quality. *Sci Rep*. **9**: 3742. <https://doi.org/10.1038/s41598-019-40161-0B>.
- Ye, S., B. Peng, and T. Liu. 2022. Effects of organic fertilizers on growth characteristics and fruit quality in Pear-jujube in the Loess Plateau. *Scientific Reports*. **12**(1): 13372.
- Yamagishi, T., S. Peng, K.G. Cassman, and R. Ishii. 1996. Studies on grain filling characteristics in “New Plant Type” rice lines developed in IRRI. *Japanese J. Crop Sci.* **65** (Extra issue No.2):169–170. Yoshida, S. 1981. Fundamentals of rice crop science. International of Rice Research Institute. Los Banyos, Phillipine

- Yoshida, S. 1981. Fundamentals of rice crop science. International Rice Research Institute (IRRI), Los Baños, Laguna, Philippines.
- Yue, J., H. Yang, G. Yang, Y. Fu, H. Wang, and C. Zhou. 2023. Estimating vertically growing crop above-ground biomass based on UAV remote sensing. Computers and Electronics in Agriculture. 205: 107627.
- Zhang, C., G. Liu, S. Xue, and G. Wang. 2016. Soil bacterial community dynamics reflect changes in plant community and soil properties during the secondary succession of abandoned farmland in the Loess Plateau. Soil Biol. Biochem. 97: 40–49. doi: 10.1016/j.soilbio.2016.02.013
- Zhang, S., L. Sun, and Y. Wang. 2020. Cow manure application effectively regulates the soil bacterial community in tea plantation. BMC Microbiol 20: 190. <https://doi.org/10.1186/s12866-020-01871-y>.
- Zhao, H., Z. Mo, Q. Lin, S. Pan, M. Duan, H. Tian, S. Wang. and X. Tang. 2020. Relationships between grain yield and agronomic traits of rice in southern China. Chilean journal of agricultural research. 80(1): 72-79.
- Zraibi, L., K. Chaabane, A. Berrichi, M. Sbaa, M. Badaoui, Y. Zarhloule & M. Georgiadis. 2019. Assessment of the agronomic value of the sludge compost for the wastewater treatment plant from Nador city. Journal of Materials and Environmental Science. 6: 2975–2985.