



REFERENCES

- Baclig, M.O., Reyes, K.G., Liles, V.R., Mapua, C.A., Dimamay, M.P.S. and Gopez-Cervantes, J. (2018). Hepatic Steatosis in Chronic Hepatitis B: a Study of Metabolic and Genetic Factors. *International Journal of Molecular Epidemiology and Genetics*, [online] 9(2), pp.13–19. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5944810/> [Accessed 10 Jan. 2024].
- Bhatt, H.B. and Smith, R.J. (2015). Fatty Liver Disease in Diabetes Mellitus. *Hepatobiliary Surgery and Nutrition*, [online] 4(2), pp.101–108. doi:<https://doi.org/10.3978/j.issn.2304-3881.2015.01.03>.
- Bhopale, G.M. (2016). Pathogenesis of Hepatitis B Virus. *International Journal of Current Microbiology and Applied Sciences*, 5(6), pp.619–626. doi:<https://doi.org/10.20546/ijcmas.2016.506.067>.
- Birkenfeld, A.L. and Shulman, G.I. (2014). Nonalcoholic Fatty Liver disease, Hepatic Insulin resistance, and Type 2 Diabetes. *Hepatology*, 59(2), pp.713–723. doi:<https://doi.org/10.1002/hep.26672>.
- Caturano, A., Acierno, C., Nevola, R., Pafundi, P.C., Galiero, R., Rinaldi, L., et al. (2021). Non-Alcoholic Fatty Liver Disease: from Pathogenesis to Clinical Impact. *Processes*, 9(1), p.135. doi:<https://doi.org/10.3390/pr9010135>.
- Chen, C.J., Yang, H.I., Su, J., Jen, C.L., You, S.L., Lu, S.N., et al. (2006). Risk of Hepatocellular Carcinoma across a Biological Gradient of Serum Hepatitis B Virus DNA Level. *JAMA*, [online] 295(1), pp.65–73. doi:<https://doi.org/10.1001/jama.295.1.65>.
- Chen, H., Zhan, Y., Zhang, J., Cheng, S., Zhou, Y., Chen, L., et al. (2021). The global, regional, and National Burden and Trends of NAFLD in 204 Countries and territories: an Analysis from Global Burden of Disease 2019 (Preprint). *JMIR Public Health and Surveillance*, [online] 8(12). doi:<https://doi.org/10.2196/34809>.
- Chen, Y.C., Jeng, W.J., Hsu, C.W. and Lin, C.Y. (2020). Impact of Hepatic Steatosis on Treatment Response in nucleos(t)ide analogue-treated HBeAg-positive Chronic Hepatitis B: a Retrospective Study. *BMC Gastroenterology*, 20(1). doi:<https://doi.org/10.1186/s12876-020-01289-w>.
- Chisari, F.V., Isogawa, M. and Wieland., S.F. (2010). Pathogenesis of Hepatitis B Virus Infection. *Pathologie Biologie*, 58(4), pp.258–266. doi:<https://doi.org/10.1016/j.patbio.2009.11.001>.
- Croagh, C.M. and Lubel, J.S. (2014). Natural History of Chronic Hepatitis B: Phases in a Complex Relationship. *World Journal of Gastroenterology : WJG*, [online] 20(30), pp.10395–10404. doi:<https://doi.org/10.3748/wjg.v20.i30.10395>.
- Enomoto, H., Aizawa, N., Nishikawa, H., Ikeda, N., Sakai, Y., Takata, R., et al. (2016). Relationship between Hepatic Steatosis and the Elevation of Aminotransferases in HBV-Infected Patients with HBe-Antigen Negativity and a Low Viral Load. *Medicine*, [online] 95(17), p.e3565. doi:<https://doi.org/10.1097/MD.0000000000003565>.



- Gish, R.G., Given, B.D., Lai, C.-L., Locarnini, S.A., Lau, J.Y.N., Lewis, D.L., et al. (2015). Chronic Hepatitis B: Virology, Natural history, Current Management and a Glimpse at Future Opportunities. *Antiviral Research*, 121(<https://www.sciencedirect.com/science/article/pii/S0166354215001394>), pp.47–58. doi:<https://doi.org/10.1016/j.antiviral.2015.06.008>.
- Grossman, S. and Porth, C. (2014). *Porth's Pathophysiology : Concepts of Altered Health States*. 9th ed. Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins.
- Harrison, T.R. and Kasper, D.L. (2015). *Harrison's Principles of Internal medicine*. 1. New York McGraw-Hill Medical Publ. Division.
- Hong, Y.S., Chang, Y., Ryu, S., Achirica, C.M., Kwon, M.J., Zhang, Y., et al. (2017). Hepatitis B and C Virus Infection and Diabetes mellitus: a Cohort Study. *Scientific Reports*, 7(1). doi:<https://doi.org/10.1038/s41598-017-04206-6>.
- Hsiang, J.C., Gane, E.J., Bai, W.W. and Gerred, S.J. (2015). Type 2 diabetes: a Risk Factor for Liver Mortality and Complications in Hepatitis B Cirrhosis Patients. *Journal of Gastroenterology and Hepatology*, 30(3), pp.591–599. doi:<https://doi.org/10.1111/jgh.12790>.
- Huang, J., Jing, M., Wang, C., Wang, M., You, S., Lin, S., et al. (2020). The impact of hepatitis B virus infection status on the prevalence of nonalcoholic fatty liver disease: A population-based study. *Journal of Medical Virology*, [online] 92(8), pp.1191–1197. doi:<https://doi.org/10.1002/jmv.25621>.
- Huang, S.C. and Liu, C.J. (2023). Chronic Hepatitis B with Concurrent Metabolic Dysfunction-Associated Fatty Liver disease: Challenges and Perspectives. *Clinical and Molecular Hepatology*. [online] doi:<https://doi.org/10.3350/cmh.2022.0422>.
- Hui, R.W., Seto, W., Cheung, K., Mak, L., Liu, K.S., Fung, J., et al. (2017). Inverse Relationship between Hepatic Steatosis and Hepatitis B viremia: Results of a Large Case-control Study. *Journal of Viral Hepatitis*, 25(1), pp.97–104. doi:<https://doi.org/10.1111/jvh.12766>.
- Iloeje, U.H., Yang, Hwai I., Su, J., Jen, C.L., You, S.L., Chen, C.J., et al. (2006). Predicting Cirrhosis Risk Based on the Level of Circulating Hepatitis B Viral Load. *Gastroenterology*, [online] 130(3), pp.678–686. doi:<https://doi.org/10.1053/j.gastro.2005.11.016>.
- International Diabetes Federation (2006). *Metabolic Syndrome*. [online] Available at: <https://www.idf.org/component/attachments/attachments.html?id=705&task=download>.
- International Diabetes Federation (2021). *IDF Diabetes Atlas 10th Edition*. [online] Available at: https://diabetesatlas.org/idfawp/resource-files/2021/07/IDF_Atlas_10th_Edition_2021.pdf.
- Joo, E.J., Chang, Y., Yeom, J.S. and Ryu, S. (2016). Hepatitis B virus infection and decreased risk of nonalcoholic fatty liver disease: A cohort study. *Hepatology*, 65(3), pp.828–835. doi:<https://doi.org/10.1002/hep.28917>.
- Kementerian Kesehatan Republik Indonesia (2019). *Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/322/2019 Tentang*



Pedoman Nasional Pelayanan Kedokteran Tata Laksana Hepatitis B.
Kementerian Kesehatan Republik Indonesia.

- Li, J., Yang, H.I., Yeh, M.L., Le, M.H., Le, A.K., Yeo, Y.H., *et al.* (2021). Association between Fatty Liver and Cirrhosis, Hepatocellular Carcinoma, and Hepatitis B Surface Antigen Seroclearance in Chronic Hepatitis B. *The Journal of Infectious Diseases*, [online] 224(2), pp.294–302. doi:<https://doi.org/10.1093/infdis/jiaa739>.
- Liu, P.T., Hwang, A.C. and Chen, J.D. (2013). Combined effects of hepatitis B virus infection and elevated alanine aminotransferase levels on dyslipidemia. *Metabolism*, 62(2), pp.220–225. doi:<https://doi.org/10.1016/j.metabol.2012.07.022>.
- Mertens, J., De Block, C., Spinhoven, M., Driessens, A., Francque, S.M. and Kwanten, W.J. (2021). Hepatopathy Associated with Type 1 Diabetes: Distinguishing Non-alcoholic Fatty Liver Disease from Glycogenic Hepatopathy. *Frontiers in Pharmacology*, 12. doi:<https://doi.org/10.3389/fphar.2021.768576>.
- Mohamed, J., H., N.N.A., H., Z.A. and B., B.S. (2016). Mechanisms of Diabetes-Induced Liver Damage: the Role of Oxidative Stress and Inflammation. *Sultan Qaboos University Medical Journal*, 16(2), pp.e132-141. doi:<https://doi.org/10.18295/squmj.2016.16.02.002>.
- Nassir, F., Rector, R.S., Hammoud, G.M. and Ibdah, J.A. (2015). Pathogenesis and Prevention of Hepatic Steatosis. *Gastroenterology & Hepatology*, 11(3), pp.167–75.
- Our World in Data. (n.d.). *Hepatitis B incidence rate*. [online] Available at: <https://ourworldindata.org/grapher/hepatitis-b-incidence-sdgs?time=latest&country=LSO~EST~CHE~IDN> [Accessed 3 May 2023].
- Pais, R., Rusu, E., Zilisteau, D., Circiumaru, A., Micu, L., Voiculescu, M., *et al.* (2015). Prevalence of steatosis and insulin resistance in patients with chronic hepatitis B compared with chronic hepatitis C and non-alcoholic fatty liver disease. *European Journal of Internal Medicine*, [online] 26(1), pp.30–36. doi:<https://doi.org/10.1016/j.ejim.2014.12.001>.
- Peleg, N., Issachar, A., Sneh Arbib, O., Cohen Naftaly, M., Braun, M., Leshno, M., *et al.* (2019). Liver Steatosis Is a Strong Predictor of Mortality and Cancer in Chronic Hepatitis B Regardless of Viral Load. *JHEP Reports*, [online] 1(1), pp.9–16. doi:<https://doi.org/10.1016/j.jhepr.2019.02.002>.
- Purba, H. (2023). *Incidence and Related Factors with Metabolic Associated Fatty Liver Disease in Type II Diabetes Mellitus Patients at Dr. Sardjito Hospital*.
- Rugivaro, M., Pongpaibul, A., Chainuvati, S., Nimanong, S., Chotiyaputtha, W., Tanwandee, T., *et al.* (2023). Prognostic Relevance of Metabolic Dysfunction-Associated Steatohepatitis for Patients with Chronic Hepatitis B. *Journal of Clinical and Translational Hepatology*, [online] 11(1), pp.76–87. doi:<https://doi.org/10.14218/JCTH.2022.00055>.
- Sanyal, A.J., Boyer, T.D., Terrault, N. and Lindor, K.D. (2018). *Zakim and Boyer's Hepatology : a Textbook of Liver Disease*. Philadelphia, Pa: Elsevier.
- Sapra, A. and Bhandari, P. (2022). *Diabetes Mellitus*. [online] PubMed. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK551501/>.



- Shams, M.E.E. (2011). Type 2 Diabetes Mellitus-Induced Hyperglycemia in Patients with NAFLD and Normal LFTs: Relationship to Lipid Profile, Oxidative Stress and Pro-Inflammatory Cytokines. *Scientia Pharmaceutica*, 79(3), pp.623–634. doi:<https://doi.org/10.3797/scipharm.1104-21>.
- Sheena, B.S., Hiebert, L., Han, H., Ippolito, H., Kangevari, M.A., Kangevari, Z.A., et al. (2022). Global, regional, and National Burden of Hepatitis B, 1990–2019: a Systematic Analysis for the Global Burden of Disease Study 2019. *The Lancet Gastroenterology & Hepatology*, [online] 7(9), pp.796–829. doi:[https://doi.org/10.1016/S2468-1253\(22\)00124-8](https://doi.org/10.1016/S2468-1253(22)00124-8).
- Shi, Y.W., Yang, R.X. and Fan, J.G. (2021). Chronic Hepatitis B Infection with Concomitant Hepatic steatosis: Current Evidence and Opinion. *World Journal of Gastroenterology*, 27(26), pp.3971–3983. doi:<https://doi.org/10.3748/wjg.v27.i26.3971>.
- Shi, Y.X., Huang, C.J. and Yang, Z.G. (2016). Impact of Hepatitis B Virus Infection on Hepatic Metabolic Signaling Pathway. *World Journal of Gastroenterology*, [online] 22(36), pp.8161–8167. doi:<https://doi.org/10.3748/wjg.v22.i36.8161>.
- Herrera, C.S., Triplitt, C., Reasner, C., DeFronzo, R.A. and Cersosimo, E. (2018). *Classification of Diabetes Mellitus*. [online] Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK279119/>.
- Sun, J., Li, Y., Sun, X., Liu, Y., Zheng, D. and Fan, L. (2019). Association between Abdominal Obesity and Liver Steatosis and Fibrosis among Patients with Chronic Hepatitis B Measured by Fibroscan. *Experimental and Therapeutic Medicine*. doi:<https://doi.org/10.3892/etm.2019.7727>.
- Tan, Y., Wei, S., Zhang, W., Yang, J., Yang, J. and Yan, L. (2019). Type 2 Diabetes Mellitus Increases the Risk of Hepatocellular Carcinoma in Subjects with Chronic Hepatitis B Virus infection: a meta-analysis and Systematic Review. *Cancer Management and Research*, 11, pp.705–713. doi:<https://doi.org/10.2147/cmar.s188238>.
- Wang, M., Wang, G., Shen, F., Chen, G., Pan, Q. and Fan, J. (2014). Hepatic Steatosis Is Highly Prevalent in Hepatitis B Patients and Negatively Associated with Virological Factors. *Digestive Diseases and Sciences*, 59(10), pp.2571–2579. doi:<https://doi.org/10.1007/s10620-014-3180-9>.
- Wang, Q., Xue, J., Shi, M., Xie, Y., Xiao, H., Li, S., Lin, M.C. and Chi, X. (2022). Association between Metabolic Dysfunction-Associated Fatty Liver Disease and the Risk of Cirrhosis in Patients with Chronic Hepatitis B—A Retrospective Cohort Study. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, [online] Volume 15, pp.2311–2322. doi:<https://doi.org/10.2147/dmso.s369824>.
- World Health Organization (2015). *Guidelines for the Prevention, Care, and Treatment of Persons with Chronic Hepatitis B Infection*. [online] Available at: https://apps.who.int/iris/bitstream/10665/154590/1/9789241549059_eng.pdf [Accessed 6 May 2023].



- World Health Organization (2021). *Hepatitis B*. [online] World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/hepatitis-b>.
- World Health Organization (2023). *Diabetes*. [online] World Health Organisation. Available at: <https://www.who.int/news-room/fact-sheets/detail/diabetes>.
- World Health Organization (WHO) (2022). *Hepatitis B*. [online] World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/hepatitis-b>.
- Yang, H.C. and Kao, J.H. (2016). Revisiting the Natural History of Chronic HBV Infection. *Current Hepatology Reports*, 15(3), pp.141–149. doi:<https://doi.org/10.1007/s11901-016-0304-z>.
- Yang, M.H., Sung, J. and Gwak, G.Y. (2016). The associations between apolipoprotein B, A1, and the B/A1 ratio and nonalcoholic fatty liver disease in both normal-weight and overweight Korean population. *Journal of Clinical Lipidology*, [online] 10(2), pp.289–298. doi:<https://doi.org/10.1016/j.jacl.2015.11.017>.
- Yang, Q., Tong, Y., Pi, B., Yu, H. and Lv, F. (2022). Influence of Metabolic Risk Factors on the Risk of Bacterial Infections in Hepatitis B-Related Cirrhosis: a 10-Year Cohort Study. *Frontiers in Medicine*, 9. doi:<https://doi.org/10.3389/fmed.2022.847091>.
- Yao, R., Lu, S., Xue, R., Wang, J., Qiu, Y., Chen, Y., et al. (2024). NAFLD Is Associated with Less Severe Liver Fibrosis in Chronic Hepatitis B: a multi-center, Retrospective Study. *Annals of Hepatology*, [online] 29(1). doi:<https://doi.org/10.1016/j.aohep.2023.101155>.
- Yu, J.H. and Lee, J.W. (2019). How Does Hepatic Steatosis Affect the Outcome of Patients with Chronic Hepatitis B? *Clinical and Molecular Hepatology*, 25(3), pp.280–282. doi:<https://doi.org/10.3350/cmh.2018.0104>.
- Yu, M.W., Lin, C.L., Liu, C.J., Huang, Y.W., Hu, J.T., Wu, W.J., et al. (2021). Hepatic Steatosis and Development of Type 2 diabetes: Impact of Chronic Hepatitis B and Viral Specific Factors. *Journal of the Formosan Medical Association*, 121(8). doi:<https://doi.org/10.1016/j.jfma.2021.10.014>.
- Zhang, J., Lin, S., Jiang, D., Li, M., Chen, Y., Li, J., et al. (2020). Chronic Hepatitis B and Non-alcoholic Fatty Liver disease: Conspirators or competitors? *Liver International*, 40(3), pp.496–508. doi:<https://doi.org/10.1111/liv.14369>.
- Zhao, Y., Xing, H., Wang, X., Ou, W., Zhao, H., Li, B., et al. (2019a). Management of Diabetes Mellitus in Patients with Chronic Liver Diseases. *Journal of Diabetes Research*, 2019, pp.1–9. doi:<https://doi.org/10.1155/2019/6430486>.
- Zheng, Q., Zou, B., Wu, Y., Yeo, Y., Wu, H., Stave, C.D., et al. (2021a). Systematic Review with meta-analysis: Prevalence of Hepatic steatosis, Fibrosis and Associated Factors in Chronic Hepatitis B. *Alimentary Pharmacology & Therapeutics*, 54(9), pp.1100–1109. doi:<https://doi.org/10.1111/apt.16595>.
- Zhong, G., Wu, Y., Hao, F., Rao, X., Yuan, X., Zhao, Y., et al. (2018). Current but not past hepatitis B virus infection is associated with a decreased risk of



nonalcoholic fatty liver disease in the Chinese population: A case-control study with propensity score analysis. *Journal of Viral Hepatitis*, 25(7), pp.842–852. doi:<https://doi.org/10.1111/jvh.12878>.

Zhu, C., Gao, G., Song, H., Xu, F., Wu, K. and Liu, X. (2016). Hepatitis B virus inhibits apolipoprotein A5 expression through its core gene. *Lipids in Health and Disease*, [online] 15(178), p.178. doi:<https://doi.org/10.1186/s12944-016-0340-2>.

Zhu, L.G., Jiang, J., Zhai, X., Baecker, A., Peng, H., Qian, J., et al. (2019). Hepatitis B Virus Infection and Risk of non-alcoholic Fatty Liver disease: a population-based Cohort Study. *Liver International*, [online] 39(1), pp.70–80. doi:<https://doi.org/10.1111/liv.13933>.