



## DAFTAR PUSTAKA

- Abdoellah S, Hulipi R, Sulistyowati. 2000. Hubungan antara cita rasa kopi Robusta dengan komposisi bahan tanam serta komponen lingkungan. *Pelita Perkebunan*, 16, 92–99.
- Adak N. 2019. Effect of different  $K^+/Ca^{2+}$  ratios on yield, quality and physiological disorder in soilless strawberry cultivation. *Acta Sci. Pol. Hortorum Cultus*. 18(2):229-236. DOI: 10.24326/asphc.2019.2.20
- Afoakwa EO, Paterson A, Fowler M, Ryan A. 2008. Flavor formation and character in cocoa and chocolate: a critical review. *Crit Rev Food Sci Nutr*. 48(9):840-857. DOI: 10.1080/10408390701719272
- Afoakwa EO, A Paterson, Fowler, J Vieira. 2009. Microstructure and mechanical properties related to particle size distribution and composition in dark chocolate. *International Journal of Food Science and Technology*. 44: 111-119
- Afoakwa EO, JE Kongor, J Takrama, A Budu. 2013. Changes in nib acidification and biochemical composition during fermentation of pulp precon ditioned cocoa (*Theobroma caca*) beans. *International Food Research*, 20 (4): 1843-1853.
- Ahmad N, Hussain S, Ali MA, Minhas A, Waheed W, Danish S, Fahad S, Ghafoor U, Baig KS, Sultan H, Hussain MI, Ansari MJ, Marfo TD, Datta R. 2022. Correlation of soil characteristics and citrus leaf nutrients contents in current scenario of Layyah District. *Horticulturae*, 8, 61, 1-17. <https://doi.org/10.3390/horticulturae8010061>
- Alasti FM, Asefi N, Maleki M, SeiiedlouHeris SS. 2019. Investigating the flavor compounds in the cocoa powder production process. *Food Science & Nutrition*. 7 (12): 3892-3901. <https://doi.org/10.1002/fsn3.1244>
- Alayo-Castro EM., Idrogo-Vasquez G, Siche R., Cardenas-Toro FP. 2019. Formation of aromatic compound precursors during fermentation of Criollo and Forastero cocoa. *Helijon* 5. DOI: 10.1016/j.helijon.2019.e01157
- Alemseged Y, Tesfaye SG (2012) Study on arabica belete 105 coffee fruit phenology and bean size in relation to agronomic practice. *24th International Conference on Coffee Science San José* (Costa Rica). 12th -16th November 2012.
- Alvarez C, Elevina P, Leres M del CL, Boulanger R, Davrieux F, Assemat S, Cros E. 2016. Identification of the volatile compounds in the roasting Venezuela criollo cocoa beans by gas chromatography-spectrometry mass. *Journal of Nutritional Health & Food Engineering*. DOI: 10.15406/jnhfe.2016.05.00178
- Anda M, Suryani E, Widaningrum, Nursyamsi D. 2018. Soil potassium nutrient, temperature and rainfall required generate “honey taste” of cilembu sweet potato. *Indonesian Journal of Agricultural Science*. 19 (1): 33-47.
- Anda, M.; Dahlgren, R.A. Long-term response of tropical Andisol properties to conversion from rainforest to agriculture. *CATENA* 2020, 194, 104679. [CrossRef]
- Andarwulan, N., Kusnandar, F., & Herawati, D. (2011). Analisis pangan. Jakarta: Dian Rakyat. Anita-Sari et al., 2017
- Anita-Sari I, Murti RH, Misnawi, Putra ETS, Susilo AW. 2022. Sensory profiles of cocoa genotypes in Indonesia. *Biodiversitas*. 23 (2): 648-654. DOI: 10.13057/biodiv/d230205



- Anita-Sari I, Setyawan B, Susilo AW. 2020. Potential and stability of promising fine flavor cocoa clones in different season. *Pelita Perkebunan*. 36 (2): 109-119.
- Anita-Sari I, Sobir, Faizal I, Susilo AW, Maecelinus AS, Nugroho, RAP. 2016. Anthocyanin and chlorophyll content in flush as selection markers on fine flavor cocoa (*Theobroma cacao* L.). *Pelita Perkebunan*, 32(3): 171-180. <https://doi.org/10.22302/iccri.jur.pelitaperkebunan.v32i3.244>
- Anita-Sari I, Susilo AW. 2014. Keragaan beberapa genotipe harapan kakao mulia hasil seleksi di Kebun Penataran, Jawa Timur. *Pelita Perkebunan*. 30(2):81-91
- Anita-Sari I, Susilo AW. 2015. Phenology of flowering and pod maturity on some cocoa clones (*Theobroma cacao* L.). *Pelita Perkebunan*. 31(2):73-80.
- Apriyanto M, Sutardi, Supriyanto, Harmayani E. 2017. Amino acid analysis of cocoa fermented by high performance liquid chromatography (HPLC). *Asian J. Dairy*. 36 (2): 156-160. DOI: 10.18805/ajdfr.v36i02.7962
- Aprotosoaie AC, Luca SV, Miron A. 2016. Flavor chemistry of cocoa and cocoa products- An overview. *Comprehensive Reviews in Food Science and Food Safety* 15(1): 73-91. DOI.org/10.1111/1541-4337.12180
- Araujo de QR., Baligar VC, de. A Loureiro GAH, de S. Junior JO, Comerford NB. 2017. Impact of soils and cropping systems on mineral composition of dry cacao beans. *Journal of Soil Science and Plant Nutrition*. 17,2.
- Araujo QR, C Rohsius, GAH de A Loureiro, VC Baligar. 2018. Impact of soils and cropping system on biochemical attributes of dry cocoa bean. *Agrotropica*. 30 (3): 175-194. DOI:10.21757/0103-3816.2018v30n3p175-194
- Argout X, Fouet O, Wincker P, Gramacho K, Legavre T, Sabau X, Kuhn D. 2008. Towards the understanding of the cocoa transcriptome: Production and analysis of an exhaustive dataset of ESTs of *Theobroma cacao* L. generated from various tissues and under various conditions. *BMC Genomics*. 9(1):512.
- Argout X, Salse J, Aury JM, Guiltinan MJ, Droc G, Gouzy J, Allegre M, Chapparo C, Legrave T, Maximova SN et al. 2011. The genome of *Theobroma cacao*. *Nat Gen*. 43(2):101-108.
- Arifin, M.; Devnita, R.; Anda, M.; Goenadi, D.H.; Nugraha, 2022. A. Characteristics of Andisols Developed from Andesitic and Basaltic Volcanic Ash in Different Agro-Climatic Zones. *Soil Syst.*, 6, 78. <https://doi.org/10.3390/soilsystems6040078>
- Ascrizzi R, Flamini G, Tessieri C, and Pistelli L. 2017. From the raw seed to chocolate: Volatile profile of Blanco de Criollo in different phases of the processing chain. *Microchemical Journal*, 133:474–9. doi: 10.1016/j.microc.2017.04.024.
- Atta AA., Morgan KT, Kadyampakeni DM, Mahmoud KA. 2021. The effect of foliar and ground-applied essential nutrients on huanglongbing-affected mature citrus trees. *Plants*, 10, 925.
- Badan Standarisasi Nasional. 1992. *Standard Nasional Indonesia Nomor 2891 "Cara Uji Makanan dan Minuman"*
- Balapure MM, Mhase LB, Kute NS, Pawar VY. 2016. AMMI analysis for stability of chickpea. *Legumes Research*, 39 (2): 301-304. DOI:10.18805/LR-354
- Baligar et al., 2006
- Ballesteros DC, Mason RE, Addison CK, Acuna A, Arguello-Blanco MN, Subramainian N, Miller RG, Sater H, Gbur EE, Miller DM, Griffey CA, Barnett



- MD, Tucker D. 2015. Tolerance of wheat to vegetative stage soil waterlogging is conditioned by both constitutive and adaptive QTL. *Euphytica*, 201(3), 329–343. doi:10.1007/s10681-014-1184-3
- Bangerth F. 1979. Calcium-regulated physiological disorders of plants. *Annual Review of Phytopathology*, 17, 97-122.
- Beckett ST. 2003. Is the taste of British milk chocolate different?. *International J. Dairy Tech.* 56(3):139-142.
- Belitz HD, W Grosch, P Schieberle. (2009). *Food Chemistry*. Springer. 1114p. DOI 10.1007/978-3-540-69934-7. DOI 10.1007/978-3-540-69934-7
- Bellaloui N, Stetina SR, Turley RB. 2015. Cotton seed protein oil, and mineral status in near-isogenic *Gossypium hirsutum* cotton lines expressing fuzzy/linted and fuzzless/ linted seed phenotypic under field conditions. *Front. Plant Sci*, 6, 137.
- Bett-Garber KL, Lea JM, McClung A, Chen MH. 2013. Correlation of Sensory, Physical and Chemical Properties of whole grain rice with diverse bran color. *Cereal Chemistry*, 90, 6: 521-528. <https://doi.org/10.1094/CCHEM-10-12-0126-R>
- Biehl B and G Ziegleder. 2003. Cocoa: chemistry of processing. 2nd edition. In B. Caballero, L. Trugo, P. M. Finglas (Eds), *Encyclopedia of Food Sciences and Nutrition* (pp. 1436–48). New York: Academic Press. DOI: 10.1016/B0-12-227055-X/00261-3
- Bonvehi JS & FV Coll. 2000. Evaluation of purine alkaloids anddiketopiperazines contents in processed cocoa powder. *European Food Research and Technology*, 210, 189–195.
- Brunetto M, Del R, Gutiérrez L, Gallignani M, Zambrano A, Gómez A, Romero C. 2007. Determination of theobromine, theophylline and caffeine in cocoa samples by a high-performance liquid chromatographic method with on-line sample cleanup in a switching-column system. *Food Chemistry* 100: 459– 467. DOI: 10.1016/j.foodchem.2005.10.007
- Brunetto M, R Del, L Gutiérrez, M Gallignani, A Zambrano, A Gómez, C Romero. 2007. Determination of theobromine, theophylline and caffeine in cocoa samples by a high-performance liquid chromatographic method with on-line sample cleanup in a switching-column system. *Food Chemistry* 100: 459– 467. 10.1016/j.foodchem.2005.10.007
- Builes VHR., June. 2020. Contributions of Coffee Nutrition of the Cup Quality. DOI: 10.13140/RG.2.2.18848.20483
- Caligiani A, Cirlini M, Palla G, Ravaglia R, Arlorio M. (2016). GC-MS detection of chiral markers in cocoa beans of different quality and geographic origin. *Chirality*. 19(4):329–34. DOI: 10.1002/chir.20380
- Caligiani A, Cirlini M, Palla G, Ravaglia R, Arlorio M. 2007. GC-MS detection of chiral markers in cocoa beans of different quality and geographic origin. *Chirality* 19(4):329–34.
- Calvo AM, Botina BL, Gracia MC, Cardona WA, Montenegro AC, Criollo J. (2021). Dynamics of cocoa fermentation and its effect on quality. *Scientific Reports*, 11: <https://doi.org/10.1038/s41598-021-95703-2>
- Carillo LC, Londono-Londono J, A. Gil. 2013. Comparison of polyphenol, methylxanthines and antioxidant activity in *Theobroma cacao* beans from



- different cocoa-growing areas in Colombia. *Food Research International*. <http://dx.doi.org/10.1016/j.foodres.2013.06.019>
- Catro-Alayo EM, Idrogo-Vasquez G, Siche R, Cardenas-Toro FP. 2019. Formation od aromatic compounds precursors during fermentation of Criollo and Forastero cocoa. *Heliyon*. 5. doi: 10.1016/j.heliyon.2019.e01157
- Cevallos-Cevallos JJ., Gysel L, Mariduena-Zavala MG, Molina-Miranda MJ. (2018). Time-related changes in volatile compunds during fermentastion of bulk and fine flavor cocoa (*Theobroma cacao*) beans. *Journal of Food Quality*. 14 p. <https://doi.org/10.1155/2018/1758381>
- Cheng B, Furtado A, Smyth HE, Henry RJ. 2016. Influence of genotype and environment on coffee quality. *Trends in Food Science and Technology*, 016, 57: 20-30. <http://dx.doi.org/10.1016/j.tifs.2016.09.003>
- Chrysargyris A, Drouza C, Tzortzakis N. 2017. Optimalization of potassium fertilization/nutrition for growth, physiological development, essential oil composition and antioxidant activity of *Lavandula angustifolia* Mill. *Journal of Soil Science and Plant Nutrition*, 17(2), 291-306.
- Cilas, C., R. Machado, and J.C. Motamayor. 2010. Relations between several traits linked to sexual plant reproduction in *Theobroma cacao* L.: number of ovules per ovary, number of seeds per pod, and seed weight. *Tree Genetics & Genomes*, 6(2): 219-226.
- Clemente J, Martinez H, Pedrosa A, Neves Y, Cecon P, Jifon J. 2018. Boron, Copper and Zink affect the productivity, cup quality and chemical compounds in coffee beans. *Journal of Food Quality*. 14p. <https://doi.org/10.1155/2018/7960231>
- Clemente JM, Martinez HEP, Alves LC, Finger FL, Cecon PR. 2015. Effects of nitrogen and potassium on the chemical composition of coffee beans and on beverage quality. *Acta Scientiarum Agronomy*. 37 (3): 297-305.
- Couet C, Ouwerx C, Rosoux D, Collin S. 2004. Relationship between procyanidin and flavor contents of cocoa liquors from different origins. *J. Agric. Food Chem.* 52: 6243–6249.
- Covre A, Rodrigues W, Vieira H, Braun H, Ramalho J, Partelli F(2016). Nutrient accumulation in bean and fruit from irrigated and non irrigated Coffea canephora cv. Conilon. *Emirates Journal of Food and Agriculture*. 28:402-409.
- Curzi D, Raimondi V, Olper A . 2014. Quality upgrading, competition and trade policy: Evidence from the Agri-food sector. *European Review of Agricultural Economics* 42(2):239-267.
- Daniel S, Laderach P, Paschall M. 2012. *Reaching High Value Market: Fine Flavor Cocoa in Ghana*. Ghana (GN). doi: [www.iied.org/pubs](http://www.iied.org/pubs).
- das Virgens IA, TC Pires, LRR de Santana, SE Soares, LF Maciel, ACR Ferreira, ACT Biasoto, E da S Bispo. 2020. Relationship between bioactive compounds and sensory properties of dark chocolate produced from Brazilian hybrid cocoa. *Food Science and Technology*.
- David JH, Tommy P. 2011. Pengaruh fermentasi biji kakao terhadap olahan coklat di Kalimantan Barat. *Biopropal*. 2(1): 20-26
- De Vuyst L, Weckx S. 2016. The cocoa bean fermentation process: from ecosystem analysis to starter culture development. *Journal of Applied Microbiology*, 121, 5-17



- Devy L. 2019. Studi karakter seleksi kakao mulia (*Theobroma cacao L.*) penghasil produk fine flavor cocoa di Indonesia. *Disertasi*. Institut Pertanian Bogor.148 p
- Doare, F, Ribeyre, F, Christian, C. 2020. Genetic and environmental links between traits of cocoa beans and pods clarify the phenotyping process to be implemented. *Scientific Report*, 10:9888. <https://doi.org/10.1038/s41598-020-66969-9>
- Dwijatmoko MI, Nurtama B, Yuliana ND, Misnawi. 2018. Characterization of polyphenol from various cocoa (*Theobroma cacao L.*) clones during fermentation. 34 (2): 104-112.
- Effendy, Antara M. 2015. Effect of input production against quality of cocoa beans. *American Journal of Applied Science*. 12, 10: 709-713. DOI: 10.3844/ajassp.2015.709.713
- EI-Dahshouri MF. 2019. Evaluation of calcium rate and time application on common bean nutrient status, seeds yield and quality. *Middle East J. Agric. Res.* 8 (3): 845-854.
- Esker A, Seguine ES, Assemat S. 2009. Evidence for the effect of the cocoa bean flavour environment during fermentation on the final flavour profile of cocoa liquor and chocolate. ResearchGate. 1-6.
- Eskes A, Ahert D, Assemat S, Seguine E. 2012. Evidence for the effect of the cocoa bean flavor environment during fermentation on the final flavor profile of cocoa liquor and chocolate. INGENIC Newsletter. Available on: [https://agritrop.cirad.fr/568108/1/document\\_568108.pdf](https://agritrop.cirad.fr/568108/1/document_568108.pdf)(Accessed 30 October 2017).
- Eskes A, Seguine ES, Assemat S. 2007. Evidence for the effect of the cocoa bean flavour environment during fermentation on the final flavour profile of cocoa liquor and chocolate. ResearchGate, <https://www.researchgate.net/publication/228754936>. 8 p
- Favaro S, Ida EI. 2007. Rates of calcium, yield, and quality of snap bean. *Sci. Agric*, 64 (6): 616-620
- Fayeulle H, Preys S, Roger JM, Boulanger R, Hue C, Cheynier V, Sommerer N. 2020. Multiblock analysis to relate polyphenol targeted mass spectrometry and sensory properties of chocolates and cocoa beans. *Metabolites*. 10: 311. doi: 10.3390/metabo10080311
- Febrianto NA, F Zhu. 2021. Diversity in composition of bioactive compounds among 26 cocoa genotypes. *Agricultural and Food Chemistry*, 67: 9501-9509. DOI: 10.1021/acs.jafc.9b03448
- Febrianto NA, Zhu F. 2020. Diversity in composition of bioactive compounds among 26 cocoa genotypes. *Agricultural and Food Chemistry*. 67: 9501-9509. DOI: 10.1021/acs.jafc.9b03448
- Fennema OR. 1996. *Food Chemistry* Third Edition. Marcel Dekker Inc. New York.
- Ferreira, DS, Oliveira, MEaS, Ribeiro, WR, Filete, CA, Castanheira, DT, Rocha, BCP, Moreli, AP, Oliveira, ECdS, Guarconi, RC, Partelli, FL, Pereira, LL . 2022. Association of altitude and solar radiation to understand coffee quality. *Agronomy*, 12 (1885):1-3. Doi: <https://doi.org/10.3390/agronomy12081885>
- Fibrianto K, Azhar LOMF, Widjyotomo S, Harijono H. 2021. Effect of cocoa bean origin and conching time on the physicochemical and microstructural properties of



Indonesian dark chocolate. *Brazilian Journal of Food Technology.*  
<https://doi.org/10.1590/1981-6723.24919>

Firmanto, H. 2020. Partisipasi kakao Indonesia pada kompetisi international cocoa of excellence (CoEx) 2019 di Paris. *Warta Pusat Penelitian Kopi dan Kakao Indonesia*, 32, 1: 20-23.

Flores MF, Katan B, Lavin S, Ortiz K, Pericaguan J, Rpalda S, Perez E. 2021. Sensory and physical evaluation of cocoa (*Theobroma cacao* L.) from different countries for its use in a gourmet chocolate. *Acta Scientific Nutritional Health*, 5 (4): 46-72.

Fowler MS. 2009. *Cocoa Beans: from Tree to Factory*. In: Beckett ST, editor. Industrial chocolate manufacture and use. 4th ed. Oxford: Blackwell Publishing. p 10–48.

Franco R, Onatibia-Astibia A, Martinez-Pinilla E. 2013. Health benefits of methylxanthines in cocoa and chocolate. *Nutrient*. 5 (10): 4159-4173. doi: 10.3390/nu5104159

Frauendorfer F, P Schieberle. 2006. Identification of key aroma compounds in cocoa powder based on molecular sensory correlation. *Journal Agricultural and Food Chemistry*, 54: 5521-5529

Ganeshamurthy AN, Satsha GC, Praksh P. 2011. Potassium nutrition on yield and quality of fruit crops with special emphasis on banana and grapes. *Karnataka J. Agri.Sci.* 24 (1): 29-38

George MS, Lu G, Zhou W. 2002. Genotypic variation for potassium uptake and utilization efficiency in sweet potato (*Ipomoeae batatas* L.). *Field Crops Research*. 77(1): 7-15.

Giacometri J, Jolic SM, Josic D. (2015). Cocoa processing and impact on composition. In: Preedy, V. (Ed), *Processing and Impact on Active Component in Food*. 605-612p. DOI:10.1016/B978-0-12-404699-3.00073-1

Girma, B.; Gure, A.; Wedajo, F. 2020. Influence of Altitude on Caffeine, 5-Caffeoylquinic Acid, and Nicotinic Acid Contents of Arabica Coffee Varieties. *Journal of Chemistry* 2020: 1-7. <https://doi.org/10.1155/2020/3904761>

Girma, B.; Gure, A.; Wedajo, F. 2020. Influence of Altitude on Caffeine, 5-Caffeoylquinic Acid, and Nicotinic Acid Contents of Arabica Coffee Varieties. *Journal of Chemistry* 2020: 1-7. <https://doi.org/10.1155/2020/3904761>

Gomez KA, Gomez AA. 1995. *Prosedur Statistik untuk Penelitian Pertanian*. Sjamsuddin E, Baharsjah JS, penerjemah. Jakarta (ID): UI-Press. Jakarta. Terjemahan dari: Statistical Procedure for Agricultural Research.

Gruda N. 2009. Do soilless culture have an influence on product quality of vegetables? *J.Appl.Bot.Food Quality*. 82:141-147.

Haryadi dan Supriyanto. (2012). *Teknologi Cokelat*. Yogyakarta: UGM Press

Hii, C. L., Law. C. L., Suzannah. S., Misnawi and Cloke, M. 2009. Polyphenols in cocoa (*Theobroma cacao* L.). *Asian Journal of Food and Agro-Industry*, 2(4): 702-722.

Ho V, J Zhao, GH Fleet. 2014. The effect of lactic acid bacteria on cocoa bean fermentation. *International Journal of Food Microbiology*. 205: 54-67. <https://doi.org/10.1016/j.ijfoodmicro.2015.03.031>



- Ho V, J Zhao, GH Fleet. 2014. The effect of lactic acid bacteria on cocoa bean fermentation. *International Journal of Food Microbiology*, 205: 54-67.
- Horta-Tellez HB, AP Sandoval-Aldana, MC Gracia-Munoz, IX Ceron-Salazar. 2019. Evaluation of the fermentation process and final quality of five cacao clones from the department of Huila, Colombia. *Dyna*, 86 (210): 233-239. DOI: <http://doi.org/10.15446/dyna.v86n210.75814>
- Hue C, Z Ginata, A Breysse, F Devrieux, B Renaud, FX Sauvage. 2016. Impact of fermentation on nitrogenous compounds of cocoa beans (*Theobroma cacao L.*) from various origins. *Food Chemistry*, 192: 958-64. DOI: [10.1016/j.foodchem.2015.07.115](https://doi.org/10.1016/j.foodchem.2015.07.115)
- ICCO. 2017. Study of the Chemical, Physical and Organoleptic Parameters to Establish the Difference between *Fine and Bulk Cocoa* ([www.Document](http://www.Document)). URL:<https://www.icco.org/about-cocoa/fine-or-flavour-cocoa/10-projects/144-study-the-chemical-physical-and-organoleptic-parameters-to-establish-the-difference-between-fine-and-bulk-cocoa.html>(Accessed 21 May 2020).
- ICCO. 2020. *Fine or Flavour Cocoa*. <https://www.icco.org/fine-or-flavor-cocoa/> (Accessed 21 July 2021).
- Iflah, T. and C. Tresniawati. 2016. Indeks fermentasi sebagai indikator keberhasilan fermentasi pada kakao tipe lindak dan mulia. *Medkom Perkebunan*, 4 (2).
- Ioannone F, Di Mattia CD, De Gregorio M, Sergi M, Serafini M, and Sacchetti G. 2015. Flavanols, proanthocyanidins and antioxidant activity changes during cocoa (*Theobroma cacao L.*) roasting as affected by temperature and time of processing. *Food Chemistry*, 174: 256–62. doi: [10.1016/j.foodchem.2014.11.019](https://doi.org/10.1016/j.foodchem.2014.11.019).
- Islam MA, Sayeed KMA, Alam MJ, Rahman MA. 2020. Effect of nitrogen and potassium on growth parameters of banana. *Journal of Bioscience and Agriculture Research*, 26(01), 2159-2169.
- Jahurul MHA, Zaidul ISM, Norulaini NAN, Sahena F, Jinap S, Azmir J, Sharif KM, Mohd Omar AK. 2013. Cocoa butter fats and possibilities of substitution in food products concerning cocoa varieties, alternative sources, extraction methods, composition, and characteristics. *J Food Eng* 117: 467–76.
- Janek K, A Niewienda, J Wostemeyer, J Voigt. 2016. The cleavage specificity of the aspartic protease of cocoa beans involved in the generation of the cocoa specific aroma precursors. *Food Chemistry*. 211, 320-328
- Kadow D, Bohlmann J, Phillips W, Lieberei R. 2013. Identification of main fine or flavour components in two genotypes of the cocoa tree (*Theobroma cacao L.*). *Journal of Applied Botany and Food Quality*. 86, 90–98.
- Kadow D. 2020. The biochemistry of cocoa flavor-A holistic analysis of its development along the processing chain. *Journal of Applied Botany and Food Quality*. 93: 300-312. DOI:[10.5073/JABFQ.2020.093.037](https://doi.org/10.5073/JABFQ.2020.093.037)
- Khan N, LA Motilal, DA Sukha, FL Bekele, AD Iwaro, GG Bidaisee, P Umaharan, LH Grierson, D Zhang. 2008. Variability of butterfat content in cacao (*Theobroma cacao L.*) combination and correlation with other seed-derived traits at The International Cocoa Genebank, Trinidad. *Plant Genetic Resources*, 6 (03): 175-186. DOI: [10.1017/S1479262108994132](https://doi.org/10.1017/S1479262108994132)



- Khayyat M, Tafazoli E, Rajae S, Vazifeshenas M, Mahmoodabadi MR, Sajjadina A. 2009. Effects of NaCl and supplementary potassium on gas exchange, ionic content, and growth of salt-stressed strawberry plants. *J. Plant Nutr.* 32: 907–918.
- Kim EH, Lee KM, Lee SY, Kil M, Kwon OH, Lee SG, Lee SK, Ryu TH, Oh SW, Park SY. 2021. Influence of genetic and environmental factors on the contents of carotenoids and phenolic acids in red pepper fruits (*Capsicum annuum* L.). *Applied Biological Chemistry*, 64 (85): 1-11. <https://doi.org/10.1186/s13765-021-00657-8>
- Kongor JE, Hinneh M, van de Walle D, Afoakwa EO, Boeckx P, Dewettinck K. 2016. Flavor influencing quality variation in cocoa (*Theobroma cacao*) bean flavor profile – A review [ulasan]. *Food Res Intl.* 82:44-52.
- Kusumaningrum I, Wijaya CH, Kusnandar F, Misnawi, Ariza BTS. 2014. Profil aroma dan mutu sensori cita rasa pasta kakao unggulan dari beberapa daerah di Indonesia. *J Tek Ind Pangan.* 25(1):106-114
- Leite PB, Lannes SCS, Rodrigues AM, Soares FASM, Soares SE, Bispo ES. 2013. Rheological study of chocolates made with different cultivars of cocoa (*Theobroma cacao* L.). *Brazilian Journal of Food Technology* 16 (3): 192-197. <http://dx.doi.org/10.1590/S1981-67232013005000024>.
- Lester GE, Jifon JI, Makus DJ. 2010. Impact of potassium nutrition of food quality of fruits and vegetables: a condensed and concise review of the literature. *Better Crop*, 94 (1): 18-21.
- Liu M, Liu J, He C, Song H, Liu Y, Zhang Y, Wang Y, Guo J, Yang H, Su X. 2017. Characterization and comparison of key aroma -active compounds of cocoa liquours from five different areas. *International Journal of Food Properties*. 20 (10): 2396-2408.
- Liu, J., He, C., Song, H., Liu, Y., Zhang, Y., & Su, X. (2017). Characterization and comparison of key aroma-active compounds of cocoa liquors from five different areas. *Int J Food Prop*, 1-42. <http://dx.doi.org/10.1080/10942912.2016.1238929>
- Luna F, Crouzillat D, Cirou L, Bucheli P. 2002. Chemical composition and flavor of Ecuadorian cocoa liquor. *J Agric Food Chem.* 50 (12): 3527-3532.
- Malvi, UR. 2011. Interaction of Micronutrients with Major Nutrients with Special Reference to Potassium. *Karnataka Journal of Agricultural Sciences*, 24, 106-109.
- Marchner H. 2011. *Mineral Nutrition of High Plants*. New York: Academic Press.
- Martins L, Machado L, Tomaz L, Amaral J . 2015. The nutrefficiency of Coffee spp. : a review. *African Journal of Biotechnol*: 19:728-734.
- Mawardi S, Winarno H, Suhemdi D. 1994. The present status of cocoa breeding at ICCRI: Results and Future Programmes. Di dalam: End MJ, Eskes AB, Lee MT, Lockwood G, editor. Proceedings of the International Workshop on Cocoa Breeding Strategies; 1994 Okt 18-19; Kuala Lumpur, Malaysia. *The International Group for Genetic Improvement of Cocoa (INGENIC)*. UK: CRA. hlm 81-88.
- Mawardi S. 1982. Tujuh puluh tahun pemuliaan tanaman cokelat di Indonesia. *Menara Perkebunan*. 50: 17-22.



- McShea A, RamiroPuig E, Munro SB, Casadesus G, Castell M, Smith MA. 2008. Clinical benefit and preservation of flavonols in dark chocolate manufacturing. *Nutrition Reviews*, 66, 630-641
- Melke A, Ittana F . 2015. Nutritional requirement and management of Arabica coffee (*Coffea arabica L.*) in Ethiopia: national and global perspectives. *American Journal of Experimental Agriculture* 5:400418.
- Menezes, A. G. T., Batista, N. N., Ramos. C. L., de A Silva. A. R., Efraim. P., Pinheiro, A. C. M. and Schwan, R. F. 2016. Investigation of chocolate produced from different Brazilian varieties of cocoa (*Theobroma cocoa L.*) inoculated with *Saccharomyces cerevisiae*. *Food Res. Int.* 81:83-90.
- Menezes, A. G. T., N. N. Batista., C. L. Ramos., A. R. de A Silva., P. Efraim., A. C. M. Pinheiro & R. F. Schwan. 2016. Investigation of chocolate produced from different Brazilian varieties of cocoa (*Theobroma cocoa L.*) inoculated with *Saccharomyces cerevisiae*. *Food Res. Int.* 81:83-90.
- Meng, C.C., A. M. M. Jalil & A. Ismail. 2009. Phenolic and theobromine content of commercial dark, milk and white chocolates on the Malaysian market. *Molecules*, 14: 200-209
- Micheli F, Guiltinan M, Gramacho KP, Wilkinson MJ, de Oliveira Figueira AV, de Mattos Cascardo JC, Lanaud C. 2010. Functional genomics of cacao. *Adv Bot Res.* 55:119-177
- Misnawi. 2005. Peranan pengolahan terhadap pembentukan citarasa coklat. *Warta Pusat Penelitian Kopi dan Kakao*, 21 (3). Oktober 2005, Jember.
- Misnawi, Ariza BTS. 2011. Use of gas chromatography-olfactometry in combination with solid phase micro extraction for cocoa liquor aroma analysis. *International Food Research Journal*, 18: 829-835
- Misnawi. 2005. Peranan pengolahan terhadap pembentukan citarasa coklat. *Warta Pusat Penelitian Kopi dan Kakao*, Vol. 21 (3). Oktober 2005, Jember.
- Misnawi, Jinab, S., Nazamid, S. and Jamilah, B. 2002. Activation of remaining key enzymes in dried underfermented cocoa beans and its effect on aroma precursor formation. *Food Chemistry*: 407–417.
- Misnawi, Jinap S, Jamilah B, Nazamid S. 2004. Sensory properties of cocoa liquor as affected by polyphenol concentration and duration of roasting. *Food Qual Pref.* 15(5):403-409
- Misnawi, S., Jinap, B., Jamilah, N., and Nazamid, S. 2003. Effects of incubation and polyphenol oxidase enrichment on colour, fermentation index, procyanidins and astringency of unfermented and partly fermented cocoa beans. *Int. J. Food Sci. Techn.* 38:285–295.
- Misnawi, S., Jinap, B., Jamilah, N., and Nazamid, S. 2003. Effects of incubation and polyphenol oxidase enrichment on colour, fermentation index, procyanidins and astringency of unfermented and partly fermented cocoa beans. *Int. J. Food Sci. Techn.* 38:285–295
- Misnawi, Selamat J. 2003. Effect of cocoa bean polyphenols on sensory properties and their changes during fermentation. *Pelita Perkebunan*. 19(2): 90-103
- Misnawi. 2005. Peranan pengolahan terhadap pembentukan citarasa coklat. *Warta Pusat Penelitian Kopi dan Kakao* 21 (3). Oktober 2005, Jember.



- Moreira IM da V, L de F Vilela, C Santos, N Lima, RF Schwam. 2018. Volatile compounds and protein profiles analysis on fermented cocoa beans and chocolates from different hybrids cultivated in Brazil. *Food Research International*, 109: 196-203. <https://doi.org/10.1016/j.foodres.2018.04.012>
- Motamayor JC, Lachenaud P, da Silva e Mota JW, Loor R, Kuhn DN et al. 2008. Geographic and Genetic Population Differentiation of the Amazonian Chocolate Tree (*Theobroma cacao* L). *PLoS ONE*. 3(10):e3311
- Muñoz, M.S., Cortina, J.R., Vaillant, F.E., and Parra, S.E. 2019. An overview of the physical and biochemical transformation of cocoa seeds to beans and to chocolate: Flavor formation. *Crit. Rev. Food Sci. Nutr.* 60(10), 1593-1613. DOI: 10.1080/10408398.2019.158172.
- Nazaruddin R, LK Seng, O Hassan, M Said. 2006. Effect of pulp preconditioning on the content of polyphenols in cocoa beans (*Theobroma cacao* L.) during fermentation. *Industrial Crops and Product*, 24: 87-94. DOI: 10.1016/j.indcrop.2006.03.013
- Nguyen H, Maneepong S, Suraninpong P. 2017. Effects of potassium, calcium, and magnesium ratios in soil on their uptake and fruit quality of Pummelo. *Journal of Agricultural Science* 9:11-121.
- Njira KOW & Nabwami J. 2015. A review of effects of nutrient elements on crop quality. *African Journal of Food, Agriculture, Nutrition and Development*. 15 (1):9777-9793.
- Norr-Soffalina SS, Jinap S, Nazamid S, Nazimah AH. (2009). Effect of polyphenol and pH on cocoa Maillard-related flavour precursors in a lipidic model system. *International Journal of Food Science and Technology*. 44: 168-180. doi:10.1111/j.1365-2621.2008.01711.x
- Nurhadi E, Hidayat SI, Indah PN, Widayanti S, Harya GI. 2019. Keberlanjutan komoditas kakao sebagai produk unggulan agroindustri dalam meningkatkan kesejahteraan petani. *Agriekonomika* 1: 51-61.
- Olive-Cruz M, Mori-Culqui PL, Caetano AC, Gonaz M, Vilca-Valqui NC, Chavez SG. 2021. Total fat content and fatty acid profile of fine-aroma cocoa from Northeastern Peru. *Frontiers in Nutrition*, 8: 1-13. doi: 10.3389/fnut.2021.677000
- Osman H, Nasarudin R, Lee SL. (2004). Extracts of cocoa (*Theobroma cacao* L.) leaves and their antioxidation potential. *Food Chem.* 86: 41–46. <https://doi.org/10.1016/j.foodchem.2003.08.026>
- Owusu M, Petersen MA, Heimdal H. 2011. Relationship of sensory and instrumental aroma measurements of dark chocolate as influenced by fermentation method, roasting and coching conditions. *J. Food Science Technology*. DOI 10.1007/s13197-011-0420-2
- Owusu M, Petersen MA, Heimdal H. 2012. Effect of fermentation method, roasting, and conching condition on the aroma volatiles of dark chocolate. *Journal of Food Processing and Preservation*, 36 (5): 446-456. doi: 10.1111/j.1745-4549.2011.00602.x
- Pedersen L, Bertelsen AS, Byrne DV, Kidmose U. 2023. Sensory interactions between sweetness and fat in a chocolate milk beverage. *Foods*. 12(14): 2711; <https://doi.org/10.3390/foods12142711>



- Pereira, D.; Flores, M. A. & Barros, A. 2017. Perceptions of Portuguese undergraduate students about assessment: a study in five public universities, *Educational Studies*, 43(4), pp. 442-463
- Perotti, P.; Cordero, C.; Boltolini, C.; Rubiolo, P.; Bicchi, C.; Liberto, E. 2020. Cocoa smoky off-flavor: chemical characterization and objective evaluation for quality control. *Food Chemistry*, 309: <https://doi.org/10.1016/j.foodchem.2019.125561>
- Pino, A.J., Ceballos, L., Quijano, C.E. 2010. Headspace Volatiles of *Theobroma cacao* L. pulp from Colombia. *J. Essent. Oil Res.*, 22:113- 115.
- Pires MA, LM Pastrana, P Fucinos, CS Abreu, SM Oliveira. 2020. Sensorial perception of astringency oral mechanisms and current analysis methods. *Foods*. 9: 1124. doi:10.3390/foods9081124
- Porras-Soriano A, Soriano-Martí n ML, Piedra AP and Azco n R. 2009. Arbuscular Mycorrhizal fungi increased growth, nutrient uptake and tolerance to salinity in olive trees under nursery conditions. *J. Plant Physiol.*, 166: 1350-1359. DOI: 10.1016/j.jplph.2009.02.010
- Qin XW, Lai JX, Tan LH, Hao CY, Li FP, He SZ, Song YH. 2017. Characterization of volatile compiunds in Criollo, Forastero and Trinitario cocoa seeds (*Theobroma cacao* L.) in China. *International Journal of Food Properties*. 20, 10:2261-2275. <https://doi.org/10.1080/10942912.2016.1236270>
- Ramli N, Hassan O, Said M, Samsudin W, Idris NA. 2006. Influence of roasting condition on volatile flavour of roasted Malaysian cocoa beans. *J. Food Proc. Pres.* 30 (3):280–298.
- Rawel HM, G Huschek, ST Sagu, T Homann. 2019. Cocoa bean proteins-characterization, changes and modifications due to ripening and post-harvest processing. *Nutrient*, 11: 428; doi:10.3390/nu11020428
- Reed S. 2010. Sensory analysis of chocolate liquor. *Manufact Confect* 90:43-52.
- Reineccius G. 2006. *Flavour Chemistry and Technology*. Second edition. CRC Press, Boca Raton, USA.
- Rodriguez-Campos J, HB Escalona-Buendia, I Orozco-Avila, E Lugo-Cervantes, ME Jaramillo-Flores. 2011. Dynamics of volatile and non-volatile compounds in cocoa (*Theobroma cacao* L.) during fermentation and drying process using principal components analysis. *Food Research International*, 44 (1): 250-258
- Rohan TA. 1664. The prcursors of chocolate aroma: a comparative study of fermented and unfermented cocoa beans.
- Rohius C, R Matissek, R Lieberei. 2006. Free amino acid amounts in raw cocoa from different origins. *Eur Food Res.Technol*, 222: 432-438. DOI 10.1007/s00217-005-0130-y
- Rojo-Poveda O, Barbosa-Pereira L, Zeppa G, Stevigny C. 2020. Cocoa bean shell- a by- product with nutritional properties and bio functional potential. *Nutrient*, 12 (4): 1123. DOI:10.3390/nu12041123
- Rottiers H, Tzompa-Sosa DA, Winne AD, Ruales J, Clippeleer JD, Leersnyder ID, Wever JD, Everaert H, Messens K, Dewettinck K. 2019. Dynamic of volatile compounds and flavor precursors during spontaneous fermentation of fine flavor Trinitario cocoa beans. *European Food Research and Technology*, 245: 1917-1937. <https://doi.org/10.1007/s00217-019-03307-y>



- Rubiyo R & Siswanto. 2012. The enhancement and development cocoa (*Theobroma cacao L.*) in Indonesia. *Buletin RISTRI*. 3 (1): 33-48.
- Rusconi M, Conti A. (2010). *Theobroma cacao L.*, the food of the goods: a scientific approach beyond myths and claim. *Pharmacological Research*. 61: 5-13. DOI: 10.1016/j.phrs.2009.08.008
- Sampaio, L. B.; Edrada-Ebel, R.; Da Costa, F.B. 2016. Effect of the environment on the secondary metabolic profile of *Tithonia diversifolia*: a model for environmental metabolomics of plants. *Scientific Report*, 6: 29265. doi: 10.1038/srep29265
- Sari, N. P. & D. Nugroho. 2016. Condition of soil fertility and sensory profile of smallholder Robusta coffee in Jember District. *Pelita Perkebunan*, 32 (2): 181-191.
- Savar S, Ida EL. 2007. Rates of calcium, yield and quality of snap bean. *Sci. Agric*, 64: 616-620.
- Schwarz KJ , Vilela-Resende T, Pierozan-Junior C, Tauer-de-Paula J, Baier JE, de Souza-Silva ML, Brendler-Oliveira F. 2018. Yield and nutrition of greenhouse-grown strawberries (*Fragaria ananassa*) as affected by potassium fertilization. *Acta Agron*. 67, 114–119.
- Seguine Ed, Seguine C Meinhardt L. & Meinhardt, 2014. Cocoa flavor through genetics-anatomy of fone flavor. *The Manufacturing Confectioner*.
- Septianti E, Salengke, J Langkong. 2020. Profile of bioactive compounds, antioxidant and aromatic component from several clones of cocoa during fermentation. IOP Conf. Series: *Earth and Environmental Science*, 575, 012009. doi:10.1088/1755-1315/575/1/012009
- Serra Bonvehí J, Ventura Coll F. 2000. Evaluation of purine alkaloids and diketopiperazines content in processed cocoa powder. *European Food Research and Technology* 210(3): 189-195. DOI. <https://doi.org/10.1007/PL00005510>
- Singleton and Rossi. 1965. Colorimetry of total phenolics with phosphomolybdic phosphotungstic acid reagents. *American Journal of Enology and Viticulture*, 16, 144-158.
- Sitohang N, Siahaan R. 2018. Characteristics of cocoa in various altitude place. International Conference on Agribusiness, *Food and Agro-Technology*. doi:10.1088/1755-1315/205/1/012022
- SNI. 2002. *SNI Biji Kakao Amandemen I*. Badan Standarisasi Nasional. Jakarta. 38p
- SNI. 2010. *SNI Biji Kakao Amandemen I*. Badan Standarisasi Nasional. Jakarta. 7p.
- Snoeck L, Lambot C. 2004. *Crop Maintenance*. 976p. In: J. N. Wintgens (Ed.) *Coffee: Growing, Processing, Sustainable, Production*. Wiley-VCH Verlag GmbH & Co. KgaA, Weinheim.
- Solhjoo S., Gharaghani A., Failahi E. 2017. Calcium and Potassium foliar sprays affect fruit skin color, quality attributes and mineral nutrient concentrations of "Red delicious" apples. *International Journal of Fruit Science*. 17 (4):358-373.
- Solihin MA, Sitorus SRP, Sutandi A, Widiantmaka (2017). Karakteristik lahan dan kualitas kemanisan ubi jalar Cilembu. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan*. 7 (3): 251-259.



- Sosu G., 2014. Growth of cocoa seedlings as affected by different growth media and different polybag sizes. *Unpublished Master's Thesis*.
- Sozen O, Karadavut U, Ozcelik H, Bozoglu H. 2017. Genotype x environment interaction of some dry bean (*Phaseolus vulgaris* L.) genotypes. *Legume Research-An International Journal*, 41:1-7. DOI:10.18805/LR-354
- Stark T, S Bareuther, T Hofmann. 2006. Molecular definition of the taste of roasted cocoa nibs (*Theobroma cacao*) by means of quantitatives studies and sensory experiments. *Journal Agriculture Food Chemistry*, 54: 5530-5539.
- Suhendi D, Susilo AW, Mawardi S. 2000. Kompatibilitas persilangan beberapa klon kakao (*Theobroma cacao* L.). *Pelita Perkebunan*, 16: 85-91.
- Sukha DA, Umaharan P, Butler DR. 2017. The impact of pollen donor on flavor in cocoa. *J. Am. Soc. Hortic. Sci.* 142, 13-19.
- Sukha, D. A., Butler, D. R., Umaharan, P., & Boult, E. 2008. The use of an optimised organoleptic assessment protocol to describe and quantify different flavour attributes of cocoa liquors made from Ghana and Trinitario beans. *European Food Research and Technology*, 226(3), 405-413. <http://dx.doi.org/10.1007/s00217-006-0551-2>.
- Sukha, D.A., Umaharan, P., Butler, D.R. 2017. The impact of pollen donor on flavor in cocoa. *J. Am. Soc. Hortic. Sci.* 142, 13-19.
- Sukha, D.A., Umaharan, P., Butler, D.R., 2017: Evidence for applying the concept of 'Terroir' in cocoa (*Theobroma cacao* L.) favour and quality attributes. *International Symposium on Cocoa Research (ISCR)*, Lima, Peru, 13-17 November 2017
- Susanto, F.X. 1994. *Tanaman Kakao: Budidaya dan Pengolahan Hasil*. Yogyakarta: Kanisius. <http://search.jogjalib.com/Record/kulonprogolibPROGO-/Details>.
- Susilo, AW. 2010. Studi karakteristik sifat ketahanan tanaman kakao (*Theobroma cacao* L.) terhadap hama penggerek buah kakao (*Conopomorpha crassella* Snell.). *Disertasi*. Universitas Gadjah Mada. 212p.
- Susilo AW, Anita-Sari I, Mawardi S. 2013. Seratus tahun pemuliaan kakao di Indonesia. Hal. 110-121. Di dalam: Wahyudi T et al., editor. *Prosiding Simposium dan Ekspo Kakao 2012 Nov 5-8*; Padang, Indonesia. Jember (ID): Puslitkoka
- Susilo AW, Zhang D, Motilal LA, Mischke S, Meinhardt LW. 2011. Assessing genetic diversity in Java fine-flavor cocoa (*Theobroma cacao* L.) germplasm by using simple sequence repeat (SSR) markers. *Trop Agric Devel.* 55(2):84-92.
- Susilo AW. 2015. Bahan Tanam Kakao. p 79-113. Wahyudi T, Pujiyanto, Misnawi, editor. *Kakao: Sejarah, Botani, Proses Produksi, Pengolahan dan Perdagangan*. Yogyakarta (ID): Gadjah Mada University Pr.
- Tahir R. 2020. Impact of Foliar Application of Zn on Growth Yield and Quality Production of Citrus: A Review. *Indian J. Pure Appl. Biosci.* 8, 529–534.
- Taiz L, Zieger E. 2002. *Plant Physiology*, third edition. Sinauer Associates, Sunderland. 623 p.
- Taylor, A. J. 2002. *Food Flavour Technology*. Sheffield Academic Press, Sheffield, UK.



- Tetteh DA and Obeng D. 2021. Cocoa pods and seeds characteristics of different hybrid varieties in Southeastern Ghana. *Ecology and Evolutionary Biology*. 6(3):88-91
- Toledo PRAB, Pezza L, Pezza HR, Toci T. 2016. Relationship between the different aspects related to coffee quality and their volatile compounds. *Comprehensive Reviews in Food Science and Food Safety*, 15: 705-719.
- Torres-Moreno M, Costell TE, Blanch C. 2012. Dark chocolate acceptability: influence of cocoa origin and processing conditions. *Journal of the Science of Food and Agriculture*. 92(2): 404-. DOI: 10.1002/jsfa.4592
- Torres-Moreno M, Costell TE, Blanch C. 2012. Dark chocolate acceptability: influence of cocoa origin and processing conditions. *Journal of the Science of Food and Agriculture*. 92(2): 404-. DOI: 10.1002/jsfa.4592
- Towaha, J. 2014. Kandungan senyawa polifenol pada biji dan kontribusinya terhadap Kesehatan. *SIRINOV*, 2 (1): 1-16.
- Urbanska B, Derewiaka D, Lenart A, Kowalska. 2019. Changes in the composition and content of polyphenol in chocolate resulting from pre-treatment method of cocoa beans and technological process. *European Food Research and Technology*. 245 : 2101-2112.
- Urbanska B, Kowalska J. 2019. Comparison of the total polyphenol content and antioxidant activity of chocolate obtained from roasted and unroasted cocoa beans from different regions of the world. *Antioxidants*, 8, 283: 1-13. doi:10.3390/antiox8080283
- Utami, R. R. 2018. Antioksidan biji kakao: pengaruh fermentasi dan penyangraian terhadap perubahannya (ulasan). *Jurnal Industri Hasil Perkebunan*, 13 (2): 75-85
- Van Hall CJJ. 1913. Eerste verslag van de cacao-selectie. Mid-Java (ID): Meded. Profstn.
- Vazquez-Avando A, Vhacon-Martinez L, Betancur-Ancona D, Escalona-Buendia H, Salvador-Figueroa M. 2015. Sensory descriptors of cocoa beans from cultivated trees of Soconusco, Chiapas, Mexico. *Food. Sci. Technol*, Campinas, 35(2): 285-290. DOI: <http://dx.doi.org/10.1590/1678-457X.6552>
- Voigt, J., Janek, K., Textoris-Taube, K., Wöstemeyer, J., 2018: Dependency of the proteolytic formation of cocoa- and nutty-specific aroma precursors. *Food Chem.* 255, 209-215. DOI: 10.1016/j.foodchem.2018.02.045
- Wang L, Nägele T, Doerfler H, Fragner L, Chaturvedi P, Nukarinen E, Bellaire A, Huber W, Weiszmann J, Engelmeier D. 2016. System level analysis of cacao seed ripening reveals a sequential interplay of primary and secondary metabolism leading to polyphenol accumulation and preparation of stress resistance. *Plant J*. 87:318-332
- Weber NC, Koron D, Jakopic J, Veberic R, Hudina M, Cesnik HB. 2021. Influence of Nitrogen, Calcium dan Nano-Fertilizer on strawberry (*Fragaria x ananassa* Duch) fruit inner and outer quality. *Agronomy*.11, 997: doi.org/10.3390/agronomy11050997
- Wei S, Wang S, Dong X, Zhang Y, Dong R, Ran K, Wang H. 2015. The effect of different potassium fertilizers on fruit flavor quality of 'xinliqihao' pear. *Agricultural Biotechnology*. 8 (5), 79-85.



- Wiesler F. 2012. Nutrition and quality. In: P.Marschner (ed), *Marschner's Mineral Nutrition of Higher Plants*. Third edition. Elsevier Ltd. USA.
- Wondimkun YW, Emire SA, Esho TB. 2020. Investigation of physical and sensory properties of Ethiopian specialty dry processed green coffee beans. *Sciendo*, 24: 39-48. DOI: <https://doi.org/10.2478/auclf-2020-0004>
- Wood GAR, Lass RA. 1988. Cocoa-fourth edition (Tropical agricultural series). Oxford: Blackwell Science Ltd.
- Wood GAR. 1985. Quality and Inspection. P 505-527. Wood GAR, Lass RA, editor. Cocoa. Ed ke-4. UK: Longman.
- Yadessa A, Burkhardt J, Bekele E, Hundera K, Goldbach H. 2019. The role of soil nutrient ratios in coffee quality: Their influence on bean size and cup quality in the natural coffee forest ecosystems of Ethiopia. *African Journal of Agricultural Research*. 14(35): 2090-2103. DOI:10.5897/AJAR2019.1433
- Yan W, Kang MS. 2003. *GGE Biplot Analysis: a graphycal tool for breeders, geneticist, and agronomists*. CRC Press. 271 p.
- Yonas B, Bayetta B, Fininsa C. 2014. Performance evaluation of indigenous Arabica coffee genotypes across different environments. *Journal of Plant Breeding and Crop Science*, 6 (11): 171-178. DOI:10.5897/JPBCS2014.0447 (Balete)
- Yuwana Y, Silvia E, Sidebang B. 2015. Engineering properties of coffee beans from various colors of coffee cherries. *Agriculture and Agriculture Science Procedia* 3:274-277. <https://doi.org/10.5897/AJFS2019.1852>
- Ziegleder G. 1990. Linalool contents as characteristic of some flavor grade cocoas. *Zeitschrift*