

## DAFTAR PUSTAKA

- Ariza, A. A. (2019). *Machine learning and Big Data Techniques for Satellite-Based Rice Phenology Monitoring*. August. *Microwave Remote Sensing Lab*.
- Asdak, C. 2004. Hidrologi dan Pengelolaan Daerah Aliran Sungai. Cetakan
- Atwood, D. K., Small, D., & Gens, R. (2012). Improving PolSAR land cover classification with radiometric correction of the coherency matrix. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 5(3), 848–856. <https://doi.org/10.1109/JSTARS.2012.2186791>
- Ketiga (revisi). Gadjah Mada University Press. Yogyakarta
- Badan Ketahanan Pangan dan Penyuluh Pertanian (BKPPP) Aceh dan Balai Pengkajian teknologi Pertanian (BPTP) NAD. 2009. Budidaya Tanaman Padi. 20 hal.
- Badan Pusat Staistik (BPS). Diakses dari <https://padangkota.bps.go.id/> pada tanggal 15 Desember 2020.
- Bazzi, H., Baghdadi, N., El Hajj, M., Zribi, M., Minh, D. H. T., Ndikumana, E., Courault, D., & Belhouchette, H. (2019). Mapping paddy rice using Sentinel-1 SAR time series in Camargue, France. *Remote Sensing*, 11(7), 1–16. <https://doi.org/10.3390/RS11070887>
- Cahyawati, A. (2017). Analisis Citra Alos Palsar Untuk Estimasi Stok Karbon Di Atas Permukaan Pada Tegakan Tiap Ekosistem Hutan Di SPTN I Sukadana Taman Nasional Gunung Palung, Provinsi Kalimantan Barat. *Skripsi*. Fakultas Geografi : Universitas Gadjah Mada.
- Clauss, K., Ottinger, M., & Kuenzer, C. (2018a). Mapping rice areas with Sentinel-1 time series and superpixel segmentation. *International Journal of Remote Sensing*, 00(00), 1399–1420. <https://doi.org/10.1080/01431161.2017.1404162>
- Clauss, K., Ottinger, M., Leinenkugel, P., & Kuenzer, C. (2018b). Estimating rice production in the Mekong Delta, Vietnam, utilizing time series of Sentinel-1 SAR data. *International Journal of Applied Earth Observation and Geoinformation*, 73(July), 574–585. <https://doi.org/10.1016/j.jag.2018.07.022>
- Csorba, A., Szegi, T., Fodor, H., Bukombe, B., Uwiragiye, Y., Naramabuye, F. X., & Michéli, E. (2019). Characterization of rice agriculture in the Southern Province of Rwanda by means of microwave remote sensing. *Physics and Chemistry of the Earth*, 112(December 2018), 58–65. <https://doi.org/10.1016/j.pce.2019.02.002>

- De Datta, SK. 1981. Principles and practices of rice production. *John Wiley and Sons*, New York. 618 p.
- Danoedoro, P. (2009). Spatial, Temporal and Ecological Consideration in Satellite *Image*-based Mapping of Crop Rotational Aspect : Cases from Several Parts of Central Java. *10th South East Asian Survey Congress, Nusa Dua, Bali, Indonesia, August, 4–7*.
- Danoedoro, P., Hidayati, I. N., & Widayani, P. (2010). The effect of scales in the analysis of agricultural land- use fragmentation based on satellite *Images* of Semarang area , Indonesia. *Seaga*, 1–17.
- Danoedoro, P. 2012. Pengantar Penginderaan Jauh Digital. *Yogyakarta: Penerbit Dani*.
- Danoedoro, P. (2015). Pengaruh Jumlah dan Metode Pengambilan Titik Sampel Penguji terhadap Tingkat Akurasi Klasifikasi Citra Digital Penginderaan Jauh. *Simposium Nasional Sains Geoinformasi Ke-4, November 2015*.
- Emiyati, Manoppo, A. K.S., & Hartuti, M. (2016). Pemanfaatan Data Radar Sentinel 1 untuk Pemetaan Lahan Tambak di Kabupaten Gresik Jawa Timur. *Prosiding Sinas Inderaja 2016*. Jakarta-Indonesia.
- ESA. 2013. Sentinel-1 User Handbook. *Draft User Handbook. European Space Agency*.
- ESA. 2015. Sentinel-2 User Handbook. *ESA Standard Document User Handbook. European Space Agency*.
- Fathoni, M. N., Chulafak, G. A., & Kushardono, D. (2017). Kajian Awal Pemanfaatan Data Radar Sentinel-1 untuk Pemetaan Lahan Baku Sawah di Kabupaten Indramayu Jawa Barat. *Seminar Nasional Penginderaan Jauh Ke-4*, 179–186.
- Filippon, F. (2019). *Sentinel-1 GRD Preprocessing Workflow* †. 1–4. <https://doi.org/10.3390/ECRS-3-06201>
- FAO (Food and Agriculture Organization). 1976. A Framework for Land Evaluation. *FAO Soil Bulletin 52. Soil Resources Management and Conservation Service Land and Water Development Division*
- Food and Agriculture Organization (FAO). 2015. Foods and Nutrition in School [serial online]. Tersedia dari : URL: <http://www.fao.org>
- Food and Agriculture Organization (FAO). 2018. Foods and Nutrition in School [serial online]. Tersedia dari : URL: <http://www.fao.org>

- Forkuor, G., Conrad, C., Thiel, M., Ullmann, T., & Zoungrana, E. (2014). Integration of optical and synthetic aperture radar *Imagery* for improving crop mapping in northwestern Benin, West Africa. *Remote Sensing*, 6(7), 6472–6499. <https://doi.org/10.3390/rs6076472>
- Genuer, R., & Poggi, J-M. (2020). *Random forests with R*. In *Use R!*. Springer. <https://doi.org/10.1007/978-3-030-56485-8>
- International Rice Research Institute (IRRI). Diakses pada Juni 2012. <http://www.knowledgebank.irri.org/extension/growthstages-0-9.html>.
- IRRI. 2015. Growth Stages of the Rice Plant. [http://www.knowledgebank.irri.org/ericeproduction/0.2.\\_Growth\\_stages\\_of\\_the\\_rice\\_plant.html](http://www.knowledgebank.irri.org/ericeproduction/0.2._Growth_stages_of_the_rice_plant.html).
- Jin, C., Xiao, X., Dong, J., Qin, Y., & Wang, Z. (2016). Mapping paddy rice distribution using multi-temporal Landsat *Imagery* in the Sanjiang Plain, northeast China. *Frontiers of Earth Science*, 10(1), 49–62. <https://doi.org/10.1007/s11707-015-0518-3>
- Kikuta, M., Makihara, D., & Pasolon, Y. B. (2016). How Growth and Yield of Upland Rice Vary with Topographic Conditions: Case of Slash-and-burn Rice Farming in South Konawe Regency, Southeast Sulawesi Province, Indonesia. *Tropical Agriculture and Development*, 60(3), 162–171. <https://doi.org/10.11248/jsta.60.162>
- Koppe, W., Gnyp, M. L., Hütt, C., Yao, Y., Miao, Y., Chen, X., & Bareth, G. (2013). International Journal of Applied Earth Observation and Geoinformation Rice monitoring with multi-temporal and dual-polarimetric TerraSAR-X data. *International Journal of Applied Earth Observations and Geoinformation*, 21, 568–576. <https://doi.org/10.1016/j.jag.2012.07.016>
- Li, L., Kong, Q., Wang, P., Xun, L., Wang, L., Xu, L., & Zhao, Z. (2019). Precise identification of maize in the North China Plain based on Sentinel-1A SAR time series data. *International Journal of Remote Sensing*, 40(5–6), 1996–2013. <https://doi.org/10.1080/01431161.2018.1504345>
- Lillesand, T.M and Keifer, R.W. 2007. *Remote Sensing and Image Interpretation, 5th Edition*. New York: John Wiley & Sons.
- Lopez-Sanchez, J. M., & David Ballester-Berman, J. (2009). Potentials of polarimetric SAR interferometry for agriculture monitoring. *Radio Science*, 44(2), 1–20. <https://doi.org/10.1029/2008RS004078>
- Mandal, D., Kumar, V., Rao, Y., & Bhattacharya, A. (2019). *Experimental Field Campaigns at Vijayawada Test Site. March*. <https://doi.org/10.17605/OSF.IO/DN3E8>

- Mansaray, L. R., Huang, W., Zhang, D., Huang, J., & Li, J. (2017). Mapping rice fields in urban Shanghai, southeast China, using Sentinel-1A and Landsat 8 datasets. *Remote Sensing*, 9(3). <https://doi.org/10.3390/rs9030257>
- McCoy, R. M., 2005, Field Methods in Remote Sensing. *The Guilford Press A Division of Guilford Publications, Inc.* 72 Spring Street, New York, NY 10012, ISBN 1-59385-079-4
- McNairn, H., Shang, J., Jiao, X., & Champagne, C. (2009). The contribution of ALOS PALSAR multipolarization and polarimetric data to crop classification. *IEEE Transactions on Geoscience and Remote Sensing*, 47(12), 3981–3992. <https://doi.org/10.1109/TGRS.2009.2026052>
- Mc Nairn, H., & Shang, J. (2016). Multitemporal Synthetic Aperture Radar (SAR) for Crop Monitoring : A review. *Canadian Journal of Remote Sensing*, Y. Ban (ed.), *Multitemporal Remote Sensing*, Remote Sensing and Digital Image Processing 20. DOI 10.1007/978-3-319-47037-5\_15
- Mosleh, M. K., Hassan, Q. K., & Chowdhury, E. H. (2015). Application of remote sensors in mapping rice area and forecasting its production: A review. *Sensors (Switzerland)*, 15(1), 769–791. <https://doi.org/10.3390/s150100769>
- Murdiyati, S. R., Danoedoro, P., & Jatmiko, H. (2016). Integrasi Transformasi Spektral Citra Landsat Etm+ dan SIG untuk Pemetaan Pola Rotasi Tanam Lahan Sawah Kabupaten dan Kota Semarang serta Daerah Sekitarnya di Jawa Tengah. *Majalah Geografi Indonesia*, 24(2), 121–141. <https://doi.org/10.22146/mgi.13350>
- Murti, S. H (2008). Pemanfaatan Citra Multispektral dan Sistem Informasi Geografis Untuk Zonasi Agroekologi Kasus Di Sebagian Wilayah Kabupaten Temanggung Propinsi Jawa Tengah. Yogyakarta: Universitas Gadjah Mada.
- Murti, S. H. (2014). Pemodelan Spasial untuk Estimasi Produksi Padi dan Tembakau Berdasarkan Citra Multi-Resolusi (Kasus : Untuk Produksi Padi di Kabupaten Wonosobo dan Sragen serta Produksi Tembakau di Kabupaten Temanggung, Provinsi Jawa Tengah. *Tesis*. Fakultas Geografi : Universitas Gadjah Mada.
- Murti, S. H., Syam, P. D. R., & Widyatmanti, W. (2015). *Kajian Terhadap Pemanfaatan Kalibrasi Radiometri Gamma Naught ALOS PALSAR untuk Aplikasi Penutup Lahan*. November.
- Nguyen, D. B., Gruber, A., & Wagner, W. (2016). Mapping rice extent and cropping scheme in the Mekong Delta using Sentinel-1A data. *Remote Sensing Letters*, 7(12), 1209–1218. <https://doi.org/10.1080/2150704X.2016.1225172>

- Onojeghuo, A. O., Blackburn, G. A., Wang, Q., Atkinson, P. M., Kindred, D., & Miao, Y. (2018). Mapping paddy rice fields by applying *machine learning* algorithms to multi-temporal sentinel-1A and landsat data. *International Journal of Remote Sensing*, 39(4), 1042–1067. <https://doi.org/10.1080/01431161.2017.1395969>
- Park, S., Im, J., Park, S., Yoo, C., Han, H., & Rhee, J. (2018). Classification and mapping of paddy rice by combining Landsat and SAR time series data. *Remote Sensing*, 10(3), 1–22. <https://doi.org/10.3390/rs10030447>
- Prasetya, R. (2018). Pemantauan Fase Pertumbuhan Padi menggunakan Citra SAR-C Sentinel 1A di Sebagian Kabupaten Bantul. *Skripsi*. Fakultas Geografi : Universitas Gadjah Mada.
- Rahayu, M. I., & Sambodo, K. A. (2013). *Random forest classification* of jambi and south sumatera using alos palsar data. *34th Asian Conference on Remote Sensing 2013, ACRS 2013*, 4(2), 3255–3262.
- Salford System. (2014). *Random forests of Beginners*. Salford System, 71.
- Sambodo, K. A., Rahayu, M. I., Indriasari, N., & Natsir, M. (2014). Klasifikasi Hutan-Non Hutan Data Alos Palsar Menggunakan Metode *Random forest*. *Prosiding Seminar Nasional Penginderaan Jauh 2014*, 120–127.
- Son, N. T., Chen, C. F., Chen, C. R., & Minh, V. Q. (2018). Assessment of Sentinel-1A data for rice crop classification using *random forests* and support vector machines. *Geocarto International*, 33(6), 587–601. <https://doi.org/10.1080/10106049.2017.1289555>
- Sugiyono, 2007. Statistik untuk Penelitian. Bandung: Penerbit Alfabeta.
- Sumarno. 2006. Periodisasi Musim Tanam Padi Sebagai Landasan Manajemen Produksi Beras Nasional. Badan Penelitian dan Pengembangan Pertanian (Balitbangtan)
- Suprihatin, A & Amirrullah, J. (2019). Pengaruh Pola Rotasi Tanaman terhadap Perbaikan Sifat Tanah Sawah Irigasi, 12(1), 49–57. <https://doi.org/10.2018/jsdl.v12i1.9382>
- Sutanto. (2013). *Metode Penelitian Penginderaan Jauh*. Yogyakarta: Penerbit Ombak.
- Talema, T., & Hailu, B. T. (2020). Mapping rice crop using sentinels (1 SAR and 2 MSI) Images in tropical area: A case study in Fogera wereda, Ethiopia. *Remote Sensing Applications: Society and Environment*, 18(November 2019). <https://doi.org/10.1016/j.rsase.2020.100290>

- Torbick, N., Chowdhury, D., Salas, W., & Qi, J. (2017). Monitoring Rice Agriculture across Myanmar Using Time Series Sentinel-1 Assisted by Landsat-8 and PALSAR-2. *Remote Sensing*, 9(2), 119. <https://doi.org/10.3390/rs9020119>
- Veloso, A., Mermoz, S., Bouvet, A., Le Toan, T., Planells, M., Dejoux, J. F., & Ceschia, E. (2017). Understanding the temporal behavior of crops using Sentinel-1 and Sentinel-2-like data for agricultural applications. *Remote Sensing of Environment*, 199, 415–426. <https://doi.org/10.1016/j.rse.2017.07.015>
- Wang, H., Magagi, R., Goïta, K., Trudel, M., McNairn, H., & Powers, J. (2019). Crop phenology retrieval via polarimetric SAR decomposition and *Random forest* algorithm. *Remote Sensing of Environment*, 231(May). <https://doi.org/10.1016/j.rse.2019.111234>
- Wahid, M. N. (2018). Ekstraksi Informasi Pola Rotasi Tanam Lahan Sawah Berdasarkan Citra Landat 8 OLI Multiemporal Di Sebagian Kabupaten Boyolali. *Skripsi*. Fakultas Geografi : Universitas Gadjah Mada.
- Xu, X., Ji, X., Jiang, J., Yao, X., Tian, Y., Zhu, Y., Cao, W., Cao, Q., Yang, H., Shi, Z., & Cheng, T. (2018). Evaluation of one-class support vector classification for mapping the paddy rice planting area in Jiangsu Province of China from Landsat 8 OLI *Imagery*. *Remote Sensing*, 10(4). <https://doi.org/10.3390/rs10040546>
- Yulia Pujiharti, Junita Barus dan Bambang Wijayanto. 2008. Teknologi Budidaya Padi. *Balai Penelitian dan Pengembangan Pertanian*. Bogor.
- Zhao, H., Chen, Z., Jiang, H., Jing, W., Sun, L., & Feng, M. (2019). Evaluation of three deep learning models for early crop classification using Sentinel-1A *Imagery* time series-a case study in Zhanjiang, China. *Remote Sensing*, 11(22). <https://doi.org/10.3390/rs11222673>
- Zulfajri. (2021). Estimasi Produksi Padi di Sebagian Wilayah Kabupaten Pidie di Sebagian Wilayah Kabupaten Pidie Berdasarkan Citra Sentinel Landsat-9 OLI Menggunakan Pendekatan Spasial Ekologis. *Thesis*. Fakultas Geografi : Universitas Gadjah Mada.