

DAFTAR PUSTAKA

- Adiyanti, M., & Besral (2010). Pola Asuh Gizi, Sanitasi Lingkungan dan Pemanfaatan Posyandu dengan Kejadian Stunting pada Baduta di Indonesia (Analisis Data Riskesdas Tahun 2010). *Libr. ui*.
- Ali, A., Iqbal, N.T., & Sadiq, K. (2016). Environmental enteropathy. *Curr. Opin. Gastroenterol.* 32.
- Apriluana, G. (2018). Analisis Faktor-Faktor Risiko terhadap Kejadian Stunting pada Balita (0-59 Bulan) di Negara Berkembang dan Asia Tenggara 247–256.
- Arimond, M., & Ruel, M.T. (2004). Dietary Diversity Is Associated with Child Nutritional Status: Evidence from 11 Demographic and Health Surveys. *J. Nutr.* 134: 2579–2585.
- Badriyah, L., & Syafiq, A. (2017). The Association Between Sanitation, Hygiene, and Stunting in Children Under Two-Years (An Analysis of Indonesia's Basic Health Research, 2013). *Makara J. Heal. Res.* 21.
- BAPPENAS (2022). Air Minum dan Sanitasi [WWW Document]. URL <https://cegahstunting.id/intervensi/intervensi-sensitif/air-minum-dan-sanitasi/?lang=en>
- BAPPENAS (2019). Pedoman Pengukuran Capaian Pembangunan Perumahan dan Pemukiman Berbasis Hasil (Outcome).
- Beal, T., Tumilowicz, A., Sutrisna, A., Izwardy, D., & Neufeld, L.M. (2018). A review of child stunting determinants in Indonesia. *Matern. Child Nutr.*
- Bhutta, Z.A., Ahmed, T., Black, R.E., Cousens, S., Dewey, K., Giugliani, E., *et al.* (2008a). What works? Interventions for maternal and child undernutrition and survival. *Lancet* 371: 417–440.
- Bhutta, Z.A., Ahmed, T., Black, R.E., Cousens, S., Dewey, K., Giugliani, E., *et al.* (2008b). What works? Interventions for maternal and child undernutrition and survival. *Lancet*.
- Blanton, L. V, Charbonneau, M.R., Salih, T., Barratt, M.J., Venkatesh, S., Ilkaveya, O., *et al.* (2016). Gut bacteria that rescue growth impairments transmitted by immature microbiota from undernourished children. *Science* (80-.). 351: 1–18.
- Bourke, C.D., Berkley, J.A., & Prendergast, A.J. (2016). Immune Dysfunction as a Cause and Consequence of Malnutrition. *Trends Immunol.* 37: 386–398.
- BPS (2019). Survey Sosial Ekonomi Nasional (SUSENAS). Modul Kesehatan dan Perumahan 2019.

- BPS (2016). Mewujudkan Aksesibilitas Air Minum dan Sanitasi yang Aman dan Berkelanjutan Bagi Semua. CV Dharmaputra, Yogyakarta.
- BPS Kabupaten Tasikmalaya (2020). Kecamatan Ciawi Dalam Angka.
- Budge, S., Parker, A.H., Hutchings, P.T., & Garbutt, C. (2019). Environmental enteric dysfunction and child stunting. *Nutr. Rev.* 77: 240–253.
- Budiyono, B., Raharjo, M., & Aini, N. (2016). Hubungan Kualitas Air Minum Dengan Kejadian Diare Pada Balita Di Wilayah Kerja Puskesmas Banyuasin Kecamatan Loano Kabupaten Purworejo (the Relationship Between the Quality of Drinking Water and the Occurrence of Diarrhea in Children Under Five Years in. *J. Kesehat. Masy.* 4: 309–406.
- C.P.C., S., R.A., de O., & D.F., P. (2016). Prevalence of stunting and overweight/obesity among Brazilian children according to different epidemiological scenarios: Systematic review and meta-analysis. *Sao Paulo Med. J.*
- Checkley, W., Gilman, R.H., Black, R.E., Epstein, L.D., Cabrera, L., Sterling, C.R., *et al.* (2004). Effect of water and sanitation on childhood health in a poor Peruvian peri-urban community. *Lancet* 363: 112–118.
- Choiroh, Z.M., Windari, E.N., & Proborini, A. (2020). Hubungan antara Frekuensi dan Durasi Diare dengan Kejadian Stunting pada Balita Usia 24-36 Bulan di Desa Kedungrejo Kecamatan Pakis. *J. Issues Midwifery* 4: 131–141.
- Chua, E.Y., Zalilah, M.S., Chin, Y.S., & Norhasmah, S. (2012). Dietary diversity is associated with nutritional status of Orang Asli children in Krau Wildlife Reserve, Pahang. *Malays. J. Nutr.* 18: 1–13.
- Crane, R.J., Jones, K.D.J., & Berkley, J.A. (2015). Environmental enteric dysfunction: An overview. *Food Nutr. Bull.* 36: S76–S87.
- Danaei, G., Andrews, K.G., Sudfeld, C.R., Fink, G., McCoy, D.C., Peet, E., *et al.* (2016). Risk Factors for Childhood Stunting in 137 Developing Countries: A Comparative Risk Assessment Analysis at Global, Regional, and Country Levels. *PLoS Med.*
- Daniel D, Qaimamunazzala H, Prawira J, *et al.* (2023). Interactions of Factors Related to the Stunting Reduction Program in Indonesia: A Case Study in Ende District. *International Journal of Social Determinants of Health and Health Services. Int. J. Soc. Determ. Heal. Heal. Serv.* 53: 354–362.
- Daniel, D., Qaimamunazzala, H., Siantoro, A., Sirait, M., Tanaboleng, Y.B., & Padmawati, R.S. (2023). Household drinking water treatment in rural Indonesia: actual practice, determinants, and drinking water quality. *J. Water Sanit. Hyg. Dev.* 13: 208–217.

- De Onis, M., Blössner, M., & Borghi, E. (2012). Prevalence and trends of stunting among pre-school children, 1990-2020. *Public Health Nutr.* 15: 142–148.
- Delisle, H. (2002). Programming of chronic disease by impaired fetal nutrition. Evidence and implications for policy and intervention strategies. *Dep. Nutr. Heal. Dev. Dep. Noncommunicable Dis. Prev. Heal. Promot. World Heal. Organ.* 1–99.
- Desyanti, C., & Nindya, T.S. (2017). Hubungan Riwayat Penyakit Diare dan Praktik Higiene dengan Kejadian Stunting pada Balita Usia 24-59 Bulan di Wilayah Kerja Puskesmas Simolawang , Surabaya The Relations Between Diarrheal Disease History and Hygiene Practices with Stunting Incidences Among 243–251.
- Dewey, K.G. (2016). Reducing stunting by improving maternal, infant and young child nutrition in regions such as South Asia: Evidence, challenges and opportunities. *Matern. Child Nutr.*
- Dey, S. (2018). Causes and Consequences of Open Defecation and Improper Sanitation : A Study in Polempur Village , Khandaghosh Block , Bardhaman. *Int. J. Res. Anal. Rev.* 5: 774–780.
- DHHS, National Cancer Institute (2005). Theory at a Glance A guide For Health Promotion Practice (Second Edition). *Heal. (San Fr.* viii–52.
- Dinas Kesehatan, J. (2020). Pemberian Makan Pada Bayi dan Anak-anak, Dinas Kesehatan DKI Jakarta. Dinas Kesehatan DKI Jakarta.
- Direktorat Jenderal Penyehatan Lingkungan, K.K. (2012). Pedoman Pelaksanaan Teknis STBM. *Kesehatan* 1–72.
- Dorojati, R., & Astuti, N.D. (2016). Model pelayanan air bersih perdesaan The model of rural area clean water services. *Masyarakat, Kebudayaan dan Polit.* 29: 146–158.
- Dutch, J.S., Bailey, L.A., Stoto, M.A., & Dandoy, S.Z. (1998). Improving health in the community a role for performance monitoring, *American Journal of Preventive Medicine.*
- Ejemot-Nwadiaro, R.I., Ehiri, J.E., Arikpo, D., Meremikwu, M.M., & Critchley, J.A. (2021). Hand-washing promotion for preventing diarrhoea. *Cochrane Database Syst. Rev.* 2021.
- Essiet, I.A., Baharom, A., Shahar, H.K., & Uzochukwu, B. (2017). Application of the Socio-Ecological model to predict physical activity behaviour among nigerian university students. *Pan Afr. Med. J.* 26: 1–13.
- Fautsch M, Y., & Glasauer, P. (2014). Guidelines for assessing nutrition-related Knowledge , Attitudes and Practices manual Guidelines for assessing nutrition-

related Knowledge, Attitudes and Practices manual, Food and Agriculture Organization.

- Fenske, N., Burns, J., Hothorn, T., & Rehfuess, E.A. (2013). Understanding child stunting in India: A comprehensive analysis of socio-economic, nutritional and environmental determinants using additive quantile regression. *PLoS One* 8.
- Ferreira, H.S., Moura, F.A., Cabral Júnior, C.R., Florêncio, T.M.M.T., Vieira, R.C., & de Assunção, M.L. (2009). Short stature of mothers from an area endemic for undernutrition is associated with obesity, hypertension and stunted children: A population-based study in the semi-arid region of Alagoas, Northeast Brazil. *Br. J. Nutr.* 101: 1239–1245.
- García Cruz, L.M., González Azpeitia, G., Reyes Suárez, D., Santana Rodríguez, A., Loro Ferrer, J.F., & Serra-Majem, L. (2017). Factors associated with stunting among children aged 0 to 59 months from the central region of Mozambique. *Nutrients* 9: 1–16.
- Gebre, A., Surender Reddy, P., Mulugeta, A., Sedik, Y., & Kahsay, M. (2019). Prevalence of Malnutrition and Associated Factors among Under-Five Children in Pastoral Communities of Afar Regional State, Northeast Ethiopia: A Community-Based Cross-Sectional Study. *J. Nutr. Metab.* 2019.
- George, C.M., Oldja, L., Biswas, S.K., Perin, J., Lee, G.O., Ahmed, S., *et al.* (2015). Fecal markers of environmental enteropathy are associated with animal exposure and caregiver hygiene in Bangladesh. *Am. J. Trop. Med. Hyg.* 93: 269–275.
- Gizaw, Z., & Worku, A. (2019a). Effects of single and combined water, sanitation and hygiene (WASH) interventions on nutritional status of children: a systematic review and 2: 1–14.
- Gizaw, Z., & Worku, A. (2019b). Effects of single and combined water, sanitation and hygiene (WASH) interventions on nutritional status of children: a systematic review and meta-analysis. *Ital. J. Pediatr.* 45: 77.
- Goddard, F.G.B., Pickering, A.J., Ercumen, A., Brown, J., Chang, H.H., & Clasen, T. (2020). Faecal contamination of the environment and child health: a systematic review and individual participant data meta-analysis. *Lancet Planet. Heal.* 4: e405–e415.
- Gunawan, D., Juffrie, M., Helmyati, S., & Rahayu, E.S. (2021). Effect of *Lactobacillus plantarum* DAD-13 and Fructo-oligosaccharides on Short-Chain Fatty Acid Profile and Nutritional Status in Indonesian Stunting Children. *Open Access Maced. J. Med. Sci.* 9: 1790–1796.
- Harper, K.M., Mutasa, M., Prendergast, A.J., Humphrey, J., & Manges, A.R. (2018). Environmental enteric dysfunction pathways and child stunting: A systematic review. *PLoS Negl. Trop. Dis.*

- Hasan, A., & Kadarusman, H. (2019). Akses ke Sarana Sanitasi Dasar sebagai Faktor Risiko Kejadian Stunting pada Balita Usia 6-59 Bulan 10: 413–421.
- Hasanah, O. (2016). Hubungan durasi pemberian asi eksklusif dengan kejadian 184–192.
- Hawkes, C., Ruel, M., Salm, L., Sinclair, B., & Branca, F. (2019). Double-Duty Actions: Seizing Program and Policy Opportunities to Address Malnutrition in all its Forms. *Lancet* 6736.
- Humphrey, J.H. (2009). Child undernutrition , tropical enteropathy , toilets , and handwashing. *Lancet* 374: 1032–1035.
- Indrawati, S., & Warsiti. (2016). Hubungan Pemberian ASI Eksklusif dengan Kejadian Stunting pada Anak Usia Kejadian Stunting pada Anak Usia 2-3 Tahun di Desa Karangrejek. *Fak. Ilmu Kesehat. Di Univ. _Aisyiyah Yogyakarta* 6–7.
- Indrayadi, I., Pamungkasari, E.P., Padmawati, R.S., & Probandari, A. (2023). Why Do Villagers Hesitate To Use the Toilet for Defecation?: an Ethnographic Study in Dayak Bakumpai People in South Borneo, Indonesia. *Malaysian J. Public Heal. Med.* 23: 238–244.
- Ipa, M., Yuliasih, Y., Astuti, E.P., Laksono, A.D., & Ridwan, W. (2023). Stakeholders' Role in the Implementation of Stunting Management Policies in Garut Regency. *J. Adm. Kesehat. Indones.* 11: 26–35.
- Jamshed, S., Khan, F., Chohan, S.K., Bano, Z., Shahnawaz, S., Anwar, A., *et al.* (2020). Frequency of Normal Birth Length and Its Determinants: A Cross-Sectional Study in Newborns. *Cureus* 12.
- Judiono, J., Priawantiputri, W., Indraswari, N., Widawati, M., Ipa, M., Megawati, G., *et al.* (2023). Determinant Factors of Short Birth Length Baby as a Risk Factor of Stunting in West Java. *Amerta Nutr.* 7: 240–247.
- Juliet, W., Nuru, I., Akbar, S., Janina, M., Anna, G., Rian, S., *et al.* (2016). Kewirausahaan sanitasi di Indonesia: Nota Kebijakan.
- Kang, Y., Aguayo, V.M., Campbell, R.K., Dzed, L., Joshi, V., Waid, J.L., *et al.* (2018). Nutritional status and risk factors for stunting in preschool children in Bhutan. *Matern. Child Nutr.* 14.
- Keino, S., Plasqui, G., Ettyang, G., & Van Den Borne, B. (2014). Determinants of stunting and overweight among young children and adolescents in sub-Saharan Africa. *Food Nutr. Bull.*
- Kemenkes (2022). Buku Saku Hasil Studi Status Gizi Indonesia (SSGI) Tahun 2022. *Kemenkes RI* 1–14.
- Kemenkes, K.K.R. (2019). Bagaimana Penerapan Standar Antropometri Penilaian

Status Gizi Balita pada TPG Terlatih. Departemen Kesehatan Republik Indonesia, Jakarta.

Kemenkes, K.R. (2014). Infodatin Situasi dan Analisis Asi Eksklusif.

Kemenkes RI (2019). Profil Kesehatan Indonesia 2018 [Indonesia Health Profile 2018].

Kementerian Kesehatan, I. (2020). Diseminasi Hasi Studi Kualitas Air Minum Indonsia Tahun 2020. Jakarta, Indonesia.

Kementerian PPN/ Bappenas (2018). Pedoman Pelaksanaan Intervensi Penurunan Stunting Terintegrasi di Kabupaten/Kota. *Rencana Aksi Nas. dalam Rangka Penurunan Stunting Rembuk Stunting* 1–51.

Kementrian Kesehatan RI (2018). Buletin Jendela Data dan Informasi Kesehatan : Situasi balita Pendek (Stunting) di Indonesia. Jakarta.

Kementrian Kesehatan RI (2016). Situasi balita pendek. *Info Datin*.

Kesehatan, K. (2018). Buletin Stunting, Kementerian Kesehatan Republik Indonesia.

Kodish, S.R., Grey, K., Matean, M., Palaniappan, U., Gwavuya, S., Gomez, C., *et al.* (2019). Socio-Ecological Factors That Influence Infant and Young Child Nutrition in Kiribati: A Biocultural Perspective. *Nutrients* 11.

Korpe, P.S., & Petri, W.A. (2012). Environmental enteropathy: Critical implications of a poorly understood condition. *Trends Mol. Med.*

Kwami, C.S., Godfrey, S., Gavilan, H., Lakhanpaul, M., & Parikh, P. (2019). Water , Sanitation , and Hygiene : Linkages with Stunting in Rural Ethiopia.

Larsen, D.A., Grisham, T., Slawsky, E., & Narine, L. (2017). An individual-level meta-analysis assessing the impact of community-level sanitation access on child stunting, anemia, and diarrhea: Evidence from DHS and MICS surveys. *PLoS Negl. Trop. Dis.* 11: 1–13.

Lee, G.O., McCormick, B.J.J., Seidman, J.C., Kosek, M.N., Haque, R., Olortegui, M.P., *et al.* (2017). Infant nutritional status, feeding practices, enteropathogen exposure, socioeconomic status, and illness are associated with gut barrier function as assessed by the lactulose mannitol test in the MAL-ED birth cohort. *Am. J. Trop. Med. Hyg.* 97: 281–290.

Lelic, M., Bogdanovic, G., Ramic, S., & Brkicevic, E. (2014). Influence of maternal anemia during pregnancy on placenta and newborns. *Med. Arh.* 68: 184–187.

Lemeshow, S., Homer Jr, D.W., Klar, J., & Lwanga, S.K. (1997). Besar Sampel dalam Penelitian Kesehatan, Edisi Pert. ed. Gadjah Mada University Press, Yogyakarta.

- Litbangkes Pangandaran (2022). Pertumbuhan dan Kelangsungan Hidup *Escherichia Coli*. *Litbangkespangandaran.Litbang.Kemkes.Go.Id* 1–6.
- Luby, S.P., Rahman, M., Arnold, B.F., Unicomb, L., Ashraf, S., Winch, P.J., *et al.* (2018a). Effects of water quality, sanitation, handwashing, and nutritional interventions on diarrhoea and child growth in rural Bangladesh: a cluster randomised controlled trial. *Lancet Glob. Heal.* 6: e302–e315.
- Luby, S.P., Rahman, M., Arnold, B.F., Unicomb, L., Ashraf, S., Winch, P.J., *et al.* (2018b). Effects of water quality, sanitation, handwashing, and nutritional interventions on diarrhoea and child growth in rural Bangladesh: a cluster randomised controlled trial. *Lancet Glob. Heal.* 6: e302–e315.
- Lucy, W., Frima, E., Sudarno, R., Brigita, P., Batung, S.M., & Soewondo, P. (2023). Stunting-Pedia, Apa yang perlu diketahui tentang stunting, Cetakan Pe. ed. Kepustakaan Populer Gramedia (KPG), Jakarta.
- Lunn, P.G. (2000). The impact of infection and nutrition on gut function and growth in childhood, in: *Proceedings of the Nutrition Society*. CAB International, pp. 147–154.
- Lutter, C.K., & Lutter, R. (2012). Fetal and early childhood undernutrition, mortality, and lifelong health. *Science* (80-.).
- Mahmudiono, T., & Segalita, C. (2019). Socio-Ecological Model of Correlates of Double Burden of Malnutrition in Developing Countries: A Narrative Review.
- Mahmudiono, T., Sumarmi, S., & Rosenkranz, R.R. (2017). Household dietary diversity and child stunting in East Java, Indonesia. *Asia Pac. J. Clin. Nutr.* 26: 317–325.
- Martorell, R., & Zongrone, A. (2012). Intergenerational influences on child growth and undernutrition. *Paediatr. Perinat. Epidemiol.* 26: 302–314.
- Mbakaya, B.C., Lee, P.H., & Lee, R.L.T. (2017). Hand hygiene intervention strategies to reduce diarrhoea and respiratory infections among schoolchildren in developing countries: A systematic review. *Int. J. Environ. Res. Public Health* 14: 1–14.
- Mbuya, M.N.N., & Humphrey, J.H. (2016). Preventing environmental enteric dysfunction through improved water, sanitation and hygiene: An opportunity for stunting reduction in developing countries. *Matern. Child Nutr.* 12: 106–120.
- Meilyasari, F., & Isnawati, M. (2014). Faktor Risiko Kejadian Stunting Pada Balita Usia 12 Bulan Di Desa Purwokerto Kecamatan Patebon, Kabupaten Kendal. *J. Nutr. Coll.*

- Millward, D.J. (2017). Nutrition, infection and stunting: The roles of deficiencies of individual nutrients and foods, and of inflammation, as determinants of reduced linear growth of children. *Nutr. Res. Rev.*
- Ministry of Health (2018). Main result of basic health research 2018, Departemen of Health. *Basic Heal. Res.*
- Morita, T., Perin, J., Oldja, L., Biswas, S., Sack, R.B., Ahmed, S., *et al.* (2017). Mouthing of Soil Contaminated Objects is Associated with Environmental Enteropathy in Young Children. *Trop. Med. Int. Heal.* 22: 670–678.
- Mulyaningsih, T., Mohanty, I., Widyaningsih, V., Gebremedhin, T.A., Miranti, R., & Wiyono, V.H. (2021). Beyond personal factors: Multilevel determinants of childhood stunting in Indonesia. *PLoS One* 16: 1–19.
- Nabila Mutia Rahma, Atmaka, D.R., Fitria, A.L., Azizah Ajeng Pratiwi, Rachmah, Q., Nastiti, A.N., *et al.* (2022). Relevansi Intervensi Perbaikan Sanitasi untuk Mencegah Kejadian Stunting Masa Pandemi COVID-19 di Indonesia: Meta Analisis. *Media Gizi Indones.* 17: 39–46.
- Nisar, Y. Bin, Dibley, M.J., & Aguayo, V.M. (2016). Iron-folic acid supplementation during pregnancy reduces the risk of stunting in children less than 2 years of age: A retrospective cohort study from Nepal. *Nutrients* 8.
- Njuguna, J. (2019). Progress in sanitation among poor households in Kenya: Evidence from demographic and health surveys. *BMC Public Health* 19: 1–8.
- Novianti, S. (2020). Hubungan Faktor Lingkungan Dan Perilaku Dengan Kejadian Stunting Pada Balita : Scoping Review. *J. Kesehat. komunitas Indones.* 16: 153–164.
- Nurmayasanti, A., & Mahmudiono, T. (2019). Status Sosial Ekonomi dan Keragaman Pangan Pada Balita Stunting dan Non-Stunting Usia 24-59 Bulan di Wilayah Kerja Puskesmas Wilangan Kabupaten Nganjuk Socio-Economic Status and Dietary Diversity in Stunting and Non-Stunting Underfive Aged 24-59 Months in Wilangan Health Center Working Area of Nganjuk Regency. *Amerta Nutr* 114–121.
- Ohri-Vachaspati, P., DeLia, D., DeWeese, R.S., Crespo, N.C., Todd, M., & Yedidia, M.J. (2015). The relative contribution of layers of the Social Ecological Model to childhood obesity. *Public Health Nutr.* 18: 2055–2066.
- Ornoy, A. (2011). Prenatal origin of obesity and their complications: Gestational diabetes, maternal overweight and the paradoxical effects of fetal growth restriction and macrosomia. *Reprod. Toxicol.* 32: 205–212.
- Owino, V., Ahmed, T., Freemark, M., & Kelly, P. (2019). Environmental Enteric Dysfunction and Growth Failure / Stunting in Global Child Health 138.

- Patil, S.R., Arnold, B.F., Salvatore, A.L., Briceno, B., Ganguly, S., Colford, J.M., *et al.* (2015). The effect of India's total sanitation campaign on defecation behaviors and child health in rural Madhya Pradesh: A cluster randomized controlled trial. *PLoS Med.* 11.
- peraturan presiden, R. (2014). Perpres RI No.185 Tahun 2014 Tentang Percepatan Penyediaan Air Minum dan Sanitasi, Setkab.
- Pickering, A.J., Null, C., Winch, P.J., Mangwadu, G., Arnold, B.F., Prendergast, A.J., *et al.* (2019). The WASH Benefits and SHINE trials: interpretation of WASH intervention effects on linear growth and diarrhoea. *Lancet Glob. Heal.* 7: e1139–e1146.
- Prendergast, A., & Kelly, P. (2012). Review: Enteropathies in the developing world: Neglected effects on global health. *Am. J. Trop. Med. Hyg.* 86: 756–763.
- Purnama, I., Purnama, S., Suryadhi, M., Dwipayanti, M., & Sujaya, I. (2016). Pengembangan Wirausaha Sanitasi Di Wilayah Kerja Puskesmas Kubu Ii, Kecamatan Kubu, Kabupaten Karangasem, Bali. *J. Udayana Mengabdi* 15: 132–139.
- Purwoko, S. (2015). Indikator Air Layak Minum dan Sanitasi Layak dalam Mendukung Upaya Kesehatan Lingkungan di Rumah Tinggal 62–67.
- Rah, J.H., Cronin, A.A., Badgaiyan, B., Aguayo, V., Coates, S., & Ahmed, S. (2015a). Household sanitation and personal hygiene practices are associated with child stunting in rural India: A cross-sectional analysis of surveys. *BMJ Open*.
- Rah, J.H., Cronin, A.A., Badgaiyan, B., Aguayo, V., Coates, S., & Ahmed, S. (2015b). Household sanitation and personal hygiene practices are associated with child stunting in rural India: A cross-sectional analysis of surveys. *BMJ Open* 5.
- Ramakrishna, B.S., Venkataraman, S., & Mukhopadhyaya, A. (2006). Tropical malabsorption. *Postgrad. Med. J.* 82: 779–787.
- Reese, H., Routray, P., Torondel, B., Sinharoy, S.S., Mishra, S., Freeman, M.C., *et al.* (2019). Assessing longer-term effectiveness of a combined household-level piped water and sanitation intervention on child diarrhoea, acute respiratory infection, soil-transmitted helminth infection and nutritional status: A matched cohort study in rural Odisha, . *Int. J. Epidemiol.* 48: 1757–1767.
- RI, K. (2017). Bahan Ajar Gizi : Penilaian Status Gizi. Pusat Pendidikan Sumber Daya Manusia Kesehatan Badan Pengembangan dan Pemberdayaan Sumberdaya Manusia Kesehatan, Kemenkes RI, Jakarta.
- RI, K. (2014). Sosialisasi Gerakan Nasional Percepatan Perbaikan Gizi Balita.

Jakarta.

Santos Felisbino-Mendes, M., Villamor, E., & Velasquez-Melendez, G. (2014). Association of maternal and child nutritional status in Brazil: A population based cross-sectional study. *PLoS One* 9: 1–8.

Sari, D., Nugraheni, S.A., & Rahfiludin, M.Z. (2023a). Intervensi Gizi Sensitif dalam Penurunan Stunting : Studi Kualitatif. *Media Publ. Promosi Kesehat. Indones.* 6: 1878–1896.

Sari, D., Nugraheni, S.A., & Rahfiludin, M.Z. (2023b). Bagaimana Kontribusi Intervensi Gizi Sensitif dalam Upaya Penurunan Stunting? : Literature Review. *Media Publ. Promosi Kesehat. Indones.* 6: 885–895.

Scaling Up Nutrition (2021). SUN Strategy 3.0 2021-2025.

Silva, Y.P., Bernardi, A., & Frozza, R.L. (2020). The Role of Short-Chain Fatty Acids From Gut Microbiota in Gut-Brain Communication. *Front. Endocrinol. (Lausanne)*. 11: 1–14.

Sitairesmi, M.N., Arjuna, T., Helmyati, S., Santosa, B., & Supriyati, S. (2023). Engaging stakeholders to strengthen the local actions for stunting prevention and control in Lombok Barat. *J. Community Empower. Heal.* 6: 52.

Spears, D., Ghosh, A., & Cumming, O. (2013). Open Defecation and Childhood Stunting in India: An Ecological Analysis of New Data from 112 Districts. *PLoS One* 8: 1–9.

Stewart, C.P., Iannotti, L., Dewey, K.G., Michaelsen, K.F., & Onyango, A.W. (2013). Contextualising complementary feeding in a broader framework for stunting prevention. *Matern. Child Nutr.* 9: 27–45.

Tasikmalaya, B. (2017). Peraturan Bupati Tasikmalaya Nomor 7 Tahun 2017.

Tasikmalaya, D.K. dan P.P.K. (2020). Strategi Komunikasi Perubahan Perilaku dalam Percepatan Pencegahan Stunting di Kabupaten Tasikmalaya. Kabupaten Tasikmalaya.

Torheim, L.E., Ouattara, F., Diarra, M.M., Thiam, F.D., Barikmo, I., Hatløy, A., *et al.* (2004). Nutrient adequacy and dietary diversity in rural Mali: Association and determinants. *Eur. J. Clin. Nutr.* 58: 594–604.

Torlesse, H., Cronin, A.A., Sebayang, S.K., & Nandy, R. (2016). Determinants of stunting in Indonesian children: Evidence from a cross-sectional survey indicate a prominent role for the water, sanitation and hygiene sector in stunting reduction. *BMC Public Health* 16.

Tumilowicz, A., Beal, T., & Neufeld, L.M. (2018). A review of child stunting determinants in Indonesia 1–10.

- UNICEF,WHO, W.B.G. (2023). Levels and trends in child malnutrition: Key finding of the 2023 edition. *Asia-Pacific Popul. J.* 24: 51–78.
- UNICEF (1990). Strategy for improved nutrition of children and women in developing countries, UNICEF Policy Review.
- Vandenbroucke, J.P., Von Elm, E., Altman, D.G., Gøtzsche, P.C., Mulrow, C.D., Pocock, S.J., *et al.* (2007). Strengthening the Reporting of Observational Studies in Epidemiology (STROBE): Explanation and elaboration. *Epidemiology* 18: 805–835.
- Varela-Silva, M.I., Azcorra, H., Dickinson, F., Bogin, B., & Frisancho, A.R. (2009). Influence of maternal stature, pregnancy age, and infant birth weight on growth during childhood in Yucatan, Mexico: A test of the intergenerational effects hypothesis. *Am. J. Hum. Biol.* 21: 657–663.
- Vazir, S., Engle, P., Balakrishna, N., Griffiths, P.L., Jhonson, S.L., Creed-Kanashiro, H.M., *et al.* (2014). feeding education to caregivers found improved dietary intake, growth, and development among rural Indian toddlers. *Matern Child Nutr* 9: 99–117.
- Victora, C.G., De Onis, M., Hallal, P.C., Blössner, M., & Shrimpton, R. (2010). Worldwide timing of growth faltering: Revisiting implications for interventions. *Pediatrics* 125.
- Vilcins, D., Sly, P.D., & Jagals, P. (2018). Environmental risk factors associated with child stunting: A systematic review of the literature. *Ann. Glob. Heal.*
- Vonaesch, P., Morien, E., Andrianonimiadana, L., Sanke, H., Mbecko, J.R., Huus, K.E., *et al.* (2018a). Stunted childhood growth is associated with decompartmentalization of the gastrointestinal tract and overgrowth of oropharyngeal taxa. *Proc. Natl. Acad. Sci. U. S. A.* 115: E8489–E8498.
- Vonaesch, P., Randremanana, R., Gody, J., Collard, J., Giles-vernick, T., Doria, M., *et al.* (2018b). Identifying the etiology and pathophysiology underlying stunting and environmental enteropathy : study protocol of the AFRIBIOTA project 1–18.
- Vonaesch, P., Tondeur, L., Breurec, S., Bata, P., Nguyen, L.B.L., Frank, T., *et al.* (2017). Factors associated with stunting in healthy children aged 5 years and less living in Bangui (RCA). *PLoS One* 12.
- Wamani, H., Åstrøm, A.N., Peterson, S., Tumwine, J.K., & Tylleskär, T. (2007). Boys are more stunted than girls in Sub-Saharan Africa: A meta-analysis of 16 demographic and health surveys. *BMC Pediatr.* 7.
- Watanabe, K., & Petri, W.A. (2016). Environmental Enteropathy: Elusive but Significant Subclinical Abnormalities in Developing Countries. *EBioMedicine* 10: 25–32.

- WHO (2001). Global strategy for infant and young child feeding. *Fifty-fourth world Heal. Assem.* 5.
- WHO, W.H.O. (2014). Preventing diarrhoea through better water, sanitation and hygiene. *World Heal. Organ.* 1–48.
- World Health Organization. (2014). Childhood Stunting: Challenges and opportunities. Report of a Promoting Healthy Growth and Preventing Childhood Stunting colloquium. *WHO Geneva* 34.
- World Health Organization, & UNICEF (2019). The extension of the 2025 Maternal, Infant and Young Child nutrition targets to 2030. *Discuss. Pap.* 12.
- World Health Organization, Williams, a L., van Drongelen, W., Lasky, R.E., Sanderson, M., Lai, D., *et al.* (2012). Guideline : Daily iron and folic acid supplementation in pregnant women. *World Heal. Organ.* 46: 323–329.
- WorldHealthOrganisation (2018). Core questions on water, sanitation and hygiene for household surveys 2018. *Jt. Monit. Program.* 1–24.
- Wulandari, Rahayu, F., & Darwawansyah (2019). Relationship of sanitation and infection to stunting in North Bengkulu. *Avicenna J.* 14.
- Yunita, F., Fajar, N.A., Windusari, Y., & Ananingsih, E.S. (2022). Akses Air Bersih Dan Jamban Sehat Terhadap Kejadian Stunting Informasi Artikel Kata Kunci. *J. Kesehat.* 13: 93–103.
- Zairinayati, & Purnama, R. (2019). Hubungan hygiene dan sanitasi lingkungan. *Babul ILmi_Jurnal Ilm. Multi Sci. Kesehat.* 10.
- Zaleha, S., & Idris, H. (2022). Implementation of stunting program in Indonesia: A narrative review : A narrative review. *Indones. J. Heal. Adm. (Jurnal Adm. Kesehat. Indones.* 10: 143–151.