

## REFERENCES

- Abubakar, A.R., and Haque, M., 2020, Preparation of Medicinal Plants: Basic Extraction and Fractionation Procedures for Experimental Purposes: J Pharm Bioallied Sci., v. 12, p. 1–10.
- Altemimi, A., Lakhssassi, N., Baharlouei, A., Watson, D.G., and Lightfoot, D.A., 2017, Phytochemicals: Extraction, isolation, and identification of bioactive compounds from plant extracts: Plants, v. 6, doi:10.3390/plants6040042.
- Anonim, 2022, Chapter 6: A Brief History of Natural Products and Organic Chemistry:
- Azizi, R., Motallebi Moghanjoughi, A.A., Nazemi, M., Sharif Ruhani, M., and Afshar Nasab, M., 2020, Isolation and identification of antibacterial steroid compounds from *Ulva fasciata* in the Persian Gulf: Iranian Journal of Fisheries Sciences, v. 19, p. 2384–2393, doi:10.22092/ijfs.2020.122254.
- Baeshen, N.A., Almulaiky, Y.Q., Afifi, M., Al-Farga, A., Ali, H.A., Baeshen, N.N., Abomughaid, M.M., Abdelazim, A.M., and Baeshen, M.N., 2023, GC-MS Analysis of Bioactive Compounds Extracted from Plant *Rhazya stricta* Using Various Solvents: Plants, v. 12, doi:10.3390/plants12040960.
- Bajpai, V.K., Majumder, R., and Park, J.G., 2016, isolation and purification of plant secondary metabolites using column-chromatographic technique: Bangladesh Journal of Pharmacology, v. 11, p. 844–848, doi:10.3329/bjp.v11i4.28185.
- Basha, S.A., Begum, A.S., Govardhanam, R., Senthil, M., Khan, R., Sojitra, R., Kumar, S., and Srinivas, A., 2016, Antifungal effect and protective role of ursolic acid and

three phenolic derivatives in the management of sorghum grain mold under field conditions: *Chem. Biodivers*, v. 13, p. 1158–1164.

Bernards, M.A., 2010, *Plant natural products: A primer*: v. 88, p. 601–614.

Borneman, W.S., Hartley, R.D., Morrison, W.H., Akin, D.E., and Ljungdahl, L.G., 1990, Feruloyl and p-coumaroyl esterase from anaerobic fungi in relation to plant cell wall degradation: *Appl. Microbiol. Biotechnol.*, v. 33, p. 345–351.

Chang, S.S., and Kang, D.H., 2004, *Alicyclobacillus* spp. in the fruit juice industry: history, characteristics, and current isolation/detection procedures: *Crit Rev Microbiol*, v. 33, p. 55–74.

Cooper, R., and Nicola, G., 2015, *Natural Product Chemistry*: Boca Raton, CRC Press.

Daayf, F., Bel-Rhlid, R., and Belanger, R.R., 1997, Methyl ester of p-Coumaric acid: a phytoalexin-like compound from long English cucumber leaves: *J. Chem. Ecol.*, v. 26, p. 1517–1526.

Eisenreich, A., and Schäfer, B., 2023, *Natural Compounds in Plant-Based Food: Foods*, v. 12, doi:10.3390/foods12040857.

Eljounaidi, K., and Lichman, B.R., 2020, Nature's chemists: the discovery and engineering of phytochemical biosynthesis: *Chem*, v. 8, 1–10 p.

Ezez, D., and Tefera, M., 2021, Effects of Solvents on Total Phenolic Content and Antioxidant Activity of Ginger Extracts: *Journal of Chemistry*, v. 2021, doi:10.1155/2021/6635199.

Fiege, H., Voges, H., Hamamoto, T., Umemura, S., Iwata, T., Miki, H., Fujita, Y., Buysch, H., Garbe, D., and Paulus, W., 2000, Phenol Derivatives, *in* *Ullmann's Encyclopedia of Industrial Chemistry*, Wiley, doi:10.1002/14356007.a19\_313.

- Gutzeit, H.O., and Ludwig-Mueller, J., 2014, *Plant Natural Products*: Weinheim, Wiley Blackwell.
- H. Aydin, O. Hanefi, T. Idris, and C.A. Oner, 2008, Antinociceptive activity of alpha-pinene and fenchone: *Pharmacologyonline*, p. 363–369.
- Hanson, J.R., 2003, *Natural Products : The Secondary Metabolites* (E W Abel, Ed.): RSC P.
- Hasali, N.H.M., Omar, M.N., Zuberdi, A.M., and AlFarra, H.Y., 2013, Biotransformation of ethyl p-methoxycinnamate from *Kaempferia galanga* L. using *Aspergillus niger*: *International Journal of Biosciences*, v. 3, p. 148–155.
- He, W., Li, Y., and Si, H., 2006, Molecular modeling and spectroscopic studies on the binding of guaiacol to human serum albumin: *J Photochem Photobiol A Chem*, v. 182, p. 158–167.
- Hooperb, S.N.J., Jurgens, T., Chandler, R.F., and Stevens, M.F., 1984, Methyl p-coumarate: A cytotoxic constituent from *Comptonia peregrina*: *Phytochemistry*, v. 23, p. 2096–2097.
- Horváth, G., Kocsis, B., Lemberkovics, E., Böszörményi, A., Ott, P.G., and Moricz, A.M., 2013, Detection of antibacterial activity of essential oil components by TLC-bioautography using luminescent bacteria: *Journal of Planar Chromatography - Modern TLC*, v. 26, p. 114–118, doi:10.1556/JPC.26.2013.2.2.
- Huang, L., Yagura, T., and Chen, S., 2008, Sedative activity of hexane extract of *Kaempferia galanga* L. and its active compounds: *J Ethnopharmacol*, v. 120, p. 123–125.

- Ichwan, S.J.A., Husin, A., Suriyah, W.H., Lestari, W., Omar, M.N., and Kasmuri, A.R., 2019, Anti-neoplastic potential of ethyl-p-methoxycinnamate of *Kaempferia galanga* on oral cancer cell lines: *Materialstoday:Proceedings*, v. 16, p. 2115–2121.
- Kapteyn, J., Qualley, A.V., Xie, Z., Fridman, E., Dudareva, N., and Gang, D.R., 2007, Evolution of cinnamate/p-coumarate carboxyl methyltransferases and their role in the biosynthesis of methylcinnamate: *Plant Cell*, v. 19, p. 3212–3229.
- Khairullah, A.R., Solikhah, T.I., Ansori, A.N.M., Hanisia, R.H., Puspitarani, G.A., Fadholly, A., and Ramandinianto, S.C., 2021, Medicinal importance of *kaempferia galanga* l. (zingiberaceae): A comprehensive review: *Journal of HerbMed Pharmacology*, v. 10, p. 281–288, doi:10.34172/jhp.2021.32.
- Kuipers, K., Keillor, P., Sharpe, P., Bloomfield, arrie, Silvester, H., and Devlin, P., 2018, *Chemistry for Queensland: Book ssess*, v. 1 & 2, 1–849 p.
- Kumar, A., 2020, Phytochemistry, pharmacological activities and uses of traditional medicinal plant *Kaempferia galanga* L. – An overview: *Journal of Ethnopharmacology*, v. 253, doi:10.1016/j.jep.2020.112667.
- Li, W., Yuan, S., Li, Q., Sang, W., Cao, J., and Jiang, W., 2018, Methyl p-coumarate inhibits black spot rot on jujube fruit through membrane damage and oxidative stress against *Alternaria alternata*: *Postharvest Biology and Technology*, v. 145, p. 230–238, doi:10.1016/j.postharvbio.2018.07.016.
- Lopes, S.P., Yepe, L.M., Pérez-Castillo, Y., Robledo, S.M., and De Sousa, D.P., 2020, Alkyl and aryl derivatives based on p-coumaric acid modification and inhibitory

- action against leishmania braziliensis and plasmodium falciparum: *Molecules*, v. 25, doi:10.3390/molecules25143178.
- Muderawan, I.W., Mudianta, I.W., and Martiningsih, N.W., 2022, Physicochemical Properties, Chemical Compositions and Antioxidant Activities of Rhizome Oils from Two Varieties of *Kaempferia galanga*: *Indonesian Journal of Chemistry*, v. 22, p. 72–85, doi:10.22146/ijc.66348.
- Mustafa, M.R., Hashim, S., and Mustafa, A.M., 1996, Vasorelaxant effects of the chloroform extract of *Kaempferia galanga* on smooth muscles of the rat aorta: *Asia Pac J Pharmacol*, v. 11, p. 97–101.
- Mustafa MR, Mustafa AM, and Hashim S., 1996, Vasorelaxant effects of the chloroform extract of *Kaempferia galanga* on smooth muscles of the rat aorta: *Asia Pac J Pharmacol*, v. 11, p. 97–101.
- National Center for Biotechnology Information, 2023a, 2-Methoxyphenol: National Library of Medicine,.
- National Center for Biotechnology Information, 2023b, Methyl p-coumarate: National Library of Medicine,.
- Norton, M.P., and Karczub, D.G., 2015, Appendix 4: secondary metabolites: *Plant Physiol*, p. 605–606.
- Okuyama, T., 2008, *Organic Chemistry*: Oxford, Oxford University Press.
- Omar, M.N., Razman, S., Nor-Nazuha, M.N., Nazreen, M.N.M., and Zuberdi, A.M., 2013, Supercritical Fluid Extraction (SFE) of Malaysian Wild Ginger *Zingiber puberulum* Inflorescence: *Oriental Journal of Chemistry*, v. 29, p. 89–92.

- Othman, R., Ibrahim, H., Mohd, M.A., Mustafa, M.R., and Awang, K., 2006, Bioassay-guided isolation of a vasorelaxant active compound from *Kaempferia galanga* L.: *Phytomedicine*, v. 13, p. 61–66.
- Quek, A., Kassim, N.K., Lim, P.C., Tan, D.C., Mohammad Latif, M.A., Ismail, A., Shaari, K., and Awang, K., 2021, alpha-Amylase and dipeptidyl peptidase-4 (DPP-4) inhibitory effects of *Melicope latifolia* bark extracts and identification of bioactive constituents using in vitro and in silico approaches: *Pharm. Biol.* , v. 59, p. 964–973.
- Ravn, H.W., Kristensen, C. V, Christensen, T.F., Diedrichsen, B., and Brandt, K., 2002, A New Phytochemical Screening Programme used for Crops grown with Organic and Conventional Methods: ICROFS, p. 1–49, <http://orgprints.org/00001490>.
- R.E. Granger, E.L. Campbell, and G.A.R. Johnstona, 2005, (+)- and (-)- borneol: efficacious positive modulators of GABA action at human recombinant  $\alpha 1\beta 2\gamma 2$  LGABAA receptors: *Biochemical Pharmacology*, v. 69, p. 1101–1111.
- Riswan, S., and Sangat-Roeman, H., 2002, *Jamu as Traditional Medicine in Java, Indonesia: South Pacific Study*, v. 23.
- Sandtorv, A., 2021, *TLC -ANALYSIS: LibreTexts*,.
- Sani, S.A., Mohd Faik, A.A., Abdulla, R., and Kunasekaran, S., 2019, Phytochemical, antioxidant and antibacterial activities of two kinds of Sabah Zingberaceae, *in Journal of Physics: Conference Series*, Institute of Physics Publishing, v. 1358, doi:10.1088/1742-6596/1358/1/012012.

- Satooka, H., Nihei, K.-I., and Kubo, 2022, Intracellular oxidation of methyl p-coumarate is involved in anti-melanogenic and cytotoxic activities against melanoma cells: *Phytochem. Lett.*, v. 50, p. 89–94.
- Stanforth, S.P., 2006, *Natural Product Chemistry at a Glance*: Oxford, Blackwell Publishing.
- Subositi D, Kurnianingrum N, Mujahid R, and Widiyastuti Y., 2020, *Kaempferia galanga* L. a medicinal plant used by Indonesian ethnic groups: genetic diversity based on inter-simple sequence repeats (ISSR): *Agrivita*, v. 42, p. 45–52.
- Sutthanont, N., Choochote, W., Tuetun, B., Junkum, A., Jitpakdi, A., Chaithong, U., Riyong. Doungrat, and Pitasawat, B., 2010, Chemical composition and larvicidal activity of edible plant-derived essential oils against the pyrethroid-susceptible and -resistant strains of *Aedes aegypti* (Diptera: Culicidae): *J Vector Ecol*, v. 35, p. 106–115.
- Talapatra, S.K., and Talapatra, B., 2015, *Chemistry of Plant Natural Products*: London, Springer.
- Tsuda, Y., 2004, *Isolation of Natural Products*: Karachi, Japan Analytical Industry Co., Ltd.
- Wahyuni, I.S., Sufiawati, I., Nittayananta, W., and Levira, J., 2021, Identification of Ethyl Para-Methoxycinnamate and Kaempferol in the Ethanol Extract of *Kaempferia galanga* L. Rhizome as Biomaterial for Drug Candidate Using Spectrophotometric and Chromatographic Analysis: *Materials Science Forum*, p. 371–376.

- Wang, S.Y., Zhao, H., Xu, H.T., Han, X.D., Wu, Y.S., Xu, F.F., Yang, X.B., Göransson, U., and Liu, B., 2021, *Kaempferia galanga* L.: Progresses in Phytochemistry, Pharmacology, Toxicology and Ethnomedicinal Uses: *Frontiers in Pharmacology*, v. 12, doi:10.3389/fphar.2021.675350.
- Winingsih, W., Husein, S.G., and Ramdhani, R.P.N., 2021, Analysis of Ethyl p-Methoxycinnamate from *Kaempferia galanga* L. Extract by High Performance Liquid Chromatography: *Journal of Tropical Pharmacy and Chemistry*, v. 5, p. 353–358, doi:10.25026/jtpc.v5i4.331.
- Yu, J.G., Yu, D.L., Zhang, S., Luo, X.Z., Sun, L., Zheng, C.C., and Chen, Y.H., 2000, Studies on the chemical constituents of *Kaempferia marginata*: Article in Chinese, v. 10, p. 760.
- Zeng, J., Tan, H., Xiangjiu, H.E., and Wang, Y., 2021, Research progress on the phytochemistry and bioactivity of *Kaempferiae Rhizoma*: *Journal of Holistic Integrative Pharmacy*, v. 2, p. 196–205.
- Zhang, M.J., Li, H.X., Li, H.Y., and Lang, J.P., 2016a, Copper(i) 5-phenylpyrimidine-2-thiolate complexes showing unique optical properties and high visible light-directed catalytic performance: *Dalton Transactions*, v. 45, p. 17759–17769, doi:10.1039/c6dt03721f.
- Zhang, Q.W., Lin, L.G., and Ye, W.C., 2018, Techniques for extraction and isolation of natural products: A comprehensive review: *Chinese Medicine (United Kingdom)*, v. 13, doi:10.1186/s13020-018-0177-x.

Zhang, W.M., Wang, W., Zhang, J.J., Wang, Z.R., Wang, Y., Hao, W.J., and Huang, W.Y., 2016b, Antibacterial Constituents of Hainan *Morinda citrifolia* (Noni) Leaves: Food Science, v. 81, p. 1192–1196.