



Daftar Pustaka

- Agarwal, G., Gupta, S., & Spiess, P. E. (2014). Novel targeted therapies for the treatment of penile cancer. *Expert Opinion on Drug Discovery*, 9(8), 959–968.
- Aiello, N. M., & Kang, Y. (2019). Context-dependent EMT programs in cancer metastasis. *Journal of Experimental Medicine*, 216(5), 1016–1026.
- Alemany, L. (2016). Role of Human Papillomavirus in Penile Carcinomas Worldwide. *European Urology*, 69(5), 953–961. <https://doi.org/10.1016/j.eururo.2015.12.007>
- Anna Szymonowicz, K., & Chen, J. (2020). Biological and clinical aspects of HPV-related cancers. *Cancer Biol Med*. <https://doi.org/10.20892/j.issn.2095-3941.2020.0370>
- Araldi, R. P., Sant'Ana, T. A., Módolo, D. G., de Melo, T. C., Spadacci-Morena, D. D., de Cassia Stocco, R., Cerutti, J. M., & de Souza, E. B. (2018). The human papillomavirus (HPV)-related cancer biology: An overview. In *Biomedicine and Pharmacotherapy* (Vol. 106, pp. 1537–1556). Elsevier Masson SAS. <https://doi.org/10.1016/j.biopha.2018.06.149>
- Ardhaputri, K. A. D. L., Lestari, D. P. O., Armerinayanti, N. W., Sari, N. L. P. E. K., Laksmini, L. Y., Luhur, I. M. J., Upadana, I. N., & Dewi, K. P. (2022). The Proportion of p16 Expression in Penile Squamous Cell Carcinoma Based on Immunohistochemistry Examination in the Balinese Population. *Indonesian Journal of Cancer*, 16(2), 94–99. <https://doi.org/10.33371/IJOC.V16I2.871>
- Asakura, K., Kadota, T., Matsuzaki, J., Yoshida, Y., Yamamoto, Y., Nakagawa, K., Takizawa, S., Aoki, Y., Nakamura, E., Miura, J., Sakamoto, H., Kato, K., Watanabe, S.-I., & Ochiya, T. (2020). A miRNA-based diagnostic model predicts resectable lung cancer in humans with high accuracy. *Communication Biology*, 31, 1–9. <https://doi.org/10.1038/s42003-020-0863-y>
- Asirvatham, A. J., Magner, W. J., & Tomasi, T. B. (2009). miRNA regulation of cytokine genes. *Cytokine*, 45(2), 58–69.
- Ayala-Calvillo, E., Mojica-Vázquez, L. H., García-Carrancá, A., & González-Maya, L. (2018). Wnt/p-catenin pathway activation and silencing of the APC gene in HPV-positive human cervical cancer-derived cells. *Molecular Medicine Reports*, 17(1), 200–208. <https://doi.org/10.3892/mmr.2017.7853>
- Bai, M., Wang, P., Yang, J., Zuo, M., & Ba, Y. (2020). Identification of miR-135b as a novel regulator of TGF β pathway in gastric cancer. *Journal of Physiology and Biochemistry*, 76(4). <https://doi.org/10.1007/s13105-020-00759-9>
- Bell, E., & Taylor, M. A. (2017). Functional roles for exosomal microRNAs in the tumour microenvironment. *Computational and Structural Biotechnology Journal*, 15, 8–13.
- Bertoli, G., Cava, C., & Castiglioni, I. (2015). MicroRNAs: New Biomarkers for Diagnosis, Prognosis, Therapy Prediction and Therapeutic Tools for Breast Cancer. *Theranostics*, 5(10), 1122–1143. <https://doi.org/10.7150/thno.11543>
- Bierie, B., & Moses, H. L. (2010). Transforming growth factor beta (TGF- β) and inflammation in cancer. *Cytokine and Growth Factor Reviews*, 21(1), 49–59. <https://doi.org/10.1016/j.cytogfr.2009.11.008>



- Bleeker, M. C. G., Heideman, D. A. M., Snijders, P. J. F., Horenblas, S., Dillner, J., & Meijer, C. (2009). Penile cancer: epidemiology, pathogenesis and prevention. *World Journal of Urology*, 27(2), 141–150.
- Borga, C., Meeran, S. M., & Fassan, M. (2019). Non-coding RNAs, a real Next-Gen Class of Biomarkers? In *Non-coding RNA Research* (Vol. 4, Issue 3, pp. 80–81). KeAi Communications Co. <https://doi.org/10.1016/j.ncrna.2019.10.001>
- Breen, K. J., O'Connor, K. M., Power, D. G., Mayer, N. J., Rogers, E., & Sweeney, P. (2015). Penile cancer—guideline adherence produces optimum results. *The Surgeon*, 13(4), 200–206.
- Brocato, J., & Costa, M. (2014). SATB1 and 2 in colorectal cancer. In *Carcinogenesis* (Vol. 36, Issue 2, pp. 186–191). Oxford University Press. <https://doi.org/10.1093/carcin/bgu322>
- Bronisz, A., Wang, Y., Nowicki, M. O., Peruzzi, P., Ansari, K. I., Ogawa, D., Balaj, L., De Rienzo, G., Mineo, M., & Nakano, I. (2014). Extracellular vesicles modulate the glioblastoma microenvironment via a tumor suppression signaling network directed by miR-1. *Cancer Research*, 74(3), 738–750.
- Cancer Today. (2020). WHO. https://gco.iarc.fr/today/online-analysis-table?v=2020&mode=population&mode_population=continents&population=900&populations=900&key=asr&sex=1&cancer=26&type=1&statistic=5&prevalence=0&population_group=0&ages_group%5B%5D=0&ages_group%5B%5D=17&group_cancer=1&include_nmsc=0&include_nmsc_other=1
- Chakraborty, C., Sharma, A. R., Sharma, G., & Lee, S. S. (2021). Therapeutic advances of miRNAs: A preclinical and clinical update. In *Journal of Advanced Research* (Vol. 28, pp. 127–138). Elsevier B.V. <https://doi.org/10.1016/j.jare.2020.08.012>
- Chakraborty, C., Sharma, A. R., Sharma, G., & Lee, S.-S. (2020). The interplay among miRNAs, major cytokines, and cancer-related inflammation. *Molecular Therapy-Nucleic Acids*, 20, 606–620.
- Chang, J., Xu, W., Du, X., & Hou, J. (2018). MALAT1 silencing suppresses prostate cancer progression by upregulating miR-1 and downregulating KRAS. *Oncotargets and Therapy*, 11, 3461–3473. <https://doi.org/10.2147/OTT.S164131>
- Chang, Y., Yan, W., Sun, C., Liu, Q., Wang, J., & Wang, M. (2017). miR-145-5p inhibits epithelial-mesenchymal transition via the JNK signaling pathway by targeting MAP3K1 in non-small cell lung cancer cells. *Oncology Letters*, 14(6), 6923–6928. <https://doi.org/10.3892/ol.2017.7092>
- Chen, J., Deng, Y., Ao, L., Song, Y., Xu, Y., Wang, C. C., Choy, K. W., Tony Chung, K. H., Du, Q., Sui, Y., Yang, T., Yang, J., Li, H., Zou, C., & Tang, T. (2019). The high-risk HPV oncogene E7 upregulates miR-182 expression through the TGF- β /Smad pathway in cervical cancer. *Cancer Letters*, 460, 75–85. <https://doi.org/10.1016/j.canlet.2019.06.015>
- Chen, Z., Gao, Y., Gao, S., Song, D., & Feng, Y. (2020). MiR-135b-5p promotes viability, proliferation, migration and invasion of gastric cancer cells by targeting Krüppel-like factor 4 (KLF4). *Archives of Medical Science*, 16(1), 167–176. <https://doi.org/10.5114/aoms.2019.87761>
- Cheng, Y. (2022). miR-135b-5p Targets SIRT1 to Inhibit Deacetylation of c-JUN and Increase MMP7 Expression to Promote Migration and Invasion of Nasopharyngeal



- Carcinoma Cells. *Molecular Biotechnology*, 64(6). <https://doi.org/10.1007/s12033-022-00457-5>
- Cheung, K. J., & Ewald, A. J. (2016). A collective route to metastasis: Seeding by tumor cell clusters. *Science*, 352(6282), 167–169.
- Chipollini, J., Chaing, S., Azizi, M., Kidd, L. C., Kim, P., & Spiess, P. E. (2017). Advances in understanding of penile carcinogenesis: the search for actionable targets. *International Journal of Molecular Sciences*, 18(8), 1777.
- Cottonham, C. L., Kaneko, S., & Xu, L. (2010). miR-21 and miR-31 converge on TIAM1 to regulate migration and invasion of colon carcinoma cells. *Journal of Biological Chemistry*, 285(46), 35293–35302. <https://doi.org/10.1074/jbc.M110.160069>
- Cubilla, A. L., Amin, M. B., Ayala, A., Ayala, G., Chaux, A., & Corbishley, C. (2016). Tumours of the penis, Malignant epithelial tumours. In *WHO Clasification of Tumours of the Urinary System and Male Genital Organs* (p. 263).
- Cubilla, A., MB, A., & A, A. (2016). Tumours of the Penis, Malignant Epithelial Tumours. In *World Health Organization* (pp. 260–352). International Agency For Reseach on Cancer.
- da Silva, J., da Costa, C. C., de Farias Ramos, I., Laus, A. C., Sussuchi, L., Reis, R. M., Khayat, A. S., Cavalli, L. R., & Pereira, S. R. (2022). Upregulated miRNAs on the TP53 and RB1 Binding Seedless Regions in High-Risk HPV-Associated Penile Cancer. *Frontiers in Genetics*, 13. <https://doi.org/10.3389/fgene.2022.875939>
- Dai, X., Xie, Y., & Dong, M. (2022). Cancer-associated fibroblasts derived extracellular vesicles promote angiogenesis of colorectal adenocarcinoma cells through miR-135b-5p/FOXO1 axis. *Cancer Biology and Therapy*, 23(1), 76–88. <https://doi.org/10.1080/15384047.2021.2017222>
- Dalmay, T., & Edwards, D. R. (2006). MicroRNAs and the hallmarks of cancer. *Oncogene*, 25, 6170–6175. <https://doi.org/10.1038/sj.onc.1209911>
- Danac, J. M. C., Uy, A. G. G., & Garcia, R. L. (2021). Exosomal microRNAs in colorectal cancer: Overcoming barriers of the metastatic cascade (Review). *International Journal of Molecular Medicine*, 47(6). <https://doi.org/10.3892/ijmm.2021.4945>
- Das, L. M., Torres-Castillo, M. D. L. A., Gill, T., & Levine, A. D. (2013). TGF- β conditions intestinal T cells to express increased levels of miR-155, associated with down-regulation of IL-2 and itk mRNA. *Mucosal Immunology*, 6(1), 167–176. <https://doi.org/10.1038/mi.2012.60>
- Deng, P., Li, K., Gu, F., Zhang, T., Zhao, W., Sun, M., & Hou, B. (2021). LINC00242/miR-1-3p/G6PD axis regulates Warburg effect and affects gastric cancer proliferation and apoptosis. *Molecular Medicine*, 27(1). <https://doi.org/10.1186/s10020-020-00259-y>
- Desak Putu Oki Lestari, & Mulyadi, K. (2015). *Hubungan antara Ukuran Tumor, Grade, Invasi Uretra, Intravasa, Perineural dan Overekspresi COX-2 pada Metastasis Karsinoma Sel Skuamosa Penis ke Kelenjar Getah Bening Inguinal* (Vol. 24, Issue 3).
- Dinami, R., Ercolani, C., Petti, E., Piazza, S., Ciani, Y., Sestito, R., Sacconi, A., Biagioli, F., Le Sage, C., Agami, R., Benetti, R., Mottolese, M., Schneider, C., Blandino, G., & Schoeftner, S. (2014). miR-155 drives telomere fragility in human



- breast cancer by targeting TRF1. *Cancer Research*, 74(15), 4145–4156. <https://doi.org/10.1158/0008-5472.CAN-13-2038>
- Ding, Z., Wu, C. J., Chu, G. C., Xiao, Y., Ho, D., Zhang, J., Perry, S. R., Labrot, E. S., Wu, X., Lis, R., Hoshida, Y., Hiller, D., Hu, B., Jiang, S., Zheng, H., Stegh, A. H., Scott, K. L., Signoretti, S., Bardeesy, N., ... Depinho, R. A. (2011). SMAD4-dependent barrier constrains prostate cancer growth and metastatic progression. *Nature*, 470(7333), 269–276. <https://doi.org/10.1038/nature09677>
- do Carmo Alves Martins, V. I., Werneck Cunha, I., Figliuolo, G., Halanna de Melo Farah Rondon, H., Menezes de Souza, P., Luz Torres Silva, F., Luz Torres Silva, G., de Souza Bastos, M., Barros de CastroID, D., Freire Santana, M., Ramasawmy, R., Eduardo Levi, J., & tia Luz TorresID, K. (2020). *Presence of HPV with overexpression of p16 INK4a protein and EBV infection in penile cancer-A series of cases from Brazil Amazon*. <https://doi.org/10.1371/journal.pone.0232474>
- Douglawi, A. (2017). Updates on the epidemiology and risk factors for penile cancer. In *Translational Andrology and Urology* (Vol. 6, Issue 5, pp. 785–790). <https://doi.org/10.21037/tau.2017.05.19>
- Du, G., Yu, X., Chen, Y., & Cai, W. (n.d.). *MiR-1-3p Suppresses Colorectal Cancer Cell Proliferation and Metastasis by Inhibiting YWHAZ-Mediated Epithelial-Mesenchymal Transition*. <https://doi.org/10.3389/fonc.2021.634596>
- Duca, R. B., Massillo, C., Farré, P. L., Graña, K. D., Moro, J., Gardner, K., Lacunza, E., & De Siervi, A. (2022a). Hsa-miR-133a-3p, miR-1-3p, GOLPH3 and JUP combination results in a good biomarker to distinguish between prostate cancer and non-prostate cancer patients. *Frontiers in Oncology*, 12. <https://doi.org/10.3389/fonc.2022.997457>
- Duca, R. B., Massillo, C., Farré, P. L., Graña, K. D., Moro, J., Gardner, K., Lacunza, E., & De Siervi, A. (2022b). Hsa-miR-133a-3p, miR-1-3p, GOLPH3 and JUP combination results in a good biomarker to distinguish between prostate cancer and non-prostate cancer patients. *Frontiers in Oncology*, 12. <https://doi.org/10.3389/fonc.2022.997457>
- Eberhard, J., Gaber, A., Wangefjord, S., Nodin, B., Uhlén, M., Ericson Lindquist, K., & Jirström, K. (2012). A cohort study of the prognostic and treatment predictive value of SATB2 expression in colorectal cancer. *British Journal of Cancer*, 106(5), 931–938. <https://doi.org/10.1038/bjc.2012.34>
- Edmonds, M. D., Boyd, K. L., Moyo, T., Mitra, R., Duszynski, R., Arrate, M. P., Chen, X., Zhao, Z., Blackwell, T. S., Andl, T., & Eischen, C. M. (2016). MicroRNA-31 initiates lung tumorigenesis and promotes mutant KRAS-driven lung cancer. *Journal of Clinical Investigation*, 126(1), 349–364. <https://doi.org/10.1172/JCI82720>
- Emmanuel, A., Nettleton, J., Watkin, N., & Berney, D. M. (2019). The molecular pathogenesis of penile carcinoma—current developments and understanding. In *Virchows Archiv* (Vol. 475, Issue 4, pp. 397–405). Springer Verlag. <https://doi.org/10.1007/s00428-019-02607-8>
- Erdogan, F., Radu, T. B., Orlova, A., Qadree, A. K., Araujo, E. D., Israeliyan, J., Valent, P., Mustjoki, S. M., Herling, M., Moriggl, R., & Gunning, P. T. (2022). JAK-STAT core cancer pathway: An integrative cancer interactome analysis. *Journal of*



- Cellular and Molecular Medicine*, 26(7), 2049–2062.
<https://doi.org/10.1111/jcmm.17228>
- Fares, J., Fares, M. Y., Khachfe, H. H., Salhab, H. A., & Fares, Y. (2020). Molecular principles of metastasis: a hallmark of cancer revisited. *Signal Transduction and Targeted Therapy*, 5(1), 1–17.
- Feng, Y., Wang, J., Ma, J., Zhang, L., Chu, C., Hu, H., Wang, Y., & Li, Y. (2021). miR-31-5p promotes proliferation and inhibits apoptosis of goat hair follicle stem cells by targeting RASA1/MAP3K1 pathway. *Experimental Cell Research*, 398(2).
<https://doi.org/10.1016/j.yexcr.2020.112441>
- Fleming, N. I., Jorissen, R. N., Mouradov, D., Christie, M., Sakthianandeswaren, A., Palmieri, M., Day, F., Li, S., Tsui, C., Lipton, L., Desai, J., Jones, I. T., McLaughlin, S., Ward, R. L., Hawkins, N. J., Ruszkiewicz, A. R., Moore, J., Zhu, H. J., Mariadason, J. M., ... Sieber, O. M. (2013). SMAD2, SMAD3 and SMAD4 mutations in colorectal cancer. *Cancer Research*, 73(2), 725–735.
<https://doi.org/10.1158/0008-5472.CAN-12-2706>
- Frame, F. M., Noble, A. R., Klein, S., Walker, H. F., Suman, R., Kasprowicz, R., Mann, V. M., Simms, M. S., & Maitland, N. J. (2017). Tumor heterogeneity and therapy resistance - implications for future treatments of prostate cancer. *Journal of Cancer Metastasis and Treatment*, 3(12), 302. <https://doi.org/10.20517/2394-4722.2017.34>
- Friedman, R. C., Farh, K. K.-H., Burge, C. B., & Bartel, D. P. (2009). Most mammalian mRNAs are conserved targets of microRNAs. *Genome Research*, 19(1), 92–105.
- Furuya, T. K., Bovolenta Murta, C., Carrasco, A. G. M., Uno, M., Sichero, L., Villa, L. L., Cardilli, L., Coelho, R. F., Guglielmetti, G. B., Cordeiro, M. D., Leite, K. R. M., Nahas, W. C., Chammas, R., & Pontes, J. (2021). Disruption of miRNA-mRNA networks defines novel molecular signatures for penile carcinogenesis. *Cancers*, 13(19). <https://doi.org/10.3390/cancers13194745>
- Garrido, M. P., Torres, I., Avila, A., Chnaiderman, J., Valenzuela-Valderrama, M., Aramburo, J., Oróstica, L., Durán-Jara, E., Lobos-Gonzalez, L., & Romero, C. (2020). Ngf/trka decrease mir-145-5p levels in epithelial ovarian cancer cells. *International Journal of Molecular Sciences*, 21(20), 1–21.
<https://doi.org/10.3390/ijms21207657>
- Globocan. (2020). *Cancer Today*. International Agency for Research On Cancer.
https://gco.iarc.fr/today/online-analysis-map?v=2020&mode=population&mode_population=continents&population=900&populations=900&key=cum_risk&sex=1&cancer=26&type=0&statistic=5&prevalence=0&population_group=0&ages_group%5B%5D=0&ages_group%5B%5D=14&nb_items=10&group_cancer=1&include_nmsc=1&include_nmsc_other=1&projection=natural-earth&color_palette=default&map_scale=quantile&map_nb_colors=5&continent=0&show_ranking=0&rotate=%255B10%252C0%255D
- Golijanin, D., Tan, J.-Y., Kazior, A., Cohen, E. G., Russo, P., Dalbagni, G., Auborn, K. J., Subbaramaiah, K., & Dannenberg, A. J. (2004). Cyclooxygenase-2 and Microsomal Prostaglandin E Synthase-1 Are Overexpressed in Squamous Cell Carcinoma of the Penis.
- Greenhough, A., Smartt, H. J. M., Moore, A. E., Roberts, H. R., Williams, A. C., Paraskeva, C., & Kaidi, A. (2009). The COX-2/PGE 2 pathway: key roles in the



- hallmarks of cancer and adaptation to the tumour microenvironment. *Carcinogenesis*, 30(3), 377–386. <https://doi.org/10.1093/carcin/bgp014>
- Greten, F. R., & Grivennikov, S. I. (2019). Inflammation and Cancer: Triggers, Mechanisms, and Consequences. In *Immunity* (Vol. 51, Issue 1, pp. 27–41). Cell Press. <https://doi.org/10.1016/j.jimmuni.2019.06.025>
- Guire, D. v. (2019). *How close are miRNAs from clinical practice? A perspective on the diagnostic and therapeutic market.*
- Gusti, I., Agung, N., Suharta, I., Yudiana, W., Agung, A., & Oka, G. (2023). Clinico-Pathological Characteristics of Penile Cancer Patients at Sanglah General Hospital Denpasar, Bali between 2013-2020. *Jurnal Bedah Nasional*. <https://doi.org/10.24843/JBN.2024.v08.i01.p05>
- Haeger, S. M., Thompson, J. J., Kalra, S., Cleaver, T. G., Merrick, D., Wang, X. J., & Malkoski, S. P. (2016). Smad4 loss promotes lung cancer formation but increases sensitivity to DNA topoisomerase inhibitors. *Oncogene*, 35(5), 577–586. <https://doi.org/10.1038/onc.2015.112>
- Hakenberg, O. W., Compérat, E., Minhas, S., Necchi, A., Protzel, C., & Watkin, N. (2019). EAU guidelines on penile cancer. *EAU Guidelines. Edn. Presented at the EAU Annual Congress Barcelona.*
- Han, X., Saiyin, H., Zhao, J., Fang, Y., Rong, Y., Shi, C., Lou, W., & Kuang, T. (2017). Overexpression of miR-135b-5p promotes unfavorable clinical characteristics and poor prognosis via the repression of SFRP4 in pancreatic cancer. *Oncotarget*, 8(37), 62195–62207. www.impactjournals.com/oncotarget
- Hanahan, D. (2022). Hallmarks of Cancer: New Dimensions. In *Cancer Discovery* (Vol. 12, Issue 1, pp. 31–46). American Association for Cancer Research Inc. <https://doi.org/10.1158/2159-8290.CD-21-1059>
- Hanahan, D., & Weinberg, R. A. (2011). Hallmarks of cancer: the next generation. *Cell*, 144(5), 646–674.
- Hanna, J., Hossain, G. S., & Kocerha, J. (2019). The potential for microRNA therapeutics and clinical research. *Frontiers in Genetics*, 10, 478.
- Hanson, C. A., & Miller, J. R. (2005). Non-traditional roles for the Adenomatous Polyposis Coli (APC) tumor suppressor protein. In *Gene* (Vol. 361, Issues 1–2, pp. 1–12). <https://doi.org/10.1016/j.gene.2005.07.024>
- Hao, Y., Baker, D., & Ten Dijke, P. (2019). TGF-β-mediated epithelial-mesenchymal transition and cancer metastasis. *International Journal of Molecular Sciences*, 20(11), 2767.
- Hennig, P., Fenini, G., Filippo, M. di, Karakaya, T., Beer, H.-D., Karakaya@usz, T., & Ch, T. K. (2021). *biomedicines The Pathways Underlying the Multiple Roles of p62 in Inflammation and Cancer.* <https://doi.org/10.3390/biomedicines>
- Hiam-Galvez, K. J., Allen, B. M., & Spitzer, M. H. (2021). Systemic immunity in cancer. In *Nature Reviews Cancer* (Vol. 21, Issue 6, pp. 345–359). Nature Research. <https://doi.org/10.1038/s41568-021-00347-z>
- Hirschfeld, M., Jäger, M., Berner, K., Ritter, A., Jaeger, M., Grundner-Culemann, F., Schlosser, P., Asberger, J., Weiss, D., Noethling, C., Mayer, S., & Erbes, T. (2020). Diagnostic potential of micro RNAs expression profiles in serum and urine of breast and gynecologic cancer patients Article in Senologie-Zeitschrift für Mammadiagnostik und-therapie · Survival prediction endometrial cancer View



project breast and gynecologic cancer View project Discovery of potential serum and urine-based microRNA as minimally-invasive biomarkers for breast and gynecological cancer. *Cancer Biomarkers*, 27, 225–242. <https://doi.org/10.1055/s-0038-1651787>

Hoppe-Seyler, K., Bossler, F., Braun, J. A., Herrmann, A. L., & Hoppe-Seyler, F. (2018). The HPV E6/E7 Oncogenes: Key Factors for Viral Carcinogenesis and Therapeutic Targets. In *Trends in Microbiology* (Vol. 26, Issue 2, pp. 158–168). Elsevier Ltd. <https://doi.org/10.1016/j.tim.2017.07.007>

Hu, C., Feizhou, H., Deng, G., Nie, W., Huang, W., & Zeng, X. (2013). MiR-31 promotes oncogenesis in intrahepatic cholangiocarcinoma cells via the direct suppression of RASA1. *Experimental and Therapeutic Medicine*, 6(5), 1265–1270. <https://doi.org/10.3892/etm.2013.1311>

Hu, C., Meiners, S., Lukas, C., Stathopoulos, G. T., & Chen, J. (2020). Role of exosomal microRNAs in lung cancer biology and clinical applications. In *Cell Proliferation* (Vol. 53, Issue 6). Blackwell Publishing Ltd. <https://doi.org/10.1111/cpr.12828>

Huang, J., Yu, M., Yin, W., Liang, B., Li, A., Li, J., Li, X., Zhao, S., & Liu, F. (2021). Development of a novel RNAi therapy: Engineered miR-31 exosomes promoted the healing of diabetic wounds. *Bioactive Materials*, 6(9), 2841–2853. <https://doi.org/10.1016/j.bioactmat.2021.02.007>

Huang, X., & Guo, B. (2006). Adenomatous polyposis coli determines sensitivity to histone deacetylase inhibitor-induced apoptosis in colon cancer cells. *Cancer Research*, 66(18), 9245–9251. <https://doi.org/10.1158/0008-5472.CAN-06-0887>

Iqbal, M. A., Arora, S., Prakasam, G., Calin, G. A., & Syed, M. A. (2019). MicroRNA in lung cancer: role, mechanisms, pathways and therapeutic relevance. In *Molecular Aspects of Medicine* (Vol. 70, pp. 3–20). Elsevier Ltd. <https://doi.org/10.1016/j.mam.2018.07.003>

Itatani, Y., Kawada, K., & Sakai, Y. (2019). Transforming growth factor- β signaling pathway in colorectal cancer and its tumor microenvironment. In *International Journal of Molecular Sciences* (Vol. 20, Issue 23). MDPI AG. <https://doi.org/10.3390/ijms20235822>

J KE, B, -H Zhang, Y, -Y Li, M.Zhong, W.MA, H.Xue, Y.-D Wen, & Y., -D.Cai. (2019). MiR-1-3p suppresses cell proliferation and invasion and targets STC2 in gastric cancer. *European Review for Medical and Pharmacological Sciences*, 23, 8870–8877. www.targetscan.org/

Janda, E., Lehmann, K., Killisch, I., Jechlinger, M., Herzig, M., Downward, J., Beug, H., & Grünert, S. (2002). Ras and TGF β cooperatively regulate epithelial cell plasticity and metastasis: Dissection of Ras signaling pathways. *Journal of Cell Biology*, 156(2), 299–313. <https://doi.org/10.1083/jcb.200109037>

J.KE, B.-H. Zhang, Y.-Y.Li, M. Zhong, W.MA, H. Xue, & Y.-D.CAI. (2019). *MiR-1-3p suppresses cell proliferation and invasion and targets STC2 in gastric cancer.* www.targetscan.org/

Kadkhoda, S., Eslami, S., Mahmud Hussein, B., & Ghafouri-Fard, S. (2022). A review on the importance of miRNA-135 in human diseases. In *Frontiers in Genetics* (Vol. 13). Frontiers Media S.A. <https://doi.org/10.3389/fgene.2022.973585>



- Kaur, K., Chang, S. H., Tang, Y., Qu, X., & Hua, S. (2018). *Immunological Approaches Towards Cancer and Inflammation: A Cross Talk.* 9, 563. <https://doi.org/10.3389/fimmu.2018.00563>
- Kent, O. A., Mendell, J. T., & Rottapel, R. (2016). Transcriptional regulation of miR-31 by oncogenic KRAS mediates metastatic phenotypes by repressing RASA1. *Molecular Cancer Research*, 14(3), 267–277. <https://doi.org/10.1158/1541-7786.MCR-15-0456>
- kia, V., Paryan, M., Mortazavi, Y., Biglari, A., & Mohammadi-Yeganeh, S. (2019). Evaluation of exosomal miR-9 and miR-155 targeting PTEN and DUSP14 in highly metastatic breast cancer and their effect on low metastatic cells. *Journal of Cellular Biochemistry*, 120(4). <https://doi.org/10.1002/jcb.27850>
- Kim, B. G., Malek, E., Choi, S. H., Ignatz-Hoover, J. J., & Driscoll, J. J. (2021). Novel therapies emerging in oncology to target the TGF- β pathway. In *Journal of Hematology and Oncology* (Vol. 14, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13045-021-01053-x>
- Kim, T., & Croce, C. M. (2023). MicroRNA: trends in clinical trials of cancer diagnosis and therapy strategies. In *Experimental and Molecular Medicine* (Vol. 55, Issue 7, pp. 1314–1321). Springer Nature. <https://doi.org/10.1038/s12276-023-01050-9>
- Knott, S. R. V, Wagenblast, E., Khan, S., Kim, S. Y., Soto, M., Wagner, M., Turgeon, M.-O., Fish, L., Erard, N., & Gable, A. L. (2018). Asparagine bioavailability governs metastasis in a model of breast cancer. *Nature*, 554(7692), 378–381.
- Komina, A., Palkina, N., Aksenenko, M., Tsyrenzhapova, S., & Ruksha, T. (2016). Antiproliferative and pro-apoptotic effects of MiR-4286 inhibition in melanoma cells. *PLoS ONE*, 11(12). <https://doi.org/10.1371/journal.pone.0168229>
- Kuasne, H., Marchi, F. A., Rogatto, S. R., & de Syllos Cólus, I. M. (2013). Epigenetic mechanisms in penile carcinoma. In *International Journal of Molecular Sciences* (Vol. 14, Issue 6, pp. 10791–10808). MDPI AG. <https://doi.org/10.3390/ijms140610791>
- Kuasne Hellen, Baros-Filho Mateus C, Buss-Lopes Ariane, Marchi Fabio A, Pinheiro Maisa, J.M Juan, & Scapulatempo-Neto Cristovam. (2017). Integrative miRNA and mRNA analysis in penile carcinomas reveals markers and pathways with potential clinical impact. *Oncotarget*, 15294–15306. www.impactjournals.com/oncotarget
- Kucuksayan, H., Ozes, O. N., & Akca, H. (2016). Downregulation of SATB2 is critical for induction of epithelial-to-mesenchymal transition and invasion of NSCLC cells. *Lung Cancer*, 98. <https://doi.org/10.1016/j.lungcan.2016.05.032>
- Kusmawan, E., Bowolaksono, & Widiana. (2012). The Clinical Features of Penile Cancer Patients at Sanglah General Hospital Bali-Indonesia. In *Bali Medical Journal* (Vol. 1).
- Leong, S. P., Naxerova, K., Keller, L., Pantel, K., & Witte, M. (2022). Molecular mechanisms of cancer metastasis via the lymphatic versus the blood vessels. In *Clinical and Experimental Metastasis* (Vol. 39, Issue 1). <https://doi.org/10.1007/s10585-021-10120-z>
- Lestari, D. P. O., & Mulyadi, K. M. (2015). Hubungan antara Ukuran Tumor, Grade, Invasi Uretra, Intravasa, Perineural dan Overekspresi COX-2 pada Metastasis Karsinoma Sel Skuamosa Penis ke Kelenjar Getah Bening Inguinal. *Majalah Patologi Indonesia*, 24(3).



- Lestari, D. P. O., W Armerinayanti., (2018). Increasing trend of penile cancer cases in Bali compared to other regions in Indonesia. *IOP Conference Series: Materials Science and Engineering*, 434(1), 8. <https://doi.org/10.1088/1757-899X/434/1/012156>
- Lestari, D. P. O., Riasa, I. N. P., Niramayah, P. K. I., Armerinayanti, N. W., Cahyawati, P. N., Sari, K., Widodo, I., & Haryana, R. M. (2021). The burden of penile cancer in bali compared to other provinces in indonesia. *Open Access Macedonian Journal of Medical Sciences*, 9(E), 1273–1278. <https://doi.org/10.3889/oamjms.2021.7472>
- Leung, A. K. C., Barankin, B., Leong, K. F., & Hon, K. L. (2018). Penile warts: An update on their evaluation and management. *Drugs in Context*, 7. <https://doi.org/10.7573/DIC.212563>
- Lin, J., Chen, Y., Liu, L., Shen, A., & Zheng, W. (2018). MicroRNA-155-5p suppresses the migration and invasion of lung adenocarcinoma A549 cells by targeting smad2. *Oncology Letters*, 16(2), 2444–2452. <https://doi.org/10.3892/ol.2018.8889>
- Lin, S., & Gregory, R. I. (2015). MicroRNA biogenesis pathways in cancer HHS Public Access. *Nat Rev Cancer*, 15(6), 321–333. <https://doi.org/10.1038/nrc3932>
- Ling, C., Wang, X., Zhu, J., Tang, H., Du, W., Zeng, Y., Sun, L., Huang, J. A., & Liu, Z. (2019). MicroRNA-4286 promotes cell proliferation, migration, and invasion via PTEN regulation of the PI3K/Akt pathway in non-small cell lung cancer. *Cancer Medicine*, 8(7), 3520–3531. <https://doi.org/10.1002/cam4.2220>
- Ling, H., Girnita, L., Buda, O., & Calin, G. A. (2017). Non-coding RNAs: The cancer genome dark matter that matters! *Clinical Chemistry and Laboratory Medicine*, 55(5), 705–714. https://doi.org/10.1515/CCLM-2016-0740/ASSET/GRAPHIC/J_CCLM-2016-0740 FIG_002.JPG
- Liu, J., Huang, Y., Cheng, Q., Wang, J., Zuo, J., Liang, Y., & Yuan, G. (2019). Mir-1-3P suppresses the epithelial-mesenchymal transition property in renal cell cancer by downregulating fibronectin 1. *Cancer Management and Research*, 11, 5573–5587. <https://doi.org/10.2147/CMAR.S200707>
- Liu, S., Gao, G., Yan, D., Chen, X., Yao, X., Guo, S., Li, G., & Zhao, Y. (2017). Effects of miR-145-5p through NRAS on the cell proliferation, apoptosis, migration, and invasion in melanoma by inhibiting MAPK and PI3K/AKT pathways. *Cancer Medicine*, 6(4), 819–833. <https://doi.org/10.1002/cam4.1030>
- Liu, X., Sempere, L. F., Ouyang, H., Memoli, V. A., Andrew, A. S., Luo, Y., Demidenko, E., Korc, M., Shi, W., Preis, M., Dragnev, K. H., Li, H., Direnzo, J., Bak, M., Freemantle, S. J., Kauppinen, S., & Dmitrovsky, E. (2010). MicroRNA-31 functions as an oncogenic microRNA in mouse and human lung cancer cells by repressing specific tumor suppressors. *Journal of Clinical Investigation*, 120(4), 1298–1309. <https://doi.org/10.1172/JCI39566>
- Liu, X., Zhang, Y., Wang, S., Liu, G., & Ruan, L. (2018). Loss of miR-143 and miR-145 in condyloma acuminatum promotes cellular proliferation and inhibits apoptosis by targeting NRAS. *Royal Society Open Science*, 5(8). <https://doi.org/10.1098/rsos.172376>
- Lovly, C. M., Salama, A. K. S., & Salgia, R. (2016). *Tumor Heterogeneity and Therapeutic Resistance* (Vol. 3636). American Society of Clinical Oncology Educational Book.



- Lu, M., Huang, Y., Sun, W., Li, P., Li, L., & Li, L. (2018). MiR-135b-5p promotes gastric cancer progression by targeting CMTM3. *International Journal of Oncology*, 52(2), 589–598. <https://doi.org/10.3892/ijo.2017.4222>
- Lu, T. X., & Rothenberg, M. E. (2018). MicroRNA. *Journal of Allergy and Clinical Immunology*, 141(4), 1202–1207.
- Lu, W. C., Kao, S. Y., Yang, C. C., Tu, H. F., Wu, C. H., Chang, K. W., & Lin, S. C. (2014). EGF up-regulates miR-31 through the C/EBP β signal cascade in oral carcinoma. *PLoS ONE*, 9(9). <https://doi.org/10.1371/journal.pone.0108049>
- Lu, Z., He, Q., Liang, J., Li, W., Su, Q., Chen, Z., Wan, Q., Zhou, X., Cao, L., Sun, J., Wu, Y., Liu, L., Wu, X., Hou, J., Lian, K., & Wang, A. (2019). miR-31-5p Is a Potential Circulating Biomarker and Therapeutic Target for Oral Cancer. *Molecular Therapy - Nucleic Acids*, 16, 471–480. <https://doi.org/10.1016/j.omtn.2019.03.012>
- Lyu, J., Zhao, L., Wang, F., Ji, J., Cao, Z., Xu, H., Shi, X., Zhu, Y., Zhang, C., Guo, F., Yang, B., & Sun, Y. (2019). Discovery and validation of serum MicroRNAs as early diagnostic biomarkers for prostate cancer in Chinese population. *BioMed Research International*, 2019. <https://doi.org/10.1155/2019/9306803>
- Ma, L., & Li, L. L. (2019). miR-145 Contributes to the Progression of Cervical Carcinoma by Directly Regulating FSCN1. *Cell Transplantation*, 28(9–10), 1299–1305. <https://doi.org/10.1177/0963689719861063>
- Magalhães, L., Quintana, L. G., Lopes, D. C. F., Vidal, A. F., Pereira, A. L., D'Araujo Pinto, L. C., De Jesus Viana Pinheiro, J., Khayat, A. S., Goulart, L. R., Burbano, R., De Assumpção, P. P., & Ribeiro-Dos-Santos, Á. (2018). APC gene is modulated by hsa-miR-135b-5p in both diffuse and intestinal gastric cancer subtypes. *BMC Cancer*, 18(1). <https://doi.org/10.1186/s12885-018-4980-7>
- Mahesh, G., & Biswas, R. (2019). MicroRNA-155: A Master Regulator of Inflammation. *Journal Of Interferon & Cytokine Research*, 39(6). <https://doi.org/10.1089/jir.2018.0155>
- Mantovani, A., Allavena, P., Sica, A., & Balkwill, F. (2008). Cancer-related inflammation. *Nature*, 454(7203), 436–444. <https://doi.org/10.1038/NATURE07205>
- Massagué, J., & Obenauf, A. C. (2016). Metastatic colonization by circulating tumour cells. *Nature*, 529(7586), 298–306.
- Matsushita, R., Yoshino, H., Enokida, H., Goto, Y., Miyamoto, K., Yonemori, M., Inoguchi, S., Nakagawa, M., & Seki, N. (2016). Regulation of UHRF1 by dual-strand tumor-suppressor microRNA-145 (miR-145-5p and miR-145-3p): inhibition of bladder cancer cell aggressiveness. In *Oncotarget* (Vol. 7, Issue 19). www.impactjournals.com/oncotarget/
- Matsuyama, H., & Suzuki, H. I. (2019). Systems and Synthetic microRNA Biology: From Biogenesis to Disease Pathogenesis. *International Journal of Molecular Sciences*, 21(1). <https://doi.org/10.3390/IJMS21010132>
- Meng, W., Ye, Z., Cui, R., Perry, J., Dedousi-Huebner, V., Huebner, A., Wang, Y., Li, B., Volinia, S., Nakanishi, H., Kim, T., Suh, S. S., Ayers, L. W., Ross, P., Croce, C. M., Chakravarti, A., Jin, V. X., & Lautenschlaeger, T. (2013). MicroRNA-31 predicts the presence of lymph node metastases and survival in patients with lung adenocarcinoma. *Clinical Cancer Research*, 19(19), 5423–5433. <https://doi.org/10.1158/1078-0432.CCR-13-0320>



- Michlewski, G., & Cáceres, J. F. (2019). *Post-transcriptional control of miRNA biogenesis*. <https://doi.org/10.1261/rna>
- Mirabello, L., Clarke, M. A., Nelson, C. W., Dean, M., Wentzensen, N., Yeager, M., Cullen, M., Boland, J. F., Alemany, L., Banks, L., Bass, S., Buck, C., Burdett, L., Chaturvedi, A., Clifford, G., DiMaio, D., Doorbar, J., Hildesheim, A., Laimins, L., ... Burk, R. D. (2018). The intersection of HPV epidemiology, genomics and mechanistic studies of HPV-mediated carcinogenesis. *Viruses*, 10(2). <https://doi.org/10.3390/v10020080>
- Mitamura, T., Watari, H., Wang, L., Kanno, H., Kitagawa, M., Hassan, M. K., Kimura, T., Tanino, M., Nishihara, H., Tanaka, S., & Sakuragi, N. (2014). MicroRNA 31 functions as an endometrial cancer oncogene by suppressing Hippo tumor suppressor pathway. *Molecular Cancer*, 13(1). <https://doi.org/10.1186/1476-4598-13-97>
- Moch, H., Amin, M. B., Berney, D. M., Compérat, E. M., Gill, A. J., Hartmann, A., Menon, S., Raspollini, M. R., Rubin, M. A., Srigley, J. R., Hoon Tan, P., Tickoo, S. K., Tsuzuki, T., Turajlic, S., Cree, I., & Netto, G. J. (2022). The 2022 World Health Organization Classification of Tumours of the Urinary System and Male Genital Organs—Part A: Renal, Penile, and Testicular Tumours. *European Urology*. <https://doi.org/10.1016/J.EURURO.2022.06.016>
- Momen-Heravi, F., & Bala, S. (2018). miRNA regulation of innate immunity. *Journal of Leukocyte Biology*, 103(6), 1205–1217.
- Moskalik, A., Ratajska, A., Majchrzak, B., Jankowska-Steifer, E., Bartkowiak, K., Bartkowiak, M., & Niderla-Bielńska, J. (2022). miR-31-5p-Modified RAW 264.7 Macrophages Affect Profibrotic Phenotype of Lymphatic Endothelial Cells In Vitro. *International Journal of Molecular Sciences*, 23(21). <https://doi.org/10.3390/ijms232113193>
- Munoz, N., Castellsagué, X., de González, A. B., & Gissmann, L. (2006). HPV in the etiology of human cancer. *Vaccine*, 24, S1–S10.
- Murata, M. (2018). Inflammation and cancer. In *Environmental Health and Preventive Medicine* (Vol. 23, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s12199-018-0740-1>
- Naeini, M. M., & Ardekani, A. M. (2009). Noncoding RNAs and Cancer. In *Review Article 55 Avicenna J Med Biotech* (Vol. 1, Issue 2).
- Nam-Chul Ha, Takashi Tonozuka, Jenifer L Stamos, Hee-Jung Choi, & William I. Weis. (2004). *Mechanism of Phosphorylation-Dependent Binding of APC to-Catenin and Its Role in-Catenin Degradation*.
- NanoString. (2017). *MAN-C0011-04 Gene Expression Data Analysis Guidelines*. <https://www.nanostring.com/products/analysis-software/nsolver>,
- Niu, J., Sun, Y., Guo, Q., Niu, D., & Liu, B. (2016). miR-1 Inhibits Cell Growth, Migration, and Invasion by Targeting VEGFA in Osteosarcoma Cells. *Disease Markers*, 2016. <https://doi.org/10.1155/2016/7068986>
- Olivieri, F., Albertini, M. C., Orciani, M., Ceka, A., Cricca, M., Procopio, A. D., & Bonafè, M. (2015). *DNA damage response (DDR) and senescence: shuttled inflamma-miRNAs on the stage of inflamm-aging* (Vol. 6, Issue 34). www.impactjournals.com/oncotarget



- Orsolic, I., Carrier, A., & Esteller, M. (2023). Genetic and epigenetic defects of the RNA modification machinery in cancer. In *Trends in Genetics* (Vol. 39, Issue 1, pp. 74–88). Elsevier Ltd. <https://doi.org/10.1016/j.tig.2022.10.004>
- Oshima, H., Nakayama, M., Han, T. S., Naoi, K., Ju, X., Maeda, Y., Robine, S., Tsuchiya, K., Sato, T., Sato, H., Taketo, M. M., & Oshima, M. (2015). Suppressing TGF β signaling in regenerating epithelia in an inflammatory microenvironment is sufficient to cause invasive intestinal cancer. *Cancer Research*, 75(4), 766–776. <https://doi.org/10.1158/0008-5472.CAN-14-2036>
- Pagliaro, L. C., Williams, D. L., Daliani, D., Williams, M. B., Osai, W., Kincaid, M., Wen, S., Thall, P. F., & Pettaway, C. A. (2010). Neoadjuvant paclitaxel, ifosfamide, and cisplatin chemotherapy for metastatic penile cancer: a phase II study. *Journal of Clinical Oncology*, 28(24), 3851.
- Pandey, D., Mahajan, V., & RR, K. (2006). Prognostic factors in node-positive carcinoma of the penis. *Journal of Surgical Oncology*, 93(2), 133–138. <https://doi.org/10.1002/jso.20414>
- Paraskevi, A., Theodoropoulos, G., Papaconstantinou, I., Mantzaris, G., Nikiteas, N., & Gazouli, M. (2012). Circulating MicroRNA in inflammatory bowel disease. *Journal of Crohn's and Colitis*, 6(9), 900–904.
- Park, S., Eom, K., Kim, J., Bang, H., Wang, H. young, Ahn, S., Kim, G., Jang, H., Kim, S., Lee, D., Park, K. H., & Lee, H. (2017). MiR-9, miR-21, and miR-155 as potential biomarkers for HPV positive and negative cervical cancer. *BMC Cancer*, 17(1). <https://doi.org/10.1186/s12885-017-3642-5>
- Peng, Y., & Croce, C. M. (2016). The role of microRNAs in human cancer. In *Signal Transduction and Targeted Therapy* (Vol. 1). Springer Nature. <https://doi.org/10.1038/sigtrans.2015.4>
- Pinho, J. D., Silva, G. E. B., Teixeira, A. A. L., de Castro Belfort, M. R., Mendes, J. M. M., de Ribamar Rodrigues Calixto, J., Nogueira, L. R., Burbano, R. R., & Khayat, A. S. (2021). Downregulation of miR-145 is associated with perineural invasion in penile carcinoma. *Translational Andrology and Urology*, 10(5), 2019–2026. <https://doi.org/10.21037/tau-20-1378>
- Pinho, J. D., Silva, G. E. B., Teixeira Júnior, A. A. L., Belfort, M. R. de C., Mendes, J. M., Cunha, I. W. da, Quintana, L. G., Calixto, J. de R. R., Nogueira, L. R., Coelho, R. W. P., & Khayat, A. S. (2020). MIR-107, MIR-223-3P and MIR-21-5P Reveals Potential Biomarkers in Penile Cancer. *Asian Pacific Journal of Cancer Prevention : APJCP*, 21(2), 391–397. <https://doi.org/10.31557/APJCP.2020.21.2.391>
- Piotrowski, I., Kulcenty, K., & Suchorska, W. (2020). Interplay between inflammation and cancer. In *Reports of Practical Oncology and Radiotherapy* (Vol. 25, Issue 3, pp. 422–427). Urban and Partner. <https://doi.org/10.1016/j.rpor.2020.04.004>
- Principe, D. R., Decant, B., Staudacher, J., Vitello, D., Mangan, R. J., Wayne, E. A., Mascariñas, E., Diaz, A. M., Bauer, J., McKinney, R. D., Khazaie, K., Pasche, B., Dawson, D. W., Munshi, H. G., Grippo, P. J., & Jung, B. (2017). Loss of TGF β signaling promotes colon cancer progression and tumor-associated inflammation. *Oncotarget*, 8(3), 3826–3839. www.impactjournals.com/oncotarget
- Qian, B. Z. (2017). Inflammation fires up cancer metastasis. *Seminars in Cancer Biology*, 47, 170–176. <https://doi.org/10.1016/J.SEMCANCER.2017.08.006>



- Qu, Y.-L., Wang, H.-F., Sun, Z.-Q., Tang, Y., Han, X.-N., Yu, X.-B., & Liu, K. (2015). Up-regulated miR-155-5p promotes cell proliferation, invasion and metastasis in colorectal carcinoma. In *Int J Clin Exp Pathol* (Vol. 8, Issue 6). www.ijcep.com/
- Ren, K., Li, Y., Lu, H., Li, Z., Li, Z., Wu, K., Li, Z., & Han, X. (2016). Long noncoding RNA HOTAIR controls cell cycle by functioning as a competing endogenous RNA in esophageal squamous cell carcinoma. *Translational Oncology*, 9(6), 489–497. <https://doi.org/10.1016/j.tranon.2016.09.005>
- Roman, A., & Munger, K. (2013). The papillomavirus E7 proteins. *Virology*, 445(1–2), 138–168. <https://doi.org/10.1016/j.virol.2013.04.013>
- Rupaimoole, R., Calin, G. A., Lopez-Berestein, G., & Sood, A. K. (2016). miRNA deregulation in cancer cells and the tumor microenvironment. *Cancer Discovery*, 6(3), 235–246.
- Rupaimoole, R., & Slack, F. J. (2017). MicroRNA therapeutics: towards a new era for the management of cancer and other diseases. *Nature Reviews Drug Discovery*, 16(3), 203.
- Rybinski, B., & Yun, K. (2016). Addressing intra-tumoral heterogeneity and therapy resistance. *Oncotarget*, 7(44). www.impactjournals.com/oncotarget/
- Sand, F. L., Rasmussen, C. L., Frederiksen, M. H., Andersen, K. K., & Kjaer, S. K. (2018). Prognostic significance of HPV and p16 status in men diagnosed with penile cancer: A systematic review and meta-analysis. In *Cancer Epidemiology Biomarkers and Prevention* (Vol. 27, Issue 10, pp. 1123–1132). American Association for Cancer Research Inc. <https://doi.org/10.1158/1055-9965.EPI-18-0322>
- Shang, A., Yang, M., Shen, F., Wang, J., Wei, J., Wang, W., Lu, W., Wang, C., & Wang, C. (2017). MiR-1-3p Suppresses the Proliferation, Invasion and Migration of Bladder Cancer Cells by Up-Regulating SFRP1 Expression. *Cellular Physiology and Biochemistry*, 41(3), 1179–1188. <https://doi.org/10.1159/000464379>
- Shi, S. S., Zhang, H. P., Yang, C. Q., Li, L. N., Shen, Y., & Zhang, Y. Q. (2020). Exosomal miR-155-5p promotes proliferation and migration of gastric cancer cells by inhibiting TP53INP1 expression. *Pathology Research and Practice*, 216(6). <https://doi.org/10.1016/j.prp.2020.152986>
- Sieber, O. M., Heinemann, K., Gorman, P., Lamlum, H., Crabtree, M., Simpson, C. A., Davies, D., Neale, K., Hodgson, S. V, Roylance, R. R., Phillips, R. K. S., Bodmer, W. F., & Tomlinson, I. P. M. (2002). Analysis of chromosomal instability in human colorectal adenomas with two mutational hits at APC. *Pubmed*. www.pnas.org/cgi/doi/10.1073/pnas.012679099
- Soares, A., Thiago de Carvalho, I., Gonçalves da Fonseca, A., Machado Alencar Jr, A., Heli Bezerra Leite, C., Assed Bastos, D., Paulo Holanda Soares, J., Ramos Moreira Leite, K., Ronalsa Brandão Filho, M., Wagner Pereira Coelho, R., Roberto de Cavallero, S. A., de Cassio Zequi, S., & de Ribamar Rodrigues Calixto, J. (2020). REVIEW-CLINICAL ONCOLOGY Penile cancer: a Brazilian consensus statement for low-and middle-income countries. *Journal of Cancer Research and Clinical Oncology*, 146(3), 3281–3296. <https://doi.org/10.1007/s00432-020-03417-1>
- Stankiewicz, E., Prowse, D. M., Ng, M., Cuzick, J., Mesher, D., Hiscock, F., Lu, Y. J., Watkin, N., Corbishley, C., Lam, W., & Berney, D. M. (2011). Alternative



- HER/PTEN/Akt pathway activation in HPV positive and negative penile carcinomas. *PLoS ONE*, 6(3). <https://doi.org/10.1371/journal.pone.0017517>
- Steeg, P. S. (2006). Tumor metastasis: mechanistic insights and clinical challenges. *Nature Medicine*, 12(8), 895–904.
- Steinestel, J., Al Ghazal, A., Arndt, A., Schnoeller, T. J., Schrader, A. J., Moeller, P., & Steinestel, K. (2015). The role of histologic subtype, p16 INK4a expression, and presence of human papillomavirus DNA in penile squamous cell carcinoma. *BMC Cancer*, 15(1), 1–9.
- Sun, X. X., & Yu, Q. (2015). Intra-tumor heterogeneity of cancer cells and its implications for cancer treatment. In *Acta Pharmacologica Sinica* (Vol. 36, Issue 10, pp. 1219–1227). Nature Publishing Group. <https://doi.org/10.1038/aps.2015.92>
- Sun, Z., Shi, K., Yang, S., Liu, J., Zhou, Q., Wang, G., Song, J., Li, Z., Zhang, Z., & Yuan, W. (2018). Effect of exosomal miRNA on cancer biology and clinical applications. *Molecular Cancer*, 17(147). <https://doi.org/10.1186/s12943-018-0897-7>
- Szebeni, G. J., Vizler, C., Kitajka, K., & Puskas, L. G. (2017). *Inflammation and Cancer: Extra-and Intracellular Determinants of Tumor-Associated Macrophages as Tumor Promoters*. <https://doi.org/10.1155/2017/9294018>
- T. Dittmar, K.S.Zaenker, & A.Schmidt. (2006). *Infection and Inflammation: Impacts on Oncogenesis*. <https://www.karger.com/Book/Home/231620>
- Tamarozzi, E. R., & Giulietti, S. (2017). Understanding the Role of Intrinsic Disorder of Viral Proteins in the Oncogenicity of Different Types of HPV. *International Journal of Molecular Sciences Article*. <https://doi.org/10.3390/ijms19010198>
- Tan, X., Qin, W., Zhang, L., Hang, J., Li, B., Zhang, C., Wan, J., Zhou, F., Shao, K., Sun, Y., Wu, J., Zhang, X., Qiu, B., Li, N., Shi, S., Feng, X., Zhao, S., Wang, Z., Zhao, X., ... He, J. (2011). A 5-MicroRNA signature for lung squamous cell carcinoma diagnosis and hsa-miR-31 for prognosis. *Clinical Cancer Research*, 17(21), 6802–6811. <https://doi.org/10.1158/1078-0432.CCR-11-0419>
- Tao, Y., Yang, S., Wu, Y., Fang, X., Wang, Y., Song, Y., & Han, T. (2017). MicroRNA-216a inhibits the metastasis of gastric cancer cells by targeting JAK2/STAT3-mediated EMT process. *Oncotarget*, 8(51), 88870.
- Thomas, A., Necchi, A., Muneer, A., & ... (2021). Penile cancer. *Nature Reviews*
- Thomas, A., Necchi, A., Muneer, A., Tobias-Machado, M., Thi, A., Tran, H., Rompuy, A.-S. Van, Spiess, P. E., & Albersen, M. (2021). Penile cancer. *Nature Reviews Journal*, 7(1), 1–24. <https://doi.org/10.1038/s41572-021-00246-5>
- Thomas, S., & Leanne, H. (2013). On the Origin of Cancer Metastasis. In *Critical Reviews in Oncogenesis* (Vol. 18, pp. 43–73).
- Torbrand, C., Wigertz, A., Drevin, L., Folkvaljon, Y., Lambe, M., Håkansson, U., & Kirrander, P. (2017). Socioeconomic factors and penile cancer risk and mortality; a population-based study. *Bju International*, 119(2), 254–260.
- Tu, Y.-X., Wang, S.-B., Fu, L.-Q., Li, S.-S., Guo, Q.-P., Wu, Y., Mou, X.-Z., & Tong, X.-M. (2018). Ovatodiolide targets chronic myeloid leukemia stem cells by epigenetically upregulating hsa-miR-155, suppressing the BCR-ABL fusion gene and dysregulating the PI3K/AKT/mTOR pathway. In *Oncotarget* (Vol. 9, Issue 3). www.impactjournals.com/oncotarget



- Uehara, I., & Tanaka, N. (2018). Role of p53 in the regulation of the inflammatory tumor microenvironment and tumor suppression. In *Cancers* (Vol. 10, Issue 7). MDPI AG. <https://doi.org/10.3390/cancers10070219>
- Valeri, N., Gasparini, P., Fabbri, M., Braconi, C., Veronese, A., Lovat, F., Adair, B., Vannini, I., Fanini, F., Bottoni, A., Costinean, S., Sandhu, S. K., Nuovo, G. J., Alder, H., Gafa, R., Calore, F., Ferracin, M., Lanza, G., Volinia, S., ... Croce, C. M. (2010). Modulation of mismatch repair and genomic stability by miR-155. *Proceedings of the National Academy of Sciences of the United States of America*, 107(15), 6982–6987. <https://doi.org/10.1073/pnas.1002472107>
- Vieira, C. B., Feitoza, L., Pinho, J., Teixeira-Júnior, A., Lages, J., Calixto, J., Coelho, R., Nogueira, L., Cunha, I., Soares, F., & Silva, G. E. B. (2020). Profile of patients with penile cancer in the region with the highest worldwide incidence. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-59831-5>
- Vincent, K., Pichler, M., Lee, G. W., & Ling, H. (2014). MicroRNAs, genomic instability and cancer. In *International Journal of Molecular Sciences* (Vol. 15, Issue 8, pp. 14475–14491). <https://doi.org/10.3390/ijms150814475>
- Wang, D., Wang, X., Song, Y., Si, M., Sun, Y., Liu, X., Cui, S., Qu, X., & Yu, X. (2022). Exosomal miR-146a-5p and miR-155-5p promote CXCL12/CXCR7-induced metastasis of colorectal cancer by crosstalk with cancer-associated fibroblasts. *Cell Death and Disease*, 13(4). <https://doi.org/10.1038/s41419-022-04825-6>
- Wang, H., Tan, Z., Hu, H., Liu, H., Wu, T., Zheng, C., Wang, X., Luo, Z., Wang, J., & Liu, S. (2019). microRNA-21 promotes breast cancer proliferation and metastasis by targeting LZTFL1. *BMC Cancer*, 19(1), 1–13.
- Wu, Y., Hu, G., Wu, R., & Gong, N. (2020). High expression of miR-135b predicts malignant transformation and poor prognosis of gastric cancer. *Life Sciences*, 257. <https://doi.org/10.1016/j.lfs.2020.118133>
- Xu, L., Len, H., Shi, X., Ji, J., Fu, J., & Len, H. (2017). MiR-155 promotes cell proliferation and inhibits apoptosis by PTEN signaling pathway in the psoriasis. *Biomedicine and Pharmacotherapy*, 90. <https://doi.org/10.1016/j.biopha.2017.03.105>
- Yamamoto, T., Kawada, K., Itatani, Y., Inamoto, S., Okamura, R., Iwamoto, M., Miyamoto, E., Chen-Yoshikawa, T. F., Hirai, H., Hasegawa, S., Date, H., Taketo, M. M., & Sakai, Y. (2017). Loss of SMAD4 promotes lung metastasis of colorectal cancer by accumulation of CCR1+ tumor-associated neutrophils through CCL15-CCR1 axis. *Clinical Cancer Research*, 23(3), 833–844. <https://doi.org/10.1158/1078-0432.CCR-16-0520>
- Yang, X. H., & Guo, F. (2018). MiR-3147 serves as an oncomiR in vulvar squamous cell cancer via Smad4 suppression. *Molecular Medicine Reports*, 17(5), 6397–6404. <https://doi.org/10.3892/mmr.2018.8697>
- Ye, L. L., Cheng, Z. G., Cheng, X. E., & Huang, Y. L. (2021). Propofol regulates miR-1-3p/IGF1 axis to inhibit the proliferation and accelerates apoptosis of colorectal cancer cells. *Toxicology Research*, 10(4), 696–705. <https://doi.org/10.1093/toxres/tfab047>
- Ye, Y., Wang, X., Jeschke, U., & von Schönfeldt, V. (2020). COX-2-PGE2-EPs in gynecological cancers. In *Archives of Gynecology and Obstetrics* (Vol. 301, Issue 6, pp. 1365–1375). Springer. <https://doi.org/10.1007/s00404-020-05559-6>



- Yu, F., Liang, M., Huang, Y., Wu, W., Zheng, B., & Chen, C. (2021). Hypoxic tumor-derived exosomal miR-31-5p promotes lung adenocarcinoma metastasis by negatively regulating SATB2-reversed EMT and activating MEK/ERK signaling. *Journal of Experimental and Clinical Cancer Research*, 40(1). <https://doi.org/10.1186/s13046-021-01979-7>
- Yu, T., Ma, P., Wu, D., Shu, Y., & Gao, W. (2018). Functions and mechanisms of microRNA-31 in human cancers. In *Biomedicine and Pharmacotherapy* (Vol. 108, pp. 1162–1169). Elsevier Masson SAS. <https://doi.org/10.1016/j.biopha.2018.09.132>
- Zararsiz, G., & Coşgun, E. (2014). Introduction to statistical methods for microRNA analysis. *Methods in Molecular Biology*, 1107, 129–155. https://doi.org/10.1007/978-1-62703-748-8_8
- Zhang, L., Wei, P., Shen, X., Zhang, Y., Xu, B., Zhou, J., Fan, S., Hao, Z., Shi, H., & Zhang, X. (2015). MicroRNA expression profile in penile cancer revealed by next-generation small RNA sequencing. *PLoS One*, 10(7), e0131336.
- Zhang, L., Wei, P., Shen, X., Zhang, Y., Xu, B., Zhou, J., Fan, S., Hao, Z., Shi, H., Zhang, X., Kong, R., Xu, L., Gao, J., Zou, D., & Liang, C. (2015). MicroRNA expression profile in penile cancer revealed by next-generation small RNA sequencing. *PLoS ONE*, 10(7). <https://doi.org/10.1371/JOURNAL.PONE.0131336>
- Zhang, X., Yao, J., Shi, H., Gao, B., & Zhang, L. (2019). LncRNA TINCR/microRNA-107/CD36 regulates cell proliferation and apoptosis in colorectal cancer via PPAR signaling pathway based on bioinformatics analysis. *Biological Chemistry*, 400(5), 663–675.
- Zhang, Z., Che, X., Yang, N., Bai, Z., Wu, Y., Zhao, L., & Pei, H. (2017). miR-135b-5p Promotes migration, invasion and EMT of pancreatic cancer cells by targeting NR3C2. *Biomedicine and Pharmacotherapy*, 96, 1341–1348. <https://doi.org/10.1016/j.biopha.2017.11.074>
- Zhao, L., Zhou, T., Chen, J., Cai, W., Shi, R., Duan, Y., Yuan, L., & Xing, C. (2022). Colon specific delivery of miR-155 inhibitor alleviates estrogen deficiency related phenotype via microbiota remodeling. *Drug Delivery*, 29(1), 2610–2620. <https://doi.org/10.1080/10717544.2022.2108163>
- Zhou, K., Song, B., Wei, M., Fang, J., & Xu, Y. (2020). MiR-145-5p suppresses the proliferation, migration and invasion of gastric cancer epithelial cells via the ANGPT2/NOD_LIKE_RECECTOR axis. *Cancer Cell International*, 20(1). <https://doi.org/10.1186/s12935-020-01483-6>
- Zhou, Q. H., Deng, C. Z., Li, Z. S., Chen, J. P., Yao, K., Huang, K. B., Liu, T. Y., Liu, Z. W., Qin, Z. K., Zhou, F. J., Huang, W., Han, H., & Liu, R. Y. (2018). Molecular characterization and integrative genomic analysis of a panel of newly established penile cancer cell lines article. *Cell Death and Disease*, 9(6). <https://doi.org/10.1038/s41419-018-0736-1>
- Zhou, X., Yan, T., Huang, C., Xu, Z., Wang, L., Jiang, E., Wang, H., Chen, Y., Liu, K., Shao, Z., & Shang, Z. (2018). Melanoma cell-secreted exosomal miR-155-5p induce proangiogenic switch of cancer-associated fibroblasts via SOCS1/JAK2/STAT3 signaling pathway 11 Medical and Health Sciences 1112 Oncology and Carcinogenesis 06 Biological Sciences 0601 Biochemistry and Cell



UNIVERSITAS
GADJAH MADA

Profil Ekspresi MiR-31-5p, MiR-4286, MiR-135b-5p, MiR-155-5p, MiR-1-3p, MiR-145-5p sebagai Kandidat Biomarker Metastasis Karsinoma Sel Skuamosa Penis ke Kelenjar Getah Bening pada Etnis Bali
DESAK PUTU OKI LESTARI, Prof.Dr.dr. Irianiwati, Sp.PA (K); Prof. dr. Sofia Mubarika, M.Med.Sc., Ph.D
Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Biology. *Journal of Experimental and Clinical Cancer Research*, 37(1).
<https://doi.org/10.1186/s13046-018-0911-3>

Zhu, C., Wang, S., Zheng, M., Chen, Z., Wang, G., Ma, J., Zhang, B., Huang, W., Sun, X., & Wang, C. (2022). miR-31-5p modulates cell progression in lung adenocarcinoma through TNS1/p53 axis. *Strahlentherapie Und Onkologie : Organ Der Deutschen Rontgengesellschaft ... [et Al]*. <https://doi.org/10.1007/S00066-021-01895-X>