

DAFTAR PUSTAKA

- Ajayi, A.M. et al. (2021). High-fat diet-induced memory impairment and anxiety-like behavior in rats attenuated by Peel Extract of *Ananas comosus* fruit via atheroprotective, antioxidant and anti-inflammatory actions, *Metabolism Open*, 9, p. 100077. doi:10.1016/j.metop.2021.100077.
- Alexander, C dan Rietschel, ET. (2001). Bacterial lipopolysaccharides and innate immunity. *J Endotoxin Res* 7:167–202.
- Al-Khayri, J.M. et al. (2022) ‘Flavonoids as potential anti-inflammatory molecules: A Review’, *Molecules*, 27(9), p. 2901. doi:10.3390/molecules27092901.
- Allison, DJ dan Ditor, DS. (2014). The common inflammatory etiology of depression and cognitive impairment: a therapeutic target. *J Neuroinflammation*. doi: 10.1186/s12974-014-0151-1. PMID: 25178630; PMCID: PMC4156619.
- Alshehri, S., dan Imam, S. S. (2021). Rosinidin attenuates lipopolysaccharide-induced memory impairment in rats: Possible mechanisms of action include antioxidant and anti-inflammatory effects. *Biomolecules*, 11(12). <https://doi.org/10.3390/biom11121747>
- American Psychiatric Association. (2013). *Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition*. Arlington, VA: American Psychiatric Publishing, [accessed 2022 Oct 13].
- Aziz, A.K. et al. (2023). Dampak flavonoid dalam pasta buah nanas (*Ananas comosus*) terhadap kadar kortikosteron pada tikus Wistar yang diinduksi lipopolisakarida. Fakultas Kedokteran, Kesehatan Masyarakat, dan Keperawatan, Universitas Gadjah Mada, Yogyakarta.
- Beutler, B. (2000). Tlr4: central component of the sole mammalian LPS sensor. *Curr Opin Immunol* 12:20–26.
- Borta, A., & Schwarting, R. K. (2005). Inhibitory avoidance, pain reactivity, and plus-maze behavior in Wistar rats with high versus low rearing activity. *Physiology & behavior*, 84(3), 387–396. <https://doi.org/10.1016/j.physbeh.2005.01.009>

- Brundtland, GH. (2001). Mental health a call for action by world health ministers. Ministerial round tables 54th world health assembly. Geneva: WHO. h.1-23.
- Capello, A. E. M., dan Markus, C. R. (2014). Effect of sub chronic tryptophan supplementation on stress-induced cortisol and appetite in subjects differing in 5-HTTLPR genotype and trait neuroticism. *Psychoneuroendocrinology*, 45, 96–107. <https://doi.org/10.1016/J.PSYNEUEN.2014.03.005>
- Catorce, M. N., & Gevorkian, G. (2016). LPS-induced Murine Neuroinflammation Model: Main Features and Suitability for Pre-clinical Assessment of Nutraceuticals. *Current neuropharmacology*, 14(2), 155–164. <https://doi.org/10.2174/1570159x14666151204122017>
- Chakraborty, A.J. et al. (2021) ‘Bromelain a potential bioactive compound: A comprehensive overview from a pharmacological perspective’, *Life*, 11(4), p. 317. doi:10.3390/life11040317.
- Chand, S. dan Arif, H. (2022). Depression. [online] Ncbi.nlm.nih.gov. Available at: <<https://www.ncbi.nlm.nih.gov/books/NBK430847/>> [Accessed 17 October 2022].
- Chen, L. et al. (2017) ‘Inflammatory responses and inflammation-associated diseases in organs’, *Oncotarget*, 9(6), pp. 7204–7218. doi:10.18632/oncotarget.23208.
- Correia, A.S. et al. (2023) ‘Oxidative stress in depression: The link with the stress response, neuroinflammation, serotonin, neurogenesis and synaptic plasticity’, *Antioxidants*, 12(2), p. 470. doi:10.3390/antiox12020470.
- Disabato, DJ. et al. (2016). Neuroinflammation: the devil is in the details. *J Neurochem* 139(Suppl 2):136–153.
- Dos Santos, B. A. et al. (2020). Pineapple Jam Physicochemical and Sensory Evaluation With Added Pineapple Peel. *International Journal of Research - GRANTHAALAYAH*, 8(7), 374–383. <https://doi.org/10.29121/granthaalayah.v8.i7.2020.438>
- Elfariyanti, E. et al. (2022) ‘Analisis Kandungan Vitamin C Dan Aktivitas Antioksidan Buah-Buahan Khas Dataran Tinggi Gayo aceh’, *Jurnal*

Kedokteran dan Kesehatan: Publikasi Ilmiah Fakultas Kedokteran Universitas Sriwijaya, 9(2), pp. 161–170. doi:10.32539/jkk.v9i2.16999.

Fahrimal Y. et al. (2014). Profil darah tikus putih (*Rattus norvegicus*) yang diinfeksi trypanosoma evansi dan diberikan ekstrak kulit batang jaloh (*Salix tetrasperma roxb*). J Kedokteran Hewan, 8(2):164-168.

Friedman M. Analysis, Nutrition, and Health Benefits of Tryptophan. Int J Tryptophan Res. (2018) Sep 26;11:1178646918802282. doi: 10.1177/1178646918802282. PMID: 30275700; PMCID: PMC6158605.

Galal, A.A.A. dan Abdellatief, S.A. (2015). Neuropharmacological studies on *Syzygium aromaticum* (clove) essential oil, International Journal of Pharma Sciences, 5 (2), 1013–1018.

Ghosh, A. et al. (2020) An epoxide hydrolase inhibitor reduces neuroinflammation in a mouse model of Alzheimer's disease. Sci Transl Med 12.

Hansen, F. et al. (2011) 'Effects of chronic administration of tryptophan with or without concomitant fluoxetine in depression-related and anxiety-like behaviors on adult rat', Neuroscience Letters, 499(2), pp. 59–63. doi:10.1016/j.neulet.2011.05.032.

Hossain, M.F. et al. (2015). "Nutritional value and medicinal benefits of Pineapple," International Journal of Nutrition and Food Sciences, 4(1), pp. 84–88. Available at: <https://doi.org/10.11648/j.ijnfs.20150401.22>.

Islam, J. et al. (2016). Simultaneous analysis of serotonin, tryptophan and tryptamine levels in common fresh fruits and vegetables in Japan using fluorescence HPLC. Food Bioscience, 13, 56–59. <https://doi.org/10.1016/j.fbio.2015.12.006>.

Janeway C. (2005). Immunobiology: the immune system in health and disease. 6th ed. New York: Garland Science.

Jeon, S. W., dan Kim, Y. K. (2017). Inflammation-induced depression: Its pathophysiology and therapeutic implications. Journal of neuroimmunology, 313, 92–98. <https://doi.org/10.1016/j.jneuroim.2017.10.016>.

- Kalueff A. V. dan Tuohimaa P. (2006). Protocol: Ethological Analysis of Grooming for Stress-Oriented Research in Mice- The Grooming Analysis Algorithm, Dalam Animal Models in Biological Psychiatry, pp. 27–58.
- Kemenkes RI. (2018). Hasil Riset Kesehatan Dasar Tahun 2018. Kementrian Kesehatan RI, 53(9), 1689–1699.
- Kenny, R. et al. (2014). Effects of Mild Calorie Restriction on Anxiety and Hypothalamic-Pituitary-Adrenal Axis Responses to Stress in The Male Rat, *Physiological Reports*, 2(3), 1-11.
- Khalil, F. A. et al. (2015). Evaluation of consuming fresh pineapple juice (*Ananas Comosus*) or bromelain on acetic acid-induced ulcerative colitis in rats. *Journal of Scientific Research in Science*, 32(part 2), 269–282. <https://doi.org/10.21608/JSRS.2015.24862>.
- Khaliq, S. et al., (2006) ‘Relationship of brain tryptophan and serotonin in improving cognitive performance in rats’, *Pakistan journal of pharmaceutical sciences*, 19(1), pp. 11–15.
- Kikuchi, A. et al. (2020). A systematic review of the effect of L-tryptophan supplementation on mood and emotional functioning. *Journal of Dietary Supplements*, 18(3), pp.316-333.
- Knight, P., Chellian, R., Wilson, R., Behnood-Rod, A., Panunzio, S., & Bruijnzeel, A. W. (2021). Sex differences in the elevated plus-maze test and large open field test in adult Wistar rats. *Pharmacology, biochemistry, and behavior*, 204, 173168. <https://doi.org/10.1016/j.pbb.2021.173168>
- Kwon, HS dan Koh, SH. (2020). Neuroinflammation in neurodegenerative disorders: the roles of microglia and astrocytes. *Transl Neurodegener* 9:42.
- Lee, JW. et al. (2008). Neuro-inflammation induced by lipopolysaccharide causes cognitive impairment through enhancement of beta-amyloid generation. *J Neuroinflammation* 5:37.
- Lehnardt, S. et al. (2002). The toll-like receptor TLR4 is necessary for lipopolysaccharide-induced oligodendrocyte injury in the CNS. *J Neurosci* 22:2478–2486.
- Lewy, et al. (1980). Light suppresses melatonin secretion in humans. *Science* 210: 1267-1269.

- Lindseth, G. et al. (2015) 'The effects of dietary tryptophan on affective disorders', *Archives of Psychiatric Nursing*, 29(2), pp. 102–107. doi:10.1016/j.apnu.2014.11.008.
- Li, T. et al. (2020). Fenretinide attenuates lipopolysaccharide (LPS)-induced blood-brain barrier (BBB) and depressive-like behavior in mice by targeting Nrf-2 signaling. *Biomed Pharmacother* 125:109680.
- Li, W. et al. (2021). Fluoxetine regulates eEF2 activity (phosphorylation) via HDAC1 inhibitory mechanism in an LPS-induced mouse model of depression. *J Neuroinflammation* 18:38.
- Maitra, U. et al. (2012). Molecular mechanisms responsible for the selective and low-grade induction of proinflammatory mediators in murine macrophages by lipopolysaccharide. *J Immunol* 189:1014–1023.
- Marazziti, D. et al. (1992) 'Immune cell imbalance in major depressive and panic disorders', *Neuropsychobiology*, 26(1–2), pp. 23–26. doi:10.1159/000118891.
- Meliala, A. et.al. (2023). Protective effects of dietary flavonoids against LPS-induced inflammatory reactions: conforming findings on plasma and hepatic IL-6, CRP and procalcitonin[Manuscript in preparation}. Department of Physiology, Faculty of Medicine, Public Health, and Nursing (FK-KMK), Universitas Gadjah Mada, Indonesia
- Mesembe, O. et al. (2008). Neurobehavioral Activity in Albino Wistar Rats in The Open Field Maze Following Long Term Tobacco Diet Ingestion, *Journal of Neurology*, 10(2), 1-6.
- Milind, P., & Pooja, G. (2010). EAT PINEAPPLE A DAY TO KEEP DEPRESSION AT BAY. *International journal of research in ayurveda and pharmacy*, 1, 439-448.
- Mrak, RE dan Griffin, WS. (2005). Glia and their cytokines in progression of neurodegeneration. *Neurobiol Aging* 26:349–354.
- Nordquist, R.E. et al. (2017) 'Pigs as model species to investigate effects of early life events on later behavioral and neurological functions', *Animal Models for the Study of Human Disease*, pp. 1003–1030. doi:10.1016/b978-0-12-809468-6.00039-5.

- Nurrahma, H.A. et al. (2023). Pineapple (*Ananas comosus*) ameliorates depressant-like behaviors in rats induced by lipopolysaccharide [Manuscript submitted for publication]. Department of Physiology, Universitas Islam Sultan Agung, Indonesia.
- O'Connor, J.C. et al. (2009). Lipopolysaccharide-induced depressive-like behaviour is mediated by indoleamine-2,3-dioxygenase activation in mice. *Mol Psychiatry* 14: 511-522.
- Panche A, Chandra S, Diwan A, et al. (2015) Alzheimer's and current therapeutics: a review. *Asian J Pharm Clin Res* 8, 14–19.
- Park, J.-E. et al. (2005) 'Lymphocyte subsets and mood states in panic disorder patients', *Journal of Korean Medical Science*, 20(2), p. 215. doi:10.3346/jkms.2005.20.2.215.
- Plangar, I. et al. (2012). Kynurenines in cognitive functions: their possible role in depression. *Neuropsychopharmacologia Hungarica : a Magyar Pszichofarmakologiai Egyesulet lapja* = official journal of the Hungarian Association of Psychopharmacology, 14(4), 239–244.
- Plantamor. (2022). *Ananas comosus*. [online] Available at: <<http://plantamor.com/species/info/ananas/comosus#gsc.tab=0>> [Accessed 17 October 2022].
- Pranil, T. et al. (2021). Melatonin and its derivative contents in tropical fruits and fruit tablets. *Journal of Food Composition and Analysis*, 103, p.104109.
- Puris, E. et al. (2022). Metabolomic, Lipidomic and Proteomic Characterisation of Lipopolysaccharide-induced Inflammation Mouse Model. *Neuroscience*, 496, 165–178. <https://doi.org/10.1016/j.neuroscience.2022.05.030>
- Ramírez, DDS. et al. (2019) "A protocol to perform systemic lipopolysaccharide (LPS) challenge in rats," *Odovtos - International Journal of Dental Sciences*, 21(1), pp. 53–66. Available at: <https://doi.org/10.15517/ijds.v21i1.35510>.
- Remus, J. L., & Dantzer, R. (2016). Inflammation Models of Depression in Rodents: Relevance to Psychotropic Drug Discovery. *The international journal of neuropsychopharmacology*, 19(9), pyw028. <https://doi.org/10.1093/ijnp/pyw028>

- Réus, GZ. et al. (2015). Kynurenine pathway dysfunction in the pathophysiology and treatment of depression: Evidences from animal and human studies. *J Psychiatr Res.* 2015 Sep;68:316-28. doi: 10.1016/j.jpsychires.2015.05.007. PMID: 26028548; PMCID: PMC4955923.
- Ruddell, R.G. et al. (2008). The function of serotonin within the liver. *J. Hepatol.* 48: 666–675. doi:10.1016/j.jhep.2008.01.006
- Sadraie, S. et al. (2019). Berberine ameliorates lipopolysaccharide-induced learning and memory deficit in the rat: insights into underlying molecular mechanisms. *Metabolic Brain Disease*, 34, 245–255. <https://doi.org/10.1007/s11011-018-0349-5>.
- Sarfraz, S. et al. (2015). Evaluation of Anxiolytic Effect of Pineapple Juice | Open Access Journals. *Research & Reviews in Pharmacy and Pharmaceutical Sciences*, 08(Agustus), 1–6. <https://www.rroij.com/open-access/evaluation-of-anxiolytic-effect-of-pineapple-juice.php?aid=63596>
- Schleifer, S.J. et al. (2002) ‘Panic disorder and immunity: Few effects on circulating lymphocytes, mitogen response, and NK Cell activity’, *Brain, Behavior, and Immunity*, 16(6), pp. 698–705. doi:10.1016/s0889-1591(02)00022-3.
- Seibenhener, M.L. and Wooten, M.C. (2015) ‘Use of the open field maze to measure locomotor and anxiety-like behavior in mice’, *Journal of Visualized Experiments [Preprint]*, (96). doi:10.3791/52434.
- Silverman, J. et al. (2013). Influence of stimulant-induced hyperactivity on social approach in the BTBR mouse model of autism. *Neuropharmacology*, 68, pp.210-222.
- Somers, JM. et al. (2006). Prevalence and incidence studies of anxiety disorders: a systematic review of the literature. *Can J Psychiatry*. 51:100-113.
- Steingass, C. et al. (2017). Light-induced alterations of pineapple (*Ananas comosus* [L.] Merr.) juice volatiles during accelerated ageing and mass spectrometric studies into their precursors. *Food Research International*, 100, pp.366-374.
- Silva, Y.P. et al. (2020) ‘The role of short-chain fatty acids from gut microbiota in gut-brain communication’, *Frontiers in Endocrinology*, 11. doi:10.3389/fendo.2020.00025.

- Tatem, K.S. et al. (2014) 'Behavioral and locomotor measurements using an open field activity monitoring system for skeletal muscle diseases', *Journal of Visualized Experiments* [Preprint], (91). doi:10.3791/51785.
- Walz, N. et al. (2016) 'A human open field test reveals thigmotaxis related to agoraphobic fear', *Biological Psychiatry*, 80(5), pp. 390–397. doi:10.1016/j.biopsych.2015.12.016.
- Zhao, J. et al. (2019). Neuroinflammation induced by lipopolysaccharide causes cognitive impairment in mice. *Sci Rep* 9:5790.
- Zorrilla, E.P. et al. (2001) 'The relationship of depression and stressors to immunological assays: A meta-analytic review', *Brain, Behavior, and Immunity*, 15(3), pp. 199–226. doi:10.1006/brbi.2000.0597.