



DAFTAR PUSTAKA

- Adelabu, B. A., & Kareem, S. O. (2022). Cellulase Production By Immobilized Cells of *Candida Tropicalis* Isolated From Grasshopper *Zonocerus Variegatus* in Saw Dust and Rice Husk Medium. *Polish Journal of Natural Sciences*, 37(2), 187–204. <https://doi.org/10.31648/pjns.7538>
- Agustina, S., Wiryawan, K. G., Suharti, S., & Meryandini, A. (2022a). Molecular identification of anaerobic fungi isolated from buffalo rumen with their growth rate, cellulase enzyme activity, and fermentation products characteristics. *Biodiversitas*, 23(12), 6448–6455. <https://doi.org/10.13057/biodiv/d231243>
- Agustina, S., Wiryawan, K. G., Suharti, S., & Meryandini, A. (2022b). The enrichment process and morphological identification of anaerobic fungi isolated from buffalo rumen. *Biodiversitas*, 23(1), 469–477. <https://doi.org/10.13057/biodiv/d230150>
- Ayepa, E., Li, Q., Zhang, Z., Wang, H., Ansah, R., Ouyang, Y., Kuang, X., Abrha, G., & Ma, M. (2024). Biomass and Bioenergy Molecular mechanism of tolerance evolution in *Candida tropicalis* to inhibitory compounds derived from corn stover hydrolysis. *Biomass and Bioenergy*, 181(December 2023), 107031. <https://doi.org/10.1016/j.biombioe.2023.107031>
- Baeyens, J., Zhang, H., Nie, J., Appels, L., Dewil, R., Ansart, R., & Deng, Y. (2020). Reviewing the potential of bio-hydrogen production by fermentation. *Renewable and Sustainable Energy Reviews*, 131(July), 110023. <https://doi.org/10.1016/j.rser.2020.110023>
- Bambang Trisakti, Irvan, Hari Tiarasti, & Irma Suraya. (2012). Perancangan Awal Pabrik Biohidrogen Dari Limbah Cair Pabrik Kelapa Sawit Dengan Fermentasi Anaerobik Pada Kondisi Termofilik. *Jurnal Teknik Kimia USU*, 1(1), 30–37. <https://doi.org/10.32734/jtk.v1i1.1403>
- Bauchop, T., & Mountfort, D. O. (1981). Cellulose fermentation by a rumen anaerobic fungus in both the absence and the presence of rumen methanogens. *Applied and Environmental Microbiology*, 42(6), 1103–1110. <https://doi.org/10.1128/aem.42.6.1103-1110.1981>
- Benchimol, M. (1994). The hydrogenosome. In *Journal of General Microbiology* (Vol. 39, Issue 12, pp. 419–433). <https://doi.org/10.1099/00221287-139-12-2879>
- Callaghan, T. M., Podmirseg, S. M., Hohlweck, D., Edwards, J. E., Puniya, A. K., Dagar, S. S., & Griffith, G. W. (2015). *Buwchfawromyces eastonii* gen. nov., sp. nov.: A new anaerobic fungus (Neocallimastigomycota) isolated from buffalo faeces. *MycKeys*, 9, 11–28. <https://doi.org/10.3897/mycokeys.9.9032>
- Chen, H. (2014). Biotechnology of lignocellulose: Theory and practice. In *Biotechnology of Lignocellulose: Theory and Practice*. <https://doi.org/10.1007/978-94-007-6898-7>
- Chen, K. S., Chen, H. Sen, Chen, C. Y., Su, Y. L., Meng, P. J., & Chen, M. H. (2022). Multivariate analysis of the spatial species diversity of demersal fish assemblages in relation to habitat characteristics in a subtropical national park, Taiwan. *Marine Biodiversity*, 52(1), 1–18. <https://doi.org/10.1007/s12526-021-01225-5>
- Davies, D. R., Theodorou, M. K., Lawrence, M. I. G., & Trinci, A. P. J. (1993). Distribution of anaerobic fungi in the digestive tract of cattle and their survival in faeces. *Journal of General Microbiology*, 139(6), 1395–1400. <https://doi.org/10.1099/00221287-139-6-1395>
- De Boer, W., Folman, L. B., Summerbell, R. C., & Boddy, L. (2005). Living in a fungal



- world: Impact of fungi on soil bacterial niche development. *FEMS Microbiology Reviews*, 29(4), 795–811. <https://doi.org/10.1016/j.femsre.2004.11.005>
- de Jonge, N., Carlsen, B., Christensen, M. H., Pertoldi, C., & Nielsen, J. L. (2022). The Gut Microbiome of 54 Mammalian Species. *Frontiers in Microbiology*, 13(June), 1–11. <https://doi.org/10.3389/fmicb.2022.886252>
- Dewi, E. L. (2011). Potensi Hidrogen sebagai Bahan Bakar untuk Kelistrikan Nasional. *Prosiding Seminar Nasional Teknik Kimia “Kejuangan,”* MU01.1-MU01.6. http://repository.upnyk.ac.id/82/1/Potensi_Hidrogen_sebagai_Bahan_Bakar_untuk_Kelistrikan_Nasional.pdf
- Dzulkarnain, E. L. N., Audu, J. O., Wan Dagang, W. R. Z., & Abdul-Wahab, M. F. (2022). Microbiomes of biohydrogen production from dark fermentation of industrial wastes: current trends, advanced tools and future outlook. *Bioresources and Bioprocessing*, 9(1). <https://doi.org/10.1186/s40643-022-00504-8>
- Fagbohunge, M. O., Komolafe, A. O., & Okere, U. V. (2019). Renewable hydrogen anaerobic fermentation technology: Problems and potentials. *Renewable and Sustainable Energy Reviews*, 114(January), 109340. <https://doi.org/10.1016/j.rser.2019.109340>
- Fliegerová, K., Hodrová, B., & Voigt, K. (2004). Classical and molecular approaches as a powerful tool for the characterization of rumen polycentric fungi. *Folia Microbiologica*, 49(2), 157–164. <https://doi.org/10.1007/BF02931392>
- Ghose, T. K. (1987). International Union of Pure Commission on Biotechnology * Measurement of. *Pure and Applied Chemistry*, 59(2), 257–268. <https://doi.org/10.1351/pac198759020257>
- Global Hydrogen Review 2023. (2023). *Global Hydrogen Review 2023*. <https://doi.org/10.1787/cb2635f6-en>
- Gordon, G. L. R., & Phillips, M. W. (1998). The role of anaerobic gut fungi in ruminants. *Nutrition Research Reviews*, 11(1), 133–168. <https://doi.org/10.1079/nrr19980009>
- Gruninger, R. J., Puniya, A. K., Callaghan, T. M., Edwards, J. E., Youssef, N., Dagar, S. S., Fliegerova, K., Griffith, G. W., Forster, R., Tsang, A., Mcallister, T., & Elshahed, M. S. (2014). Anaerobic fungi (phylum Neocallimastigomycota): Advances in understanding their taxonomy, life cycle, ecology, role and biotechnological potential. *FEMS Microbiology Ecology*, 90(1), 1–17. <https://doi.org/10.1111/1574-6941.12383>
- Hackstein, J. H. P., Baker, S. E., van Hellemond, J. J., & Tielens, A. G. M. (2019). *Hydrogenosomes of Anaerobic Fungi: An Alternative Way to Adapt to Anaerobic Environments*. 159–175. https://doi.org/10.1007/978-3-030-17941-0_7
- Haitjema, C. H., Solomon, K. V., Henske, J. K., Theodorou, M. K., & O'Malley, M. A. (2014). Anaerobic gut fungi: Advances in isolation, culture, and cellulolytic enzyme discovery for biofuel production. *Biotechnology and Bioengineering*, 111(8), 1471–1482. <https://doi.org/10.1002/bit.25264>
- Hamada, A. T., Orhan, M. F., & Kannan, A. M. (2023). Alkaline fuel cells: Status and prospects. *Energy Reports*, 9, 6396–6418. <https://doi.org/10.1016/j.egy.2023.05.276>
- Hanafy, R. A., Elshahed, M. S., Ligginstoffer, A. S., Griffith, G. W., & Youssef, N. H. (2017). *Pecoramyces ruminantium*, gen. nov., sp. nov., an anaerobic gut fungus from the feces of cattle and sheep. *Mycologia*, 109(2), 231–243. <https://doi.org/10.1080/00275514.2017.1317190>



- Hanafy, R. A., Elshahed, M. S., & Youssef, N. H. (2018). *Feramyces austinii*, gen. Nov., sp. nov., an anaerobic gut fungus from rumen and fecal samples of wild barbary sheep and fallow deer. *Mycologia*, *110*(3), 513–525.
<https://doi.org/10.1080/00275514.2018.1466610>
- Harterger, Z. (2021). Anaerobic gut fungi in ruminant nutrition. *Fungi*, *22*, 399–422.
- Haryanto, A., Suharyatun, S., Rahmawati, W., & Triyono, S. (2020). Energi Terbarukan dari Jerami Padi : Review Potensi dan Tantangan Bagi Indonesia. In *Jurnal Keteknik Pertanian* (Vol. 7, Issue 2). <https://doi.org/10.19028/jtep.07.2.137-146>
- Hasan, M. S., & Widayat, W. (2022). Produksi Hidrogen dengan Memanfaatkan Sumber Daya Energi Surya dan Angin di Indonesia. *Jurnal Energi Baru Dan Terbarukan*, *3*(1), 38–48. <https://doi.org/10.14710/jebt.2022.13374>
- Henske, J. K., Wilken, S. E., Solomon, K. V., Smallwood, C. R., Shutthanandan, V., Evans, J. E., Theodorou, M. K., & O'Malley, M. A. (2018). Metabolic characterization of anaerobic fungi provides a path forward for bioprocessing of crude lignocellulose. *Biotechnology and Bioengineering*, *115*(4), 874–884.
<https://doi.org/10.1002/bit.26515>
- Hess, M., Paul, S. S., Puniya, A. K., van der Giezen, M., Shaw, C., Edwards, J. E., & Fliegerová, K. (2020). Anaerobic Fungi: Past, Present, and Future. *Frontiers in Microbiology*, *11*(October), 1–18. <https://doi.org/10.3389/fmicb.2020.584893>
- Ho, Y. W., & Barr, D. J. S. (1995). Classification of anaerobic gut fungi from herbivores with emphasis on rumen fungi from Malaysia. *Mycologia*, *87*(5), 655–677.
<https://doi.org/10.1080/00275514.1995.12026582>
- Hong, K. B., Hong, Y. H., Jung, E. Y., Jo, K., & Suh, H. J. (2020). Changes in the diversity of human skin microbiota to cosmetic serum containing prebiotics: Results from a randomized controlled trial. *Journal of Personalized Medicine*, *10*(3), 1–14.
<https://doi.org/10.3390/jpm10030091>
- Ivarsson, M., Bengtson, S., Drake, H., & Francis, W. (2018). Fungi in Deep Subsurface Environments. In *Advances in Applied Microbiology* (1st ed., Vol. 102). Elsevier Inc. <https://doi.org/10.1016/bs.aambs.2017.11.001>
- Joshi, A., Lanjekar, V. B., Dhakephalkar, P. K., Callaghan, T. M., Griffith, G. W., & Dagar, S. S. (2018). *Liebetanzomyces polymorphus* gen. et sp. nov., a new anaerobic fungus (Neocallimastigomycota) isolated from the rumen of a goat. *MycoKeys*, *40*, 89–110. <https://doi.org/10.3897/mycokeys.40.28337>
- Kainthola, J., Podder, A., Fechner, M., & Goel, R. (2021). An overview of fungal pretreatment processes for anaerobic digestion: Applications, bottlenecks and future needs. *Bioresource Technology*, *321*(November 2020), 124397.
<https://doi.org/10.1016/j.biortech.2020.124397>
- Kazda, M., Langer, S., & Bengelsdorf, F. R. (2014). Fungi open new possibilities for anaerobic fermentation of organic residues. *Energy, Sustainability and Society*, *4*(1), 1–9. <https://doi.org/10.1186/2192-0567-4-6>
- Kazemi Shariat Panahi, H., Dehghani, M., Guillemin, G. J., Gupta, V. K., Lam, S. S., Aghbashlo, M., & Tabatabaei, M. (2022). A comprehensive review on anaerobic fungi applications in biofuels production. *Science of the Total Environment*, *829*, 154521. <https://doi.org/10.1016/j.scitotenv.2022.154521>
- Khejornart, P., Wanapat, M., & Rowlinson, P. (2011). Diversity of anaerobic fungi and rumen fermentation characteristic in swamp buffalo and beef cattle fed on different diets. *Livestock Science*, *139*(3), 230–236.
<https://doi.org/10.1016/j.livsci.2011.01.011>



- Kim, M., Liu, C., Noh, J. W., Yang, Y., Oh, S., Shimizu, K., Lee, D. Y., & Zhang, Z. (2013). Hydrogen and methane production from untreated rice straw and raw sewage sludge under thermophilic anaerobic conditions. *International Journal of Hydrogen Energy*, 38(21), 8648–8656.
<https://doi.org/10.1016/j.ijhydene.2013.04.079>
- Koshikawa, T., Abe, M., Nagi, M., Miyazaki, Y., & Takemura, H. (2022). Biofilm-formation capability depends on environmental oxygen concentrations in *Candida* species. *Journal of Infection and Chemotherapy*, 28(5), 643–650.
<https://doi.org/10.1016/j.jiac.2022.01.010>
- Lange, L., Barrett, K., Pilgaard, B., Gleason, F., & Tsang, A. (2019). Enzymes of early-diverging, zoosporic fungi. *Applied Microbiology and Biotechnology*, 103(17), 6885–6902. <https://doi.org/10.1007/s00253-019-09983-w>
- Lange, L., Pilgaard, B., Herbst, F. A., Busk, P. K., Gleason, F., & Pedersen, A. G. (2019). Origin of fungal biomass degrading enzymes: Evolution, diversity and function of enzymes of early lineage fungi. *Fungal Biology Reviews*, 33(1), 82–97.
<https://doi.org/10.1016/j.fbr.2018.09.001>
- Leis, S., Dresch, P., Peintner, U., Fliegerová, K., Sandbichler, A. M., Insam, H., & Podmirseg, S. M. (2014). Finding a robust strain for biomethanation: Anaerobic fungi (Neocallimastigomycota) from the Alpine ibex (*Capra ibex*) and their associated methanogens. *Anaerobe*, 29, 34–43.
<https://doi.org/10.1016/j.anaerobe.2013.12.002>
- Leschine, S. B. (1995). Cellulose degradation in anaerobic environments. *Annual Review of Microbiology*, 49, 399–426.
<https://doi.org/10.1146/annurev.mi.49.100195.002151>
- Li, Y., Meng, Z., Xu, Y., Shi, Q., Ma, Y., Aung, M., Cheng, Y., & Zhu, W. (2021). Interactions between anaerobic fungi and methanogens in the rumen and their biotechnological potential in biogas production from lignocellulosic materials. *Microorganisms*, 9(1), 1–17. <https://doi.org/10.3390/microorganisms9010190>
- Liggenstoffer, A. S., Youssef, N. H., Couger, M. B., & Elshahed, M. S. (2010). Phylogenetic diversity and community structure of anaerobic gut fungi (phylum Neocallimastigomycota) in ruminant and non-ruminant herbivores. *ISME Journal*, 4(10), 1225–1235. <https://doi.org/10.1038/ismej.2010.49>
- Lin, C. Y., Wu, C. C., & Hung, C. H. (2008). Temperature effects on fermentative hydrogen production from xylose using mixed anaerobic cultures. *International Journal of Hydrogen Energy*, 33(1), 43–50.
<https://doi.org/10.1016/j.ijhydene.2007.09.001>
- Liu, C. M., Chu, C. Y., Lee, W. Y., Li, Y. C., Wu, S. Y., & Chou, Y. P. (2013). Biohydrogen production evaluation from rice straw hydrolysate by concentrated acid pre-treatment in both batch and continuous systems. *International Journal of Hydrogen Energy*, 38(35), 15823–15829.
<https://doi.org/10.1016/j.ijhydene.2013.07.055>
- Lynch Denise. (2023). *Alpha Diversity*. <https://docs.onecodex.com/en/articles/4136553-alpha-diversity>
- Mazloomi, K., & Gomes, C. (2012). Hydrogen as an energy carrier: Prospects and challenges. *Renewable and Sustainable Energy Reviews*, 16(5), 3024–3033.
<https://doi.org/10.1016/j.rser.2012.02.028>
- Mustakim, M., Muarifah, R. F., & Awwaly, K. U. Al. (2011). Pembuatan Keju dengan Menggunakan Enzim Renin *Mucor pusillus* amobil. *Jurnal Ilmu-Ilmu Peternakan*



- Fakultas Peternakan UB, 19(2)*, 137–149.
- Orpin, C. G. (1975). Studies on the Rumen Flagellate *Neocallimastix frontalis*. *Journal of General Microbiology*, *91*(1975), 249–262.
- Pan, S. Y., Tsai, C. Y., Liu, C. W., Wang, S. W., Kim, H., & Fan, C. (2021). Anaerobic co-digestion of agricultural wastes toward circular bioeconomy. *IScience*, *24*(7), 102704. <https://doi.org/10.1016/j.isci.2021.102704>
- Rosi, O., Andrian, F., & Ananda, S. (2020). *Biodiversitas Terbesar di Dunia ada di Indonesia*. <https://indonesiabaik.id/infografis/indonesia-punya-biodiversitas-terbesar-di-dunia>
- Sankaran, R., Markandan, K., Khoo, K. S., Cheng, C. K., Ashokkumar, V., Deepanraj, B., & Show, P. L. (2021). The Expansion of Lignocellulose Biomass Conversion Into Bioenergy via Nanobiotechnology. *Frontiers in Nanotechnology*, *3*(December), 1–10. <https://doi.org/10.3389/fnano.2021.793528>
- Saye, L. M. G., Navaratna, T. A., Chong, J. P. J., O'malley, M. A., Theodorou, M. K., & Reilly, M. (2021). The anaerobic fungi: Challenges and opportunities for industrial lignocellulosic biofuel production. *Microorganisms*, *9*(4), 1–28. <https://doi.org/10.3390/microorganisms9040694>
- Setiarto, R. H. B. (2016). Prospek Dan Potensi Pemanfaatan Lignoselulosa Jerami Padi Menjadi Kompos, Silase Dan Biogas Melalui Fermentasi Mikroba. *Jurnal Selulosa*, *3*(02), 51–66. <https://doi.org/10.25269/jsel.v3i02.44>
- Singh, J., Suhag, M., & Dhaka, A. (2015). Augmented digestion of lignocellulose by steam explosion, acid and alkaline pretreatment methods: A review. *Carbohydrate Polymers*, *117*, 624–631. <https://doi.org/10.1016/j.carbpol.2014.10.012>
- Sirohi, S. K., Choudhury, P. K., Dagar, S. S., Puniya, A. K., & Singh, D. (2013). Isolation, characterization and fibre degradation potential of anaerobic rumen fungi from cattle. *Annals of Microbiology*, *63*(3), 1187–1194. <https://doi.org/10.1007/s13213-012-0577-6>
- Solomon, K. V., Haitjema, C. H., Henske, J. K., Gilmore, S. P., Borges-Rivera, D., Lipzen, A., Brewer, H. M., Purvine, S. O., Wright, A. T., Theodorou, M. K., Grigoriev, I. V., Regev, A., Thompson, D. A., & O'Malley, M. A. (2016). Early-branching gut fungi possess large, comprehensive array of biomass-degrading enzymes. *Science*, *351*(6278), 1192–1195. <https://doi.org/10.1126/science.aad1431>
- Stabel, M., Haack, K., Lübbert, H., Greif, M., Gorenflo, P., Aliyu, H., & Ochsenreither, K. (2022). Metabolic shift towards increased biohydrogen production during dark fermentation in the anaerobic fungus *Neocallimastix cameroonii* G341. *Biotechnology for Biofuels and Bioproducts*, *15*(1), 1–16. <https://doi.org/10.1186/s13068-022-02193-z>
- Sudiyani, Y. S., Heru, R., & Alawiyah, S. (2010). Pemanfaatan biomassa limbah lignoselulosa untuk bioetanol sebagai sumber energi baru terbarukan. In *Ecolab* (Vol. 4, Issue 1, pp. 40–47).
- Sumardi, S. (2015). *Melirik Kembali Jerami Padi*. <https://tabloidsinartani.com/detail/indeks/mimbar-penyuluh/2807-melirik-kembali-jerami-padi>
- Teunissen, M. J., & Op den Camp, H. J. M. (1993). Anaerobic fungi and their cellulolytic and xylanolytic enzymes. *Antonie van Leeuwenhoek*, *63*(1), 63–76. <https://doi.org/10.1007/BF00871733>
- Trinci, A. P. J., Davies, D. R., Gull, K., Lawrence, M. I., Bonde Nielsen, B., Rickers, A., & Theodorou, M. K. (1994). Anaerobic fungi in herbivorous animals. *Mycological*



- Research*, 98(2), 129–152. [https://doi.org/10.1016/S0953-7562\(09\)80178-0](https://doi.org/10.1016/S0953-7562(09)80178-0)
- Wang, X., Liu, X., & Groenewald, J. Z. (2017). Phylogeny of anaerobic fungi (phylum Neocallimastigomycota), with contributions from yak in China. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 110(1), 87–103. <https://doi.org/10.1007/s10482-016-0779-1>
- Wubah, D. A. (2004). Anaerobic Zoospore Fungi Associated with Animals. *Biodiversity of Fungi: Inventory and Monitoring Methods*, 501–510. <https://doi.org/10.1016/B978-012509551-8/50025-8>
- Xue, Y., Shen, R., Li, Y., Sun, Z., Sun, X., Li, F., Li, X., Cheng, Y., & Zhu, W. (2022). Anaerobic Fungi Isolated From Bactrian Camel Rumen Contents Have Strong Lignocellulosic Bioconversion Potential. *Frontiers in Microbiology*, 13(July), 1–12. <https://doi.org/10.3389/fmicb.2022.888964>
- Young, D., Dollhofer, V., Callaghan, T. M., Reitberger, S., Leubhn, M., & Benz, J. P. (2018). Isolation, identification and characterization of lignocellulolytic aerobic and anaerobic fungi in one- and two-phase biogas plants. *Bioresource Technology*, 268(May), 470–479. <https://doi.org/10.1016/j.biortech.2018.07.103>
- Zhu, D., Ma, Y., Wang, G., & Pan, G. (2015). Identification of *Candida tropicalis* BH-6 and Synergistic Effect with *Pantoea agglomerans* BH-18 on Hydrogen Production in Marine Culture. *Applied Biochemistry and Biotechnology*, 175(5), 2677–2688. <https://doi.org/10.1007/s12010-014-1436-7>
- Zuza-Alves, D. L., Silva-Rocha, W. P., & Chaves, G. M. (2017). An update on *Candida tropicalis* based on basic and clinical approaches. *Frontiers in Microbiology*, 8(OCT), 1–25. <https://doi.org/10.3389/fmicb.2017.01927>