

DAFTAR PUSTAKA

- Abduh, M. Y., Adam, A., Fadhlullah, M., Putra, R. E., & Manurung, R. (2020). Production of propolis and honey from *Tetragonula laeviceps* cultivated in Modular *Tetragonula* Hives. *Heliyon*, 6 (11), e05405. <https://doi.org/10.1016/j.heliyon.2020.e05405>
- Abrol, D. P. (2011). Foraging. In R. Hepburn and Sarah E. Radolf (Ed.), *Honeybees of Asia* (pp. 257–292). Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-16422-4>
- Achyani, & Wicandra, D. (2019). *Kiat Praktis Budidaya Lebah Trigona (Heterotrigona itama)* (1st ed.). Laduny Alifatama: Lampung
- Adedeji, O. (2010). Palynology of the Genus *Stachytarpheta* Vahl. (Verbenaceae). *Notulae Scientia Biologicae*, 2(4), 27–33. <https://doi.org/10.15835/nsb244816>
- Aftab, R., & Perveen, A. (2006). A palynological study of some cultivated trees from Karachi. *Pakistan Journal of Botany*, 38(1), 15–28.
- Agashe, S. N., & Caulton, E. (2009). Pollen and Spores: Applications with Special Emphasis on Aerobiology and Allergy. In *Pollen and Spores: Applications with Special Emphasis on Aerobiology and Allergy*. Science Publishers. <https://doi.org/10.1201/b10256>
- Agussalim, Agus, A., Nurliyani, Umami, N., & Budisatria, I. G. S. (2019). Physicochemical properties of honey produced by the Indonesian stingless bee: *Tetragonula laeviceps*. *IOP Conference Series: Earth and Environmental Science*, 387(1). <https://doi.org/10.1088/1755-1315/387/1/012084>
- Agussalim, Agus, A., Umami, N., & Budisatria, I. G. S. (2017). Variation of Honeybees Forages As Source of Nectar and Pollen Based on Altitude in Yogyakarta. *Buletin Peternakan*, 41(4), 448. <https://doi.org/10.21059/buletinpeternak.v41i4.13593>
- Agussalim, Umami, N., Nurliyani, & Agus, A. (2021). The physicochemical composition of honey from indonesian stingless bee (*Tetragonula laeviceps*). *Biodiversitas*, 22(8), 3257–3263. <https://doi.org/10.13057/biodiv/d220820>
- Alvarez-Suarez, J. M. (2017). Bee products - chemical and biological properties. In *Bee Products - Chemical and Biological Properties*. <https://doi.org/10.1007/978-3-319-59689-1>
- Alves, R. de F., & dos Santos, F. de A. R. (2019). Pollen foraged by bees (*Apis mellifera* L.) on the Atlantic Forest of Bahia, Brazil. *Palynology*, 43(3), 523–529. <https://doi.org/10.1080/01916122.2018.1472146>
- Andjelkovic, B., Jevtic, G., Markovic, J., Mladenovic, M., & Pseva, V. (2012). Quality of honey bee bread collected in spring. *Journal of Hygienic*

Engineering and Design, 1, 275–277.

- Anggadhania, L., Wahyuni, N., & Rizqiani, K. D. (2020). Melissopalinalogical characteristic of stingless bee (*Trigona/Tetragonula*) honey in Lombok, West Nusa Tenggara. *IOP Conference Series: Earth and Environmental Science*, 457. <https://doi.org/10.1088/1755-1315/457/1/012062>
- APSA. (2007). *The Australasian Pollen and Spore Atlas V1.0*. Australian National University, Canberra. <http://apsa.anu.edu.au/>. [Tanggal akses: 7 Juni 2023]
- Arasti. (2020). Studi Keanekaragaman Struktur Morfologi Famili Caesalpinaceae Berdasarkan Indeks Pollen. *Prosiding Seminar Nasional V 2019*, 280–288.
- Astiti, N. P. A. (2013). Ornamentation Structure of Flower Pollen on Entomophylli Pollination Ni Putu Adriani Astiti. *Journal of Biology Udayana University*, 1–5.
- Aswathi, K. N., Shirke, A., Praveen, A., Chaudhari, S. R., & Murthy, P. S. (2023). Pulped natural/honey robusta coffee fermentation metabolites, physico-chemical and sensory profiles. *Food Chemistry*, 429, 136897. <https://doi.org/10.1016/j.foodchem.2023.136897>
- Ávila, S., Beux, M. R., Ribani, R. H., & Zambiasi, R. C. (2018). Stingless bee honey: Quality parameters, bioactive compounds, health-promotion properties and modification detection strategies. *Trends in Food Science and Technology*, 81, 37–50. <https://doi.org/10.1016/j.tifs.2018.09.002>
- Aylanc, V., Falcão, S. I., Ertosun, S., & Vilas-Boas, M. (2021). From the hive to the table: Nutrition value, digestibility and bioavailability of the dietary phytochemicals present in the bee pollen and bee bread. *Trends in Food Science and Technology*, 109, 464–481. <https://doi.org/10.1016/j.tifs.2021.01.042>
- Bakour, M., Fernandes, Â., Barros, L., Sokovic, M., & Ferreira, I. C. F. R. (2019). Bee bread as a functional product: Chemical composition and bioactive properties. *LWT - Food Science and Technology*, 109, 276–282. <https://doi.org/10.1016/j.lwt.2019.02.008>
- Bakour, M., Fernandes, Â., Barros, L., Sokovic, M., Ferreira, I. C. F. R., & Badiaa lyoussi. (2019). Bee bread as a functional product: Chemical composition and bioactive properties. *LWT - Food Science and Technology*, 109, 276–282. <https://doi.org/10.1016/j.lwt.2019.02.008>
- Barrera, W. B., Brosas, J. V., & Sacil, M. D. (2020). Pollen sources of *Tetragonula biroi* (Friese, 1898) (Hymenoptera: Apidae, Meliponini) in two agroecosystems in Nagcarlan, Laguna, Philippines. *Palynology*, 1–17. <https://doi.org/10.1080/01916122.2020.1789773>
- Barth, O. M. (2013). Palynology Serving the Stingless Bees. In P. Vit, S. R. M. Pedro, & D. Roubik (Eds.), *Pot-Honey: A Legacy of Stingless Bees* (pp. 285–294). Springer, New York. <https://doi.org/10.1007/978-1-4614-4960-7>
- Barth, O. M., & Da Luz, C. F. P. (2009). Palynological analysis of Brazilian red

- propolis samples. *Journal of Apicultural Research*, 48(3), 181–188. <https://doi.org/10.3896/IBRA.1.48.3.06>
- Basak, S., Sarkar, B., Patra, D. C., Dash, S. S., Maity, D., Das, A. P., & Bera, S. (2022). Can colpus membrane ornamentation be a reliable taxonomic tool? A case study with some rubiaceous taxa from eastern Himalaya. *Palynology*, 46(3), (1)-(12). <https://doi.org/10.1080/01916122.2021.2024907>
- Başer, B., Aşit, M. Y., & Kürşat, M. (2022). Pollen Morphology of Some Taxa Belonging to Polygonum L. and Rumex L. (Polygonaceae) and Its Taxonomic Significance. *International Journal of Pure and Applied Sciences*, 8(1), 163–172. <https://doi.org/10.29132/ijpas.1078670>
- Basrowi, M., Qayim, I., & Raffiudin, R. (2022). Pemodelan Habitat Potensial Tumbuhan Lebah Apis dorsata di Membalong, Belitung. *Jurnal Ilmu Pertanian Indonesia*, 27(4), 562–573. <https://doi.org/10.18343/jipi.27.4.562>
- Bera, S. K., Tripathi, S., Gupta, S. C., & Bera, S. (2018). Pollen and spores in yellow rain from Lucknow, northern India. *Palynology*, 42(4), 504–515. <https://doi.org/10.1080/01916122.2017.1411845>
- Berg, R. Van Den. (1978). Pollen Morphology of The Genera Pometia, Cubilia, Otonephelium, and Litchi (Sapindaceae-Nephelieae). *Blumea*, 24, 369–394.
- Bermana, I. (2006). Klasifikasi Geomorfologi Untuk Pemetaan Geologi Yang Telah Dibakukan. *Bulletin of Scientific Contribution*, 4(2), 161–173.
- Biluca, Fabíola C., Della Betta, F., De Oliveira, G. P., Pereira, L. M., Gonzaga, L. V., Costa, A. C. O., & Fett, R. (2014). 5-HMF and carbohydrates content in stingless bee honey by CE before and after thermal treatment. *Food Chemistry*, 159, 244–249. <https://doi.org/10.1016/j.foodchem.2014.03.016>
- Biluca, Fabíola Carina, Bernal, J., Valverde, S., Ares, A. M., Gonzaga, L. V., Costa, A. C. O., & Fett, R. (2019). Determination of free amino acids in stingless bee (Meliponinae) honey. *Food Analytical Methods*, 12(4), 902–907. <https://doi.org/10.1007/s12161-018-01427-x>
- Biluca, Fabíola Carina, da Silva, B., Caon, T., Mohr, E. T. B., Vieira, G. N., Gonzaga, L. V., Vitali, L., Micke, G., Fett, R., Dalmarco, E. M., & Costa, A. C. O. (2020). Investigation of phenolic compounds, antioxidant and anti-inflammatory activities in stingless bee honey (Meliponinae). *Food Research International*, 129, 108756. <https://doi.org/10.1016/j.foodres.2019.108756>
- Biluca, Fabíola Carina, de Gois, J. S., Schulz, M., Braghini, F., Gonzaga, L. V., Maltez, H. F., Rodrigues, E., Vitali, L., Micke, G. A., Borges, D. L. G., Costa, A. C. O., & Fett, R. (2017). Phenolic compounds, antioxidant capacity and bioaccessibility of minerals of stingless bee honey (Meliponinae). *Journal of Food Composition and Analysis*, 63, 89–97. <https://doi.org/10.1016/j.jfca.2017.07.039>
- Bouhala, A., Ouchemoukh, S., Moussi, A., & Beldjoudi, S. (2020). Altitude effect on the properties of honeys from the region of Jijel (Algeria). *Polish Journal*

of Food and Nutrition Sciences, 70(2), 169–178. <https://doi.org/10.31883/pjfn/118528>

- BPS Kabupaten Lombok Utara. (2022). *Kabupaten Lombok Utara dalam Angka 2022*. BPS Kabupaten Lombok Utara: Kabupaten Lombok Utara
- BPS Provinsi NTB. (2022). *Provinsi Nusa Tenggara Barat dalam Angka 2022* BPS Provinsi NTB: Mataram
- Brantjes, N. B. (1981). Nectar and Pollination of Breadfruit. *Acta Bot. Neel.*, 30, 345–352.
- BSN. (2018). *Standar Nasional Indonesia-Madu*. Badan Standardisasi Nasional: Jakarta
- Campos, M. G. R., Bogdanov, S., de Almeida-Muradian, L. B., Szczesna, T., Mancebo, Y., Frigerio, C., & Ferreira, F. (2008a). Pollen composition and standardisation of analytical methods. *Journal of Apicultural Research*, 47(2), 154–161. <https://doi.org/10.1080/00218839.2008.11101443>
- Campos, M. G. R., Bogdanov, S., de Almeida-Muradian, L. B., Szczesna, T., Mancebo, Y., Frigerio, C., & Ferreira, F. (2008b). Pollen composition and standardisation of analytical methods. *Journal of Apicultural Research*, 47(2), 154–161. <https://doi.org/10.3896/ibra.1.47.2.12>
- Chakraborty, P., Ghosal, K., Sarkar, E., & Bhattacharya, S. G. (2016). Atmospheric pollen grains of a suburban area near India-Bangladesh border with reference to their allergenic potential and probable effect on asthma-related hospital admission. *Current Science*, 111(9), 1486–1491. <https://doi.org/10.18520/cs/v111/i9/1486-1491>
- Chakraborty, P., & Saha, A. (2019). Study on pollen grains in the honey samples of Howrah district, West Bengal, with reference to their occurrence in air in three different seasons. *Plant Archives*, 19(2), 3421–3427.
- Chauhan, M. S., Farooqui, A., & Trivedi, A. (2017). Plants foraged by bees for honey production in northern India: The diverse flora of India and its implications for apiculture. *Acta Palaeobotanica*, 57(1), 119–132. <https://doi.org/10.1515/acpa-2017-0003>
- Chidi, O., & Odo, P. (2017). Meliponiculture for sustainable economy. *Proceeding of the 4th Delta State University Faculty of Science International Conference*, 131–137.
- Coelho, A. P. D., Morais, K. P., Laughinghouse, H. D., Giacomini, S. J., & Tedesco, S. B. (2012). Pollen grain viability in accessions of *Crotalaria juncea* L. (fabaceae). *Agrociencia*, 46(5), 481–487.
- Costa, A. C. V. da Sousa, J. M. B., da Silva, M. A. A. P., Garruti, D. dos S., & Madruga, M. S. (2018). Sensory and volatile profiles of monofloral honeys produced by native stingless bees of the Brazilian semiarid region. *Food Research International*, 105, 110–120. <https://doi.org/10.1016/j.foodres.2017.10.043>

- CREA. (2007). *Pollen Profiles | Pollen Atlas*. <https://pollenatlas.net/atlas/pollen-profiles>. [Tanggal akses: 14 Juli 2023]
- Da Silva, P. M., Gauche, C., Gonzaga, L. V., Costa, A. C. O., & Fett, R. (2016a). Honey: Chemical composition, stability and authenticity. *Food Chemistry*, 196, 309–323. <https://doi.org/10.1016/j.foodchem.2015.09.051>
- Da Silva, P. M., Gauche, C., Gonzaga, L. V., Costa, A. C. O., & Fett, R. (2016b). Honey: Chemical composition, stability and authenticity. *Food Chemistry*, 196, 309–323. <https://doi.org/10.1016/J.FOODCHEM.2015.09.051>
- De La Fuente, E., Ruiz-Matute, A. I., Valencia-Barrera, R. M., Sanz, J., & Martínez Castro, I. (2011). Carbohydrate composition of Spanish unifloral honeys. *Food Chemistry*, 129(4), 1483–1489. <https://doi.org/10.1016/j.foodchem.2011.05.121>
- De Lima, D., Lamerlabel, J. S. A., & Welerubun, I. (2020). Inventarisasi Jenis-Jenis Tanaman Penghasil Nektar dan Polen Sebagai Pakan Lebah Madu *Apis Mellifera* Di Kecamatan Kairatu Kabupaten Seram Bagian Barat. *Agrinimal Jurnal Ilmu Ternak Dan Tanaman*, 7(2), 77–82. <https://doi.org/10.30598/ajitt.2019.7.2.77-82>
- Dekebo, A., & Jung, C. (2020). Olfactory responses of *Aethina tumida murray* (Coleoptera: Nitidulidae) to some major volatile compounds from hive materials and workers of *Apis mellifera*. *Journal of Asia-Pacific Entomology*, 23(2), 504–508. <https://doi.org/10.1016/j.aspen.2020.03.002>
- Demske, D., Tarasov, P. E., & Nakagawa, T. (2013). Atlas of pollen, spores and further non-pollen palynomorphs recorded in the glacial-interglacial late Quaternary sediments of Lake Suigetsu, central Japan. *Quaternary International*, 290–291, 164–238. <https://doi.org/10.1016/j.quaint.2012.02.002>
- Department of Standards Malaysia. (2017). *Malaysian Standard of Kelulut (Stingless bee) honey - Specification*. Department of Standards Malaysia: Selangor
- Dervisoglu, G., Cobanoglu, D. N., Yelkovan, S., Karahan, D., Cakir, Y., & Kocyigit, S. (2022). Comprehensive Study on BeeBread: Palynological Analysis, Chemical Composition, Antioxidant and Cytotoxic Activities. *International Journal of Secondary Metabolite*, 9(2), 166–177. <https://doi.org/10.21448/ijsm.1066884>
- Devi, A., Jangir, J., & Anu-Appaiah, KA. (2018). Chemical characterization complemented with chemometrics for the botanical origin identification of unifloral and multifloral honeys from India. *Food Research International*, 107, 216–226. <https://doi.org/10.1016/j.foodres.2018.02.017>
- Doaigey, A. R., El-Zaidy, M., Alfarhan, A., Milagy, A. E. S., & Jacob, T. (2018). Pollen morphology of certain species of the family Lamiaceae in Saudi Arabia. *Saudi Journal of Biological Sciences*, 25(2), 354–360. <https://doi.org/10.1016/j.sjbs.2017.03.001>

- Dwifitri, N., Suherman, D., & Apriyanto, E. (2020). Pengaruh Pupuk Organik dan Umur Potong terhadap Produksi Hijauan Pakan Ternak Sorgum di Daerah Pesisir. *Jurnal Penelitian Pengelolaan Sumberdaya Alam Dan Lingkungan*, 9 (1), 21–29.
- Ekeke, C., Obute, G. C., & Ogwu, N. (2016). Pollen Morphology of some Medicinal Plants in Asteraceae form Nigeria. *International Journal of Current Research and Academic Review*, 4(7), 165–172. <https://doi.org/10.20546/ijcrar.2016.407.020>
- Ernawati, N. M. L., & Ngawit, I. K. (2015). Eksplorasi Dan Identifikasi Gulma, Hijauan Pakan Dan Limbah Pertanian Yang Dimanfaatkan Sebagai Pakan Ternak Di Wilayah Lahan Kering Lombok Utara. *Buletin Peternakan*, 39(2), 92. <https://doi.org/10.21059/buletinpeternak.v39i2.6713>
- Erwan, E., Franti, L. D., Purnamasari, D. K., Muhsinin, M., & Agussalim, A. (2021). Preliminary Study on Moisture, Fat, and Protein Contents of Bee Bread From Apis cerana from Different Regions in North Lombok Regency, Indonesia. *Ternak Tropika Journal of Tropical Animal Production*, 22(1), 35–41. <https://doi.org/10.21776/ub.jtapro.2021.022.01.5>
- Faizah, N. I., & Haryanti, D. S. (2020). Pengaruh Lama Dan Tempat Penyimpanan Yang Berbeda Terhadap Kandungan Gizi Umbi Jalar (*Ipomoea batatas*) var. Manohara. *Jurnal Akademika Biologi*, 9(2), 8–14.
- Fauzia, S., Sukarsa, S., & Herawati, W. (2019). Karakteristik Morfologi Polen Sebagai Sumber Pakan Lebah Trigona sp. di Desa Serang Purbalingga. *BioEksakta: Jurnal Ilmiah Biologi Unsoed*, 1 (2), 115. <https://doi.org/10.20884/1.bioe.2019.1.2.1809>
- Ferreira, I. C. F. R., Aires, E., Barreira, J. C. M., & Estevinho, L. M. (2009). Antioxidant activity of Portuguese honey samples: Different contributions of the entire honey and phenolic extract. *Food Chemistry*, 114 (4), 1438–1443. <https://doi.org/10.1016/j.foodchem.2008.11.028>
- Fitri, R., & Des, M. (2018). Pollen Morphology of *Caesalpinia pulcherrima* (L.) Swartz in Highland and Lowland West Sumatra. *IOP Conference Series: Materials Science and Engineering*, 335 (1). <https://doi.org/10.1088/1757-899X/335/1/012019>
- Franti, L. D. (2018). Komposisi Kimia Polen Lebah Madu Apis Cerana di Kecamatan Tanjung Kabupaten Lombok Utara. Universitas Mataram, 1-12
- Ganga Kailas, J., Ramakrishna, H., & Prabhakar, R. (2014). Palynodiversity of arborescent plants of Caesalpiniaceae family of Karimnagar district, Telangana state, India. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 5(6), 349–353.
- García-González, J. J., Bartolomé-Zavala, B., Del Mar Trigo-Pérez, M., Barceló-Muñoz, J. M., Fernández-Meléndez, S., Negro-Carrasco, M. A., Carmona-Bueno, M. J., Vega-Chicote, J. M., Muñoz-Roman, C., Palacios-Peláez, R., Cabezudo-Artero, B., & Martínez-Quesada, J. (1999). Pollinosis to *Ricinus*

- communis (castor bean): An aerobiological, clinical and immunochemical study. *Clinical and Experimental Allergy*, 29(9), 1265–1275. <https://doi.org/10.1046/j.1365-2222.1999.00601.x>
- Gela, A., Hora, Z. A., Kebebe, D., & Gebresilassie, A. (2021). Physico-chemical characteristics of honey produced by stingless bees (*Meliponula beccarii*) from West Showa zone of Oromia Region, Ethiopia. *Heliyon*, 7(1), e05875. <https://doi.org/10.1016/j.heliyon.2020.e05875>
- Girard, M. (2014). *Ouvrage de référence photographique de grains de pollen non acétolysés*. Université Laval Végétaux: Canada.
- Globalpollenproject. (2017). *Digitised palynological slide. In: European Reference Collection (Version 1)*. <https://globalpollenproject.org/>. [Tanggal akses: 20 Juni 2023]
- Gosling, W. D., Miller, C. S., & Livingstone, D. A. (2013). Atlas of the tropical West African pollen flora. *Review of Palaeobotany and Palynology*, 199, 1–135. <https://doi.org/10.1016/j.revpalbo.2013.01.003>
- Guarín, F. A., Abril, M. A. Q., Alvarez, A., & Fonnegra, R. (2015). Atmospheric pollen and spore content in the urban area of the city of Medellin, Colombia. *Hoehnea*, 42(1), 9–19. <https://doi.org/10.1590/2236-8906-52/2013>
- Gupta, M., & Kaur, K. (2016). Qualitative Analysis for Free Radical Scavenging and Acid Value of Honey Including GC-MS Spectra. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 7(6), 1998–2003.
- Gürdal, B., & Özhatay, E. (2019). Pollen morphology of 5 centaurea l. And 3 psephellus cass. taxa in Turkey. *Yuzuncu Yil University Journal of Agricultural Sciences*, 29 (4), 738–744. <https://doi.org/10.29133/yyutbd.631954>
- Gusmalawati, D., Huda, M. F., Fauziah, S. M., Banyo, Y. E., & Abidin, Z. (2021). Karakterisasi Morfologi Polen dari Sepuluh Jenis Tumbuhan dari Famili yang Berbeda. *Jurnal Teknologi Terapan*, 4(2), 303–308.
- Habryka, C., Socha, R., & Juszczak, L. (2023). The Influence of Bee Bread on Antioxidant Properties, Sensory and Quality Characteristics of Multifloral Honey. *Applied Sciences (Switzerland)*, 13(13). <https://doi.org/10.3390/app13137913>
- Hadi, M. A., Latifah, S., Aji, I. M. L., Valentino, N., & Prasetyo, A. R. (2023). Keanekaragaman Jenis Tumbuhan Obat di Hutan Kemasyarakatan Wana Lestari Desa Karang Sidemen. *Journal of Forest Science Avicennia*, 06(37), 26–38. <https://doi.org/10.22219/avicennia.v6i1.21715>
- Hanchana, K., Saensouk, S., & Saensouk, P. (2023). Pollen morphology and anatomy of *Rubus* L. (Rosaceae) in Thailand. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 51(1). <https://doi.org/10.15835/nbha51113070>
- Hasan, A. E. Z., Herawati, H., Purnomo, P., & Amalia, L. (2020). Fisikokimia Madu Multiflora Asal Riau dan Potensinya sebagai Antibakteri *Escherichia*

- coli dan *Staphylococcus aureus*. *Chemistry Progress*, 13(2), 81–90. <https://doi.org/10.35799/cp.13.2.2020.31594>
- Haydak, M. H., & Vivino, A. E. (1950). The Changes in the Thiamine, Riboflavin, Niacin and Pantothenic Acid Content in the Food of Female Honeybees during Growth with a Note on the Vitamin K Activity of Royal Jelly and Beebread I. *Annals of the Entomological Society of America*, 43(3), 361–367. <https://doi.org/10.1093/aesa/43.3.361>
- Herrero, B., Valencia-Barrera, R. M., San Martín, R., & Pando, V. (2002). Characterization of honeys by melissopalynology and statistical analysis. *Canadian Journal of Plant Science*, 82(1), 75–82. <https://doi.org/10.4141/P00-187>
- Hii, S. L., Ling, Y. S., & Koh, C. C. (2023). Proximate, nutritional, phytochemical and stability analysis of stingless bee pollen from Sarawak, Malaysia. *Journal of Asia-Pacific Entomology*, 26(4), 102145. <https://doi.org/10.1016/j.aspen.2023.102145>
- Husodo, T., Sumiyati, D., Winantris, W., Laili, N., Wulandari, I. (2022). Identifikasi jenis polen dan spora pada kawasan Situs Cilarangan dan Kupu Kupu masa neolitik, Desa Mekarsari Kabupaten Lebak, Banten, Indonesia Identification of pollens and spores at the Cilarangan and Kupu Kupu in neolithic period,. *Prom Sem Nas Masy Biodiv Indon*, 8(1), 24–30. <https://doi.org/10.13057/psnmbi/m080104>
- Hutabarat, J. L., Utomo, B., & Dalimunthe, A. (2016). Penggunaan Berbagai Pupuk Kandang terhadap Pertumbuhan Sukun (*Artocarpus Communis* Forst) pada Daerah Tangkapan Air Danau Toba Kecamatan Haranggaol Horison. *Peronema Forestry Science Journal*, 5(1), 64–68.
- Ibrahim, I., Balasundram, S., Abdullah, N., Alias, M., & Mardan, M. (2012). Morphological Characterization of Pollen Collected by *Apis dorsata* from a Tropical Rainforest. *International Journal of Botany*, 8(3), 96–106.
- Irwan, N., Kamaluddin, A. K., Salatalohy, A., & Nurjanah, S. (2023). Inventarisasi Tumbuhan Sumber Pakan Lebah Madu *Apis mellifera* di Desa Idam Dehe Kecamatan Jailolo, Kabupaten Halmahera Barat. *Journal Forest Island*, 1(1), 17–26. <http://e-journal.unkhair.ac.id/index.php/foris/article/download/43/30>
- Ivanišová, E., Kačániová, M., Frančáková, H., Petrová, J., Hutková, J., Brovarskyi, V., Velychko, S., Adamchuk, L., Schubertová, Z., & Musilová, J. (2015). Bee bread - Perspective source of bioactive compounds for future. *Potravinarstvo*, 9(1), 592–598. <https://doi.org/10.5219/558>
- Jahan, S., Golam Sarwar, A. K. M., & Ali Fakir, M. S. (2013). Phenology, floral morphology and seed yield in *Indigofera tinctoria* L. and *I. suffruticosa* Mill. *Bangladesh Journal of Botany*, 42(2), 231–237. <https://doi.org/10.3329/bjb.v42i2.18024>
- Jaiswal, R., & Tripathi, S. N. (2021). Pollen Analysis of Spider Web Samples From Kotwa- Jamunipur of Allahabad (Prayagraj) District, Uttar Pradesh. *Indian*

Journal of Plant Sciences, 10, 14–23.

- Jha, N., Saleem, M., Aggarwati, N., Pal, P. K., P, K., Dubey, U., Upreti, D., Ingle, K. K., Nayaka, S., Sharma, B., Bohra, D., Suthar, O., Harsh, R., Mukherjee, D., Prasad, M., Sahu, V., Asthana, A., Maity, S. K., Kundu, A. K., Singh, S. (2013). Geophytology An International Journal of Palaeobotany, Palynology and Allied Sciences. In R. K. Saxena, N. Prakash, R. Singh, & M. Prasad (Eds.), *Geophytology* (Vol. 42, Issue 2). The Palaeobotanical Society.
- Jones, A. M. P., Murch, S. J., & Ragone, D. (2010). Diversity of Breadfruit (*Artocarpus altilis*, Moraceae) Seasonality: A Resource for Year-Round Nutrition. *Economic Botany*, 64(4), 340–351. <https://doi.org/10.1007/s12231-010-9134-z>
- Jones, S. E., & Pearce, K. G. (2015). A pollen morphology study from the Kelabit Highlands of Sarawak, Malaysian Borneo. *Palynology*, 39(2), 150–204. <https://doi.org/10.1080/01916122.2014.940472>
- Junus, M. (2017). *Produksi Lebah Madu* (U. B. Press (ed.); 1st ed.). Universitas Brawijaya Press: Malang
- Kaplan, M., Karaoglu, Ö., Eroglu, N., & Silici, S. (2016). Fatty Acid and Proximate Composition of Bee Bread. *Food Technology and Biotechnology*, 54(4), 497–504.
- Kaplan, M., Karaoglu, Ö., & Silici, S. (2019). An Evaluation on Bee Bread : Chemical and Palynological Analysis. *Mellifera*, 19(1), 21–29.
- Kek, S. P., Chin, N. L., Tan, S. W., Yusof, Y. A., & Chua, L. S. (2017). Classification of Honey from Its Bee Origin via Chemical Profiles and Mineral Content. *Food Analytical Methods*, 10(1), 19–30. <https://doi.org/10.1007/s12161-016-0544-0>
- Khalid, I. (2021). *Model Agrosylvoapiari Pada Areal Kelola Hutan Desa Di Desa Labbo Kecamatan Tompobulu Kabupaten Bantaeng*. [Tesis] Universitas Hasanuddin: Makassar
- Khalifa, S. A. M., Elashal, M., Kieliszek, M., Ghazala, N. E., Farag, M. A., Saeed, A., Xiao, J., Zou, X., Khatib, A., Göransson, U., & El-Seedi, H. R. (2020). Recent insights into chemical and pharmacological studies of bee bread. *Trends in Food Science and Technology*, 97, 300–316. <https://doi.org/10.1016/j.tifs.2019.08.021>
- Khasanah, R., Parman, S., & Suedy, S. W. A. (2017). Kualitas Madu Lokal Dari Lima Wilayah Di Kabupaten Wonosobo. *Jurnal Biologi*, 6(1), 29–37.
- Kiew, R., & Muid, M. (1991). *Beekeeping in Malaysia: Pollen atlas*. Malaysia Beekeeping Research and Development Team: Selangor
- Kumar, A., Choudhury, B., Dayanandan, S., & Khan, M. L. (2022). Molecular Genetics and Genomics Tools in Biodiversity Conservation. In *Molecular Genetics and Genomics Tools in Biodiversity Conservation*. <https://doi.org/10.1007/978-981-16-6005-4>

- Kumar, R., & Kaur, S. (2019). Studies on pollen viability in pomegranate (*Punica granatum* L.). *Journal of Pharmacognosy and Phytochemistry*, *SP1*, 106–108.
- Kwapong, P., Aidoo, K., Combey, R., & Karikari, A. (2010). *Stingless Bees: Importance, Management and Utilisation* (1st ed.). Unimax Macmillan Ltd.
- Lalthanpuui, P. B., & Zazokimi, K. L. (2019). Chemical profiling, antibacterial and antiparasitic studies of *imperata cylindrica*. *Journal of Applied Pharmaceutical Science*, *9*(12), 117–121. <https://doi.org/10.7324/JAPS.2019.91216>
- Lamerlabel, J. S. A., Siahaya, V. G., Saepuloh, W., Lastriyanto, A., Junus, M., Erwan, E., Batoro, J., Jaya, F., & Masyithoh, D. (2021). Karakteristik Morfologi dan Morfometrik Lebah Madu Tak Bersengat (Apidae; Melliponinae) pada Koloni di Daerah Pesisir Pulau Ambon. *Jurnal Budidaya Pertanian*, *17*(1), 28–35. <https://doi.org/10.30598/jbdp.2021.17.1.28>
- Layek, U., & Karmakar, P. (2018). Pollen analysis of *Apis dorsata* Fabricius honeys in Bankura and Paschim Medinipur districts, West Bengal. *Grana*, *57*(4), 298–310. <https://doi.org/10.1080/00173134.2017.1390604>
- Layek, U., Mondal, R., & Karmakar, P. (2020). Honey sample collection methods influence pollen composition in determining true nectar-foraging bee plants. *Acta Botanica Brasilica*, *34*(3), 478–486. <https://doi.org/10.1590/0102-33062020abb0086>
- Leal, A., Berrío, J. C., Raimúndez, E., & Bilbao, B. (2011). A pollen atlas of premontane woody and herbaceous communities from the upland savannas of Guayana, Venezuela. *Palynology*, *35*(2), 226–266. <https://doi.org/10.1080/01916122.2011.603909>
- Letsyo, E., & Ameka, G. (2019). Major plants foraged by bees for honey production in Ghana: mapping of bee floral sources for the development of the apicultural industry. *Grana*, *58*(6), 472–482. <https://doi.org/10.1080/00173134.2019.1629622>
- Levi, A., Harris, K. R., Wechter, W. P., Kousik, C. S., & Thies, J. A. (2010). DNA markers and pollen morphology reveal that *Praecitrullus fistulosus* is more closely related to *Benincasa hispida* than to *Citrullus* spp. *Genetic Resources and Crop Evolution*, *57*(8), 1191–1205. <https://doi.org/10.1007/s10722-010-9559-3>
- Lim, D. C. C., Abu Bakar, M. F., & Majid, M. (2019). Nutritional composition of stingless bee honey from different botanical origins. *IOP Conference Series: Earth and Environmental Science*, *269*(1). <https://doi.org/10.1088/1755-1315/269/1/012025>
- Louveaux, J., Maurizio, A., & Vorwohl, G. (1978). Methods of Melissopalynology. *Bee World*, *59*(4), 139–157. <https://doi.org/10.1080/0005772x.1978.11097714>
- Malik, M., Hamidah, S., & Satriadi, T. (2023). Produktivitas dan Kualitas Madu

Kelulut dari Desa Bangkiling Raya Kabupaten Tabalong. *Jurnal Sylva Scienteeae*, 06(4), 634–643.

- Maroofi, M., & Masoumi, S. (2023). Melissopalynology in Some Regions of Kermanshah Province (West of Iran). *Cytology & Histology International Journal*, 7(1), 1–11. <https://doi.org/10.23880/chij-16000140>
- Martono, G. H., Adji, T. B., & Setiawan, N. A. (2012). Penggunaan Metodologi Analisa Komponen Utama (PCA) untuk Mereduksi Faktor-Faktor yang Mempengaruhi Penyakit Jantung Koroner. *Seminar Nasional SciETec "Science, Engineering and Technology,"* 1–5.
- Masrianih, M., Dhafir, F., & Trianto, M. (2022). Pollen collected by stingless bees *Tetragonula laeviceps* (Smith, 1857) (Hymenoptera: Apidae: Meliponini) from Central Sulawesi. *Jurnal Biologi Tropis*, 22(3), 851–856. <https://doi.org/10.29303/jbt.v22i3.3885>
- Matori, V. (2012). Jenis Tumbuhan Dalam Tempayan Kubur Di Situs Lolo Gedang, Kerinci. *AMERTA, Jurnal Penelitian Dan Pengembangan Arkeologi*, 30(2), 100–109. <https://jurnalarkeologi.kemdikbud.go.id/index.php/amerta/article/view/389>
- Mbagwu, F. N., Chime, E. G., & Unamba, C. I. N. (2008). Palynological studies on five species of asteraceae. *Journal of Plant Sciences*, 3(1), 126–129. <https://doi.org/10.3923/jps.2008.126.129>
- Metz, B. N., Pankiw, T., Tichy, S. E., Aronstein, K. A., & Crewe, R. M. (2010). Variation in and responses to brood pheromone of the honey bee (*Apis mellifera* L.). *Journal of Chemical Ecology*, 36(4), 432–440. <https://doi.org/10.1007/s10886-010-9775-5>
- Michener, C. D. (2006). Pot-Honey: A Legacy of Stingless Bees. In P. Vit, S. R. M. Pedro, & D. W. Roubik (Eds.), *Springer*. Springer Science Business Media: London
- Mikaf, F. (2013). Studi Morfologi Serbuk Sari pada Beberapa Varietas *Coleus scutellarioides* L. *EKSAKTA*, 2(XIV), 37–39.
- Mohammad, S. M., Mahmud-Ab-Rashid, N.-K., & Zawawi, N. (2021). Stingless Bee-Collected Pollen (Bee Bread): Chemical and Microbiology Properties and Health Benefits. *Molecules*, 26(957), 1–29.
- Mohammed, M. E. A., Alfifi, A., AalMudawi, A., Alfafi, M. Y., Elbehairi, S. E. I., & Al-Bushnaq, H. A. (2017). Some physiochemical properties of acacia honey from different altitudes of the asir region in southern Saudi Arabia. *Czech Journal of Food Sciences*, 35(4), 321–327. <https://doi.org/10.17221/428/2016-CJFS>
- Mohd, K. S., & Zin, N. B. M. (2020). Chemical and Biological Investigation of Apiculture Products from Stingless Bees *Heterotrigona itama*. *Journal Of Agrobiotechnology*, 11(1), 7–19. <https://doi.org/10.37231/jab.2020.11.1.183>
- Montaser, M., Sayed, A. M., Bishr, M. M., Zidan, E. W., Zaki, M. A., Hassan, H.

- M., Mohammed, R., & Hifnawy, M. S. (2023). GC-MS analysis of honeybee products derived from medicinal plants. *Beni-Suef University Journal of Basic and Applied Sciences*, 12(1). <https://doi.org/10.1186/s43088-023-00396-3>
- Montenegro, I., Moreira, J., Ramírez, I., Dorta, F., Sánchez, E., Alfaro, J. F., Valenzuela, M., Jara-Gutiérrez, C., Muñoz, O., Alvear, M., Werner, E., Madrid, A., Villena, J., & Seeger, M. (2021). Chemical Composition, Antioxidant and Anticancer Activities of *Leptocarpha rivularis* DC Flower Extracts. *Molecules*, 26(1), 1–20. <https://doi.org/10.3390/MOLECULES26010067>
- Mourelle, D., & Prieto, A. R. (2016). Pollen and spores from surface samples in the campos region of uruguay and their paleoecological implications. *Acta Botanica Brasilica*, 30(3), 357–370. <https://doi.org/10.1590/0102-33062016abb0117>
- Münstedt, K., Kurek-Górecka, A., Olczyk, P., Maroof, K., Gan, S. H., Özsezen, B., Karakaya, S., Subaşı, B. G., Ozdal, T., Capanoglu, E., Kolayli, S., Barros, I. L. E., Corrêa, J. L., Veiga, F. F., Bruschi, M. L., Negri, M., Svidzinski, T. I. E., Gáspár, R., Seres, A. B., Samanci, T. (2022). Bee Products and Their Applications in the Food and Pharmaceutical Industries. In D. Boyacioglu (Ed.), *Elsevier*. Elsevier Inc.
- Nagendar, R., & Reddy, A. V. B. (2022). The arboreal diversity of the Pocharam wildlife sanctuary , Medak district , Telangana state , India based on pollen analysis. *International Research Journal of Plant Science*, 13(2), 1–4.
- Nayik, G. A., Dar, B. N., & Nanda, V. (2019). Physico-chemical, rheological and sugar profile of different unifloral honeys from Kashmir valley of India. *Arabian Journal of Chemistry*, 12(8), 3151–3162. <https://doi.org/10.1016/j.arabjc.2015.08.017>
- Naz, S., Zafar, M., Ahmad, M., Memon, R. A., Sultana, S., Bahadur, S., Ozdemir, F. A., Siddiq, Z., & Shah, M. A. (2019). Palynological investigation of lactiferous flora (Apocynaceae) of District Rawalpindi, Pakistan, using light and scanning electron microscopy. *Microscopy Research and Technique*, 82(9), 1410–1418. <https://doi.org/10.1002/jemt.23293>
- Neupane, B. P., Malla, K. P., Kaundinnyayana, A., Poudel, P., Thapa, R., & Shrestha, S. (2015). Antioxidant properties of honey from different altitudes of Nepal himalayas. *Polish Journal of Food and Nutrition Sciences*, 65(2), 87–91. <https://doi.org/10.1515/pjfn-2015-0024>
- Ngaini, Z., Hussain, H., Kelabo, E. S., Wahi, R., & Farooq, S. (2023). Chemical profiling, biological properties and environmental contaminants of stingless bee honey and propolis. *Journal of Apicultural Research*, 62(1), 131–147. <https://doi.org/10.1080/00218839.2021.1948745>
- Nirmala, S., Kriswiyanti, E., & Darmadi, A. A. K. (2013). Uji Viabilitas Serbuk Sari Secara In-Vitro Kelapa (*Cocos Nucifera* L. “Rangda”) dengan Waktu dan Suhu Penyimpanan yang Berbeda. *Jurnal Simbiosis*, 1(2), 59–69.

- Nugroho, R. B., & Soesilohadi, R. H. (2014). Identifikasi Macam Sumber Pakan Lebah *Trigona* sp (Hymenoptera: Apidae) di Kabupaten Gunungkidul. *Biomedika*, 7(2), 43–45. www.biomedika.ac.id
- Nuraini, Trianto, M., Sukmawati, & Marisa, F. (2020). Keanekaragaman Sumber Pakan dan Perilaku Mencari Pakan Lebah *Tetragonula laeviceps* (Hymenoptera: Meliponini) di Kecamatan Parigi Selatan. *BIO-EDU: Jurnal Pendidikan Biologi*, 5(3), 173–184. <https://doi.org/10.32938/jbe>.
- Nuriyah, S., Husodo, T., Hermawan, W., Yusuf, A. A., Kasmara, H., Kusmoro, J., Wulandari, I., & Shanida, S. S. (2021). Short Communication: Floral diversity of honey bee-collected pollen (*Apis cerana*) colonies in the Ir. H. Djuanda Forest Park, West Java, Indonesia. *Nusantara Bioscience*, 13(2), 185–193. <https://doi.org/10.13057/nusbiosci/n130208>
- Octaviana, C. (2022). Identifikasi Tumbuhan Penghasil Polen dari Madu Lebah *Apis dorsata* Fabricius, 1793 Asal Prabumulih Palembang, Sumatera Selatan. In *Skripsi. Universitas Negeri Syarif Hidayatullah*. Universitas Negeri Syarif Hidayatullah.
- Ohashi, T. L. (2023). Chemical Composition and In Vitro Antioxidant Activity and Anti-Acetylcholinesterase Activity of Essential Oils from subtropical. *Molecules*, 28, 2734. <https://doi.org/10.3390/molecules28062734>
- Oreme Data. (2011). *ISEM reference palynological database*. https://data.oreme.org/palyno/palyno_gallery. [Tanggal akses: 28 Mei 2023]
- Oroian, M., Dranca, F., & Ursachi, F. (2022). Characterization of Romanian Bee Pollen—An Important Nutritional Source. *Foods*, 11(17). <https://doi.org/10.3390/foods11172633>
- Othman, Z. A., Ghazali, W. S. W., Noordin, L., Yusof, N. A. M., & Mohamed, M. (2020). Phenolic compounds and the anti-atherogenic effect of bee bread in high-fat diet-induced obese rats. *Antioxidants*, 9(1), 1–12. <https://doi.org/10.3390/antiox9010033>
- PAAA. (2016). *Pollen Gallery Pan-American Aerobiology Association*. <https://www.paaa.org/>. [Tanggal akses: 6 Juni 2023]
- PalDat. (2000). *PalDat – A palynological database*. <https://www.paldat.org/>. [Tanggal akses 1 Juli 2023]
- Ponnuchamy, R., Bonhomme, V., Prasad, S., Das, L., Patel, P., Gaucherel, C., Pragasa, A., & Anupama, K. (2014). Honey pollen: Using melissopalynology to understand foraging preferences of bees in tropical south India. *PLoS ONE*, 9(7), 1–11. <https://doi.org/10.1371/journal.pone.0101618>
- Prasetyo, A., Raffiudin, R., Batubara, I., & Ariyanti, N. S. (2022). Perilaku Mencari Polen dan Identifikasi Polen *Tetragonula laeviceps* pada dua Kebun Tanaman Obat. *Jurnal Ilmu Pertanian Indonesia*, 27(3), 341–350. <https://doi.org/10.18343/jipi.27.3.341>
- Priambudi, A. S., Raffiudin, R., & Djuita, N. R. (2021). Identifikasi Tumbuhan

Sumber Polen pada Madu Lebah Heterotrigona itama dan Tetragonula laeviceps di Belitung Identification of Plants as Pollen Source in Honey of Stingless Bee Heterotrigona itama and Tetragonula laeviceps from Belitung. *Jurnal Sumberdaya Hayati*, 7(1), 25–35.

Priawandiputra, W. (2020). Daftar spesies lebah tanpa sengat (Stingless Bees) dan tumbuhan pakannya di Lubuk Bintialo dan Pangkalan Bulian, Sumatera Selatan. In Windra Priawandiputra, F. A. E., & M. Y. Vinanda (Eds.), *ZSL Indonesia*. Zoological Society of London (ZSL) Indonesia.

Priawandiputra, W., Azizi, M. G., Rismayanti, Djakaria, K. M., Wicaksono, A., Raffiudin, R., Atmowidi, T., & Buchori, D. (2020). Panduan budidaya lebah tanpa sengat di desa perbatasan hutan: Studi di Lubuk Bintialo dan Pangkalan Bulian, Sumatera Selatan. In *Zoological Society of London (ZSL) Indonesia*. <https://repository.zsl.org/publications/328232/panduan-budidaya-lebah-tanpa-sengat-di-desa-perbatasan-hutan-studi-di-lubuk-bint#cite>

Puspita Sari, D., Ratna Siwie, Y., & Primahesa, A. (2022). Analisis preparat polen dengan metode acetolisis pada berbagai pewarnaan. *Seminar Nasional Vii*, 709–716.

Putra, P. A. H., Watiniasih, N. L., & Suartini, N. M. (2014). Struktur dan Produksi Lebah Trigona Spp. pada Sarang Berbentuk Tabung dan Bola. *Jurnal Biologi*, 18(2), 60–64.

Ramadani, R. F. (2016). Keanekaragaman Polen dari Beberapa Spesies Stingless Bee pada Perkebunan Kelapa Sawit dan Karet. [Tesis]. Institut Pertanian Bogor: Bogor.

Ranneh, Y., Ali, F., Zarei, M., Akim, A. M., Hamid, H. A., & Khazaai, H. (2018). Malaysian stingless bee and Tualang honeys: A comparative characterization of total antioxidant capacity and phenolic profile using liquid chromatography-mass spectrometry. *Lwt*, 89, 1–9. <https://doi.org/10.1016/j.lwt.2017.10.020>

Rao, K. N., Pandey, S., Kubo, S., Saito, Y., Naga Kumar, K. C. V., Demudu, G., Malini, B. H., Nagumo, N., Nakashima, R., & Sadakata, N. (2020). Paleoclimate and Holocene relative sea-level history of the east coast of India. *Journal of Paleolimnology*, 64(2), 71–89. <https://doi.org/10.1007/s10933-020-00124-2>

Rao, P. V., Krishnan, K. T., Salleh, N., & Gan, S. H. (2016). Biological and therapeutic effects of honey produced by honey bees and stingless bees: A comparative review. *Revista Brasileira de Farmacognosia*, 26(5), 657–664. <https://doi.org/10.1016/j.bjp.2016.01.012>

Rasheed, A. A., Perveen, A., Abid, R., & Qaiser, M. (2016). Pollen morphology of the subfamily arecoideae griff. (family-arecaceae) from pakistan and kashmir. *Pakistan Journal of Botany*, 48(3), 1051–1060.

Rasmussen, C. (2013). Stingless bees (Hymenoptera: Apidae: Meliponini) of the Indian subcontinent: Diversity, taxonomy and current status of knowledge. *Zootaxa*, 3647(3), 401–428.

- Rasyiid, M., & Susandarini, R. (2020). Pollen diversity and secondary metabolites in honey produced by *Apis dorsata binghami* from Central Sulawesi, Indonesia. *Journal of Pharmacognosy and Phytochemistry*, 9(2), 2305–2309. www.phytojournal.com
- Rehman, T., Best, J., & Adamson, J. (2019). *BRIT Pollen Site*. <https://pollen.brit.org/>. [Tanggal akses: 29 Juni 2023]
- Riendrasari, S. D. (2019). Jenis Kelulut (stingless bee) yang Dibudidayakan dan Sumber Pakan pada Tipe Penggunaan Lahan yang Berbeda di Pulau Lombok. [Tesis]. Institut Pertanian Bogor: Bogor
- Riendrasari, S. D. (2014). Budidaya dan Produk Perlebahan *Trigona* spp di Lombok, Nusa Tenggara Barat. *Prosiding Seminar Nasional: Peranan Dan Strategi Kebijakan Pemanfaatan HHBK Dalam Meningkatkan Daya Guna Kawasan (Hutan)*, 213–221.
- Riendriasari, S. D., & Anggadhanian, L. (2015). *LHP: Peningkatan Usaha Budidaya dan Mutu Madu Trigona spp*. BPPTHBK: Mataram
- Riendriasari, S. D., Buchori, D., & Hidayat, P. (2022). Preferensi dan pencarian pakan lebah tanpa sengat pada berbagai tipe penggunaan lahan di Pulau Lombok. *Jurnal Entomologi Indonesia*, 19(1), 9–22. <https://doi.org/10.5994/jei.19.1.9>
- Rosmanah, S., Kusnadi, H., Harta, L., Pengkajian, B., Pertanian, T., & Jl, B. (2017). Identifikasi Dan Dominansi Gulma Pada Lahan Kering Dataran Tinggi Di Kabupaten Kepahiang Provinsi Bengkulu. *Prosiding Seminar Nasional Agroinovasi Spesifik Lokasi Untuk Ketahanan Pangan Pada Era Masyarakat Ekonomi ASEAN*, 35–41.
- Rosmarlinasiah, Uslinawaty, Z., Ulfandi, A., Pujirahayu, N., & Hadjar, N. (2023). Analisis Kualitas Madu *Tetragonula Biroi* dan *Tetragonula Sapiens* Asal Kecamatan Wawonii Barat Kabupaten Konawe Kepulauan. *Celebica Jurnal Kehutanan Indonesia*, 4(1), 63–70.
- Roubik, D. W., & Patiño, J. E. M. (2003). *Pollen and spores of Barro Colorado Island [Panama]*. <http://stri.si.edu/sites/roubik/>. [Tanggal akses: 15 Mei 2023]
- Rozman, A. S., Hashim, N., Maringgal, B., & Abdan, K. (2022). A Comprehensive Review of Stingless Bee Products: Phytochemical Composition and Beneficial Properties of Honey, Propolis, and Pollen. *Applied Sciences (Switzerland)*, 12(13). <https://doi.org/10.3390/app12136370>
- Ruiz-Domínguez, C., Vovides, A. P., & Sosa, V. (2019). Systematic relevance of pollen morphology in tribe Hylocereeae (Cactaceae). *PhytoKeys*, 128, 121–140. <https://doi.org/10.3897/phytokeys.128.35842>
- Sahlan, M., Faradis, K., Wiratama, I., Yohda, M., Hermansyah, H., & Noguchi, K. (2019). Purification and characterization of proteins in multifloral honey from kelulut bee (stingless bee). *Heliyon*, 5(e02835), 1–11. <https://doi.org/10.1016/j.heliyon.2019.e02835>

- Sakika, K. A., Saiman, M. Z., Zamakshshari, N. H., Ahmed, I. A., Nasharuddin, M. N. A., & Hashim, N. M. (2022). Analysis of Antioxidant Properties and Volatile Compounds of Honeys from Different Botanical and Geographical Origins. *Sains Malaysiana*, 51(4), 1111–1121. <https://doi.org/10.17576/jsm-2022-5104-13>
- Salamah, A., Luthfikasari, R., & Dwiranti, A. (2019). Pollen morphology of eight tribes of asteraceae from universitas indonesia campus, depok, Indonesia. *Biodiversitas*, 20(1), 152–159. <https://doi.org/10.13057/biodiv/d200118>
- Salatnaya, H., Widodo, W. D., Winarno, & Fuah, A. M. (2020). The Influence of Environmental Factors on the Activity and Propolis Production of *Tetragonula laeviceps*. *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, 8(2), 67–71. <https://doi.org/10.29244/jipthp.8.2.67-71>
- Santos, A. C. dos, Biluca, F. C., Braghini, F., Gonzaga, L. V., Costa, A. C. O., & Fett, R. (2021). Phenolic composition and biological activities of stingless bee honey: An overview based on its aglycone and glycoside compounds. *Food Research International*, 147, 110553. <https://doi.org/10.1016/j.foodres.2021.110553>
- Sarwono, B. (2007). *Lebah Madu* (Tanudi (ed.); VI). Agromedia Pustaka: Jakarta
- Savitri, I., Suhendra, L., Made Wartini, N., Jurusan Teknologi Industri Pertanian, M., Teknologi Pertanian Unud, F., & Jurusan Teknologi Industri Pertanian, D. (2017). Pengaruh Jenis Pelarut pada Metode Maserasi terhadap Karakteristik Ekstrak *Sargassum polycystum*. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 5(3), 93–101.
- Schüler, L., & Hemp, A. (2016). Atlas of pollen and spores and their parent taxa of Mt Kilimanjaro and tropical East Africa. *Quaternary International*, 425, 301–386. <https://doi.org/10.1016/j.quaint.2016.07.038>
- Sederi, Jauhari, A., & Badaruddin. (2022). Keragaman Dan Kemiripan Tumbuhan Bawah Di Area Reklamasi PT Adaro Indonesia. *Jurnal Sylva Scienteeae*, 05(4), 587–595.
- Seeburger, V. C., Shaaban, B., Schweikert, K., Lohaus, G., Schroeder, A., & Hasselmann, M. (2022). Environmental factors affect melezitose production in honeydew from aphids and scale insects of the order Hemiptera. *Journal of Apicultural Research*, 61(1), 127–137. <https://doi.org/10.1080/00218839.2021.1957350>
- Selvaraju, K., Vikram, P., Soon, J. M., Krishnan, K. T., & Mohammed, A. (2019). Melissopalynological, physicochemical and antioxidant properties of honey from West Coast of Malaysia. *Journal of Food Science and Technology*, 56(5), 2508–2521. <https://doi.org/10.1007/s13197-019-03728-3>
- Shapla, U. M., Solayman, M., Alam, N., Khalil, M. I., & Gan, S. H. (2018). 5-Hydroxymethylfurfural (HMF) levels in honey and other food products: effects on bees and human health. *Chemistry Central Journal*, 12(1), 1–18. <https://doi.org/10.1186/s13065-018-0408-3>

- Shishira, D., Uthappa, A. R., Kumar, V., Shringeshwara, & Kuberappa, G. C. (2020). The melissopalynological investigation in the Eastern Dry Zone of Karnataka, India. *BioRxiv*, 2020.07.06.189274. <https://www.biorxiv.org/content/10.1101/2020.07.06.189274v1%0Ahttps://www.biorxiv.org/content/10.1101/2020.07.06.189274v1.abstract>
- Sihombing, D. T. H. (2005). *Ilmu Ternak Lebah Madu* (2nd ed.). Gadjah Mada University Press: Yogyakarta
- Sikarwar, M. S., Hui, B. J., Subramaniam, K., Valeisamy, B. D., Yean, L. K., & Balaji, K. (2014). A review on *Artocarpus altilis* (Parkinson) Fosberg (breadfruit). *Journal of Applied Pharmaceutical Science*, 4(8), 91–97. <https://doi.org/10.7324/JAPS.2014.40818>
- Silva, I. A. A. Da, Silva, T. M. S. Da, Camara, C. A., Queiroz, N., Magnani, M., Novais, J. S. De, Soledade, L. E. B., Lima, E. D. O., Souza, A. L. De, & Souza, A. G. De. (2013). Phenolic profile, antioxidant activity and palynological analysis of stingless bee honey from Amazonas, Northern Brazil. *Food Chemistry*, 141(4), 3252–3258. <https://doi.org/10.1016/j.foodchem.2013.06.072>
- Sobral, F., Calhella, R. C., Barros, L., Dueñas, M., Tomás, A., Santos-Buelga, C., Vilas-Boas, M., & Ferreira, I. C. F. R. (2017). Flavonoid composition and antitumor activity of bee bread collected in Northeast Portugal. *Molecules*, 22(2), 1–12. <https://doi.org/10.3390/molecules22020248>
- Soto-Landeros, F., Alcaraz-Meléndez, L., Angulo-Escalante, M. A., Reynoso-Granados, T., Cruz-Hernández, P., & Herrera-Cedano, F. (2017). Pollen morphology of four species of *Jatropha* (Euphorbiaceae), including toxic varieties, in Northwestern Mexico. *Revista de Biología Tropical*, 65(2), 799–806. <https://doi.org/10.15517/rbt.v65i2.24538>
- Stebler, T. (2019). *Pollen-Wiki*. <https://pollen.tstebler.ch/MediaWiki/index.php?title=Artenliste>. [Tanggal akses: 7 Juli 2023]
- Sudarmono, S., & Sahromi, S. (2017). Pollen Atau Serbuk Sari : Aspek Morfologi, Sistematika Dan Aplikasinya Pada Tumbuhan Keluarga Mentol. *Jurnal Sains Natural*, 2(1), 12. <https://doi.org/10.31938/jsn.v2i1.30>
- Suleiman, J. B., Mohamed, M., Abu Bakar, A. B., Nna, V. U., Zakaria, Z., Othman, Z. A., & Aroyehun, A. B. (2021). Chemical profile, antioxidant properties and antimicrobial activities of malaysian heterotrigona itama bee bread. *Molecules*, 26(16), 1–14. <https://doi.org/10.3390/molecules26164943>
- Suleiman, M. H., Alaerjani, W. M. A., & Mohammed, M. E. A. (2020). Influence of altitudinal variation on the total phenolic and flavonoid content of *Acacia* and *Ziziphus* honey. *International Journal of Food Properties*, 23(1), 2077–2086. <https://doi.org/10.1080/10942912.2020.1842445>
- Sundari, E., Harisanti, B. M., & Nurhidayati, S. (2022). Identifikasi Tumbuhan Obat Tradisional Berbasis Kearifan Lokal di Desa Ranggagata Kecamatan Praya Barat Daya Kabupaten Lombok Tengah. *Bioscientist : Jurnal Ilmiah*

Biologi, 10(2), 785. <https://doi.org/10.33394/bioscientist.v10i2.5461>

- Suratinojo, P. S., Joice Supit, D., Kamagi, I., & Sinolungan, M. (2013). Potensi Lahan Untuk Tanaman Kelapa (*Cocos nucifera* L.) Di Kecamatan Wori Kabupaten Minahasa Utara. *Cocos: Jurnal Unsrat*, 2(4), 1–10.
- Syaifuddin, S., Fauzi, H., & Satriadi, T. (2021). Produksi Madu Kelulut (*Trigona itama*) pada Dua Tipe Pola Agroforestri Pakan Lebah yang Berbeda (Studi di Desa Mangkauk dan Kelurahan Landasan Ulin Utara. *Jurnal Sylva Scientiae*, 4(5), 767. <https://doi.org/10.20527/jss.v4i5.4198>
- Tareq, A. M., Hossain, M. M., Uddin, M., Islam, F., Khan, Z., Karim, M. M., Lyzu, C., Ağagündüz, D., Reza, A. S. M. A., Emran, T. Bin, & Capasso, R. (2023). Chemical profiles and pharmacological attributes of *Apis cerana indica* beehives using combined experimental and computer-aided studies. *Heliyon*, 9(4). <https://doi.org/10.1016/j.heliyon.2023.e15016>
- Tedesco, R., Barbaro, E., Zangrando, R., Rizzoli, A., Malagnini, V., Gambaro, A., Fontana, P., & Capodaglio, G. (2020). Carbohydrate determination in honey samples by ion chromatography–mass spectrometry (HPAEC-MS). *Analytical and Bioanalytical Chemistry*, 412(22), 5217–5227. <https://doi.org/10.1007/s00216-020-02732-3>
- Teppner, H. (2010). The Easiest Proof for the Presence of Pollenkitt. *Phyton: Annales Rei Botanicae*, 49(2), 169–328.
- Thakodee, T., Deowanish, S., & Duangmal, K. (2018). Melissopalynological analysis of stingless bee (*Tetragonula pagdeni*) honey in Eastern Thailand. *Journal of Asia-Pacific Entomology*, 21(2), 620–630.
- Thakur, M., & Nanda, V. (2020). Composition and functionality of bee pollen: A review. *Trends in Food Science and Technology*, 98, 82–106. <https://doi.org/10.1016/j.tifs.2020.02.001>
- Tiimub, B. M., & Osei-Bonsu, R. (2021). Short Communication Proximate Value of Honey within Ashanti Mampong Market Enterprises in Ghana. A Short Communication. *Chemistry Research Journal*, 2021(1), 152–158.
- Tiwari, P., Tiwari, J. K., & Ballabha, R. (2010). Studies on Sources of Bee-forage for Rock Bee (*Apis dorsata* F.) from Garhwal Himalaya, India: A Melissopalynological Approach. *Nature and Science*, 8(6), 5–15.
- Tomczyk, M., Tarapatsky, M., & Dżugan, M. (2019). The influence of geographical origin on honey composition studied by Polish and Slovak honeys. *Czech Journal of Food Sciences*, 37(4), 232–238. <https://doi.org/10.17221/40/2019-CJFS>
- Trapero, J. Luis. (2021). *Melia azedarach* Polen. Palinoteca. <https://www.biodiversidadvirtual.org/micro/Melia-azedarach.-Polen.-img4727.html>. [Tanggal akses: 28 Juli 2023]
- Tripathi, S., Arya, A. K., Basumatary, S. K., & Bera, S. K. (2016). Modern pollen and its ecological relationships with the tropical deciduous forests of central

- Uttar Pradesh, India. *Palynology*, 40(2), 264–279. <https://doi.org/10.1080/01916122.2015.1045049>
- Triyadi, R., Triastinurmiatiningsih, & Moerfiah. (2023). Keanekaragaman polen sebagai sumber pakan lebah *Trigona* sp. di Desa Sukawening Kecamatan Dramaga Kabupaten Bogor Pollen. *Jurnal Biologi Udayana*, 27(1), 129–140.
- Umami, E. K., Ni'matus Sa'adah, N., Ramadhani, M. T., Izzati, O. A., Nurrohman, E., & Pantiwati, Y. (2021). Study Eksplorasi Morfologi Serbuk Sari berbagai Famili Tumbuhan. *Lombok Journal of Science*, 3(2), 16–21.
- Vijayakumar, K., & Jeyaraaj, R. (2016). Floral Sources for Stingless Bees (*Tetragonula iridipennis*) in Nellithurai Village, Tamilnadu, India. *Ambient Science*, 3(2). <https://doi.org/10.21276/ambi.2016.03.2.ra04>
- Vijayakumar, K., Muthuraman, M., & Jayaraj, R. (2013). Propagating *Trigona iridipennis* Colonies (Apidae: Meliponini) By Eduction Method. *Scholars Academic Journal of Biosciences (SAJB) Sch. Acad. J. Biosci*, 1(1), 1–3. www.saspublisher.com
- Villalpando-Aguilar, J. L., Quej-Chi, V. H., López-Rosas, I., Cetzal-Ix, W., Aquino-Luna, V. Á., Alatorre-Cobos, F., & Martínez-Puc, J. F. (2022). Pollen Types Reveal Floral Diversity in Natural Honeys from Campeche, Mexico. *Diversity*, 14(9). <https://doi.org/10.3390/d14090740>
- Vit, P., Pedro, S. R. M., & Roubik, D. W. (2018). Pot-pollen in stingless bee melittology. *Pot-Pollen in Stingless Bee Melittology*, 1–481. <https://doi.org/10.1007/978-3-319-61839-5>
- Vit, P., Roubik, D. W., & Pedro, S. R. M. (2012). Taxonomy as a Tool for Conservation of African Stingless Bees and Their Honey. In *Pot-Honey: A Legacy of Stingless Bees* (pp. 261–268). Springer Science Business Media. <https://doi.org/10.1007/978-1-4614-4960-7>
- Von Der Ohe, W., Persano Oddo, L., Piana, M. L., Morlot, M., & Martin, P. (2004). Harmonized methods of melissopalynology. *Apidologie*, 35, 18–25. <https://doi.org/10.1051/apido>
- Wahyuni, N., & Anggadhania, L. (2020). The characteristic of stingless bee's products (*Tetragonula* spp.) in Lombok Island. *IOP Conference Series: Earth and Environmental Science*, 457(1). <https://doi.org/10.1088/1755-1315/457/1/012045>
- Wahyuni, N., & Riendriasari, S. D. (2021). The content of propolis's flavonoid from two species of stingless bee in Lombok. *IOP Conference Series: Earth and Environmental Science*, 914, 1–7. <https://doi.org/10.1088/1755-1315/914/1/012064>
- Wan Omar, W. A., Yahaya, N., Ghaffar, Z. A., & Fadzilah, N. H. (2018). Gc-ms analysis of chemical constituents in ethanolic bee pollen extracts from three species of malaysian stingless bee. *Journal of Apicultural Science*, 62(2), 275–284. <https://doi.org/10.2478/JAS-2018-0022>

- Weku, W. (2013). Pendekatan Spasial Dalam Menentukan Wilayah Tanam Kelapa Menggunakan Metode Saw. *Decartesian: Jurnal Unsrat*, 2(2), 41–48. <https://doi.org/10.35799/dc.2.2.2013.3435>
- Wijaya, P. A. (2011). *Model Spasial Deforestasi Di Pulau Lombok, Nusa Tenggara Barat Periode 1987-2000*. [Skripsi]. Institut Pertanian Bogor. Bogor
- Wong, P., Ling, H. S., Chung, K. C., Yau, T. M. S., & Gindi, S. R. A. (2019). Chemical Analysis on the Honey of *Heterotrigona itama* and *Tetrigona binghami* from Sarawak, Malaysia. *Sains Malaysiana*, 48(8), 1635–1642. <https://doi.org/10.17576/jsm-2019-4808-09>
- Yang, S., Mao, L., Zheng, Z., Chen, B., & Li, J. (2020). Pollen atlas for selected subfamilies of Euphorbiaceae from Southern China: a complementary contribution to Quaternary pollen analysis. *Palynology*, 44(4), 659–673. <https://doi.org/10.1080/01916122.2019.1658235>
- Yang, S., Zheng, Z., Mao, L., Ferguson, D. K., Huang, K., Chen, B., & Ranhotra, P. S. (2015). Selected pollen grains from tropical Hainan Island, south China: An identification key to Quaternary pollen. *Review of Palaeobotany and Palynology*, 222, 84–103. <https://doi.org/10.1016/j.revpalbo.2015.07.011>
- Yulianto, E., & Sukapti, W. S. (2023). *Pollen Centre: Pollen Marker in Indonesia*. <http://www.geocities.ws/pollencenter/>. [Tanggal akses: 20 Juli 2023]
- Zahra, N. N., Muliasari, H., Andayani, Y., & Sudarma, I. M. (2021). Karakteristik Fisikokimia Ekstrak Madu Dan Propolis *Trigona* Sp. Asal Lombok Utara. *Jurnal Agrotek Ummat*, 8(1), 7. <https://doi.org/10.31764/jau.v8i1.3826>
- Zahrina, Hasanuddin, & Wardiah. (2017). Studi Morfologi Serbuk Sari Enam Anggota Familia Rubiaceae. *Jurnal Ilmiah Mahasiswa Fakultas Keguruan Dan Ilmu Pendidikan Unsyiah*, 2(1), 114–123.
- Zhang, Z. Y., Yang, F. C., Cheng, D. M., Ferguson, D. K., Hu, W., Li, Y. Z., & Li, C. Sen. (2020). Comparison between two kinds of natural pollen traps in tropical China: ants' nests on tree branches versus surface soil. *Palynology*, 44(1), 4–11. <https://doi.org/10.1080/01916122.2018.1549117>