

Daftar Pustaka

- [1] W. Liu, R. Ge, H. Li, and J. Ge, "Impact of Large-Scale Wind Power Integration on Small Signal Stability Based on Stability Region Boundary," *Sustainability*, pp. 7921–7944, 2014, doi: 10.3390/su6117921.
- [2] W. Liu, R. Ge, Q. Lv, H. Li, and J. Ge, "Research on a Small Signal Stability Region Boundary Model of the Interconnected Power System with Large-Scale Wind Power," *Energies*, pp. 2312–2336, 2015, doi: 10.3390/en8042312.
- [3] V. Akhmatov, "Analysis of Dynamic Behaviour of Electric Power Systems with Large Amount of Wind Power," Technical University of Denmark, Kgs. Lyngby, Denmark, 2003.
- [4] A. G. Abo-Khalil, "Impacts of Wind Farms on Power System Stability," *Intech Open Sci.*, vol. 2, p. 64, 2013, doi: 10.5772/32009.
- [5] A. Ulbig, T. S. Borsche, and G. Andersson, "Impact of Low Rotational Inertia on Power System Stability and Operation," in *Proceedings of the 19th World Congress of the International Federation of Automatic Control (IFAC 2014), Capetown, South Africa*, 2014, pp. 1–12.
- [6] Z. L. Zhao, W. Y. Liu, and X. Bin Han, "Study on Small Signal Stability Improvement by PSS of the Large-Scale Wind Power Integration," *Int. J. Comput. Electr. Eng. Vol. 5, No. 2, April 2013*, vol. 5, no. 2, pp. 2–5, 2013, doi: 10.7763/IJCEE.2013.V5.704.
- [7] E. Fagan, S. Grimes, J. Mcardle, P. Smith, M. S. Esb, and N. Grid, "Grid Code Provisions for Wind Generators in Ireland," *IEEE Power Eng. Soc. Gen. Meet. 2005*, no. December, pp. 1241–1247 Vol. 2, 2004, doi: 10.1109/PES.2005.1489763.
- [8] D. Gautam, S. Member, V. Vittal, and T. Harbour, "Impact of Increased Penetration of DFIG-Based Wind Turbine Generators on Transient and Small Signal Stability of Power Systems," *IEEE Trans. Power Syst.*, vol. 24, no. 3, pp. 1426–1434, 2009.
- [9] M. Cui, J. Zhang, C. Feng, A. R. Florita, Y. Sun, and B. Hodge, "Characterizing and Analyzing Ramping Events in Wind Power, Solar Power, Load, and Netload," *Renew. Energy*, vol. 111, pp. 227–244, 2017, doi: 10.1016/j.renene.2017.04.005.
- [10] R. Chen, S. Member, J. Wang, S. Member, and A. Botterud, "Wind Power Providing Flexible Ramp Product," *IEEE Trans. Power Syst.*, vol. 32, no. 3, pp. 1–8, 2017.
- [11] D. Lin and B. Eng, "Methods for Analyzing Power System Small Signal Stability," 2015.
- [12] T. R. Ayodele, A. A. Jimoh, J. L. Munda, and J. T. Agee, "The Influence of Wind Power on the Small Signal Stability of a Power System," *Renew. Energy and Power Qual. J.*, vol. 1, no. 9, pp. 244–249, 2011.
- [13] B. Mehta, P. Bhatt, and V. Pandya, "Small signal stability analysis of power systems with DFIG based wind power penetration," *Int. J. Electr. Power Energy Syst.*, vol. 58, pp. 64–74, 2014, doi: 10.1016/j.ijepes.2014.01.005.

- [14] J. L. Rueda and F. Shewarega, "Small Signal Stability of Power Systems With Large Scale Wind Power Integration," in *XIII ERIAC Décimo Tercer Encuentro Regional Iberoamericano CIGRÉ*, 2009, vol. 0054, no. 264.
- [15] H. T. Jadhav and R. Roy, "A Comprehensive Review on the Grid Integration of Doubly Fed Induction Generator," *Int. J. Electr. Power Energy Syst.*, vol. 49, pp. 8–18, 2013, doi: 10.1016/j.ijepes.2012.11.020.
- [16] R. J. Mantz and P. E. Battaiotto, "Impact of Wind Farms on a Power System. An Eigenvalue Analysis Approach," *Renew. Energy*, vol. 32, pp. 1676–1688, 2007, doi: 10.1016/j.renene.2006.07.009.
- [17] T. H. Durga Gautam, Vijay Vittal, Raja Ayyanar, "Supplementary Control for Damping Power Oscillations due to Increased Penetration of Doubly Fed Induction Generators in Large Power Systems," in *IEEE/PES Power Systems Conference and Exposition*, 2011, pp. 1–6.
- [18] T. Adachi and A. Yokoyama, "Improvement of small-signal stability of power system by controlling doubly fed induction generators of a large-capacity wind farm," *J. Int. Counc. Electr. Eng.*, vol. 6, no. 1, pp. 1–9, 2016, doi: 10.1080/22348972.2016.1181701.
- [19] D. Gautam, S. Member, L. Goel, R. Ayyanar, and S. Member, "Control Strategy to Mitigate the Impact of Reduced Inertia Due to Doubly Fed Induction Generators on Large Power Systems," *IEEE Trans. Power Syst.*, vol. 26, no. 1, pp. 214–224, 2011, doi: 10.1109/TPWRS.2010.2051690.
- [20] F. M. Hughes, O. Anaya-lara, N. Jenkins, and G. Strbac, "A Power System Stabilizer for DFIG-Based Wind Generation," *IEEE Trans. Power Syst.*, vol. 21, no. 2, pp. 763–772, 2006.
- [21] Q. Zhong, S. Member, and G. Weiss, "Synchronverters : Inverters That Mimic Synchronous Generators," *IEEE Trans. Ind. Electron.*, vol. 58, no. 4, pp. 1259–1267, 2011, doi: 10.1109/TIE.2010.2048839.
- [22] Q. Y. Ren *et al.*, "Virtual inertia control strategy of doubly-fed induction generator with additional inertia and damping torque," in *IOP Conf. Series: Earth and Environmental Science*, 2018, pp. 1–8.
- [23] M. Singh, A. J. Allen, and E. Muljadi, "Interarea Oscillation Damping Controls for Wind Power Plants," *IEEE Trans. Sustain. Energy*, vol. 6, no. 3, pp. 967–975, 2015, doi: 10.1109/TSTE.2014.2348491.
- [24] L. Hui *et al.*, "Damping control strategies of inter-area low-frequency oscillation for DFIG-based wind farms integrated into a power system," *Int. J. Electr. Power Energy Syst.*, vol. 61, pp. 279–287, 2014, doi: 10.1016/j.ijepes.2014.03.009.
- [25] M. D. B, A. Suyuti, and I. C. Gunadin, "Small Signal Stability Analysis of Wind Turbine Penetration in Sulselrabar Interconnection System Small Signal Stability Analysis of Wind Turbine Penetration in Sulselrabar Interconnection System," 2018.
- [26] S. Essallah, A. Bouallegue, and A. Khedher, "Integration of automatic voltage regulator and power system stabilizer : small-signal stability in DFIG-based wind farms," *J. Mod. Power Syst. Clean Energy*, vol. 7, no. 5, 2019, doi:

10.1007/s40565-019-0539-0.

- [27] C. Qin, Y. Zeng, Y. Yang, X. Cui, X. Xu, and Y. Li, "Security region-based small signal stability analysis of power systems with FSIG based wind farm," in *IOP Conference Series: Earth and Environmental Science*, Feb. 2018, vol. 121, pp. 1–8, doi: 10.1088/1755-1315/121/4/042018.
- [28] Y. Pan, F. Liu, C. Shen, L. Chen, and S. Mei, "Robust Small-Signal Stability Region of Power Systems Considering Uncertain Wind Generation," in *2015 IEEE Power & Energy Society General Meeting*, 2015, no. 2, pp. 1–5, doi: 10.1109/PESGM.2015.7286455.
- [29] C. Qin and Y. Yu, "Small signal stability region of power systems with DFIG in injection space," *Mod. Power Syst. Clean Energy*, vol. 1, pp. 127–133, 2013, doi: 10.1007/s40565-013-0023-1.
- [30] X. Wu, W. Ning, T. Yin, X. Yang, and Z. Tang, "Robust Design Method for the SSDC of a DFIG Based on the Practical Small-Signal Stability Region Considering Multiple Uncertainties," *IEEE Access*, vol. 6, 2018, doi: 10.1109/ACCESS.2018.2802698.
- [31] Y. Pan, S. Member, S. Mei, F. Liu, and W. Wei, "Admissible Region of Large-Scale Uncertain Wind Generation Considering Small-Signal Stability of Power Systems," *IEEE Trans. Sustain. Energy*, vol. 7, no. 4, pp. 1611–1623, 2016, doi: 10.1109/TSTE.2016.2570286.
- [32] P. Li, Y. Yu, H. Jia, J. Su, and J. Zhao, "A Study on Boundary of Small Disturbance Stability Region," in *International Conference on Power System Technology*, 2002, pp. 1228–1232.
- [33] S. A. Eisa, W. Stone, and Kevin Wedeward, "Mathematical Modeling , Stability, Bifurcation Analysis, and Simulations of a Type-3 DFIG Wind Turbine's Dynamics with Pitch Control," in *Ninth Annual IEEE Green Technologies Conference (GreenTech)*, 2017, no. October, doi: 10.1109/GreenTech.2017.55.
- [34] G. Revel, A. E. Leon, D. M. Alonso, J. L. Moiola, and I. De Investigaciones, "Bifurcation Analysis of Subsynchronous Oscillations in DFIG Wind Farms," in *International Symposium on Nonlinear Theory and its Applications*, 2015, pp. 313–316.
- [35] Y. Yixin, S. Member, and L. Gang, "Studies on Practical Small Signal Stability Region of Electrical Power Systems," in *IEEE PES Innovative Smart Grid Technologies*, 2012, pp. 1–5, doi: 10.1109/ISGT-Asia.2012.6303183.
- [36] Q. Ma, R. Xie, W. Wei, L. Yang, D. Wu, and S. Mei, "The Small-Signal Stability Region for Power Systems with Uncertain Parameters," in *10th International Conference on Power and Energy Systems, ICPEs 2020*, 2020, pp. 156–160, doi: 10.1109/ICPEs51309.2020.9349718.
- [37] X. Yu, Y. Han, T. Small, and S. Stability, "Power System Extended Small Signal Stability Region," *MELECON 2006 - 2006 IEEE Mediterr. Electrotech. Conf.*, no. 6, pp. 998–1002, 2006, doi: 10.1109/MELCON.2006.1653267.
- [38] L. P. Systems, S. Gomes, N. Martins, C. Portela, and S. Member, "Computing Small-Signal Stability Boundaries for Large Scale Power Systems," *IEEE Trans.*

Power Syst., vol. 18, no. 2, pp. 747–752, 2003, doi: 10.1109/TPWRS.2003.811205.

- [39] C. Li and Z. Du, “A Novel Method for Computing Small-Signal Stability Boundaries of Large-Scale Power Systems,” *IEEE Trans. Power Syst.*, vol. 28, no. 2, pp. 877–883, 2013, doi: 10.1109/TPWRS.2012.2210741.
- [40] I. Ngamroo, “Review of DFIG wind turbine impact on power system dynamic performances,” *IEEJ Trans. Electr. Electron. Eng.*, vol. 12, no. 3, pp. 301–311, 2017, doi: 10.1002/tee.22379.
- [41] T. Surinkaew and I. Ngamroo, “Robust decentralized power oscillation dampers design of DFIG wind turbines for stabilization of inter-area oscillation,” *2014 IEEE Innov. Smart Grid Technol. - Asia, ISGT ASIA 2014*, pp. 238–243, 2014, doi: 10.1109/ISGT-Asia.2014.6873796.
- [42] L. H. Yang, Z. Xu, and Z. Y. Dong, “Hopf Bifurcation and Eigenvalue Sensitivity Analysis of Doubly Fed Induction Generator Wind Turbine System,” in *IEEE PES General Meeting*, 2010, pp. 1–6, doi: 10.1109/PES.2010.5590020.
- [43] D. Xie, Y. Lu, J. Sun, and C. Gu, “Small signal stability analysis for different types of PMSGs connected to the grid,” *Renew. Energy*, vol. 106, pp. 149–164, 2017, doi: 10.1016/j.renene.2017.01.021.
- [44] M. J. Morshed and A. Fekih, “A Probabilistic Robust Coordinated Approach to Stabilize Power Oscillations in DFIG-Based Power Systems,” *IEEE Trans. Ind. Informatics*, vol. 15, no. 10, pp. 5599–5612, 2019, doi: 10.1109/TII.2019.2901935.
- [45] M. Edrah *et al.*, “Effects of POD Control on a DFIG Wind Turbine Structural System,” *IEEE Trans. Energy Convers.*, vol. 35, no. 2, pp. 765–774, 2020, doi: 10.1109/TEC.2020.2966181.
- [46] S. Li, H. Zhang, Y. Yan, and J. Ren, “Parameter Optimization to Power Oscillation Damper (POD) Considering its Impact on the DFIG,” *IEEE Trans. Power Syst.*, vol. 37, no. 2, pp. 1508–1518, 2022, doi: 10.1109/TPWRS.2021.3104816.
- [47] P. Kundur, *Power System Stability and Control*. New York: McGraw Hill Inc, 1994.
- [48] P. Kundur *et al.*, “Definition and Classification of Power System Stability,” *IEEE Trans. Power Syst.*, vol. 19, no. 2, pp. 1387–1401, 2004.
- [49] N. Hatziaargyriou *et al.*, “Definition and Classification of Power System Stability – Revisited & Extended,” *IEEE Trans. Power Syst.*, vol. 36, no. 4, pp. 3271–3281, 2021, doi: 10.1109/TPWRS.2020.3041774.
- [50] *DIgSILENT PowerFactory 15 User Manual*. Gomariningen, Germany: DIgSILENT GmbH, 2014.
- [51] F. Mei and B. C. Pal, “Modal Analysis of Grid-Connected Doubly Fed Induction Generators,” *IEEE Trans. Energy Convers.*, vol. 22, no. 3, pp. 728–736, 2007.
- [52] A. Lerm, M. Nadarajah, C. Energy, and S. Planning, “Effects of Limits in Small Signal Stability Analysis of Power Systems,” in *IEEE-PES Summer Meeting*, 2001, no. May 2014, doi: 10.1109/PESS.2001.970351.
- [53] Y. Ma, H. Wen, X. Zhou, J. Li, and H. Yang, “Calculation and Study of Two-

Dimensional Parameter Local Bifurcation Boundary in Wind Power System Stability Model Based on Continuation Method,” in *World Non-Grid-Connected Wind Power and Energy Conference*, 2009, pp. 2–5, doi: 10.1109/WNWEC.2009.5335808.

- [54] J. L. Dominguez-Garci´a, O. Gomis-Bellmunt, F. D. Bianchi, and A. Sumper, “Power oscillation damping supported by wind power : A review,” *Renew. Sustain. Energy Rev.*, vol. 16, pp. 4994–5006, 2012, doi: 10.1016/j.rser.2012.03.063.
- [55] J. L. Dominguez-Garcia, O. Gomis-Bellmunt, F. Bianchi, and A. Sumper, “Power System Stabilizer Control for Wind Power to Enhance Power System Stability,” 2011.
- [56] C. S. Haribhai and I. Nayna, “Operation And Control of Wind Power Station Using Facts Devices Controller,” *Int. Ref. J. Eng. Sci.*, vol. 1, no. 2, pp. 17–38, 2012.
- [57] NEPLAN, “Exciter models - Standard Dynamic Excitation Systems in NEPLAN Power System Analysis Tool.” Ksnacht ZH, pp. 1–185, 2013.
- [58] I. P. and E. Society, “IEEE Recommended Practice for Excitation System Models for Power System Stability Studies,” New York, 2016. [Online]. Available: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=1489146>.
- [59] P. He, F. Wen, G. Ledwich, and Y. Xue, “An investigation on interarea mode oscillations of interconnected power systems with integrated wind farms,” *Int. J. Electr. Power Energy Syst.*, vol. 78, pp. 148–157, 2016, doi: 10.1016/j.ijepes.2015.11.052.
- [60] A. K. Gupta, K. Verma, and K. R. Niazi, “Dynamic impact analysis of DFIG-based wind turbine generators on low-frequency oscillations in power system,” *Inst. Eng. Technol.*, 2017, doi: 10.1049/iet-gtd.2017.0308.
- [61] R. Kshirsagar, S. Jones, J. Lawrence, and J. Tabor, “Optimization of TIG welding parameters using a hybrid nelder mead-evolutionary algorithms method,” *J. Manuf. Mater. Process.*, vol. 4, no. 1, pp. 1–22, 2020, doi: 10.3390/jmmp4010010.
- [62] L. Jing, D. Hongcai, and L. Chang, “A Method for Predicting Regional Wind Power,” in *6th International Conference on Power and Renewable Energy, ICPRE*, 2021, pp. 1015–1018, doi: 10.1109/ICPRE52634.2021.9635572.
- [63] B. Mehta, P. Bhatt, and V. Pandya, “Small signal stability enhancement of DFIG based wind power system using optimized controllers parameters,” *Int. J. Electr. Power Energy Syst.*, vol. 70, pp. 70–82, 2015, doi: 10.1016/j.ijepes.2015.01.039.
- [64] F. Wu, X. Zhang, and P. Ju, “Small signal stability analysis and control of the wind turbine with the direct-drive permanent magnet generator integrated to the grid,” *Electr. Power Syst. Res. J.*, vol. 79, pp. 1661–1667, 2009, doi: 10.1016/j.epr.2009.07.003.
- [65] M. A. L. Badr and O. M. Rassem, “Impact of Large Scale Wind Power on Power System Stability,” *12th Int. Middle-East Power Syst. Conf.*, pp. 630–636, 2008, doi: 10.1109/MEPCON.2008.4562365.
- [66] P. He, Y. Yao, F. Shi, S. Geng, and G. Cui, “Small-Signal Stability Effects of Wind Power Integration Capacity and Accommodation on Interconnected Power Systems,” in *International Conference on Electrical Engineering and Automation*

Control (ICEEAC), 2017, pp. 510–519.

- [67] G. S. S *et al.*, “Small Signal Stability Analysis of Grid Connected Renewable Energy Resources with the Effect of Uncertain Wind Power Penetration,” *Energy Procedia*, vol. 117, pp. 769–776, 2017, doi: 10.1016/j.egypro.2017.05.193.
- [68] M. R. Djalal, H. Setiadi, D. Lastomo, and M. Y. Yunus, “Modal Analysis and Stability Enhancement of 150 kV Sulselrabar Electrical System using PSS and RFB based on Cuckoo Search Algorithm,” *Int. J. Electr. Eng. Informatics*, vol. 9, no. 4, pp. 800–812, 2017, doi: 10.15676/ijeei.2017.9.4.12.
- [69] J. Sreedevi, K. S. Meera, N. C. P, S. Ravichandran, R. Santhanakumar, and T. Sumathi, “Grid Stability with Large Wind Power Integration - A Case Study,” in *EEE Region 10 Conference (TENCON)*, 2016, pp. 571–575, doi: 10.1109/TENCON.2016.7848065.
- [70] J. G. Slootweg and W. L. Kling, “The impact of large scale wind power generation on power system oscillations,” *Electr. Power Syst. Res.*, vol. 67, pp. 9–20, 2003, doi: 10.1016/S0378-7796(03)00089-0.
- [71] S. Ataee and H. Bevrani, “Improvement of Primary Frequency Control by Inertial Response Coordination between Wind and Conventional Power Plants,” *Eur. Trans. Electr. Power*, no. October, 2017, doi: 10.1002/etep.2340.
- [72] M. P. Pálsson *et al.*, “Control Concepts to Enable Increased Wind Power Penetration,” 2003.
- [73] A. D. Hansen, C. Jauch, P. Sørensen, F. Iov, and F. Blaabjerg, *Dynamic wind turbine models in power system simulation tool DIGSILENT*, vol. 1400, no. December. Roskilde, Denmark, 2003.
- [74] *DPL Manual DIGSILENT PowerFactory*. Gomariningen, Germany: DIGSILENT GmbH, 2003.
- [75] F. M. Gonzalez-Longatt and J. L. Rueda, *Power Factory Applications for Power System Analysis*. Springer, 2014.
- [76] F. Gonzalez-longatt, *Advanced Smart Grid Functionalities Based on PowerFactory*. Springer, 2018.
- [77] B. E. Dan Lin, “Methods for Analyzing Power System Small Signal Stability By A thesis submitted to the school of Graduate Studies in partial fulfillment of the requirements for the degree of Master of Engineering Faculty of Engineering and Applied Science Memorial Univer,” Memorial University of Newfoundland, 2015.
- [78] P. W. Sauer and M. A. Pai, *Power System Dynamics and Stability*. Stipes Publishing Co, 2006.
- [79] J. C. Peng *et al.*, “Adaptive Power System Stabilizer Tuning Technique for Damping Inter-Area Oscillations,” in *IEEE PES General Meeting*, 2010, pp. 1–6, doi: 10.1109/PES.2010.5589420.
- [80] P. V. Narayana and K. H. P. Sree, “Small Signal Stability Analysis of a Wind Penetrated Electricity Distribution System,” *Int. J. Innov. Technol. Explor. Eng.*, vol. 4, no. 7, pp. 169–173, 2014.
- [81] A. Honrubia-Escribano, E. Gómez-Lázaro, J. Fortmann, P. Sørensen, and S.

- Martin-Martinez, “Generic dynamic wind turbine models for power system stability analysis: A comprehensive review,” *Renew. Sustain. Energy Rev.*, vol. 81, no. January 2017, pp. 1939–1952, 2018, doi: 10.1016/j.rser.2017.06.005.
- [82] L. Shi, S. Dai, Y. Ni, S. Member, L. Yao, and M. Bazargan, “Transient Stability of Power Systems with High Penetration of DFIG Based Wind Farms,” *2009 IEEE Power Energy Soc. Gen. Meet.*, pp. 1–6, 2009, doi: 10.1109/PES.2009.5276006.
- [83] M. K. Dös, “Electrical Power and Energy Systems Transient modeling and analysis of a DFIG based wind farm with supercapacitor energy storage,” *Electr. Power Energy Syst.*, vol. 78, pp. 414–421, 2016, doi: 10.1016/j.ijepes.2015.12.020.
- [84] M. Fakhari, M. Arani, and E. F. El-saadany, “Implementing Virtual Inertia in DFIG-Based Wind Power Generation,” *IEEE Trans. Power Syst.*, vol. 28, no. 2, pp. 1373–1384, 2013, doi: 10.1109/TPWRS.2012.2207972.
- [85] Y. Mishra *et al.*, “Improving Stability of a DFIG-Based Wind Power System With Tuned Damping Controller,” *IEEE Trans. Energy Convers.*, vol. 24, no. 3, pp. 650–660, 2009.
- [86] C. Eping, J. Stenzel, M. Poller, and H. Muller, “Impact of Large Scale Wind Power on Power System Stability,” *Fifth International Workshop on Large-Scale Integration of Wind Power and Transmission Networks*, 2005.
- [87] M. Behnke, A. Ellis, and T. McCoy, “Development and Validation of WECC Variable Speed Wind Turbine Dynamic Models for Grid Integration Studies,” *AWEA's 2007 WindPower Conference*, 2007.
- [88] P. He, F. Wen, G. Ledwich, and Y. Xue, “Small signal stability analysis of power systems with high penetration of wind power,” *J. Mod. Power Syst. Clean Energy*, vol. 1, no. 3, pp. 241–248, 2013, doi: 10.1007/s40565-013-0028-9.
- [89] D. GmbH, *Technical Reference Documentation Synchronous Machine*. Gomarigen: DIgSILENT GmbH, 2018.
- [90] D. GmbH, *Technical Reference Documentation Doubly-Fed Induction Machine*, Revision 1. Gomarigen: DIgSILENT GmbH, 2018.
- [91] D. GmbH, *Technical Reference Documentation Asynchronous Machine*. Gomarigen: DIgSILENT GmbH, 2018.
- [92] C. Hamon, “Doubly-fed Induction Generator Modeling and Control in DigSilent Power Factory,” KTH School of Electrical Engineering, 2010.
- [93] C. Hamon, K. Elkington, and M. Ghandhari, “Doubly-fed induction generator modeling and control in DigSilent PowerFactory,” in *2010 International Conference on Power System Technology: Technological Innovations Making Power Grid Smarter, POWERCON2010*, 2010, no. November 2010, doi: 10.1109/POWERCON.2010.5666596.
- [94] M. Hadjikypris and V. Terzija, “Active power modulation assisting controller scheme implemented on a VSC-HVDC link establishing effective damping of low frequency power oscillations,” *ENERGYCON 2014 - IEEE Int. Energy Conf.*, pp. 295–302, 2014, doi: 10.1109/ENERGYCON.2014.6850443.
- [95] C. Gama, L. Ängquist, G. Ingeström, and M. Noroozian, “Commissioning and

- operative experience of TCSC for damping power oscillation in the Brazilian north-south interconnection,” *Proc. CIGRE Sess.*, vol. 2000, no. January 2000, pp. 14–104, 2000, [Online]. Available: [http://library.abb.com/GLOBAL/SCOT/scot221.nsf/VerityDisplay/3643733C387B2EEAC1256FDA003B4CEA/\\$File/14_104e.pdf](http://library.abb.com/GLOBAL/SCOT/scot221.nsf/VerityDisplay/3643733C387B2EEAC1256FDA003B4CEA/$File/14_104e.pdf).
- [96] R. Visakhan, R. Rahul, K. R. Hridya, and A. A. Kurian, “Analysis of power oscillation damping capability of STATCOM-POD and optimal placement of PMUs in IEEE-14 bus system,” 2015, doi: 10.1109/PICC.2015.7455748.
- [97] T. Surinkaew and I. Ngamroo, “Robust stabilization of multimachine power system by DFIG wind turbine equipped with power oscillation damper,” in *International Electrical Engineering Congress, IECON*, 2014, vol. 7, pp. 3–6, doi: 10.1109/IEECON.2014.6925868.
- [98] M. T. Ali, M. Ghandhari, and L. Hatnefors, “Optimal tuning and placement of POD for SSCI mitigation in DFIG-based power system,” 2019, doi: 10.1109/PTC.2019.8810891.
- [99] K. Deb, *Optimization for Engineering Design : Algorithms and Examples*, Second. New Delhi: Asoke K. Ghosh, 2012.
- [100] R. Barati, “Parameter estimation of nonlinear Muskingum models using Nelder-Mead Simplex algorithm,” *J. Hydrol. Eng.*, vol. 16, no. 11, pp. 946–954, 2011, doi: 10.13140/RG.2.2.20181.86244.
- [101] A. F. Abdulhameed and Q. A. Memon, “An improved Trapezoidal rule for numerical integration,” *J. Phys. Conf. Ser.*, vol. 2090, no. 012104, 2021, doi: 10.1088/1742-6596/2090/1/012104.
- [102] W. N. Fauziyah, Athaya Zahrani Irmansyah, and Sri Purwani, “Numerical Integration Implementation Using Trapezoidal Rule Method To Calculate Aproximation Area Of West Java Province,” *Int. J. Quant. Res. Model.*, vol. 2, no. 2, pp. 117–124, 2021, doi: 10.46336/ijqrm.v2i2.136.
- [103] B. Fornberg, “Improving the accuracy of the trapezoidal rule,” *SIAM Rev.*, vol. 63, no. 1, pp. 167–180, 2021, doi: 10.1137/18M1229353.
- [104] S. C. Chapra and R. P. Canale, *Numerical Methods for Engineers*, Seventh. McGraw-Hill Science/Engineering/Math, 2006.
- [105] J. Pande and P. Nasikkar, “A Maximum Power Point Tracking Technique for a Wind Power System Based on the Trapezoidal Rule,” *Energies*, vol. 16, no. 6, 2023, doi: 10.3390/en16062799.
- [106] F. W. Keay, P. Kundur, and E. V Larsen, “Excitation system models for power system stability studies,” *IEEE Trans. Power Appar. Syst.*, no. 2, pp. 494–509, 1981.
- [107] F. M. Hughes, O. Anaya-lara, N. Jenkins, and G. Strbac, “A Power System Stabilizer for DFIG-Based Wind Generation,” *IEEE Trans. Power Syst.*, vol. 21, no. 2, pp. 763–772, 2006.