

DAFTAR PUSTAKA

- Ainsworth BE, Haskell WL, Herrmann SD, Meckes, N, Bassett Jr, DR, Tudor-Locke C, Greer JL, Vezina J, Whitt-Glover MC, Leon AS. 2011. 2011 Compendium of Physical Activities: a second update of codes and MET values. *Medicine and Science in Sports and Exercise*, 43(8), 1575-1581.
- American College of Obstetricians and Gynecologist. 2020. *Back Pain During Pregnancy*. The American College of Obstetricians and Gynecologist. Diakses 19 Januari 2024. < <https://www.acog.org/store/products/patient-education/pamphlets/pregnancy/back-pain-during-pregnancy>>.
- Andriyani FD, Biddle SJH, Priambadha AA, Thomas G, Cocker KD. 2022. Physical activity and sedentary behaviour of female adolescents in Indonesia: A multi-method study on duration, pattern and context. *Journal of Exercise Science and Fitness*, 20(2), 128-139.
- Anjana RM, Sudha V, Lakshmipriya N, Anitha C, Unnikrishnan R, Bhavadharini B, Mahalashmi MM, Maheswari K, Kayal A, Ram U, Ranjani H, Ninov L, Deepa M, Pradeepa R, Pastakia SD, Belton A, Mohan V. 2016. Physical activity patterns and gestational diabetes outcomes - The wings project. *Diabetes Research and Clinical Practice*, 116, 253-262.
- Ariendha DSR, Setyawati I, Utami K, & Hardaniyati. 2022. The Effect of Pregnancy Exercises on Low Back Pain in Pregnant Women. *Journal for Quality in Public Health*, 5(2), 607-612.
- Aslam F, Abd Aziz KH, Jamani NA, & Mohd Rus R. 2021. Level of physical activity and it's associated factors among pregnant women during pregnancy. *International Journal Allied Health Science*, 5(1), 2108.
- Astuti Y & Amin C. 2021. Physical activity of pregnant women during COVID-19 outbreak in Yogyakarta. *Bali Medical Journal*, 10(3 Special Issue ICONURS), 1390–1393.

- Berghella V & Saccone G. 2017. Exercise in pregnancy!. *American Journal of Obstetrics and Gynecology*, 216(4), 335–337.
- Birsner ML & Bannerman GC. 2020. ACOG Committee Opinion No. 804: Physical Activity and Exercise During Pregnancy and the Postpartum Period. *Obstetrics and gynecology*, 135(4), e178-e188.
- Brett KE, Wilson S, Ferraro ZM, Adamo KB. 2015. Self-report Pregnancy Physical Activity Questionnaire overestimates physical activity. *Canadian Journal of Public Health*, 106(5), e297-e302.
- Canadian Society for Exercise Physiology. 2021. *CSEP Get Active Questionnaire for Pregnancy Pre-Screen for Physical Activity in Pregnancy : Get Active Questionnaire for Pregnancy*. Canadian Society for Exercise Physiology.
- Capili B. 2021. Cross-Sectional Studies. *American Journal of Nursing*, 121(10), 59–62.
- Chasan J & Biswas T. 2013. How to calculate sample size in different study designs in medical research?. *Indian Journal of Psychological Medicine*, 35(2), 121-126.
- Chasan-Taber L, Schmidt MD, Roberts DE, Hosmer D, Markenson G, & Freedson PS. 2004. Development and validation of a pregnancy physical activity questionnaire. *Medicine and Science in Sports and Exercise*, 36(10), 1750–1760.
- Coll CVN, Domingues MR, Gonçalves H, & Bertoldi AD. 2017. Perceived barriers to leisure-time physical activity during pregnancy: A literature review of quantitative and qualitative evidence. *Journal of Science and Medicine in Sport*, 20(1), 17–25.
- Dasso NA. 2019. How is exercise different from physical activity? A concept analysis. *Nursing Forum*, 54(1), 45–52.

- Davenport MH, Sztramko SN, Lett B, Duggan M, Mottola MF, Ruchat SM, Adamo KB, Andrews K, Artal R, Beamish N, Chari R, Forte M, Lane KN, May L, Maclaren K, Zahavich A. 2022. Development of the Get Active Questionnaire for Pregnancy: breaking down barriers to prenatal exercise. *Applied Physiology, Nutrition and Metabolism*, 47(7), 787–803.
- Dean L & McEntyre J. 2004. *Chapter 5, Gestational Diabetes. The Genetic Landscape of Diabetes*. National Center for Biotechnology: Bethesda.
- Dinas Kesehatan DIY. 2022. *Profil Kesehatan D.I. Yogyakarta tahun 2022*. Dinas Kesehatan Daerah Istimewa Yogyakarta: Yogyakarta.
- Dishani MR, Johnson AR, Joseph M, James M, Lakra P, Ramesh N. 2020. How physically active are women in the third trimester of pregnancy? A cross-sectional study of physical activity in pregnancy and its outcomes among women delivering at a rural maternity hospital in South India. *Indian Journal of Health Sciences and Biomedical Research KLEU*, 13(3), 221-225.
- Ekawati FM, Wibowo RA, Widyasari A. 2022. Pendampingan Aktivitas Fisik untuk Ibu hamil Berbasis Puskesmas di Yogyakarta. *Hibah Pengabdian Masyarakat Terintegrasi*. Fakultas Kedokteran, Kesehatan Masyarakat, dan Keperawatan Universitas Gadjah Mada: Yogyakarta.
- Fatmawati DA. 2015. Faktor risiko yang berpengaruh terhadap kejadian postpartum blues. *Jurnal Edu Health*, 5(2), 82-93.
- Fitria, Olivia H, & Nurvarindra MA. 2022. Peran Istri di Pandang dari 3M dalam Budaya Patriarki Suku Jawa. *Equalita*, 4(2), 168–175.
- Gebregziabher D, Berhe H, Kassa M, & Berhanie E. 2019. Level of physical activity and associated factors during pregnancy among women who gave birth in Public Zonal Hospitals of Tigray. *BMC Research Notes*, 12(1), 1–6.

- Gudnadottir U, Betram LC, Spicer A, & Gorzelitz J. 2019. The relationship between occupational physical activity and self-reported vs measured total physical activity. *Preventive Medicine Reports*, 15(May), p. 100908.
- Howley ET. 2001. Type of activity: resistance, aerobic and leisure versus occupational physical activity. *Medicine & Science in Sports & Exercise*, 33(6), 364–369.
- Hanifah L, Nasrullah N, & Sufyan DL. 2023. Sedentary Behavior and Lack of Physical Activity among Children in Indonesia. *Children*, 10(8), 1-11.
- Kaur S, Ng CM, Badon SE, Jalil RA, Maykanathan D, Yim HS, & Mohamed HJJ. 2019. Risk factors for low birth weight among rural and urban Malaysian women. *BMC Public Health*, 19(Suppl 4), 1–10.
- Kementerian Kesehatan Republik Indonesia. 2019. *Riset Kesehatan Dasar 2018*. 1st edition, Sekretariat Badan Litbang Kesehatan, Kementrian Kesehatan Republik Indonesia: Jakarta Pusat.
- Kikuchi-Noguchi H, Shiraishi M, Matsuzaki M, & Haruna M. 2019. Physical activity levels in the second trimester of pregnancy and related demographic factors: A cross-sectional secondary data analysis. *Cogent Medicine*, 6(1), 1704607.
- Laerd Statistics. 2018. *Friedman Test in SPSS Statistics*. Laerd Statistics. Diakses 19 Januari 2024. <<https://statistics.laerd.com/spss-tutorials/friedman-test-using-spss-statistics.php>>
- Lestari EW, Gondodiputro S, Martini N, & Yulita I. 2023. Physical activities patterns among Indonesian pregnant women: a cross-sectional study. *International Journal of Public Health Science*, 12(1), 119–128.
- Nascimento SL, Surita FG, Godoy AC, Kasawara KT, & Morais SS. 2015. Physical activity patterns and factors related to exercise during pregnancy: A cross sectional study. *PLoS ONE*, 10(6), 1–14.

- Nor SFS, Idris KB, Isa ZM. 2022. Physical inactivity in early pregnancy and the determinants in an urban city setting of Kuala Lumpur, Malaysia. *BMC Public Health*, 22(1), 1-13.
- Novriadhy, D. 2020. *Pola dan Pergeseran Faktor Resiko Kematian Bayi di Provinsi Sumatera Selatan 2007-2016*. Muhyiddin NT, Miskiyah N, Adriani D, Ridho SLZ, Mellita D, Lupikawaty M. *SDM dalam Berbagai Perspektif*. Idea Press Yogyakarta: Bantul.
- Nursalam. 2008. *Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan: Pedoman Skripsi, Tesis, dan Instrumen Penelitian Keperawatan*. 2nd Edition. Salemba Medika: Jakarta.
- Obrowski S, Obrowski M, & Karolina S. 2016. Normal Pregnancy: A Clinical Review. *Academic Journal of Pediatrics & Neonatology*, 1(1), 15–18.
- Rachmi JA, Ekawati FM, Wibowo RA, Widayarsi A. 2023. Faktor-Faktor yang Mempengaruhi Tingkat Aktivitas Fisik pada Ibu Hamil di Yogyakarta. *Skripsi*. Fakultas Kedokteran, Kesehatan Masyarakat, dan Keperawatan Universitas Gadjah Mada: Yogyakarta.
- Ribeiro MM, Andrade A, & Nunes I. 2021. Physical exercise in pregnancy: Benefits, risks and prescription. *Journal of Perinatal Medicine*, 50(1), 4–17.
- Santos PC, Abreu S, Moreira C, Santos R, Ferreira M, Alves O, Moreira P, & Mota J. 2016. Physical activity patterns during pregnancy in a sample of Portuguese women: A longitudinal prospective study. *Iranian Red Crescent Medical Journal*, 18(3), e22455.
- Sattler MC, Jaunig J, Watson ED, van Poppel MNM, Mokkink LB, Terwee CB, Dietz P. 2018. Physical Activity Questionnaires for Pregnancy: A Systematic Review of Measurement Properties. *Sports Medicine*, 48(10), 2317–2346.

- Shriver E K. 2022. *About Pregnancy*. National Institutes of Health US Department of Health and Human Services.
- Silva-Jose C, Sánchez-Polán M, Barakat R, Gil-Ares J, & Refoyo I. 2022. Level of Physical Activity in Pregnant Populations from Different Geographic Regions: A Systematic Review. *Journal of Clinical Medicine*, 11(15), 1–21.
- Strath SJ, Kaminsky LA, Ainsworth BE, Ekelund U, Freedson PS, Gary RA, Richardson CR, Smith DT, Swartz AM. 2013. Guide to the assessment of physical activity: Clinical and research applications: A scientific statement from the American Heart association. *Circulation*, 128(20), 2259–2279.
- Sulwani P. 2016. Validation of the Malay version of Pregnancy Physical Activity Questionnaire (PPAQ) and the assessment of physical activity, dietary intake and gestational weight gain rate among pregnant women in Kota Bharu, Kelantan. *Thesis*. Universiti Sains Malaysia.
- Sun JJ & Chien LY. 2021. Decreased physical activity during pregnancy is associated with excessive gestational weight gain. *International Journal of Environmental Research and Public Health*, 18(23), 1-11.
- Szubert M, Ilowiecka M, Wilczynski J, Bilinski P, & Wojtyla C. 2020. Health-Related Behaviors of Pregnant Women Residing in Urban and Rural Areas in Poland Maria. *International Journal of Environmental Research and Public Health*, 17(12), 1–12.
- Terrones MV, Nangpal TS, Barakat R. 2019. Impact of exercise during pregnancy on gestational weight gain and birth weight: an overview. *Brazilian Journal of Physical Therapy*, 23(2), 164-169.
- Wang C, Wei Y, Zhang X, Zhang, Y, Xu Q, Sun Y, Su S, Xhang L, Liu C, Feng Y, Shou C, Guelfi KJ, Newnham JP, Yang H. 2017. A randomized clinical trial of exercise during pregnancy to prevent gestational diabetes

mellitus and improve pregnancy outcome in overweight and obese pregnant women. *American Journal of Obstetrics and Gynecology*, 216(4), 340–351.

World Health Organization. 2020. *WHO Guidelines on physical activity and sedentary behaviour*. World Health Organization: Geneva.

Yin YN, Huang Y, Liu XH, & Luo BR. 2019. Assessment of physical activity status among pregnant women in southwestern China. *Frontiers of Nursing*, 6(2), 135–141.

Yunitasari E & Suryani. 2020. Post partum blues; Sebuah tinjauan literatur. *Wellness and Healthy Megazine*, 2(2), 55-60.

Zar'in UA & Arovah NI. 2020. Physical activities and construct of health belief models in the special region of yogyakarta in the era of pandemy Covid-19. *BirLE-Journal*, 4(2), 698-709.