

DAFTAR PUSTAKA

- Abdollahi, M. R., Zaefarian, F., & Ravindran, V. (2018). Feed intake response of broilers: Impact of feed processing. *Animal Feed Science and Technology*, 237, 154–165. <https://doi.org/10.1016/j.anifeedsci.2018.01.013>
- Abdul-Aziz, T., & Fletcher, O. J. (2016). Alimentary System. In T. Abdul-Aziz, O. J. Fletcher, & H. J. Barnes (Ed.), *Avian Histopathology* (4th ed., hal. 271–277). Florida, USA: The American Association of Avian Pathologists.
- Abedi, A., & Talebi, E. (2015). Effect of aflatoxins on poultry production and control methods of destructive influence. *ARPJ Journal of Agricultural and Biological Science*, 10(12), 441–446. <http://www.arpnjournals.com>
- Abo-State, M. A., Ragab, A. M. E., EL-Gendy, N. S., Farahat, L. A., & Madian, H. R. (2014). Bioethanol production from rice straw enzymatically saccharified by fungal isolates, *Trichoderma viride* F94 and *Aspergillus terreus* F98. *Soft*, 3(2), 19–29. <https://doi.org/10.4236/soft.2014.32003>
- Adhyaru, D., Bhatt, N., & Modi, H. (2018). *Current Insights on Microbial Xylanase*. (D. Adhyaru, N. Bhatt, & H. . Modi, Ed.). Mauritius: LAP (Lambert Academic Publishing).
- Agarussi, M. C. N., Pereira, O. G., de Paula, R. A., da Silva, V. P., Roseira, J. P. S., & e Silva, F. F. (2019). Novel lactic acid bacteria strains as inoculants on alfalfa silage fermentation. *Scientific Reports*, 9(1), 1–9. <https://doi.org/10.1038/s41598-019-44520-9>
- Ahiwe, E. U., Omede, A. A., Abdallah, M. B., & Iji, P. A. (2018). Managing Dietary Energy Intake by Broiler Chickens to Reduce Production Costs and Improve Product Quality. (B. Yücel & T. Taşkin, Ed.), *Animal Husbandry and Nutrition*. London, United Kingdom: Intechopen. DOI: 10.5772/intechopen.76972
- Ajijolakewu, K. A., Leh, C. P., Lee, C. K., & Wan Nadiah, W. A. (2017). Characterization of novel *Trichoderma* hemicellulase and its use to enhance downstream processing of lignocellulosic biomass to simple fermentable sugars. *Biocatalysis and Agricultural Biotechnology*, 11, 166–175. <https://doi.org/10.1016/j.bcab.2017.06.005>
- Ajijolakewu, K. A., Leh, C. P., Wan Abdullah, W. N., & Lee, C. K. (2016). Assessment of the effect of easily-metabolised carbon supplements on xylanase production by newly isolated *Trichoderma asperellum* USM SD4 cultivated on oil palm empty fruit bunches. *BioResources*, 11(4), 9611–9627. <https://doi.org/10.15376/biores.11.4.9611-9627>
- Ajuwon, K. M. (2016). Toward a better understanding of mechanisms of probiotics and prebiotics action in poultry species. *Journal of Applied Poultry Research*, 25(2), 277–283. <https://doi.org/10.3382/japr/pfv074>
- Akanksha, K., Prasad, A., Sukumaran, R. K., Madhavan Nampoothiri, K., Pandey, A., Rao, S. S., & Binod, P. (2014). Dilute acid pretreatment and enzymatic hydrolysis of sorghum biomass for sugar recovery—A statistical approach. *Indian Journal of Experimental Biology*, 52(11), 1082–1089. <https://www.researchgate.net/publication/268157747>

- AL-Hmadi, H., Mokni, R. El, Joshi, R. K., Ashour, M. L., & Hammami, S. (2021). The impact of geographical location on the chemical compositions of *Pimpinella lutea* desf. growing in Tunisia. *Applied Sciences (Switzerland)*, *11*(16), 1–9. <https://doi.org/10.3390/app11167739>
- Alagawany, M., Elngsr, S. S., & Farag, M. R. (2018). The role of exogenous enzymes in promoting growth and improving nutrient digestibility in poultry. *Iranian Journal of Veterinary Research*, *19*(3), 157–164. <https://doi.org/10.22099/ijvr.2018.4932>
- Alvarado, F. (1967). D-xylose transport in the chicken small intestine. *Comp. Biochem Physiol.*, *20*, 461–470. [https://doi.org/10.1016/0010-406X\(67\)90261-7](https://doi.org/10.1016/0010-406X(67)90261-7)
- Alvarez, C., Gonzalez, A., Ballesteros, I., & Negro, M. J. (2021). Production of xylooligosaccharides, bioethanol, and lignin from structural components of barley straw pretreated with a steam explosion. *Bioresource Technology*, *342*, 1–9. <https://doi.org/10.1016/j.biortech.2021.125953>
- Amam, A., & Harsita, P. A. (2019). Three pillars of livestock farming business breeding, feeding, and management. *Jurnal Sain Peternakan Indonesia*, *14*(4), 431–439. <https://doi.org/10.31186/jspi.id.14.4.431-439>
- Anda-Flores, Y. De, Carvajal-Millan, E., Lizardi-Mendoza, J., Rascon-Chu, A., Tanori-Cordova, J., Martínez-López, A. L., Burgara-Estrella, A.J., & Pedroza-Montero, M. R. (2021). Conformational behavior, topographical features, and antioxidant activity of partly de-esterified arabinoxylans. *Polymers*, *13*(16), 1–11. <https://doi.org/10.3390/polym13162794>
- AOAC. (2019). *Official methods of Analysis*. (J. George W. Latimer, Ed.) (21th ed.). Gaithersburg, MD: AOAC International.
- Avershina, E., Frisli, T., & Rudi, K. (2013). De novo semi-alignment of 16s rRNA gene sequences for deep phylogenetic characterization of next generation sequencing data. *Microbes and Environments*, *28*(2), 211–216. <https://doi.org/10.1264/jsme2.ME12157>
- Aviagen. (2022). Ross 308 / ROss 308 FF Broiler Performance Objectives. <https://aviagen.com/ap/brands/ross/products/ross-308>. Diakses 26 Oktober, 2023
- Baker, J. T., Duarte, M. E., Holanda, D. M., & Kim, S. W. (2021). Friend or foe? Impacts of dietary xylans, xylooligosaccharides, and xylanases on intestinal health and growth performance of monogastric animals. *Animals*, *11*(3), 1–28. <https://doi.org/10.3390/ani11030609>
- Bamigbade, G. B., Subhash, A. J., Kamal-Eldin, A., Nyström, L., & Ayyash, M. (2022). An updated review on prebiotics: Insights on potentials of food seeds waste as source of potential prebiotics. *Molecules*, *27*(18). <https://doi.org/10.3390/molecules27185947>
- Bandikari, R., Poondla, V., & Obulam, V. S. R. (2014). Enhanced production of xylanase by solid state fermentation using *Trichoderma koeningi* isolate: effect of pretreated agro-residues. *3 Biotech*, *4*(6), 655–664. <https://doi.org/10.1007/s13205-014-0239-4>
- Barzegar, S., Wu, S-B., Choct, M., & Swick, R. A. (2020). Factors affecting energy metabolism and evaluating net energy of poultry feed. *Poultry Science* *99*,

487–498. <http://dx.doi.org/10.3382/ps/pez554>

- Bautil, A., Verspreet, J., Buyse, J., Goos, P., Bedford, M. R., & Courtin, C. M. (2020). Arabinoxylan-oligosaccharides kick-start arabinoxylan digestion in the aging broiler. *Poultry Science*, *99*(5), 2555–2565. <https://doi.org/10.1016/j.psj.2019.12.041>
- Bedford, M. R., & Schulze, H. (1998). Exogenous enzymes for pigs and poultry. *Nutrition Research Reviews*, *11*(1), 91–114. <https://doi.org/10.1079/nrr19980007>
- Bedford, M. R. (2018). The evolution and application of enzymes in the animal feed industry: the role of data interpretation. *British Poultry Science*, *59*(5), 486–493. <https://doi.org/10.1080/00071668.2018.1484074>
- Bhardwaj, N., Kumar, B., & Verma, P. (2019). A detailed overview of xylanases: an emerging biomolecule for current and future prospective. *Bioresources and Bioprocessing*, *6*(1), 1–36.
- Bidell, M. R., Hobbs, A. L. V., & Lodise, T. P. (2022). Gut microbiome health and dysbiosis: A clinical primer. *Pharmacotherapy*, *42*(11), 849–857. <https://doi.org/10.1002/phar.2731>
- Bokulich, N. A., Subramanian, S., Faith, J. J., Gevers, D., Gordon, J. I., Knight, R., Mills, D.A., & Caporaso, J. G. (2013). Quality-filtering vastly improves diversity estimates from Illumina amplicon sequencing. *Nature Methods*, *10*(1), 57–59. <https://doi.org/10.1038/nmeth.2276>
- Boonchuay, P., Techapun, C., Seesuriyachan, P., & Chaiyaso, T. (2014). Production of xylooligosaccharides from corncob using a crude thermostable endo-xylanase from *Streptomyces thermovulgaris* TISTR1948 and prebiotic properties. *Food Science and Biotechnology*, *23*(5), 1515–1523. <https://doi.org/10.1007/s10068-014-0207-0>
- Brown, K., DeCoffe, D., Molcan, E., & Gibson, D. L. (2012). Diet-induced dysbiosis of the intestinal microbiota and the effects on immunity and disease. *Nutrients*, *4*(8), 1095–1119. <https://doi.org/10.3390/nu4081095>
- Brudnicki, A., Brudnicki, W., Szymeczko, R., Bednarczyk, M., Pietruszyńska, D., & Kirkiłło-Stacewicz, K. (2017). Histo-morphometric adaptation in the small intestine of broiler chicken, after embryonic exposure to a – Galactosides. *Journal of Animal and Plant Sciences*, *27*(4), 1075–1082. https://www.researchgate.net/publication/318943302_Histo-morphometric_adaptation_in_the_small_intestine_of_broiler_chicken_after_embryonic_exposure_to_a_-_Galactosides
- BSN. (2006). SNI (Standar Nasional Indonesia) Pakan ayam ras pedaging masa akhir (broiler finisher). Badan Standarisasi Nasional.
- Burton, R. A., & Fincher, G. B. (2014). Evolution and development of cell walls in cereal grains. *Frontiers in Plant Science*, *5*, 1–15. <https://doi.org/10.3389/fpls.2014.00456>
- Carpenter, K. J., & Clegg, K. M. (1956). The metabolizable energy of poultry feeding stuffs in relation to their chemical composition. *Journal of the Science of Food and Agriculture*, *7*(1), 45–51. <https://doi.org/10.1002/jsfa.2740070109>
- Carrasco, J. M. D., Casanova, N. A., & Miyakawa, M. E. F. (2019). Microbiota, gut

- health and chicken productivity: What is the connection? *Microorganisms*, 7(10), 1–15. <https://doi.org/10.3390/microorganisms7100374>
- Carvalho, Ana Flavia Azevedo, Figueiredo, F. C. de, Campioni, T. S., Pastore, G. M., & de Oliva Neto, P. (2020). Improvement of some chemical and biological methods for the efficient production of xylanases, xylooligosaccharides and lignocellulose from sugar cane bagasse. *Biomass and Bioenergy*, 143, 1–9. <https://doi.org/10.1016/j.biombioe.2020.105851>
- Carvalho, Ana Flávia Azevedo, Neto, P. de O., da Silva, D. F., & Pastore, G. M. (2013). Xylo-oligosaccharides from lignocellulosic materials: Chemical structure, health benefits and production by chemical and enzymatic hydrolysis. *Food Research International*, 51(1), 75–85. <https://doi.org/10.1016/j.foodres.2012.11.021>
- Carvalho, F. M., Mergulhão, F. J. M., & Gomes, L. C. (2021). Using *Lactobacilli* to fight *Escherichia coli* and *Staphylococcus aureus* biofilms on urinary tract devices. *Antibiotics*, 10, 1525, 1–12. <https://doi.org/10.3390/antibiotics10121525>
- Castillo, S., Rodríguez, A., Bautista-Villarreal, M., García-Solano, N., Gallardo-Rivera, C., Báez-González, J. G., Sánchez-García, E., & García-Alanis, K. G. (2021). Rheological and nutritional characterization of sweet corn by-product (cob) to develop a functional ingredient applied in dressings. *Frontiers in Nutrition*, 8, 1–10. <https://doi.org/10.3389/fnut.2021.666654>
- Chang, S-C., Saldivar, R. K., Liang, P-H., & Hsieh, Y. S. Y. (2021). Structures, Biosynthesis, and Physiological Functions of (1,3;1,4)- β -D-Glucans. *Cells*, 10(3), 510, 1–11. <https://doi.org/10.3390/cells10030510>
- Chapla, D., Pandit, P., & Shah, A. (2012). Production of xylooligosaccharides from corncob xylan by fungal xylanase and their utilization by probiotics. *Bioresource Technology*, 115, 215–221. <https://doi.org/10.1016/j.biortech.2011.10.083>
- Chauynarong, N., Bhuiyan, M. M., Kanto, U., & Iji, P. A. (2015). Variation in nutrient composition of cassava pulp and its effects on in vitro digestibility. *Asian Journal of Poultry Science*, 9(4), 203–212. <https://doi.org/10.3923/ajpsaj.2015.203.212>
- Chesson, A. (1978). The maceration of linen flax under anaerobic conditions. *Journal of Applied Bacteriology*, 45(2), 219–230. <https://doi.org/10.1111/j.1365-2672.1978.tb04217.x>
- Choct, M. (2015). Fibre - chemistry and functions in poultry nutrition. *LII Simposio Científico de Avicultura*, 28(30), 113–119. https://www.wpsa-aeca.es/aeca_imgs_docs/16478_fibra_mingan.pdf
- Choct, M., Dersjant-Li, Y., McLeish, J., & Peisker, M. (2010). Soy oligosaccharides and soluble non-starch polysaccharides: A review of digestion, nutritive and anti-nutritive effects in pigs and poultry. *Asian-Australasian Journal of Animal Sciences*, 23(10), 1386–1398. <https://doi.org/10.5713/ajas.2010.90222>
- Clavijo, V., & Flórez, M. J. V. (2018). The gastrointestinal microbiome and its association with the control of pathogens in broiler chicken production: A review. *Poultry Science*, 97(3), 1006–1021. <https://doi.org/10.3382/ps/pex359>

- Cleusix, V., Lacroix, C., Dasen, G., Leo, M., & Le Blay, G. (2010). Comparative study of a new quantitative real-time PCR targeting the xylulose-5-phosphate/fructose-6-phosphate phosphoketolase bifidobacterial gene (xfp) in faecal samples with two fluorescence in situ hybridization methods. *Journal of Applied Microbiology*, *108*, 181–193. <https://doi.org/10.1111/j.1365-2672.2009.04408.x>
- Cobo, E.R., Kissoon-Singh, V., Moreau, F., Holani, R., & Chadee, K. (2017). MUC2 mucin and butyrate contribute to the synthesis of the antimicrobial peptide cathelicidin in response to entamoeba histolytica-and dextran sodium sulfate-induced colitis. *Infection and Immunity*, *85*(3), e00905-16, 1–14. <https://doi.org/10.1128/IAI.00905-16>.
- Cohort. (2022). CoSTAT Version 6.45, Copyright 1998- 2022. Cohort Software 798. Lighthouse Ave, Monterey, USA. <http://www.cohort.com>
- Craig, A. D., Khattak, F., Hastie, P., Bedford, M. R., & Olukosi, O. A. (2020). Xylanase and xylo-oligosaccharide prebiotic improve the growth performance and concentration of potentially prebiotic oligosaccharides in the ileum of broiler chickens. *British Poultry Science*, *61*(1), 70–78. <https://doi.org/10.1080/00071668.2019.1673318>
- Csaky, T. & Lassen, U. (1964). Active intestinal transport of D-xylose. *Biochim. Biophys. Acta*, *82*, 215–217. [https://doi.org/10.1016/0304-4165\(64\)90041-8](https://doi.org/10.1016/0304-4165(64)90041-8)
- Cubas-Cano, E., Gonzales-Fernandez, C., Ballesteros, M., & Tomas-Pejo, E. (2018). *Lactobacillus pentosus* CECT 4023 T co-utilizes glucose and xylose to produce lactic acid from wheat straw hydrolysate: Anaerobiosis as a key factor. *Biotechnology Progress*, *35*(1), e2739. <https://doi.org/10.1002/btpr.2739>
- Cunha, L., Martarello, R., Souza, P. M. De, Freitas, M. M. De, Barros, K. V. G., Filho, E. X. F., Homem-de-Mello, M., & Magalhães, P. O. (2018). Optimization of xylanase production from *Aspergillus foetidus* in soybean residue. *Enzyme Research*, 1–7. <https://doi.org/10.1155/2018/6597017>
- Davani-Davari, D., Negahdaripour, M., Karimzadeh, I., Seifan, M., Mohkam, M., Masoumi, S.J., Berenjian, A., & Ghasemi, Y. (2019). Prebiotics: definition, types, sources, mechanisms, and clinical applications. *Foods*, *8*(3), 92, 1–27. <https://doi.org/10.3390/foods8030092>.
- Delfine, S., Marrelli, M., Conforti, F., Formisano, C., Rigano, D., Menichini, F., & Senatore, F. (2017). Variation of *Malva sylvestris* essential oil yield, chemical composition and biological activity in response to different environments across Southern Italy. *Industrial Crops and Products*, *98*, 29–37. <https://doi.org/10.1016/j.indcrop.2017.01.016>
- Delmer, D., Dixon, R. A., Keegstra, K., & Mohnen, D. (2024). The plant cell wall—dynamic, strong, and adaptable—is a natural shapeshifter. *The Plant Cell*, *2024*, 1–55. <https://doi.org/10.1093/plcell/koad325>
- Dewi, A. S., Stevanus, R. A., Sandra, M. A., Nury, D. F., Pudjiastuti, L., & Widjaja, T. (2019). The effect of mixed culture of *Zymomonas mobilis* and *Pichia stipitis* in ethanol production of sugar palm (*Arenga pinnata*). *Material Science Forum*, *964*, 145–150. <https://doi.org/10.4028/www.scientific.net/MSF.964.145>

- Dioksa, I. M. R., Sumadi, I. K., & Nuriyasa, I. M. (2018). Penggunaan gandos (ampas pati aren) sebagai pakan dalam ransum terhadap performa babi Bali. *Majalah Ilmiah Peternakan*, 21(3), 127–130. <https://doi.org/10.24843/MIP.2018.v21.i03.p08>
- Direktorat Jenderal Perkebunan, Kementerian Pertanian RI. (2021). Statistik Perkebunan Non Unggulan Nasional 2020-2022 (hal. 33-68). www.ditjenbun.pertanian.go.id
- Do Vale, L. H. F., Gomez-Mendoza, D. P., Kim, M-S., Pandey A., Ricart, C. A. O., Filho, E. X. F., & Sousa, M. V. (2012). Secretome analysis of the fungus *Trichoderma harzianum* grown on cellulose. *Proteomics*, 12, 1–13. <https://doi.org/10.1002/pmic.201200063>
- Eckel, E. F. & Ametaj, B.N. (2016). Invited review: Role of bacterial endotoxins in the etiopathogenesis of periparturient diseases of transition dairy cows. *J. Dairy Sci.*, 99, 5967-5990. <https://doi.org/10.3168/jds.2015-10727>
- Edgar, R. C. (2004). MUSCLE: Multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Research*, 32(5), 1792–1797. <https://doi.org/10.1093/nar/gkh340>
- Edgar, R. C. (2013). UPARSE: Highly accurate OTU sequences from microbial amplicon reads. *Nature Methods*, 10(10), 996–998. <https://doi.org/10.1038/nmeth.2604>
- Edgar, R. C., Haas, B. J., Clemente, J. C., Quince, C., & Knight, R. (2011). UCHIME improves sensitivity and speed of chimera detection. *Bioinformatics*, 27(16), 2194–2200. <https://doi.org/10.1093/bioinformatics/btr381>
- El-Shishtawy, R. M., Mohamed, S. A., Asiri, A. M., Gomaa, A. bakr M., Ibrahim, I. H., & Al-Talhi, H. A. (2015). Saccharification and hydrolytic enzyme production of alkali pre-treated wheat bran by *Trichoderma virens* under solid state fermentation. *BMC Biotechnology*, 15(1), 1–13. <https://doi.org/10.1186/s12896-015-0158-4>
- El-Wahab, A., Kriewitz, J. P., Hankel, J., Chuppava, B., Ratert, C., Taube, V., Visscher, C., & Kamphues, J. (2020). The effects of feed particle size and floor type on the growth performance, gut development, and pododermatitis in broiler chickens. *Animals*, 10(8), 1–18. <https://doi.org/10.3390/ani10081256>
- Erliana, W. H., Widjaja, T., Altway, A., & Pudjiastuti, L. (2022). Synthesis of lactic acid from sugar palm trunk waste (*Arenga pinnata*): Preliminary hydrolysis and fermentation studies. *Biodiversitas*, 21(5): 2281–2288. <https://doi.org/10.13057/biodiv/d210559>
- Etale, A., Onyianta, A. J., Turner, S. R., & Eichhorn, S. J. (2023). Cellulose: a review of water interactions, applications in composites, and water treatment. *Chem. Rev.*, 123, 2016–2048. <https://doi.org/10.1021/acs.chemrev.2c00477>
- Ezeilo, U. R., Lee, C. T., Huyop, F., Zakaria, I. I., & Wahab, R. A. (2019). Raw oil palm frond leaves as cost-effective substrate for cellulase and xylanase productions by *Trichoderma asperellum* UC1 under solid-state fermentation. *Journal of Environmental Management*, 243, 206–217. <https://doi.org/10.1016/j.jenvman.2019.04.113>
- Fatma, S., Saleem, A., & Tabassum, R. (2021). Wheat straw hydrolysis by using

- co-cultures of *Trichoderma reesei* and *Monascus purpureus* toward enhanced biodegradation of the lignocellulosic biomass in bioethanol biorefinery. *Biomass Conversion and Biorefinery*, 11(3), 743–754. <https://doi.org/10.1007/s13399-020-00652-x>
- Ferraretto, L. F., Fernandes, T., Silva Filho, W. I., Sultana, H., & Moriel, P. (2018). Dry matter loss, fermentation profile, and aerobic stability of wet brewers grains ensiled with various amounts of dry ground corn. *Professional Animal Scientist*, 34(6), 642–648. <https://doi.org/10.15232/pas.2018-01761>
- Fischer, A. J., Song, Y., He, Z., Haines, D. M., Guan, L. L., & Steele, M. A. (2018). Effect of delaying colostrum feeding on passive transfer and intestinal bacterial colonization in neonatal male Holstein calves. *Journal of Dairy Science*, 101(4), 3099–3109. <https://doi.org/10.3168/jds.2017-13397>
- Flint, H. J., Duncan, S. H., Scott, K. P., & Louis, P. (2015). Links between diet, gut microbiota composition and gut metabolism. *Proceedings of the Nutrition Society*, 74, 13–22. <https://doi.org/10.1017/S0029665114001463>
- Gallardo, H., Queralt, I., Tapias, J., Guerra, M., Carvalho, M. L., & Marguá, E. (2016). Possibilities of low-power x-ray fluorescence spectrometry methods for rapid multielemental analysis and imaging of vegetal foodstuffs. *Journal of Food Composition and Analysis*, 50, 1–9. <https://doi.org/10.1016/j.jfca.2016.04.007>
- Gao, W., Li, Z., Liu, T., & Wang, Y. (2021). Production of high-concentration fermentable sugars from lignocellulosic biomass by using high solids fed-batch enzymatic hydrolysis. *Biochemical Engineering Journal*, 176(February), 108186. <https://doi.org/10.1016/j.bej.2021.108186>
- Goeser, J. P., Heuer, C. R., & Crump, P. M. (2015). Forage fermentation product measures are related to dry matter loss through meta-analysis. *Professional Animal Scientist*, 31(2), 137–145. <https://doi.org/10.15232/pas.2014-01356>
- Gonçalves, G. A. L., Takasugi, Y., Jia, L., Mori, Y., Noda, S., Tanaka, T., ... Kamiya, N. (2015). Synergistic effect and application of xylanases as accessory enzymes to enhance the hydrolysis of pretreated bagasse. *Enzyme and Microbial Technology*, 72, 16–24. <https://doi.org/10.1016/j.enzmictec.2015.01.007>
- González-Ortiz, G., dos Santos, T. T., Vienola, K., Vartiainen, S., Apajalahti, J., & Bedford, M. R. (2019). Response of broiler chickens to xylanase and butyrate supplementation. *Poultry Science*, 0, 1–11. <https://doi.org/10.3382/ps/pez113>
- Gonzalez-Ortiz, G., Sola-Oriol, D., Martinez-Mora, M., Perez, J. F., & Bedford, M. R. (2017). Response of broiler chickens fed wheat-based diets to xylanase supplementation. *Poultry Science*, 96(8), 2776–2785. <https://doi.org/10.3382/ps/pex092>
- Gowdhaman, D., & Ponnusami, V. (2015). Production and optimization of xylooligosaccharides from corncob by *Bacillus aerophilus* KGJ2 xylanase and its antioxidant potential. *International Journal of Biological Macromolecules*, 79, 595–600. <https://doi.org/10.1016/j.ijbiomac.2015.05.046>
- Grigorevski-Lima, A. L., De Oliveira, M. M. Q., Do Nascimento, R. P., Da Silva Bon, E. P., & Coelho, R. R. R. (2013). Production and partial characterization of cellulases and xylanases from *Trichoderma atroviride* 676 using

- lignocellulosic residual biomass. *Applied Biochemistry and Biotechnology*, 169(4), 1373–1385. <https://doi.org/10.1007/s12010-012-0053-6>
- Gupta, M., Bangotra, R., Sharma, S., Vaid, S., Kapoor, N., Dutt, H. C., & Bajaj, B. K. (2022). Bioprocess development for production of xylooligosaccharides prebiotics from sugarcane bagasse with high bioactivity potential. *Industrial Crops & Products*, 178, 114591, 1–14. <https://doi.org/10.1016/j.indcrop.2022.114591>
- Hăbeanu, M., Lefter, N. A., Toma, S. M., Dumitru, M., Cismileanu, A., Surdu, I., Gheorge, A., Dragomir, C., & Untea, A. (2022). Changes in ileum and cecum volatile fatty acids and their relationship with microflora and enteric methane in pigs fed different fiber levels. *Agriculture*, 12(4), 1–16. <https://doi.org/10.3390/agriculture12040451>
- Habte-Tsion, H-T. & Kumar, V. (2018). Nonstarch polysaccharide enzymes-general aspects. In C. S. Nunes & V. Kumar (Ed.), *Enzymes in Human and Animal Nutrition* (1st ed., hal. 183–209). United Kingdom: Academic Press Elsevier. <https://doi.org/10.1016/B978-0-12-805419-2.00009-5>
- Hakim, H. M. A., Supartono, W., Ainuri, M., & Karyadi, J. N. W. (2022). Hydrothermal pretreatment optimization of hemicellulose dissolution of sugar palm starch industrial waste. In *IOP Conference Series* (Vol. 1116, hal. 012077, hal. 1–10). <https://doi.org/10.1088/1755-1315/1116/1/012077>
- Hamer, H.M., Jonkers, D., Venema, K., Vanhoutvin, S., Troost, F., & Brummer, R.J. (2008). The role of butyrate on colonic function. *Alimentary Pharmacology & Therapeutics*, 27(2), 104–119. <https://doi.org/10.1111/j.1365-2036.2007.03562.x>
- Han, H., Sun, Y., Fan, Y., Zhang, H., Yang, J., Chi, R., Gao, Y., Liu, J., Li, K., Li, W., & Liu, Y. (2022). Microbial diversity and community composition of duodenum microbiota of high and low egg-yielding Taihang chickens identified using 16S rRNA amplicon sequencing. *Life*, 12(8), 1–18. <https://doi.org/10.3390/life12081262>
- Hanim, C., Yusiati, L. M., & Nugraheni, A. P. (2015). The effect of fermentation duration of aren (*Arenga pinnata* Merr) stem waste on chemical composition and in vitro digestability. In O. Sijifjan, A. Djayanegara, W. Darsono, J. J. Londok, Y. Kowel, & M. N. Regar (Ed.), *4th ISNAINI “Recent Advance in Animal Nutrition and Feed Technology to Support Sustainable Livestock Production System”* (hal. 197–201). Manado: Faculty of Animal Husbandry Sam Ratulangi University.
- Harihastuti, N., Rame, & Djayanti, S. (2018). High performance of enzymatic bioprocess for production of biomass-based bioethanol of sago palm fiber waste. *Jurnal Riset Teknologi Pencegahan Pencemaran Industri*, 9(2), 37–45. <https://doi.org/10.21771/jrtpi.2018.v9.no2.p37-45>
- Hasan, A. E. Z., Agustiani, I., Pratama, O. W., Khaerani, S., Mutholaah, Zulkifli, M., Andrianto, D., & Setiyono, A. (2020). Performance of broilers chickens due to the provision of raw propolis. *Indonesian Journal of Applied Research*, 1(2), 86–102. <https://doi.org/10.30997/ijar.v1i2.48>
- He, J., Tang, F., Chen, D., Yu, B., Luo, Y., Zheng, P., Mao, X., Yu, J., & Yu, F. (2019). Design, expression and functional characterization of a thermostable

- xylanase from *Trichoderma reesei*. *PLoS ONE*, *14*(1), 1–13. <https://doi.org/10.1371/journal.pone.0210548>
- Hu, J., Arantes, V., & Saddler, J. N. (2011). The enhancement of enzymatic hydrolysis of lignocellulosic substrates by the addition of accessory enzymes such as xylanase: is it an additive or synergistic effect? *Biotechnology for Biofuels*, *4*, 36. <http://www.biotechnologyforbiofuels.com/content/4/1/36>
- Hu, Y., Shi, C. Y., Xun, X. M., Huang, B. R., You, S., Wu, F. A., & Wang, J. (2021). Xylanase-polymer conjugates as new catalysts for xylooligosaccharides production from lignocellulose. *Biochemical Engineering Journal*, *171*, 108025. <https://doi.org/10.1016/j.bej.2021.108025>
- Huan, H. E., Zainol, M. K., & Zin, Z. M. (2017). Effect of freeze dried protein hydrolysate from yellowstripe scad (*Selaroides leptolepis*) in reducing oil uptake in fried seafood product. *Journal of Advanced Agricultural Technologies*, *4*(1), 78–81. <https://doi.org/10.18178/joaat.4.1.78-81>
- Huang, C., Lai, C., Wu, X., Huang, Y., He, J., Huang, C., Li, X., & Yong, Q. (2017). An integrated process to produce bio-ethanol and xylooligosaccharides rich in xylobiose and xylotriose from high ash content waste wheat straw. *Bioresource Technology*, *241*, 228–235. <https://doi.org/10.1016/j.biortech.2017.05.109>
- Huebner, J., Wehling, R. L., & Hutkins, R. W. (2007). Functional activity of commercial prebiotics. *International Dairy Journal*, *17*(7), 770–775. <http://dx.doi.org/10.1016/j.idairyj.2006.10.006>
- Huntley, N. F., & Patience, J. F. (2018a). Xylose: Absorption, fermentation, and post-absorptive metabolism in the pig. *Journal of Animal Science and Biotechnology*, *9*(1), 1–9. <https://doi.org/10.1186/s40104-017-0226-9>
- Huntley, N. F., & Patience, J. F. (2018b). Xylose metabolism in the pig. *PLOS One*, *13*(10), e0205913, 1–21. <https://doi.org/10.1371/journal.pone.0205913>
- Ilyas, R. A., Sapuan, S. M., Ibrahim, R., Abral, H., Ishak, M. R., Zainudin, E. S., Asrofi, M., Atikah, M. S. N., & Huzaifah, M. R. M. (2019). Sugar palm (*Arenga pinnata* (Wurmb.) Merr) cellulosic fiber hierarchy: a comprehensive approach from macro to nanoscale. *Journal of Material Resources & Technology*, *8*(3): 2753–2766. <https://doi.org/10.1016/j.jmrt.2019.04.011>
- Ishida, T., Parks, J. M., & Smith, J. C. (2020). Insight into the catalytic mechanism of GH11 xylanase: Computational analysis of substratedistortion based on a neutron structure. *Journal of The American Chemical Society*, *142*(42), 17966–17980. <https://doi.org/10.1021/jacs.0c02148>
- Islam, M. S., Haque, M. M., & Hossain, M. S. (2018). Inspection method of corn for poultry feed inspection method of corn for poultry feed. *Journal of Poultry Science and Technology*, *06*(03), 47–52.
- Ja'afaru, M. I. (2013). Screening of fungi isolated from environmental samples for xylanase and cellulase production. *ISRN Microbiology*, *2013*, 1–7. <https://doi.org/10.1155/2013/283423>
- Jajic, I., Krstovic, S., Glamocic, D., Jakšic, S., & Abramovic, B. (2013). Validation of an HPLC method for the determination of amino acids in feed. *Journal of the Serbian Chemical Society*, *78*(6), 839–850. <https://doi.org/10.2298/JSC120712144J>

- Jarrett, S., & Ashworth, C. J. (2018). The role of dietary fibre in pig production, with a particular emphasis on reproduction. *Journal of Animal Science and Biotechnology*, 9, 1–11. <https://doi.org/10.1186/s40104-018-0270-0>
- Jaworski, N. W., & Stein, H. H. (2017). Disappearance of nutrients and energy in the stomach and small intestine, cecum, and colon of pigs fed corn-soybean meal diets containing distillers dried grains with solubles, wheat middlings, or soybean hulls. *Journal of Animal Science*, 95, 727–739. <https://doi.org/10.2527/jas2016.0752>
- Jebessa, E., Guo, L., Chen, X., Bello, S. F., Cai, B., Girma, M., Hanotte, O., & Nie, Q. (2022). Influence of *Eimeria maxima* coccidia infection on gut microbiome diversity and composition of the jejunum and cecum of indigenous chicken. *Frontiers in Immunology*, 13(September), 1–12. <https://doi.org/10.3389/fimmu.2022.994224>
- Jekayinfa, S. O., Orisaleye, J. I., & Pecenka, R. (2020). An assessment of potential resources for biomass energy in Nigeria. *Resources*, 9(8), 1–41. <https://doi.org/10.3390/resources9080092>
- Jha, R., & Berrocoso, J. D. (2015). Review: Dietary fiber utilization and its effects on physiological functions and gut health of swine. *Animal*, 9(9), 1441–1452. <https://doi.org/10.1017/S1751731115000919>
- Jha, R., Fohse, J. M., Tiwari, U. P., Li, L., & Willing, B. P. (2019). Dietary fiber and intestinal health of monogastric animals. *Frontiers in Veterinary Science*, 6, 1–12. <https://doi.org/10.3389/fvets.2019.00048>
- Jha, R., & Mishra, P. (2021). Dietary fiber in poultry nutrition and their effects on nutrient utilization, performance, gut health, and on the environment: a review. *Journal of Animal Science and Biotechnology*, 12(1), 1–16. <https://doi.org/10.1186/s40104-021-00576-0>
- Jimenez-Moreno, E., Gonzalez-Alvarado, J. ., de Coca-Sinova, A., Lazaro, R. ., Camara, L., & Mateos, G. (2019). Insoluble fiber sources in mash or pellets diets for young broilers. Effects on gastrointestinal tract development and nutrient digestibility. *Poultry Science*, 98, 2531–2547. <https://doi.org/10.3382/ps/pey599>
- Jnawali, P., Kumar, V., Tanwar, B., Hirdyani, H., & Gupta, P. (2018). Enzymatic production of xylooligosaccharides from brown coconut husk treated with sodium hydroxide. *Waste and Biomass Valorization*, 9(10), 1757–1766. <https://doi.org/10.1007/s12649-017-9963-4>
- Jolliffe, I. T., & Cadima, J. (2016). Principal component analysis: A review and recent developments. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 374(2065). <https://doi.org/10.1098/rsta.2015.0202>
- Jovel, J., Patterson, J., Wang, W., Hotte, N., O’Keefe, S., Mitchel, T., Perry, T., Kao, D., Mason, A. L., Madesn, K. L., & Wong, G. K. S. (2016). Characterization of the gut microbiome using 16S or shotgun metagenomics. *Frontiers in Microbiology*, 7(APR), 1–17. <https://doi.org/10.3389/fmicb.2016.00459>
- Julendra, H., Sofyan, A., Istiqomah, L., Karimy, M. F., Abinawanto, & Yasman. (2021). Intestinal morphology, energy availability, and growth performance of

- broilers treated with the combination of probiotic and inulin. *Tropical Animal Science Journal*, 44(1), 39–47. <https://doi.org/10.5398/tasj.2021.44.1.39>
- Karimy M. F., Sutrisno, B., Agus, A., Suryani, A. E., Istiqomah, L., & Damayanti, E. (2017). Aflatoxin effect on erythrocyte profile and histopathology of broiler given different additives. *In IOP Conference Series (Vol. 101, 012033, hal. 1–8)* <https://doi.org/10.1088/1755-1315/101/1/012033>
- Kaewarsar, E., Chaiyasut, C., Lailerd, N., Makhamrueang, N., Peerajan, S., & Sirilun, S. (2023). Optimization of mixed inulin, fructooligosaccharides, and galactooligosaccharides as prebiotics for stimulation of probiotics growth and function. *Foods*, 12, 1591, 1–19. <https://doi.org/10.3390/foods12081591>
- Kettunen, H., van Eerden, E., Lipiński, K., Rinttilä, T., Valkonen, E., & Vuorenmaa, J. (2017). Dietary resin acid composition as a performance enhancer for broiler chickens. *Journal of Applied Animal Nutrition*, 5(e3), 1–8. <https://doi.org/10.1017/jan.2016.10>
- Khaleghipour, L., Linares-Pastén, J. A., Rashedi, H., Siadat, S. O. R., Jasilionis, A., Al-Hamimi, S., Sardari, R. R. R., & Karlsson, E. N. (2021). Extraction of sugarcane bagasse arabinoxylan, integrated with enzymatic production of xylo-oligosaccharides and separation of cellulose. *Biotechnol. Biofuels*, 14(1), 153. <https://doi.org/10.1186/s13068-021-01993-z>.
- Khanahmadi, M., Arezi, I., Amiri, M. sadat, & Miranzadeh, M. (2018). Bioprocessing of agro-industrial residues for optimization of xylanase production by solid-state fermentation in flask and tray bioreactor. *Biocatalysis and Agricultural Biotechnology*, 13, 272–282. <https://doi.org/10.1016/j.bcab.2018.01.005>
- Khangwal, I., Nath, S., Kango, N., & Shukla, P. (2020). Endo-xylanase induced xylooligosaccharide production from corn cobs, its structural features, and concentration-dependent antioxidant activities. *Biomass Conversion and Biorefinery*, 1–11. <https://doi.org/10.1007/s13399-020-00997-3>
- Khochamit, N., Siripornadulsil, S., Sukon, P., & Siripornadulsil, W. (2020). *Bacillus subtilis* and lactic acid bacteria improve the growth performance and blood parameters and reduce *Salmonella* infection in broilers. *Veterinary World*, 13(12), 2663–2672. <https://doi.org/10.14202/vetworld.2020.2663-2672>
- Kiarie, E., Romero, L. F., & Ravindran, V. (2014). Growth performance, nutrient utilization, and digesta characteristics in broiler chickens fed corn or wheat diets without or with supplemental xylanase. *Poultry Science*, 93(5), 1186–1196. <https://doi.org/10.3382/ps.2013-03715>
- Kirkpinar, F., Acikgoz, Z., Mert, S., & Isik, O. (2018). Effects of dietary probiotic, prebiotic and enzyme mixture supplementation on performance, carcass, organs, ileal pH and viscosity of broilers, 59(2), 1–9. <https://doi.org/10.29185/hayuretim.469862>
- Knob, A., Fortkamp, D., Prolo, T., Izidoro, S. C., & Almeida, J. M. (2014). Potential use of plant fibres and their composites for biomedical applications. *BioResources*, 9(3), 5738–5773. <https://doi.org/10.15376/biores.9.3>
- Knudsen, K. E. B. (2014). Fiber and nonstarch polysaccharide content and variation in common crops used in broiler diets. *Poultry Science*, 93(9), 2380–2393.

<https://doi.org/10.3382/ps.2014-03902>

- Kocabas, D. S., & Ozben, N. (2014). Co-production of xylanase and xylooligosaccharides from lignocellulosic agricultural wastes. *Royal Society of Chemistry (RSC) Advances*, 4(50), 26129–26139. <https://doi.org/10.1039/c4ra02508c>
- Korompokis, K., Brier, N.D, & Delcour, J.A. (2019). Differences in endosperm cell wall integrity in wheat (*Triticum aestivum* L.) milling fractions impacts on the way starch responds to gelatinization and pasting treatments and its subsequent enzymatic in vitro digestibility. *Food & Function*, 10(8), 4674–4684. <https://doi.org/10.1039/C9FO00947G>
- Kothari, A. & Rajagopalan, P. (2020). The assembly of integrated rat intestinal-hepatocyte cultures. *Bioeng Transl Med.*, 5, e10146, 1–11. <https://doi.org/10.1002/btm2.10146>
- Krisnawati, R., Sardjono, Widada, J., Suroto, D. A., & Cahyanto, M. N. (2022). Effect of glucose on endo-xylanase and β -xylosidase production by fungi isolated in Indonesia. *Journal of Pure and Applied Microbiology*, 7260. <https://doi.org/10.22207/JPAM.16.1.12>
- Kriss, M., Hazleton, K. Z., Nusbacher, N. M., Martin, C. G., & Lozupone, C. A. (2018). Low diversity gut microbiota dysbiosis: Drivers, functional implications and recovery. *Current Opinion Microbiology*, 14(4), 535–562. <https://doi.org/10.1016/j.mib.2018.07.003>.Low
- Kucharska, K., Rybarczyk, P., Hołowacz, I., Łukajtis, R., Glinka, M., & Kamiński, M. (2018). Pretreatment of lignocellulosic materials as substrates for fermentation processes. *Molecules*, 23(11), 1–32. <https://doi.org/10.3390/molecules23112937>
- Kulkarni, P., & Gupta, N. (2013). Screening and evaluation of soil fungal isolates for xylanase production. *Recent Research in Science and Technology*, 5(2), 33–36.
- Kumar, V., Bahuguna, A., Ramalingam, S., & Kim, M. (2021). Developing a sustainable bioprocess for the cleaner production of xylooligosaccharides: An approach towards lignocellulosic waste management. *Journal of Cleaner Production*, 316, 128332. <https://doi.org/10.1016/j.jclepro.2021.128332>
- Kurniawinata, M. I., Sukenda, S., Wahjuningrum, D., & Widanarni, W. (2022). Bacterial diversity and community composition in the gut and rearing water of Pacific white shrimp *Penaeus vannamei* during an outbreak of white feces disease. *Aquaculture*, 559, 738431. <https://doi.org/10.1016/j.aquaculture.2022.738431>
- Lawal, T.E., Iyayi, E.A., Adeniyi, B.A., & Adaramoye, O.A. (2010). Biodegradation of palm kernel cake with multienzyme complexes from fungi and its feeding value for broilers. *Journal of Poultry Science*, 9(7), 695–701. <https://doi.org/10.3923/ijps.2010.695.701>
- Lee, H. V, Hamid, S. B. A., & Zain, S. K. (2014). Conversion of lignocellulosic biomass to nanocellulose: structure and chemical process. *The Scientific World Journal*, 2014, 1–20. <https://doi.org/10.1155/2014/631013>
- Lentle, R. G., Reynolds, G., De Loubens, C., Hulls, C., Janssen, P. W. M., & Ravindran, V. (2013). Spatiotemporal mapping of the muscular activity of the

- gizzard of the chicken (*Gallus domesticus*). *Poultry Science*, 92(2), 483–491. <https://doi.org/10.3382/ps.2012-02689>
- Li, H., Long, C., Zhou, J., Liu, J., Wu, X., & Long, M. (2013). Rapid analysis of mono-saccharides and oligo-saccharides in hydrolysates of lignocellulosic biomass by HPLC. *Biotechnology Letters*, 35, 1405–1409. <https://doi.org/10.1007/s10529-013-1224-4>
- Li Z., Summanen, P.H., Komoriya, T., & Finegold, S.M. (2015). *In vitro* study of the prebiotic xylooligosaccharide (XOS) on the growth of *Bifidobacterium* spp. and *Lactobacillus* spp. *Int. J. Food Sci. Nutr.*, 66, 919–922. <https://doi.org/10.3109/09637486.2015.1064869>
- Liu, L., Li, Q., Yang, Y., & Guo, A. (2021). Biological function of short-chain fatty acids and its regulation on intestinal health of poultry. *Frontiers in Veterinary Science*, 8, 1–13. <https://doi.org/10.3389/fvets.2021.736739>
- Liu, W. C., & Kim, I. H. (2017). Metabolism and nutrition: Effects of dietary xylanase supplementation on performance and functional digestive parameters in broilers fed wheat-based diets. *Poultry Science*, 96(3), 566–573. <https://doi.org/10.3382/ps/pew258>
- Liu, Y., Chen, P., Zhou, M., Wang, T., Fang, S., Shang, X., & Fu, X. (2018). Geographic variation in the chemical composition and antioxidant properties of phenolic compounds from *Cyclocarya paliurus* (batal) iljinskaja leaves. *Molecules*, 23(10), 1–12. <https://doi.org/10.3390/molecules23102440>
- Liu, W., Yan X. G., Yang, H. M., Zhang, X., Wu, B., Yang, P. L., & Bany, Z. B. (2020). Metabolizable and net energy values of corn stored for 3 years for laying hens. *Poultry Science* 99, 3914–3920. <https://doi.org/10.1016/j.psj.2020.03.041>
- Lodish, H., Berk, A., Kaiser, C. A., Krieger, M., Bretscher, A., Ploegh, H., Amon, A., & Martin, K. C. (2016). *Molecular Cell Biology*. (E. Champion & H. Moffat, Ed.) (8th ed.). New York: W.H. Freeman.
- Longstaff, M. A., Knox, A., McNab, J. M. (1988). Digestibility of pentose sugars and uronic acids and their effect on chick weight gain and caecal size. *Br Poult Sci.*, 29, 379–393. <https://doi:10.1080/00071668808417063>.
- Lopez-Ramirez, N., Volke-Sepulveda, T., Gaime-Perraudb, I., Saucedo-Castañedaa, G., & Favela-Torresa, E. (2018). Effect of stirring on growth and cellulolytic enzymes production by *Trichoderma harzianum* in a novel bench-scale solid-state fermentation bioreactor. *Bioresource Technology* 265, 291–298. <https://doi.org/10.1016/j.biortech.2018.06.015>
- Louis, A. C. F., & Venkatachalam, S. (2020). Energy efficient process for valorization of corn cob as a source for nanocrystalline cellulose and hemicellulose production. *International Journal of Biological Macromolecules*, 163, 260–269. <https://doi.org/10.1016/j.ijbiomac.2020.06.276>
- M'Sadeq, S. A., Wu, S., Swick, R. A., & Choct, M. (2015). Towards the control of necrotic enteritis in broiler chickens with in-feed antibiotics phasing-out worldwide. *Animal Nutrition*, 1(1), 1–11. <https://doi.org/10.1016/j.aninu.2015.02.004>
- Macfarlane, G.T. & Macfarlane, S. (2011). Fermentation in the human large

- intestine. *J. Clinical Gastroenterology*, 45, <https://doi.org/10.1097/MCG.0b013e31822fecfe>
- Magoč, T., & Salzberg, S. L. (2011). FLASH: Fast length adjustment of short reads to improve genome assemblies. *Bioinformatics*, 27(21), 2957–2963. <https://doi.org/10.1093/bioinformatics/btr507>
- Makki, K., Deehan, E., Walter, J., & Bäckhed, F. (2018). The impact of dietary fiber on gut microbiota in host health and disease. *Cell and host microbe*, 23(6), 705–715. <https://doi.org/10.1016/j.chom.2018.05.012>
- Mandels, M., & Weber, J. (1969). The Production of Cellulases. In *Cellulases and Their Applications* (Hajny, G, hal. 391–414). Washington, DC: American Chemical Society. <https://doi.org/10.1021/ba-1969-0095.ch023>
- Marchini, C. F. P., Café, M. B., Araújo, E. G., & Nascimento, M. R. B. M. (2016). Physiology, cell dynamics of small intestinal mucosa, and performance of broiler chickens under heat stress: A review. *Revista Colombiana de Ciencias Pecuarias*, 29(3), 159–168. <https://doi.org/10.17533/udea.rccp.v29n3a01>
- Marcotuli, I., Colasuonno, P., Hsieh, Y. S. Y., & Fincher, B. (2020). Non-starch polysaccharides in durum wheat: A review. *International Journal of Molecular Sciences*, 21, 1–18. <https://doi.org/10.3390/ijms21082933>
- Mardawati, E., Hrahap, B. M., Febrianti, E. A., Hartono, A. T., Siahaan, N. P., Wulandari, A., Yudiastuti, S., Suhartini, S., & Kasbawati. (2022). Integrated and partial process of xylitol and bioethanol production from oil palm empty fruit bunches. *Advances in Food Science, Sustainable Agriculture and Agroindustrial Engineering*, 5(1), 49–67. <https://afssaae.ub.ac.id/index.php/afssaae/article/view/394>
- Martínez-de-Anda, A., Valdivia, A. G., Reyes, J. L., Ortiz, R., Quezada, T., Luna, M. C. De, & Rodríguez, M. L. (2010). Effects of aflatoxin chronic intoxication in renal function of laying hens. *Poultry Science*, 89, 1622–1628. <https://doi.org/10.3382/ps.2010-00763>
- Maynard, R. L. & Downes, N. (2019). Alimentary Canal or Gastrointestinal Tract. In R. L. Maynard & N. Downes (Ed.), *Anatomy and Histology of the Laboratory Rat in Toxicology and Biomedical Research* (1st ed., hal. 147–158). United Kingdom: butiAcademic Press. <https://doi.org/10.1016/B978-0-12-811837-5.00013-7>.
- Menezes, B. da S., Rossi, D. M., & Ayub, M. A. Z. (2017). Screening of filamentous fungi to produce xylanase and xylooligosaccharides in submerged and solid-state cultivations on rice husk, soybean hull, and spent malt as substrates. *World Journal of Microbiology and Biotechnology*, 33(3), 1–12. <https://doi.org/10.1007/s11274-017-2226-5>
- Meylinah, S. (2023). *Indonesia: Grain and Feed Annual*. Indonesia. <https://www.fas.usda.gov/data/indonesia-grain-and-feed-annual-7>
- Michelin, M., Mota, A. M. O., Silva, D. P., Ruzene, D. S., Vicente, A. A., & Teixeira, J. A. (2019). Production of biomass-degrading enzymes by *Trichoderma reesei* using liquid hot water-pretreated corncob in different conditions of oxygen transfer. *BioEnergy Research*, 12, 583–592. <https://doi.org/10.1007/s12155-019-09991-8> Production
- Miller, G. L. (1959). Use of dinitrosalicylic acid reagent for determination of

- reducing sugar. *Analytical Chemistry*, 31(3), 426–428. <https://doi.org/10.1021/ac60147a030>
- Minzanova, S. T., Mironov, V. F., Arkhipova, D. M., Khabibullina, A. V. Mironova, L. G., Zakirova, Y. M., & Milyukov, V. A. (2018). Biological activity and pharmacological application of pectic polysaccharides: A review. *Polymers*, 10(12), 1407, 1–31. <https://doi.org/10.3390/polym10121407>
- Monclaro, A. V., Fontes, P. R., Recalde, G. L., da Silva, F. G., & Filho, E. X. F. (2022). Evaluation of endoglucanase and xylanase production by *Aspergillus tamarii* cultivated in agro-industrial lignocellulosic biomasses. *Folia Microbiologica*, 67(5), 721–732. <https://doi.org/10.1007/s12223-022-00971-8>
- Motta, F. L, Andrade, C. C. P., & Santana, M. H. A. (2013). A review of xylanase production by the fermentation of xylan: classification, characterization and applications. Sustainable degradation of lignocellulosic biomass-techniques, applications and commercialization (hal. 251–275). New York: InTechOpen. <http://dx.doi.org/10.5772/53544>
- Nabizadeh, A. (2012). The effect of inulin on broiler chicken intestinal microflora, gut morphology, and performance. *Journal of Animal and Feed Sciences*, 21(4), 725–734. <https://doi.org/10.22358/jafs/66144/2012>
- Narasimha, J., Nagalakshmi, D., Rao, S. T. V., Venkateswarlu, M., & Reddy, Y. R. (2015). Synergistic effect of non-starch polysaccharide enzymes and synbiotics on performance, nutrient retention, gut health and carcass characteristics of broiler chicken fed corn-soybean based low energy diets. *Indian Journal Animal Research*, 49(5), 627–633. <https://doi.org/10.18805/ijar.5575>
- Naveed, M., Haleem, K. S., Ghazanfar, S., Tauseef, I., Bano, N., Adetunji, C. O., Saleem, M. H., Alshaya, H., & Paray, B. A. (2022). Quantitative estimation of aflatoxin level in poultry feed in selected poultry farms. *BioMed Research International*, 2022. <https://doi.org/10.1155/2022/5397561>
- Ndelekwute, E. K., Assam, E. D., & Assam, E. M. (2018). Apparent nutrient digestibility, gut pH and digesta viscosity of broiler chickens fed acidified water. *MOJ Anatomy & Physiology*, 5(4), 250–253. <https://doi.org/10.15406/mojap.2018.05.00203>
- Nguyen, D. T. ., Le, N. H., Pham, V. V., Eva, P., Alberto, F., & Le, H. T. (2021). Relationship between the ratio of villous height: crypt depth and gut bacteria counts as well production parameters in broiler chickens. *The Journal of Agriculture and Development*, 20(3), 1–10.
- Nogal, A., & Valdes, A. M. (2021). The role of short-chain fatty acids in the interplay between gut microbiota and diet in cardio-metabolic health. *Gut Microbes*, 13(1), e1897212. <https://doi.org/10.1080/19490976.2021.1897212>
- NRC. (1994). *Nutrient Requirements of Poultry*. 9th rev. ed. Natl. Acad. Sci., Washington, DC. Washington D.C.
- Nuhriawangsa, A. M. . (2012). *Produksi serbuk fitase hasil teknologi rekombinan dan aplikasinya untuk meningkatkan kualitas pakan dan kinerja ayam broiler*. Universitas Gadjah Mada.
- Nurjanah, S., P. Rahayu, W., & Al Mutaqin, L. (2018). Detection method for *Salmonella typhimurium* and *Salmonella enteritidis* using real-time

- polymerase chain reaction. *International Journal of Engineering & Technology*, 7(4.14), 302–306. <https://doi.org/10.14419/ijet.v7i4.14.27661>
- Nurmi, A., Harahap, N., & Santi, M. A. (2018). Performance of broilers and native chickens fed with unfermented and fermented arenga waste. *Indonesian Journal of Agricultural Research*, 1(2), 96–104. <https://doi.org/10.32734/injar.v1i2.311>
- Ochieng, P. E., Scippo, M-L., Kemboi, D. C., Croubels S., Okoth, S., Kang'ethe, E. K., Doupovec, B., Gathumbi, J. K., Lindah, J. F., Antonissen, G. (2021). Mycotoxins in poultry feed and feed ingredients from Sub-Saharan Africa and their impact on the production of broiler and layer chickens: A review. *Toxins*, 13(633) 1–28. <https://doi.org/10.3390/toxins13090633>
- Oikeh, I., Sakkas, P., Taylor, J., Giannenas, I., Blake, D. P., & Kyriazakis, I. (2019). Effects of reducing growth rate via diet dilution on bone mineralization, performance and carcass yield of coccidia-infected broilers. *Poultry Science*, 98(11), 5477–5487. <https://doi.org/10.3382/ps/pez400>
- Okeke, B. C. (2014). Cellulolytic and xylanolytic potential of high β -glucosidase-producing *Trichoderma* from decaying biomass. *Applied Biochemistry and Biotechnology*, 174(4), 1581–1598. <https://doi.org/10.1007/s12010-014-1121-x>
- Olagunju, A., Onyike, E., Muhammad, S., Aliyu, S., & Abdullahi, A. S. (2013). Effects of fungal (*Lachnocladium* spp.) pretreatment on nutrient and antinutrient composition of corn cobs. *African Journal of Biochemistry Research*, 7(11), 210–214. <https://doi.org/10.5897/ajbr2013.0715>
- Olnood, C. G., Beski, S. S. M., Choct, M., & Iji, P. A. (2015). Novel probiotics: Their effects on growth performance, gut development, microbial community and activity of broiler chickens. *Animal Nutrition*, 1(3), 184–191. <https://doi.org/10.1016/j.aninu.2015.07.003>
- Ortatatli M., Oğuz H., Hatipoğlu F., & Karaman M. (2005). Evaluation of pathological changes in broilers during chronic aflatoxin (50 and 100 ppb) and clinoptilolite exposure. *Res. Vet. Sci.* 78, 61–68.
- Oyeleke, S. B., Oyewole, O. A., Egwim, E. C., Dauda, B. E. N., & Ibeh, E. N. (2012). Cellulase and pectinase production potentials of *Aspergillus niger* isolated from corn cob. *Bayero Journal of Pure and Applied Sciences*, 5, 78–83. <http://dx.doi.org/10.4314/bajopas.v5i1.15>
- Palframan, R., Gibson, G. R., & Rastall, R. A. (2003). Development of a quantitative tool for the comparison of the prebiotic effect of dietary oligosaccharides. *Lett. Appl. Microbiol.*, 37(4), 281–284. <http://dx.doi.org/10.1046/j.1472-765X.2003.01398.x>
- Parab, P., Khandeparker, R., Amberkar, U., & Khodse, V. (2017). Enzymatic saccharification of seaweeds into fermentable sugars by xylanase from marine *Bacillus* sp. strain BT21 Pankaj. *3 Biotech*, 7, 1–7. <https://doi.org/10.1007/s13205-017-0921-4>
- Park, Y. B. & Cosgrove, D.J. (2015). Xyloglucan and its interactions with other components of the growing cell wall. *Plant Cell Physiol.* 56(2), 180–194. <https://doi:10.1093/pcp/pcu204>
- Pathak, P., Bhardwaj, N. K., & Singh, A. K. (2014). Production of crude cellulase

- and xylanase from *Trichoderma harzianum* PPDDN10 NFCCI-2925 and its application in photocopier waste paper recycling. *Applied Biochemical Biotechnology*, 172, 3776–3797. <https://doi.org/10.1007/s12010-014-0758-9>
- Pereira, G. F., de Bastiani, D., Gabardo, S., Squina, F., & Ayub, M. A. Z. (2018). Solid-state cultivation of recombinant *Aspergillus nidulans* to co-produce xylanase, arabinofuranosidase, and xylooligosaccharides from soybean fibre. *Biocatalysis and Agricultural Biotechnology*, 15, 78–85. <https://doi.org/10.1016/j.bcab.2018.05.012>
- Pérez-Rodríguez, N., Oliveira, F., Pérez-Bibbins, B., Belo, I., Agrasar, A. T., & Domínguez, J. M. (2014). Optimization of xylanase production by filamentous fungi in solid-state fermentation and scale-up to horizontal tube bioreactor. *Applied Biochemical Biotechnology*, 173, 803–825. <https://doi.org/10.1007/s12010-014-0895-1>
- Permana, K., Sriyani, N. L. P., & Sumadi, I. K. (2018). Penggunaan ampas pati aren dalam ransum terhadap karakteristik karkas babi Bali jantan. *Majalah Ilmiah Peternakan*, 21(3), 103–109. <https://doi.org/10.24843/mip.2018.v21.i03.p03>
- Petry, A. L. & Patience, J. F. (2020). Xylanase supplementation in corn-based swine diets: a review with emphasis on potential mechanisms of action. *J. Anim. Sci.* 98(11), 1–12. <https://doi:10.1093/jas/skaa318>
- Poletto, P., Pereira, G. N., Monteiro, C. R. M., Pereira, M. A. F., Bordignon, S. E., & de Oliveira, D. (2020). Xylooligosaccharides: Transforming the lignocellulosic biomasses into valuable 5-carbon sugar prebiotics. *Process Biochemistry*, 91, 352–363. <https://doi.org/10.1016/j.procbio.2020.01.005>
- Polizeli, M. L. T., Rozzatti, A. C., Monti, R., Terenzi, H., Jorge, J., & Amorim, D. (2005). Xylanases from fungi: properties and industrial applications. *Appl. Microbiol. Biotechnol.*, 67, 577–591. <https://doi.org/10.1007/s00253-005-1904-7>
- Pourabedin, M., Guan, L., & Zhao, X. (2015). Xylo-oligosaccharides and virginiamycin differentially modulate gut microbial composition in chickens. *Microbiome*, 3(1), 1–12. <https://doi.org/10.1186/s40168-015-0079-4>
- Pourabedin, M. & Zhao, X. (2015). Prebiotics and gut microbiota in chickens. *FEMS Microbiology Letters*, 362, 1–8. <https://doi.org/10.1093/femsle/fnv122>
- Prasad, S., Malav, M. K., Kumar, S., Singh, A., Pant, D., & Radhakrishnan, S. (2018). Enhancement of bio-ethanol production potential of wheat straw by reducing furfural and 5-hydroxymethylfurfural (HMF). *Bioresource Technology Report*, 4, 50–56. <https://doi.org/10.1016/j.biteb.2018.09.007>
- Purnavita, S., Rahayu, L. H., & Rinihapsari, E. (2017). Production of poly lactic glycolic acid from solid waste of palm starch industry for applications in the field of medical biomaterials. *World Chemical Engineering Journal*, 1(5), 53–57. <http://jurnal.untirta.ac.id/index.php/WCEJ/article/view/1241>
- Qiao, J., Shang, Z., Liu, X., Wang, K., Wu, Z., Wei, Q., & Li, H. (2022). Regulatory effects of combined dietary supplementation with essential oils and organic acids on microbial communities of Cobb broilers. *Frontiers in Microbiology*, 12, 1–16. <https://doi.org/10.3389/fmicb.2021.814626>
- Quintana-Ospina, G. A., Alfaro-Wisaquillo, M. C., Oviedo-Rondon, E. O.; Ruiz-Ramirez, J. R., Bernal-Arango, L. C., & Martinez-Bernal, G. D. (2023). Data

- analytics of broiler growth dynamics and feed conversion ratio of broilers. *Animals*, 13, 2447. <https://doi.org/10.3390/ani13152447>
- Quast, C., Pruesse, E., Yilmaz, P., Gerken, J., Schweer, T., Yarza, P., Peplies, J., & Glöckner, F. O. (2013). The SILVA ribosomal RNA gene database project: Improved data processing and web-based tools. *Nucleic Acids Research*, 41, 590–596. <https://doi.org/10.1093/nar/gks1219>
- R Core Team. (2021). R: A language and environment for statistical computing. Vienna, Austria: R Foundation for Statistical Computing. <https://www.r-project.org/>
- Rahmani, N., Jannah, A. M., Lisdiyanti, P., Prasetya, B., & Yopi. (2017). Enzymatic hydrolysis of lignocellulosic biomass by *Kitasatospora* sp. to produce xylo-oligosaccharides (XOS). In *AIP Conference Proceedings* (Vol. 1904, 020021, hal. 1–7). <https://doi.org/10.1063/1.5011878>
- Rahmani, N., Kahar, P., Lisdiyanti, P., Lee, J., Yopi, Prasetya, B., Ogino, C., & Kondo, A. (2019). GH-10 and GH-11 Endo-1,4-B-xylanase enzymes from *Kitasatospora* sp. produce xylose and xylooligosaccharides from sugarcane bagasse with no xylose inhibition. *Bioresource Technology*, 272, 315–325. <https://doi.org/10.1016/j.biortech.2018.10.007>
- Rahnama, N., Mamat, S., Shah, U. K. Md., Ling, F. H., Rahman, N. A. A., & Ariff, A. B. (2013). Effect of alkali pretreatment of rice straw on cellulase and xylanase production by local *Trichoderma harzianum* SNRS3 under solid state fermentation. *BioResouces*, 8(2), 2881–2896.
- Ravindran, V. (2013). Feed enzymes: The science, practice, and metabolic realities. *Journal of Applied Poultry Research*, 22(3), 628–636. <https://doi.org/10.3382/japr.2013-00739>
- Raza, A., Bashir, S., & Tabassum, R. (2019). An update on carbohydrases: growth performance and intestinal health of poultry. *Heliyon*, 5(4), 1–17. <https://doi.org/10.1016/j.heliyon.2019.e01437>
- Reese, A. T., & Dunn, R. R. (2018). Drivers of microbiome biodiversity: A review of general rules, feces, and ignorance. *mBio*, 9(4), 1–14. <https://doi.org/10.1128/mBio.01294-18>
- Roberts, T., Wilson, J., Guthrie, A., Cookson, K., Vancraeynest, D., Schaeffer, J., Moody, R., & Clark, S. (2015). New issues and science in broiler chicken intestinal health: Emerging technology and alternative interventions. *Journal of Applied Poultry Research*, 24(2), 257–266. <https://doi.org/10.3382/japr/pfv023>
- Rodrigues, D. R., Briggs, W., Duff, A., Chasser, K., Murugesan, R., Pender, C., Ramirez, S., Valenzuela, L. & Bielke, L. R. (2020). Comparative effectiveness of probiotic-based formulations on cecal microbiota modulation in broilers. *PLoS ONE*, 15(5). <https://doi.org/10.1371/journal.pone.0225871>
- Rychlik, I. (2020). Composition and function of chicken gut microbiota. *Animals*, 10, 1–20. <https://doi.org/10.3390/ani10010103>
- Rycroft, C. E., Jones, M. R., Gibson, G. R. & Rastall, R. A. (2001). A comparative in vitro evaluation of the fermentation properties of prebiotic oligosaccharides. *J. Appl. Microbiol.* 91, 878–887. <https://doi: 10.1046/j.1365-2672.2001.01446.x>.

- Saenphoom, P., Liang, J. B., Ho, Y. W., Loh, T. C., & Rosfarizan, M. (2013). Effects of enzyme treated palm kernel expeller on metabolizable energy, growth performance, villus height and digesta viscosity in broiler chickens. *Asian-Australasian Journal of Animal Sciences*, 26(4), 537–544. <https://doi.org/10.5713/ajas.2012.12463>
- Sanyang, M. L., Sapuan, S. M., Jawaid, M., & Ishak, M. R. (2016). Recent developments in sugar palm (*Arenga Pinnata*) based biocomposites and their potential industrial applications: A review. *Renewable and Sustainable Energy Reviews*, 54(9), 533–549. <https://doi.org/10.1016/j.rser.2015.10.037>
- Saroj, P., Manasa, P., & Narasimhulu, K. (2018). Characterization of thermophilic fungi producing extracellular lignocellulolytic enzymes for lignocellulosic hydrolysis under solid-state fermentation. *Bioresources and Bioprocessing* 5(31), 1–14. <https://doi.org/10.1186/s40643-018-0216-6>
- Sato, K., Marzoni, M., Meng, F., Francis, H., Glase, S., & Alpini, G. (2019). Ductular reaction in liver diseases: pathological mechanisms and translational significances. *Physiology & behavior*, 69(1), 420–430. <https://doi.org/doi:10.1002/hep.30150>
- Schmitz, E., Leontakianakou, S., Norlander, S., Karlsson, E. N., & Adlercreutz, P. (2022). Lignocellulose degradation for the bioeconomy: The potential of enzyme synergies between xylanases, ferulic acid esterase and laccase for the production of arabinoxylo-oligosaccharides. *Bioresource Technology*, 343, 1–10. <https://doi.org/10.1016/j.biortech.2021.126114>
- Schneider, C. A., Rasband, W. S., & Eliceiri, K. W. (2012). NIH Image to ImageJ: 25 years of image analysis. *Nature Methods*, 9(7), 671–675. <https://doi.org/10.1038/nmeth.2089>
- Schutte, J. B., de Jong J., Polziehn, R., & Verstegen, M. W. (1991a). Nutritional implications of D-xylose in pigs. *Br. J. Nutr.* 66, 83–93. <https://doi.org/10.1079/BJN19910012>
- Schutte, J. B., van Leeuwen, P., Lichtendonk, W. J. (1991b). Ileal digestibility and urinary excretion of D-xylose and L-arabinose in ileostomized adult roosters. *Poult. Sci.*, 70, 884–891. <https://doi.org/10.3382/ps.0700884>
- Seesuriyachan, P., Kawee-ai, A., & Chaiyaso, T. (2017). Green and chemical-free process of enzymatic xylooligosaccharide production from corncob: enhancement of the yields using a strategy of lignocellulosic deconstruction by ultra-high pressure pretreatment. *Bioresour. Technol.* 241, 537–544. <https://doi.org/10.1016/j.biortech.2017.05.193>
- Segura-Wang, M., Grabner, N., Koestelbauer, A., Klose, V., & Ghanbari, M. (2021). Genome-resolved metagenomics of the chicken gut microbiome. *Frontiers in Microbiology*, 12(August), 1–13. <https://doi.org/10.3389/fmicb.2021.726923>
- Seifi, S., Sayrafi, R., Khoshbakht, R., Gilani, Al., & Goudarzi, B. (2020). Evaluation of yeast culture and direct-fed microbial on gut histology and serum components of broilers challenged with suboptimal diets under heat stress. *Acta Scientiarum. Animal Sciences*, 42, 1–10. <https://www.redalyc.org/journal/3031/303162575007/html/>
- Sewczyk, T., Antink, M. H., Maas, M., Kroll, S., & Beutel, S. (2018). Flow rate

- dependent continuous hydrolysis of protein isolates. *AMB Express*, 8, 1–9. <https://doi.org/10.1186/s13568-018-0548-9>
- Sharma, K., Thakur, A., & Goyal, A. (2019). Xylanases for food applications. In B. Varjani & S. Raveendran (Ed.), *Green Bio-process: Enzymes in Industrial Food Processing* (hal. 99–118). Singapore: Springer. https://doi.org/10.1007/978-981-13-3263-0_7
- Sibbald, I. R., & Wolynetz, M. S. (1985). Comparison of three methods of excreta collection used in estimation of energy and nitrogen excretion. *Poultry science*, 65, 78–84. <https://doi.org/10.3382/ps.0650078>
- Siegel, P. B. (2014). Evolution of the modern broiler and feed efficiency. *The Annual Review of Animal Biosciences*, 2, 375–385. <https://doi.org/10.1146/annurev-animal-022513-114132>
- Simon, Á., Gulyás, G., Mészár, Z., Bhide, M., Oláh, J., Bai, P., Csösz, É., Jávora, A., Komlósi, I., Remenyik, J., & Czeglédi, L. (2019). Proteomics alterations in chicken jejunum caused by 24 h fasting. *PeerJ*, (3), 1–19. <https://doi.org/10.7717/peerj.6588>
- Singh, Y., Ravindran, V., Wester, T. J., Molan, A. L., & Ravindran, G. (2014). Influence of prepelleting inclusion of whole corn on performance, nutrient utilization, digestive tract measurements, and cecal microbiota of young broilers. *Poultry Science*, 93(12), 3073–3082. <https://doi.org/10.3382/ps.2014-04110>
- Ślizewska, K., & Chlebicz-Wójcik, A. (2020). Growth kinetics of probiotic lactobacillus strains in the alternative, cost-efficient semi-solid fermentation medium. *Biology*. <https://doi.org/10.3390/biology9120423>
- Souilah, R., Djabali, D., Belhadi B., Mokrane, H., Boudries, N., & Nadjemi, B. (2014). *In vitro* starch digestion in sorghum flour from Algerian cultivars. *Food Science and Nutrition*, 2(3), 251–259. <https://doi.org/10.1002/fsn3.104>
- Speight, J. G. (2020). Non-fossil fuel feedstocks. In J. G. Speight (Ed.), *The Refinery of the Future* (2nd ed, hal. 343-389). United States: Gulf Professional Publishing. <https://doi.org/10.1016/B978-0-12-816994-0.00010-5>
- Staack, L., Della Pia, E. A., Jørgensen, B., Pettersson, D., & Rangel Pedersen, N. (2019). Cassava cell wall characterization and degradation by a multicomponent NSP-targeting enzyme (NSPase). *Scientific Reports*, 9(1), 1–11. <https://doi.org/10.1038/s41598-019-46341-2>
- Sternemalm, E., Ho, A., & Gatenholm, P. (2008). Effect of arabinose substitution on the material properties of arabinoxylan films. *Research*, 343, 753–757. <https://doi.org/10.1016/j.carres.2007.11.027>
- Stuedler, S., Werner, A., & Cheng, J. (2019). Solid state fermentation: Preface. In T. Schaper (Ed.), *Advances in Biochemical Engineering/Biotechnology* (Vol. 13, hal. 79). Switzerland: Springer. [https://doi.org/10.1016/S1369-703X\(02\)00134-1](https://doi.org/10.1016/S1369-703X(02)00134-1)
- Such, N., Farkas, V., Molnár, A., Csitári, G., Pál, L., Rawash, M. A., Koltay, I. A., Husvéth, F., & Dublicz, K. (2021). Effect of diet composition, a probiotic and a symbiotic treatment on the ileal microbiota composition of one-week-old broiler chickens. *Acta Agraria Debreceniensis*, (1), 213–220. <https://doi.org/10.34101/actaagrar/1/8455>

- Suiryanrayna, M. V. A. N., & Ramana, J. V. (2015). A review of the effects of dietary organic acids fed to swine. *Journal of Animal Science and Biotechnology*, 6(1), 1–11. <https://doi.org/10.1186/s40104-015-0042-z>
- Suryani, A. E., Karimy, M. F., Istiqomah, L., Sofyan, A., Herdian, H., & Wibowo, M. H. (2014). Colibacillosis prevalence in broiler chicken infected by *Escherichia coli* with administration of bioadditive, probiotic and antibiotic. *Widyariset*, 17(2), 233–244. <https://www.researchgate.net/publication/281456418>
- Suryani, A. E., Wuryastuty, H., Wasito, R., & Karimy, M. F. (2019). The effect of the water additive kimchistock® as an herbal growth promoter on the jejunal histological and ultrastructural changes of broiler chickens. *Pakistan Journal of Nutrition*, 18(10), 983–988. <https://doi.org/10.3923/pjn.2019.983.988>
- Svihus, B. (2014). Function of the digestive system. *Journal of Applied Poultry Research*, 23(2), 306–314. <https://doi.org/10.3382/japr.2014-00937>
- Taherzadeh-Ghahfarokhi, M., Panahi, R., & Mokhtarani, B. (2019). Optimizing the combination of conventional carbonaceous additives of culture media to produce lignocellulose-degrading enzymes by *Trichoderma reesei* in solid state fermentation of agricultural residues. *Renewable Energy*, 131, 946–955. <https://doi.org/10.1016/j.renene.2018.07.130>
- Tarayre, C., Bauwens, J., Brasseur, C., Mattéotti, C., Millet, C., Guiot, P. A., Destain, J., Vandenbol, M., Portetelle, D., De Pauw, E., Haubruge, E., Francis, F., & Thonart, P. (2015). Isolation and cultivation of xylanolytic and cellulolytic *Sarocladium kiliense* and *Trichoderma virens* from the gut of the termite *Reticulitermes santonensis*. *Environmental Science and Pollution Research*, 22(6), 4369–4382. <https://doi.org/10.1007/s11356-014-3681-2>
- Tejeda, O. J., & Kim, W. K. (2021a). Effects of fiber type, particle size, and inclusion level on the growth performance, digestive organ growth, intestinal morphology, intestinal viscosity, and gene expression of broilers. *Poultry Science*, 100(10), 1–13. <https://doi.org/10.1016/j.psj.2021.101397>
- Tejeda, Oscar J., & Kim, W. K. (2021b). Role of dietary fiber in poultry nutrition. *Animals*, 11(2), 1–16. <https://doi.org/10.3390/ani11020461>
- Teng, P. Y., & Kim, W. K. (2018). Review: Roles of prebiotics in intestinal ecosystem of broilers. *Frontiers in Veterinary Science*, 5, 1–18. <https://doi.org/10.3389/fvets.2018.00245>
- Thanabalan, A., & Kiarie, E. G. (2022). Body weight, organ development and jejunal histomorphology in broiler breeder pullets fed n-3 fatty acids enriched diets from hatch through to 22 weeks of age. *Poultry Science*, 101(1), 1–4. <https://doi.org/10.1016/j.psj.2021.101514>
- Timmerman, H. M., Veldman, A., Van Den Elsen, E., Rombouts, F. M., & Beynen, A. C. (2006). Mortality and growth performance of broilers given drinking water supplemented with chicken-specific probiotics. *Poultry Science*, 85(8), 1383–1388. <https://doi.org/10.1093/ps/85.8.1383>
- Van Hul, M., Le Roy, T., Prifti, E., Daoc, M. C., Paquotd, A., Zucker, J-D., Delzenne, N. M., Muccioli, G. G., Clément, K., & Cani, P. D. (2020). From correlation to causality: the case of *Subdoligranulum*. *Gut Microbes*, 12(1), 1–13. <https://doi.org/10.1080/19490976.2020.1849998>

- Vasanthakumari, B. L., Gedye, K. R., Abdollahi, M. R., Di Benedetto, M., Sanchez, D. G., Wealleans, A., & Ravindran, V. (2023). A new monocomponent xylanase improves performance, ileal digestibility of energy and nutrients, intestinal morphology, and intestinal microbiota in young broilers. *Journal of Applied Poultry Research*, 32(1), 1–16. <https://doi.org/10.1016/j.japr.2022.100301>
- Walugembe, M., Hsieh, J. C. F., Koszewski, N. J., Lamont, S. J., Persia, M. E., & Rothschild, M. F. (2015). Effects of dietary fiber on cecal short-chain fatty acid and cecal microbiota of broiler and laying-hen chicks. *Poultry Science*, 94, 2351–2359. <https://doi.org/10.3382/ps/pev242>
- Wan Azelee, N. I., Jahim, J. M., Ismail, A. F., Fuzi, S. F. Z. M., Rahman, R. A., & Md Illias, R. (2016). High xylooligosaccharides (XOS) production from pretreated kenaf stem by enzyme mixture hydrolysis. *Industrial Crops and Products*, 81, 11–19. <https://doi.org/10.1016/j.indcrop.2015.11.038>
- Wang, X., Tsai, T., Deng, F., Wei, X., Chai, J., Knapp, J., Apple, J., Maxwell, C. V., Lee, J. A., & Zhao, J. (2019). Longitudinal investigation of the swine gut microbiome from birth to market reveals stage and growth performance associated bacteria. *Microbiome*, 7(1), 1–18. <https://doi.org/10.1186/s40168-019-0721-7>
- Widjaja, T., Altway, A., Pudjiastuti, L., Lini, F. Z., Nury, D. F., & Iswanto, T. (2019). Optimization of organosolv pretreatment of starch waste from sugar palm trunk (*Arenga pinnata*) for the production of reducing sugar. *Asian Journal & Agricultural Biology*, 7(3), 355–364.
- Wu, J. & Warren, F. J. (2023). The impact of the soluble protein fraction and kernel hardness on wheat flour starch digestibility. *Food Chemistry*, 406, 135047. <https://doi.org/10.1016/j.foodchem.2022.135047>
- Wu, X., Tang, W., Huang, C., Huang, C., Lai, C., & Yong, Q. (2020). Unrevealing model compounds of soil conditioners impacts on the wheat straw autohydrolysis efficiency and enzymatic hydrolysis. *Biotechnology for Biofuels*, 13(1), 1–9. <https://doi.org/10.1186/s13068-020-01763-3>
- Wu, Z., Yang, K., Zhang, A., Chang, W., Zheng, A., Chen, Z., Cai, H., & Liu, G. (2021). Effects of *Lactobacillus acidophilus* on the growth performance, immune response, and intestinal barrier function of broiler chickens challenged with *Escherichia coli* O157. *Poultry Science*, 100, 101323, 1–15. <https://doi.org/10.1016/j.psj.2021.101323>
- Xie, R., Li, M., Ma, S., Liu, J., & Long, M. (2020). Efficient analysis of monosaccharides and oligosaccharides from hydrolyzed hemicellulose of *Spartina anglica*. *BioResources*, 15(4), 7628–7639. <https://doi.org/10.15376/biores.15.4.7628-7639>
- Xu, Y., Huang, Y., Guo, L., Zhang, S., Wu, R., Fang, X., Xu, H., & Nie, Q. (2022). Metagenomic analysis reveals the microbiome and antibiotic resistance genes in indigenous Chinese yellow-feathered chickens. *Frontiers in Microbiology*, 13(September), 1–13. <https://doi.org/10.3389/fmicb.2022.930289>
- Xue, Y., Cui, X., Zhang, Z., Zhou, T., Gao, R., Li, Y., & Ding, X. (2020). Effect of β -endoxyranase and α -arabinofuranosidase enzymatic hydrolysis on nutritional and technological properties of wheat brans. *Food Chemistry*, 302,

125332. <https://doi.org/10.1016/j.foodchem.2019.125332>
- Yadav, S., & Jha, R. (2019). Strategies to modulate the intestinal microbiota and their effects on nutrient utilization, performance, and health of poultry. *Journal of Animal Science and Biotechnology*, *10*, 1–11.
- You, S., Ma, Y., Yan, B., Pei, W., Wu, Q., Ding, C., & Huang, C. (2022). The promotion mechanism of prebiotics for probiotics: A review. *Frontiers in Nutrition*, *9*(2). <https://doi.org/10.3389/fnut.2022.1000517>
- Zhang, C., Hao, E., Chen, X., Huang, C., Liu, G., Chen, H., Wang, D., Shi, L., Xuan, F., Chang, D., & Chen, Y. (2023). Dietary fiber level improve growth performance, nutrient digestibility, immune and intestinal morphology of broilers from day 22 to 42. *Animals*, *13*(7), 1–14. <https://doi.org/10.3390/ani13071227>
- Zhang, L., Xu, J., Zhang, L., Zhang, W., & Zhang, Y. (2003). Determination of 1-phenyl-3-methyl-5-pyrazolone-labeled carbohydrates by liquid chromatography and micellar electrokinetic chromatography. *Journal of Chromatography B*, *793*(1), 159–165. [https://doi.org/10.1016/S1570-0232\(03\)00373-8](https://doi.org/10.1016/S1570-0232(03)00373-8)
- Zhang, Y., Yang, J., Luo, L., Wang, E., Wang, R., Liu, L., Liu, J., & Yuan, H. (2020). Low-cost cellulase-hemicellulase mixture secreted by *Trichoderma harzianum* EM0925 with complete saccharification efficacy of lignocellulose. *International Journal of Molecular Sciences*, *21*(2), 1–18. <https://doi.org/10.3390/ijms21020371>
- Zhao, C., Qiao, X., Cao, Y., & Shao, Q. (2017). Application of hydrogen peroxide presoaking prior to ammonia fiber expansion pretreatment of energy crops. *Fuel*, *205*, 184–191. <https://doi.org/10.1016/j.fuel.2017.05.073>
- Zhao, S., Zhang, G. L., Chen, C., Yang, Q., Luo, X. M., Wang, Z. B., Wu, A. M., & Feng, J. X. (2021). A combination of mild chemical pre-treatment and enzymatic hydrolysis efficiently produces xylooligosaccharides from sugarcane bagasse. *Journal of Cleaner Production*, *291*, 125972. <https://doi.org/10.1016/j.jclepro.2021.125972>
- Zhao, X., Zheng, Z., Cai, Y., Zhao, Y., Zhang, Y., Gao, Y., Cui, Z., & Wang, X. (2020). Accelerated biomethane production from lignocellulosic biomass: Pretreated by mixed enzymes secreted by *Trichoderma viride* and *Aspergillus* sp. *Bioresource Technology*, *309*, 123378. <https://doi.org/10.1016/j.biortech.2020.123378>
- Zheng, D., Liwinski, T., & Elinav, E. (2020). Interaction between microbiota and immunity in health and disease. *Cell Research*, *30*(6), 492–506. <https://doi.org/10.1038/s41422-020-0332-7>