

## DAFTAR PUSTAKA

- Aboul-Maaty, N.A.-F. dan Oraby, H.A.-S. (2019) "Extraction of high-quality genomic DNA from different plant orders applying a modified CTAB-based method," *Bulletin of the National Research Centre*, 43(1), hal. 1–10. Tersedia pada: <https://doi.org/10.1186/s42269-019-0066-1>.
- Albedair, L.A. (2022) "Synthesis, structure, and antimicrobial activity of complexes of bivalent metals with 1-naphthylacetic acid," *Journal of Applied Spectroscopy*, 88(6), hal. 1257–1265. Tersedia pada: <https://doi.org/10.1007/s10812-022-01307-7>.
- Von Arnold, S. *et al.* (2002) "Developmental pathways of somatic embryogenesis," *Plant Cell, Tissue and Organ Culture*, 69(3), hal. 233–249. Tersedia pada: <https://doi.org/10.1023/A:1015673200621>.
- Atwood, J. (1986) "The size of *Orchidaceae* and the systematic distribution of epiphytic orchids," *Selbyana*, 9 IS-(1), hal. 171-186 EP-.
- Azmi, T.K.K. dan Wiendi, N.M.A. (2013) "Perbanyakan anggrek spesies *Paphiopedilum glaucophyllum* J.J.Smith melalui proliferasi tunas adventif secara *in vitro*," *Jurnal Hortikultura Indonesia*, 4(3), hal. 115. Tersedia pada: <https://doi.org/10.29244/jhi.4.3.115-123>.
- Badan Pusat Statistik (2020) *Produksi Tanaman Florikultural (Hias) 2015-2020*. Tersedia pada: <https://www.bps.go.id/indicator/55/64/1/produksi-tanaman-florikultura-hias-.html> (Diakses: 2 Februari 2022).
- Bhatia, S. (2015) "Plant Tissue Culture," in *Modern Applications of Plant Biotechnology in Pharmaceutical Sciences*. Elsevier, hal. 31–107. Tersedia pada: <https://doi.org/10.1016/B978-0-12-802221-4.00002-9>.
- Bhatla, S.C. dan Lal, M.A. (2018) *Plant Physiology, Development and Metabolism, Plant Physiology, Development and Metabolism*. Tersedia pada: <https://doi.org/10.1007/978-981-13-2023-1>.
- Birk, L.A. (1983) *The Paphiopedilum Grower's Manual*. Santa Barbara: Pisang Press.
- Chardin, C. *et al.* (2014) "The plant RWP-RK transcription factors: Key regulators of nitrogen responses and of gametophyte development," *Journal of Experimental Botany*, 65(19), hal. 5577–5587. Tersedia pada: <https://doi.org/10.1093/jxb/eru261>.
- Chase, M.W. *et al.* (2015) "An updated classification of *Orchidaceae*," *Botanical Journal of the Linnean Society*, 177(2), hal. 151–174. Tersedia pada: <https://doi.org/10.1111/boj.12234>.
- Chaudhary, K. dan Prakash, J. (2019) "Effect of 2, 4-d and picloram on somatic embryogenesis in *Carica papaya* var. P-7-9," *Plant Tissue Culture and Biotechnology*, 29(1), hal. 25–32. Tersedia pada: <https://doi.org/10.3329/ptcb.v29i1.41976>.
- CITES (2022) *Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES), Appendices I, II, and III*. Tersedia pada: <https://cites.org/eng/app/appendices.php> (Diakses: 2 Februari 2022).
- Comber, J.B. (1990) *Orchid of Java*. London: Royal Botanic Gardens, Kew.
- Cox, A. V *et al.* (1997) "Phylogenetics of the slipper orchids (*Cypripedioideae*,

- Orchidaceae*): nuclear DNA ITS sequences,” *America*, 208, hal. 197–223.
- Cribb, P.J. (1987) *The Genus Paphiopedilum*. London: Bentham-Moxon Trust, Kew Royal Botanic Garden.
- Destri, D. dan Ismaini, L. (2018) “*Paphiopedilum* spp . (*Orchidaceae*) Collection at Cibodas Botanic Garden,” in *3rd International Conference on Tropical Biology “Conservation, Enhancement and Sustainable Use of Indigenous Tropical Flora and Fauna.”* Bogor, hal. 88–93.
- Garvita, R.V. dan Handini, E. (2011) “Pengaruh penambahan berbagai kadar pisang dan ubi jalar pada pertumbuhan kultur tiga jenis phalaenopsis,” *Bulletin Kebun Raya*, 14(2), hal. 9–18.
- George, E.F. dan Sherrington, P.D. (1984) *Plant Propagation by Tissue Culture: Handbook and Directory of Commercial Laboratories*. Exegetics. Tersedia pada: <https://books.google.co.id/books?id=rX8nzgEACAAJ>.
- Gupta, N. *et al.* (2020) “A Review on Micropropagation Culture Method,” *Asian Journal of Pharmaceutical Research and Development*, 8(1), hal. 86–93. Tersedia pada: <https://doi.org/10.22270/ajprd.v8i1.653>.
- Huetteman, C.A. dan Preece, J.E. (1993) “Thidiazuron: a potent cytokinin for woody plant tissue culture,” *Plant Cell, Tissue and Organ Culture*, 33(2), hal. 105–119. Tersedia pada: <https://doi.org/10.1007/BF01983223>.
- Ichihashi, S. (1978) “Studies on the Media for Orchid Seed Germination,” *Journal of the Japanese Society for Horticultural Science*, 46(4), hal. 521–529. Tersedia pada: <https://doi.org/10.2503/jjshs.46.521>.
- Inkiriwang, A.E.B., Mandang, J. dan Runtunuwu, S. (2016) “Substitusi media murashige dan skoog/MS dengan air kelapa dan pupuk daun majemuk pada pertumbuhan anggrek *Dendrobium* secara *in vitro*,” *Jurnal Bios Logos*, 6(1). Tersedia pada: <https://doi.org/10.35799/jbl.6.1.2016.16258>.
- Islam, M.O., Ichihashi, S. dan Matsui, S. (1998) “Control of Growth and Development of Protocorm like Body Derived from Callus by Carbon Sources in *Phalaenopsis*,” *Plant Biotechnology*, 15(4), hal. 183–187. Tersedia pada: <https://doi.org/10.5511/plantbiotechnology.15.183>.
- IUCN (2021) *IUCN Red List of threatened species, Version 2021-3*. Tersedia pada: <https://www.iucnredlist.org/> (Diakses: 2 Februari 2022).
- Karjadi, A.K. dan Buchory, A. (2008) “Pengaruh komposisi media dasar, penambahan bap, dan pikloram,” *J. Hort*, 18(1), hal. 1–9.
- Knudson, L. (1946) “A new nutrient solution for the germination of orchid seeds,” *Amer. Orchid Soc. Bull.*, 15, hal. 214–217.
- Kőszegi, D. *et al.* (2011) “Members of the RKD transcription factor family induce an egg cell-like gene expression program,” *The Plant Journal*, 67(2), hal. 280–291. Tersedia pada: <https://doi.org/10.1111/j.1365-313X.2011.04592.x>.
- Lakani, I. *et al.* (2016) “Respons ketahanan beberapa spesies anggrek terhadap infeksi odontoglossum ringspot virus,” *Jurnal Hortikultura*, 25(1), hal. 71. Tersedia pada: <https://doi.org/10.21082/jhort.v25n1.2015.p71-77>.
- Le, V.N. *et al.* (2021) “Simultaneous determination of plant endogenous hormones in green mustard by liquid chromatography – Tandem mass spectrometry,” *Chinese Journal of Analytical Chemistry*, 49(12), hal. 111–117. Tersedia

- pada: <https://doi.org/10.1016/j.cjac.2021.10.008>.
- Liu, P.F., Avramova, L. V. dan Park, C. (2009) "Revisiting absorbance at 230 nm as a protein unfolding probe," *Analytical Biochemistry*, 389(2), hal. 165–170. Tersedia pada: <https://doi.org/10.1016/j.ab.2009.03.028>.
- Long, B. *et al.* (2010) "*In vitro* propagation of four threatened *Paphiopedilum* species (*Orchidaceae*)," *Plant Cell, Tissue and Organ Culture*, 101(2), hal. 151–162. Tersedia pada: <https://doi.org/10.1007/s11240-010-9672-1>.
- Loyola-Vargas, V.M. dan Ochoa-Alejo, N. (2016) *Somatic embryogenesis: Fundamental aspects and applications, Somatic Embryogenesis: Fundamental Aspects and Applications*. Tersedia pada: <https://doi.org/10.1007/978-3-319-33705-0>.
- Lucena-Aguilar, G. *et al.* (2016) "DNA Source Selection for Downstream Applications Based on DNA Quality Indicators Analysis," *Biopreservation and Biobanking*, 14(4), hal. 264–270. Tersedia pada: <https://doi.org/10.1089/bio.2015.0064>.
- Masnoddin, M., Repin, R. dan Abd, Z. (2016) "Micropropagation of an endangered Borneo Orchid, *Paphiopedilum rothschildianum* callus using temporary immersion bioreactor system," *Thai Agricultural Research Journal*, 34(2), hal. 161–171. Tersedia pada: <https://doi.org/10.14456/thaidoa-agres.2016.12>.
- Mawardi, A. dan Simonapendi, M.L. (2016) "Uji efektivitas metode isolasi DNA genom kopi arabika (*Coffea arabica* L.) asal Kabupaten Jayawijaya," *Jurnal Biologi Papua*, 8(1), hal. 7–12. Tersedia pada: <https://doi.org/10.31957/jbp.10>.
- Mose, W. *et al.* (2020) "Direct somatic embryogenesis and regeneration of an Indonesian orchid *Phalaenopsis amabilis* (L.) Blume under a variety of plant growth regulators, light regime, and organic substances," *Jordan Journal of Biological Sciences*, 13(4), hal. 509–518.
- Mukherjee, A. *et al.* (2022) "The bioactive potential of phytohormones: A review," *Biotechnology Reports*, 35(June), hal. e00748. Tersedia pada: <https://doi.org/10.1016/j.btre.2022.e00748>.
- Murashige, T. dan Skoog, F. (1962) "A revised medium for rapid growth and bio assays with tohaoco tissue cultures," *Physiologia Plantarum*, 15, hal. 474–497.
- Ng, C.Y. dan Mohd Saleh, N. (2011) "*In vitro* propagation of *Paphiopedilum* orchid through formation of protocorm-like bodies," *Plant Cell, Tissue and Organ Culture*, 105(2), hal. 193–202. Tersedia pada: <https://doi.org/10.1007/s11240-010-9851-0>.
- Ng, C.Y., Saleh, N.M. dan Zaman, F.Q. (2010) "*In vitro* multiplication of the rare and endangered slipper orchid, *Paphiopedilum rothschildianum* (*Orchidaceae*)," *African Journal of Biotechnology*, 9(14), hal. 2062–2068.
- Nguyen, T.T. *et al.* (2018) "*In Vitro* Propagation of a Vietnam Endemic Lady's Slipper Orchid (*Paphiopedilum vietnamense* O.Gruss & Perner)," *Journal of Horticulture and Plant Research*, 1(March), hal. 1–8. Tersedia pada: <https://doi.org/10.18052/www.scipress.com/jhpr.1.1>.
- Ogunyale, O.G. *et al.* (2014) "A Review of Plant Growth Substances: Their Forms,

- Structures, Synthesis and Functions,” *Journal of Advanced Laboratory Research in Biology*, 5(4), hal. 152–168.
- Puri, S., Heriansyah, P. dan Nopsagiarti, T. (2022) “Potassium dihydrogen phosphate (KH<sub>2</sub>PO<sub>4</sub>) and kinetin enhance the growth of *Dendrobium sonia* somatic embryos,” *Jurnal Biologi Indonesia*, 18(1), hal. 41–50. Tersedia pada: <https://doi.org/10.47349/jbi/18012022/41>.
- Radoeva, T. dan Weijers, D. (2014) “A roadmap to embryo identity in plants,” *Trends in Plant Science*, 19(11), hal. 709–716. Tersedia pada: <https://doi.org/10.1016/j.tplants.2014.06.009>.
- Ramos-Ortiz, S. *et al.* (2020) “Clonal propagation of *Trichocentrum stramineum* (Orchidaceae), a threatened species endemic to Mexico,” *Botanical Sciences*, 98(2), hal. 355–365. Tersedia pada: <https://doi.org/10.17129/BOTSCI.2468>.
- Rolfe, R.A. (1906) “*Paphiopedilum glaucophyllum*,” in B.-M. Trust, W. Curtis, dan C.B.M. Dedicatio (ed.) *Curtis Botanical Magazine*. London: Wiley-Blackwell, hal. 103–106.
- Sambrook, J. dan Russel, D. W. (2001) “Molecular Cloning, 3-Volume Set : A Laboratory Manual,” *Cold Spring Harboc Laboratory Press*, hal. 999. Tersedia pada: <http://www.ncbi.nlm.nih.gov/pubmed/24532655>.
- Schauser, L., Wieloch, W. dan Stougaard, J. (2005) “Evolution of NIN-like proteins in Arabidopsis, rice, and Lotus japonicus,” *Journal of Molecular Evolution*, 60(2), hal. 229–237. Tersedia pada: <https://doi.org/10.1007/s00239-004-0144-2>.
- Schenk, J.J. *et al.* (2023) “What is the ‘modified’ CTAB protocol? Characterizing modifications to the CTAB DNA extraction protocol,” *Applications in Plant Sciences*, 11(3), hal. 1–11. Tersedia pada: <https://doi.org/10.1002/aps3.11517>.
- Semiarti, E., Mose, W. dan Widayati, A.W. (2020) “Isolation and characterisation of putative embryo gene *DIRKD4* from Indonesian orchid *Dendrobium lineale* Rolfe,” *AIP Conference Proceedings*, 2260(September). Tersedia pada: <https://doi.org/10.1063/5.0015867>.
- Sindiya, V. *et al.* (2018) “Studi *in silico* potensi DNA barcode pada anggrek langka *Paphiopedilum*,” *Biosfer*, 3(1), hal. 20–26.
- Smulders, M.J.M. *et al.* (1983) “Metabolism of 1-naphthaleneacetic acid in explants of tobacco: Evidence for release of free hormone from conjugates,” *Journal of Plant Growth Regulation*, 9(1), hal. 27–34. Tersedia pada: <https://doi.org/10.1007/BF02041938>.
- Soonthornkalump, S., Nakkanong, K. dan Meesawat, U. (2019) “*In vitro* cloning via direct somatic embryogenesis and genetic stability assessment of *Paphiopedilum niveum* (Rchb.f.) Stein: the endangered Venus’s slipper orchid,” *In Vitro Cellular and Developmental Biology - Plant*, 55(3), hal. 265–276. Tersedia pada: <https://doi.org/10.1007/s11627-019-09981-7>.
- Su, Y.H. *et al.* (2021) “Plant cell totipotency: Insights into cellular reprogramming,” *Journal of Integrative Plant Biology*, 63(1), hal. 228–243. Tersedia pada: <https://doi.org/10.1111/jipb.12972>.
- Tedeschi, F. *et al.* (2017) “RWP-RK domain-containing transcription factors



- control cell differentiation during female gametophyte development in *Arabidopsis*,” *New Phytologist*, 213(4), hal. 1909–1924. Tersedia pada: <https://doi.org/10.1111/nph.14293>.
- Tuong Do, V.N., Hsu, S. Te dan Lee, Y.I. (2019) “Clonal propagation *in vitro* of *Paphiopedilum* hybrids from adult plants,” *HortScience*, 54(9), hal. 1565–1569. Tersedia pada: <https://doi.org/10.21273/HORTSCI13791-18>.
- Udomdee, W. *et al.* (2012) “Shoot multiplication Of *Paphiopedilum* orchid through *in vitro* cutting methods,” *African Journal Of Biotechnology*, 11(76), hal. 14077–14082. Tersedia pada: <https://doi.org/10.5897/AJB12.2047>.
- Vacin, E.F. dan Went, F.W. (1949) “Some pH changes in nutrient solutions,” *Botanical Gazette*, 110(4), hal. 605–613. Tersedia pada: <https://doi.org/10.1086/335561>.
- Waki, T. *et al.* (2011) “The *arabidopsis* RWP-RK protein RKD4 triggers gene expression and pattern formation in early embryogenesis,” *Current Biology*, 21(15), hal. 1277–1281. Tersedia pada: <https://doi.org/10.1016/j.cub.2011.07.001>.
- Wasiati, A.R., Nugraheni, I.A. dan Setiawati, Y. (2021) “The combination of murashige and skoog (MS) media and activated charcoal on the growth of the *Vanda helvola* orchid plant *in vitro*,” *International Journal of Health Science and Technology*, 3(1), hal. 159–170. Tersedia pada: <https://doi.org/10.31101/ijhst.v3i1.2247>.
- Widiastoety, D., Kartikaningrum, S. dan Purbadi (2005) “Pengaruh pH media terhadap pertumbuhan plantlet anggrek *Dendrobium*,” *Jurnal Hortikultura*, 15(1), hal. 18–21.
- Yeung, E.C. (1995) “*Structural and Developmental Patterns in Somatic Embryogenesis*,” In: TA Thorpe (Ed.) *In vitro Embryogenesis in Plants*. Kluwer, Netherlands Tersedia pada: [https://doi.org/10.1007/978-94-011-0485-2\\_6](https://doi.org/10.1007/978-94-011-0485-2_6).
- Yulia, N.D. (2007) “Kajian Fenologi Fase Pembungaan dan Pembuahan,” *Biodiversitas*, 8, hal. 58–62.
- Zhang, M. *et al.* (2021) “Direct and indirect somatic embryogenesis induction in *Camellia oleifera* Abel,” *Frontiers in Plant Science*, 12(March), hal. 1–14. Tersedia pada: <https://doi.org/10.3389/fpls.2021.644389>.