

DAFTAR PUSTAKA

- Abbas AK, Lichtman AH, Pillai S, editors. *Imunologi Dasar Abbas, Fungsi dan Kelainan Sistem Imun*. Indonesia, Elsevier, 2016. pp. 1-25.
- Abbott AL, Silvestrini M, Topakian R, Golledge J, Brunser AM, Borst GJ, Harbaugh RE, Doubai FN, Rhundek T, Thapar A, Davies AH, Kam A, Wardlaw JM. Optimizing the definitions of stroke, transient ischemic attack and infarction for research and application in clinical practice. *Hypothesis and Theory* 2017; 8(537):1-14. doi: 10.3389/fneur.2017.00537
- Andersen KK, Olsen TS, Dehlendorff C, Kammersgaard LP. Hemorrhagic and ischemic strokes compared stroke severity, mortality and risk factors. *Stroke* 2009;40:2068-72.
- Assefa M, Tadesse A, Adane A, Yimer M, Tadesse M. Factors associated with stroke associated pneumonia among adult stroke patients admitted to university of Gondar Hospital, Northwest Ethiopia. *Scientific Reports* 2022; 12(12724):1-8.
- Banda KJ, Chu H, Kang XL. Prevalence of dysphagia and risk of pneumonia and mortality in acute stroke patients: a meta analysis. *BMC Geriatrics* 2022;22:1-10
- Bernstein JM, Girard R, Polster S, Srinath A, Romanos S, Awad IA, Sansing LH. Cerebral hemorrhage: Pathophysiology, treatment and future directions. *Circulation research* 2022;130:1204-1229. <https://doi.org/10.1161/CIRCRESAHA.121.319949>
- Bietar B, Lehmann C, Stadnyk AW. Effects of CNS Injury-Induced Immunosuppression on Pulmonary Immunity. *Life* 2021;576(11):1-12.
- Brogan E, Langdon C, Brookes K, et al. Respiratory infections in acute stroke: nasogastric tubes and immobility are stronger predictors than dysphagia. *Dysphagia* 2014;28(4):1-6.
- Bustamante A, Vilar-Bergua A, Guettier S, Sánchez-Poblet J, García-Berrocoso T, Giralt D, et al. C-Reactive Protein in the Detection of Post-Stroke Infections: Systematic Review and Individual Participant Data Analysis. *J-Neurochem* 2017;141:305-14
- Carneiro T, Spears W, LeClair J, Mahoney T, Takahashi C, Arslanian AC. Admission lymphocytopenia is associated with urinary tract infection and nosocomial infections in hemorrhagic stroke. *Journal of Stroke and Cerebrovascular Diseases* 2021;30(11):1-8.
- Chang MC, Choo YJ, Seo KC, Yang S. The relationship between dysphagia and pneumonia in acute stroke patients: a systematic review and meta-analysis. *Front Neurol* 2022;13:1-2.
- Chen J, Chi B, Ma J, et al. Gut microbiota signature as predictors of adverse outcomes after acute ischemic stroke in patients with hyperlipidemia. *Front Cell Infect Microbiol* 2022:1-12.
- Colbert JF, Traystman RJ, Poisson SN, Herson PS, Ginde AA. Sex-related differences in the risk of Hospital-Acquired Sepsis and Pneumonia post acute ischemic stroke. *Journal of Stroke and Cerebrovascular Disease*. 2016;25(10):2399-404.

- Cordonnier C, Demchuk A, Ziai W, Anderson CS. Intracerebral haemorrhage: current approaches to acuter management. *Lancet* 2018;392:1257-68.
- Coupland AP, Thapar A, Qureshi MI, Jenkins H, Davies AH. The Definition of Stroke. *Journal of the Royal Society of Medicine* 2017;110(1):9-12.
- Courties G, Herisson F, Sager HB, Heidt T, Ye Y, Wei Y, Sun Y, Severe N, Dutta P, Scharff J et al (2015) Ischemic stroke activates hematopoietic bone marrow stem cells. *Circ Res* 116: 407 – 417
- Cui P, McCullough LD, Hao J. Brain to periphery in acute ischemic stroke: Mechanisms and clinical significance. *Frontiers in neuroendocrinology* 2021; 63:1-16
- Dabilgou AA, Drave A, Kyelem JMA, et al. Factors influencing the longer hospital stays for acute stroke patients in a tertiary hospital in Burkina Faso. *Journal of rehabilitation research and practice* 2021;2(1):21-8.
- Deng QW, Yang H, Yan FL, Wang H, Xing FL, Zuo L, Zhang HQ. Blocking sympathetic nervous system reverses partially stroke-induced immunosuppression but does not aggravate functional outcome after experimental stroke in rats. *Neurochem Res* 2016;41:1877.
- Derbisz J, Nowak K, Wnuk M, Pulyk R, Jagiella J, Slowik J, Dizedzic T, Slowik A. Prognostic Significance of Stroke-Associated Infection and other Readily Available Parameters in Acute Ischemic Stroke Treated by Intravenous Thrombolysis. *Journal of Stroke and Cerebrovascular Diseases* 2021;30(2):1-9.
- Dobner J, Kaser S. Body mass index and the risk of infection-from underweight to obesity. *Clinical microbiology and infection* 2017;24(1):1-6.
- Doda DVD, Polii H, Marunduh SR, Sapulete IM. *Buku Ajar Fisiologi Sistem Hematologi*. Indonesia, CV Budi Utama, 2020.
- Donnell MJO, Chin SL, Rangarajan S, Xavier D, Liu L, Zjang H, Melacini PR et al. Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case control study. *Lancet* 2016:1-15.
- Elgazzar AEM, Hosny H, Elkhateeb TH. Procalcitonin and clinical pulmonary infection score as predictors of stroke-associated pneumonia: a prospective observational single-center study. *The Egyptian Journal of Chest Disease and Tuberculosis* 2017;2090(9950):1-9.
- Elnady HM, Azab HM, Said MA, et al. Stroke severity is the major player in post-stroke urinary tract infection in patients with first ever ischemic stroke. *Neuroscience and medicine*;9(2):94-104.
- Eltringham SA, Kilner K, Gee M, Sage K, Bray BD, Pownall S, et al. Impact of dysphagia assessment and management on risk of stroke-associated pneumonia: a systematic review. *Cerebrovasc Dis.* (2018) 46:99–107.
- Ezzati M. NCD Countdown 2030: worldwide trends in non-communicable disease mortality and progress towards sustainable development goal target 3.4. *Lancet* 2018;392:1072-88.
- Falsetti P, Acciai C, Palilla R, et al. Oropharyngeal dysphagia after stroke: incidence, diagnosis and clinical predictors in patients admitted to a

- Neurorehabilitation unit. *Journal of Stroke and Cerebrovascular diseases* 2009;18(5):329-35.
- Faura J, Bustamante A, Miro-Mur F, Montaner J. Stroke-induced immunosuppression: implications for the prevention and prediction of post-stroke infections. *Journal of Neuroinflammation* 2021;18(127):1-14.
- Ghelani DP, Kim HA, Zhang SR, et al. Ischemic stroke and infection: a brief update on mechanisms and potential therapies. *Biochemical Pharmacology* 2021;193:1-10.
- Güleç A, Albayrak I, Erdur Ö, Öztürk K, Levendoglu F. Effect of swallowing rehabilitation using traditional therapy, kinesiology taping and neuromuscular electrical stimulation on dysphagia in post-stroke patients: a randomized clinical trial. *Clin Neurol Neurosurg* 2021.
- Haak BW, Westendorp WF, Engelen TSR, et al. Disruptions of anaerobic gut bacteria are associated with stroke and post-stroke infection: a prospective case-control study. *Transl Stroke Res* 2021;12(4):581-92.
- Halil F, Darmawaty ER, Pakasi RDN. Serum albumin level in ischemic and hemorrhagic stroke patients/ *Indonesian Journal of Clinical Pathology and Medical Laboratory* 2010;16(2):1-8
- Hamm T, Overton A, Thomas K, Sednew R. Length of stay and its association with get with the guidelines-stroke award recognition. *Cardiovascular Quality and Outcomes* 2017;10:A246.
- Hankey GJ. Population impact of potentially modifiable risk factors for stroke. *Stroke* 2020;51:719-28
- Harris S, Kurniawan M, Rasyid A, et al. Cerebral small vessel disease in Indonesia: lacunar infarction study from Indonesian stroke registry 2012-2014. *SAGE Open Med* 2018;20(6):1-8
- He L, Wang J, Wang F, Zhang L, Zhang L, Zhao W. Increased neutrophil-to-lymphocyte ratio predicts the development of post-stroke infections in patients with acute ischemic stroke. *BMC Neurology* 2020;20:328.
- Hoffmann S, Harms H, Ulm L, Nabavi DG, Mackert BM, Schmehl I, et al. Stroke-induced immunodepression and dysphagia independently predict stroke-associated pneumonia – The PREDICT study. *J Cereb Blood Flow Metab* 2017;37:3671–82.
- Hunaifi I, Lestari R, Asmara IGY, Pintaningrum. Faktor-Faktor Prognostik Terjadinya Stroke Associated Infection (SAI) Pada Penderita Stroke Iskemik Akut. *Jurnal Kedokteran*, 2016.
- Idicula TT, Andreassen UW, Brogger J, et al. Serum albumin in ischemic stroke patients: the higher the better. *Cerebrovascular diseases* 2009;28:13-17.
- Ishigami K, Okuro M, Koizumi Y, et al. Association of severe hypertension with pneumonia in elderly patients with acute ischemic stroke. *Hypertension Research* 2012;35:648-53.
- Jelinek M, Duris K. Inflammatory response in sepsis and hemorrhagic stroke. *Brain hemorrhages* 2022:1-12.
- Ji R, Shen H, Pan Y, et al. Novel risk score to predict pneumonia after acute ischemic stroke. *Stroke* 2013;44:1303-9.

- Jonge JC, Beek D, Lyden P, et al. Temporal profile of pneumonia after stroke. *Stroke* 2022;53:53-60.
- Juli C, Heryaman H, Nazir A, Ang ET, Defi IR, Gamayani U, Atik N. The lymphocyte depletion in patients with acute ischemic stroke associated with poor neurologic outcome. *International Journal of General Medicine* 2021;14:1843-51
- Kalra L, Irshad S, Hodsoll J, Simpson M, Gulliford M, Smithard D, Patel A, Rebollo-Mesa I. Prophylactic antibiotics after acute stroke for reducing pneumonia in patients with dysphagia (STROKE-INF): a prospective, cluster-randomised, open-label, masked endpoint, controlled clinical trial. *Lancet* 2015;386:1835–44.
- Kehoane EM, Otto CN, Walenga JM. *Rodak's Hematology Clinical Principles and Applications*. Canada, Elsevier, 2019.
- Kim M, Heo MY, Joo HJ, et al. Neutrophil-to-lymphocyte ratio as a predictor of short-term functional outcomes in acute ischemic stroke patients. *International Journal of Environmental Research and Public Health* 2023;898(20):1-12
- Kogan E, Twyman K, Heap J, Milentijevic D, Lin JH, Alberts M. Assessing stroke severity using electronic health record data: a machine learning approach. *BMC Medical Informatics and Decision Making* 2020;20(8):1-8.
- Kurniawan M, Suharjanti I, Pinzon RT. *Acuan Panduan Praktik Klinis Neurologi Perhimpunan Dokter Spesialis Saraf Indonesia*. 2016.
- Li YM, Xu JH, Zhao YX. Predictors of urinary tract infection in acute stroke patients, a cohort study. *Medicine* 2020;99(27):1-9.
- Liao CC, Shih CC, Yeh CC, et al. Impact of diabetes on stroke risk and outcomes, two nationwide retrospective cohort studies. *Medicine* 2015;94(52):1-8.
- Lin SP, Ye S, Chen XH, Jiang HL, Mao HF, Chen MT, et al. Increased expression of microRNA-21 in peripheral blood mediates the down-regulation of IFN- γ and increases the prevalence of stroke-associated infection. *J Neurol Sci* 2016;366:235–9. <http://dx.doi.org/10.1016/j.jns.2016.03.034>
- Liu ZY, Wei L, Ye RC, Chen J, Nie D, Zhang Ge, Zhang XP. Reducing the incidence of stroke-associated pneumonia: an evidence-based practice. *BMC Neurology* 2022;22(297):1-9.
- Mengel A, Ulm L, Hotter B, Harms H, Piper SK, Grittner SK, Grittner U, Montaner J, Meisei C, Meisel A, Hoffmann S. Biomarkers of immune capacity, infection and inflammation are associated with poor outcome and mortality after stroke-the PREDICT study. *BMC Neurology* 2019;19(148):1-10.
- Mckenzie S, Piwowar KL, Williams L. *Clinical Laboratory Hematology Fourth Edition*. United States, Pearson, 2020.
- Meisel A., Hoffmann, S. *Stroke-Induced Immunodepression and Clinical Consequences*, German, Primary on Cerebrovascular disease, II edition, 2017.
- Mishra AK, Lal A, George AA. Infection as a Stroke Trigger: Association between different organ system infection admissions and stroke subtypes. *STROKEAHA*. 2019;50(328):2216-18

- Molnar T, Csuka D, Pusch G, et al. Associations between serum L-arginine and ficolins in the early phase of acute ischemic stroke-a pilot study. *Journal of Stroke and Cerebrovascular Disease* 2020;29(8):1-7.
- Morotti A, Marini S, Jessel MJ, Schwab K, Kourkolis C, Ayres AM, Gurol ME, Viswanathan A, Greenberg SM, Anderson CD, Goldstein JN, Rosand J. Lymphopenia, infectious complications and outcome in spontaneous intracerebral hemorrhage. *Neurocrit care* 2017;26(2):160-66.
- Nair R, Radhakrishnan K, Chatterjee A. Serum albumin as a predictor of functional outcomes following acute ischemic stroke. *Journal of Vascular and Interventional Neurology* 2018;10(2):65-68.
- Naito Y, Kamiya M, Morishima N, Ishikawa T. Association between out-of-bed mobilization and complications of immobility in acute phase of severe stroke: a retrospective observational study. *Journal of Stroke and Cerebrovascular Disease*;29(10):1-5.
- Nayoan CR. Gambaran penderita disfagia yang menjalani pemeriksaan fiberoptic endoscopic evaluation of swallowing di RSUP Dr. Kariadi Semarang Periode 2015-2016. *Jurnal Kesehatan Tadulako* 2017;3(2):47-57
- Nergiz S, Ozturk U. The effect of prognostic nutritional index on infection in acute ischemic stroke patients. *Medicina* 2023;59:1-7.
- Ojaghihaghghi S, Vahdati SS, Mikaeilpour A, Ramouz A. Comparison of neurological clinical manifestation in patients with hemorrhagic and ischemic stroke. *World J Emerg Med* 2017;8(1):34-8.
- Park JW, Park KD, Kim TH, Lee JY, Lim OK, Lee JK, Choi C. Comparison of tube feeding in stroke patients. Nasogastric tube feeding versus oroesophageal tube feeding-a pilot study. *Medicine* 2019;96(30):1-7
- Papagianni M, Tziomalos K, Kostaki S, et al. Obesity is an independent risk factor for pneumonia ini patients admitted with acute ischemic stroke. *Atherosclerosis* 2018;e17-e103.
- Pedoman Nasional Pelayanan Kedokteran Tata Laksana Stroke, 2019
- Poon MTC, Bell SM, Salman RA. Epidemiology of Intracerebral Haemorrhage. *Front Neurol Neurosci* 2016;37:1-12. DOI: 10.1159/000437109
- Powers WJ, Rabinstein AA, Ackerson T, Adeoye OM, Bambakidis NC, Becker K, Biller, J, Brown M, Demaerschalk BM, Hoh B, Jauch EC, Kidwell C, Mazwi TML, Ovbiagele B, Scott PA, Sheth KN, Southerland AM, Summers DV, Tirschwell DL. Guidelines for the Early Management of Patients with Acute Ischemic Stroke: 2019 Update to the 2018 Guidelines for the Early Management of Acute Ischemic Stroke. *AHA/ASA Guideline* 2019: e385.
- Procaccini C, Pucino V, DeRosa V, Marone G, Matarese G. Neuro endocrine networks controlling immune system in health and disease. *Front Immunol* 2014;5(143)1-1.
- Prass K, Meisel C, Höflich C, Braun J, Halle E, Wolf T, Ruscher K, Victorov IV, Priller J, Dirnagl U et al (2003) Stroke-induced immunodeficiency promotes spontaneous bacterial infections and is mediated by sympathetic activation reversal by poststroke T helper cell type 1-like immunostimulation. *J Exp Med* 198: 725 – 736

- Rabaut J, Thirugnanachandran T, Singhal S, et al. Clinical outcomes and patient safety of nasogastric tube in acute stroke patients. *Dysphagia* 2022;37:1732-9.
- Ren H, Liu X, Wang L, Gao Y. Lymphocyte-to-monocyte ratio: a novel predictor of the prognosis of acute ischemic stroke. *J Stroke Cerebrovasc Dis.* 2017;26(11):2595–2602. doi:10.1016/j.jstrokecerebrovasdis.2017.06.019
- Riskesdas, 2018
- Ritarwan K, Batubara CA, Dhanu R. The relationship between pneumonia and Glasgow coma scale assessment on acute stroke patients. *Earth and Environmental Science* 2018;125:1-6.
- Ropper A, Samuels MA, Klein JP, Prasad S. *Adam and Victor's Principles of Neurology* 11th Edition, McGrawHill, 2019.
- Rudkin S, Cerejo R, Tayal A, Goldberg MF. Imaging of acute ischemic stroke. *Emergency Radiology* 2018;25:659-72.
- Saini V, Guada L, Yavagal DR. Global epidemiology of stroke and access to acute ischemic stroke interventions. *Neurology* 2021;97(20):S6-16.
- Salvadori E, Papi G, Insalata G, Rinnoci V, Donnini I, Martini M, Falsini C, Hakiki B, Romoli A, Barbato C, Polcaro P, Casamorata F, Macchi C, Cecchi F, Pogessi A. Comparison between ischemic and hemorrhagic strokes in functional outcome at discharge from an intensive rehabilitation hospital. *Diagnostics* 2020;11(38):1-12.
- Samary CS, Ramos AB, Maia LA, et al. Focal ischemic stroke leads to lung injury and reduces alveolar macrophage phagocytic capability in rats. *Crit. Care* 2018;22(1):249.
- Sanyasi RDL, Pinzon RT. Clinical symptoms and risk factors comparison of ischemic and hemorrhagic stroke. *Indonesian Journal of Medicine and Health* 2018;9(3):5-15.
- Szlachetka WA, Pana TA, Tiamkao S, et al. Impact of diabetes on complications, long term mortality and recurrence in 608.890 hospitalised patients with stroke. *Global Heart* 2020;15(1):1-12.
- Setyopranoto I, Bayuangga HF, Panggabean AS, Alifaningdyah S, Lazuardi L, Dewi FST, Malueka RG. Prevalence of Stroke and associated risk factors in Sleman District of Yogyakarta Special Region, Indonesia. *Stroke Research and Treatment* 2019:1-9.
- Shi K, Wood K, Shi FD, Wang X, Liu Q. Stroke-induced immunosuppression and poststroke infection. *Stroke and Vascular Neurology* 2018;3:34-41
- Simats A, Liesz A. Systemic inflammation after stroke: implications for post-stroke comorbidities. *Embo Molecular Medicine*;14:1-18.
- Smith CJ, Kishore AK, Vail A, Chamorro A, Garau J, Hopkins SJ, Di Napoli M, Kalra L, Langhorne P, Montaner J, Roffe C, Rudd AG, Tyrrell PJ, et al. Diagnosis of StrokeAssociated Pneumonia: Recommendations From the Pneumonia in Stroke Consensus Group. *Stroke* 2015;46:2335–2340.
- Song YM, Sung J, Smith GD, et al. Body mass index and ischemic and hemorrhagic stroke, A prospective study in Korean men. *Stroke* 2004;35(4):831-6.
- Stoll G, Nieswandt B. Thrombo-inflammation in acute ischaemic stroke-implications for treatment. *Nature* 2019. <https://doi.org/10.1038/s41582-019-0221-1>

- Suda S, Aoki J, Shimoyama T, Suzuki K, Sakamoto Y, Katano T, Okubo S, Nito C, Nishiyama Y, Mishina M, Kimura K. Stroke-associated infection independently predicts 3-month poor functional outcome and mortality. *Journal of Neurology*. 2017;1-6. <https://doi.org/10.1007/s00415-017-8714-6>
- Sun Y, Lu J, Zheng D, Qian J, Zhang H, Xing D, et al. Predictive value of monocyte toHDL cholesterol ratio for stroke-associated pneumonia in patients with acute ischemic stroke. *Acta Neurol Belg* 2020.
- Teh WH, Smith CJ, Barlas RS, et al. Impact of stroke-associated pneumonia on mortality, length of hospitalization and functional outcome. *Acta Neurol Scand* 2018;1-8
- Toyoda K, Yoshimura S, Nakai M, et al. Twenty-year change in severity and outcome of ischemic and hemorrhagic strokes. *Jama Neurology* 2022;79(1):61—69.
- Tsai CF, Anderson N, Thomas B, Sudlow CLM. Comparing risk factor profiles between intracerebral hemorrhage and ischemic stroke in Chinese and White populations: Systematic Review and Meta-Analysis. *PLoS ONE* 2016;1-15.
- Urra X, Laredo C, Zhao Y, Amaro S, Rudilosso S, Renu A, Galino AP, Planas AM, Oleaga L, Chamorro A. Neuroanatomical correlates of stroke-associated infection and stroke-induced immunodepression. *Brain, Behavior and Immunity* 2016;60:142-150
- Virani SS, Alonso A, Benjamin EJ, Bittencourt MS, Callaway CW, Carson AP, Chamberlain AM, Chang AR, Cheng S, Delling FN., et al. Heart Disease and Stroke Statistics-2020 Update: A Report from the American Heart Association. *Circulation*. 2020;141:e139–e596.
- Wandira RD, Amalia L, Fuadi I. Hubungan antara derajat keparahan stroke dengan kejadian stroke-associated pneumonia. *Neurona*. 2018;35(2):116-120.
- Wani MM, Saleem SM, Imran R, et al. Stroke associated infection: a prospective hospital- based study at a tertiary care institution of North India. *Journal of Medical Sciences* 2015;15(1):22-27.
- Wang J, Yu L, Jiang C, Fu X, Liu X, Wang M, Ou C, Cui X, Zhou C, Wang J. Cerebral ischemia increases bone marrow CD4+CD25+FoxP3+ regulatory T cells in mice via signals from sympathetic nervous system. *Brain Behav Immun* 2015;43:172–183.
- Wartenberg KE, Stoll A, Funk A, et al. Infection after acute ischemic stroke: risk factors, biomarkers and outcome. *Stroke Res Treat* 2011;830614:1-9.
- Wastfelt M, Cao Y, Strom JO. Predictors of post-stroke fever and infections: a systematic review and meta-analysis. *BMC Neurology* 2018;18(49):1-8.
- Wei M, Huang Q, Yu F, et al. stroke-associated infection in patients with co-morbid diabetes mellitus is associated with in-hospital mortality. *Front Aging Neurosci* 2022;14:1-11.
- Westendorp WF, Vermeij JD, Zock E, Hooijenga IJ, Kruij ND, Bosboom HJ, Kwa VI, Weisfelt M, Remmers MJ, ten Houten R, Schreuder AH, Vermeer SE, van Dijk EJ, et al. The Preventive Antibiotics in Stroke Study (PASS): a pragmatic randomised open-label masked endpoint clinical trial. *Lancet* 2015;385:1519–1526.
- World Stroke Organization, Global Stroke Fact Sheet, 2022

- Xi YG, Tian X, Chen WQ, Zhang S, Zhang S, Ren WD, Pang QJ, Guo TY, Yang ZM. Antibiotic prophylaxis for infections in patients with acute stroke: a systematic review and meta-analysis of randomized controlled trials. *Oncotarget* 2017;8(46):81075-87.
- Xu Z, Gu Y, Li J, Wang C, Wang R, Huang Y, et al. Dysphagia and aspiration pneumonia in elderly hospitalization stroke patients: risk factors, cerebral infarction area comparison. *J Back Musculoskelet Rehabil* 2019; 32:85–91.
- Xiao J, Qiu QW, Qin C, Tao R, Qiao SY, Chen M, Pan DJ, Tian DS. Dynamic changes of peripheral blood lymphocyte subsets in acute ischemic stroke and prognostic value. *Brain and behavior* 2020:1-8.
- Yan T, Liu C, Li Y, Xiao W, Li Y, Wang S. Prevalence and predictive factors of urinary tract infection among patients with stroke: a meta-analysis. *American Journal of Infection Control*. 2018;46:402-9.
- Yan J, Zhai W, Li Z, Ding L, You J, Zeng J, Yang X, Wang C, Meng X, Jiang Y, Huang X, Wang S, Wang Y, Li Z, Zhu, S, Wang Y, Zhao X, Feng J. ICH-LR2S2: a new risk score for predicting stroke-associated pneumonia from spontaneous intracerebral hemorrhage. *Journal of Translational Medicine* 2022;20(193):1-10. <https://doi.org/10.1186/s12967-022-03389-5>
- Yang L, Wenping X, Jinfeng Z, Jiangxia P, Jingbo W, Baojun W. Are beta blockers effective in preventing stroke-associated infections? A systematic review and meta-analysis. *Aging* 2022;14(10):4459-70.
- Yang X, Wang L, Zheng L, et al. Serum albumin as a potential predictor of pneumonia after an acute ischemic stroke. *Curr Neurovasc Res* 2020;17(4):385-93.
- Ye S, Lin SP, Wu K, Fan Y, Xu M. Serum prealbumin is a predictive biomarker for stroke-associated infection after an ischemic stroke. *Int J Neurosci*. 2017;127:601–5.
- Zhang H, Wu T, Xiaolin T, et al. High neutrophil percentage-to-albumin ratio can predict occurrence of stroke-associated infection. *Front Neurol* 2021;12:1-6.
- Zhu J, Zhang X, Shi G, et al. Atrial fibrillation is an independent risk factor for hospital-acquired pneumonia. *PLoS ONE* 2015;10(7):1-8.